


THE
REGISTRAR-GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE YEAR
1945

(New Annual Series, No. 25)
TABLES. PART I. MEDICAL

Crown Copyright Reserved



LONDON
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. Stationery Office at the following addresses:
York House, Kingsway, London, W.C.2; 13a Castle Street, Edinburgh, 2;
39-41 King Street, Manchester, 2; 1 St. Andrew's Crescent, Cardiff;
Tower Lane, Bristol, 1; 80 Chichester Street, Belfast
OR THROUGH ANY BOOKSELLER

1947

Price 5s. 6d. net

TABLE OF CONTENTS

Part I. Medical

	Page
Explanatory Notes...	v
Table 1. Estimated Population by Sex and Age, 1945. England and Wales	1
Table 2. Suspended <i>see</i> Explanatory notes on page v.	
Table 3. Deaths, Death-rates, Mortality Comparisons and Infant Mortality, 1841-1945. England and Wales	2
Table 4. Deaths Registered and Death-rates in each Quarter, 1841-1945. England and Wales	4
Table 5. Death-rates at All Ages in Age Groups, Infant Mortality, and Mortality Ratios 1841-1945. England and Wales	5
Table 6. Deaths from Various Causes, Males and Females, 1935-1945. England and Wales	8
Table 7. Crude Death-rates from Certain Causes, Males, Females and Persons, 1935-1945. England and Wales	27
Table 8. Comparative Mortality Indexes (Base year 1938) by sex for Certain Causes of Death, 1936-1945	39
Table 9. Principal Epidemic or General Diseases, Death-rates at Ages under 15 and Comparative Mortality Indexes (All Ages), 1851-1945. England and Wales	43
Table 10. Crude Death-rates from the principal Epidemic Diseases and from certain other causes; Infant Mortality; Maternal Mortality; 1944 and 1945. England and Wales, Metropolitan Boroughs, Administrative Counties and County Boroughs	44
Table 11. Deaths of Infants from Certain Causes, 1935-1945. England and Wales	50
Table 12. Infant Mortality from Certain Causes, 1935-1945. England and Wales	51
Table 13. Deaths at Various Periods in the First Year of Life, 1945 and the Four Quarters thereof. England and Wales and Geographical Regions	52
Table 14. Suspended <i>see</i> Explanatory notes on page v.	
Table 15. Infant Mortality from Certain Causes, 1945. England and Wales and Geographical Regions	53

	Page
Table 16.	Suspended <i>see</i> Explanatory notes on page v.
Table 17.	Population, Births, Deaths, Infant Mortality, 1945. Geographical Regions and All Administrative Areas 55
Table 18.	Stillbirths by Sex and Legitimacy, 1945. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County 88
Table 19.	Deaths at each year of Age, 1945. England and Wales 91
Table 19a.	Constructed Analysis of 1945 Deaths by Age and Marital condition. England and Wales 93
Table 20.	Deaths at Different Ages, 1945. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County 94
Table 21.	Deaths by Cause at different Age periods, 1945. England and Wales 111
Table 21a.	Deaths by Cause and Age of Non-Civilians, 1945. England and Wales 146
Table 22.	Deaths by Cause at Ages under five, 1945. England and Wales... 151
Table 23.	Deaths by Month of Occurrence and by Cause, 1945. England and Wales 155
Table 24.	Deaths by Abridged List of Causes, Sex and Age, 1945. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County 173
Table 24a.	Deaths by Supplementary Abridged List of Causes and Sex, 1945. Regions, County Boroughs and Administrative Counties ... 264
Table 25.	Violent Deaths by Sex and Age and form of Violence, 1945. England and Wales 275 (a) Total civilian. (b) Occupational civilian. (c) Non-civilian.
Table 26.	Case-rates (Notifications) of Certain Infectious Diseases, 1935-1945. England and Wales and certain Aggregates 282
Table 27.	Seasonal Incidence of Certain Infectious Diseases, 1945. England and Wales 285
Table 28.	Cases of Certain Infectious Diseases Notified, 1935-45. England and Wales 286
Table 28a.	Cases of Certain Infectious Diseases Notified, Civilians and Non-Civilians, by Sex and Age, 1945. England and Wales... .. 287
Table 29.	Cases of Certain Infectious Diseases Notified, 1945. Geographical Regions and all Administrative Areas 288
Table 30.	Air Temperature, Rainfall and Sunshine, 1945. England and Wales 320
Table 31.	Quarterly Meteorological Elements, Greenwich, 1945 321
Table 32.	Meteorological Elements, Greenwich, 1896-1945 322
Appendix A.	Death Rates per Million in England and Wales based upon the Sex and age distribution of the population of Great Britain in the year of experience 324
Appendix B.	Deaths from Certain Causes at Various Periods in the First Year of Life, 1945. England and Wales 326

EXPLANATORY NOTES

1. New or Recent Changes in Presentation

(a) *Arising from war conditions*

In general the mortality of civilians is distinguished from that of non-civilians (see sections 2 and 3 below).

Tables 2 (Regional Estimates of Civilian Populations by Sex and Age), 14 and 16 (Infant Mortality extended analyses) have been suspended.

Table 17. Areal death rate comparability factors have been suspended on account of the unsettlement of the sex age composition of local populations caused by evacuation and other War transfers of population.

Table 24. The age groups identified have been reduced from 11 to 6.

(b) *Notification of infectious diseases*

Tables 26, 28, 28A and 29 are based on notifications corrected for subsequent amendments of diagnosis by the Notifying Medical Practitioner or by the Medical Superintendent of the Infectious Diseases Hospital.

2. Populations

The national and local estimates of civilian resident populations in 1945 (Tables 1 and 17) are derived from the National Register enumeration of 29th September, 1939 after allowance for subsequent births, civilian deaths, migration, intake into and discharge from the Armed Forces obtained from the National Register and other sources of information. The national estimate of the total population including the Armed Forces at home and overseas is given in Table 1; it cannot be apportioned amongst areas within the country.

3. Deaths

Except in Table 23, the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and date of registration being usually only a day or two. In Table 23, the deaths are classified by calendar month of occurrence.

Except in Tables 3, 4, 21A and 25(c) the deaths recorded are those of civilians only. In Tables 21A and 25(c) non-civilian deaths are recorded separately and in Tables 3 and 4 the numbers refer to civilian and non-civilian deaths combined.

Deaths of civilians are classified according to the area of residence of the deceased, the following conventions being adopted in the special circumstances (evacuation, industry transfers, etc.) of the war period, viz. (a) where a temporary address was recorded as well as a former permanent address the death was assigned to the area of the temporary address and (b) where the death occurred in a non-evacuation area (otherwise than in an institution) and only one address was recorded which was in an evacuation area the death was assigned to the non-evacuation area.

Civilian War Deaths identified in Table 17 (col. 13) are those assigned to cause No. 197 consisting mainly of deaths registered under the special emergency procedure applicable to deaths due to war operations.

Non-civilian deaths are not classified by areas.

4. Causes of Death

The classification of causes of death is that prescribed in the International List (Fifth Revision 1938)* operating from the year 1940 in accordance with the international agreement. The Detailed List is used in Tables 6, 7, 8, 9, 10, 11, 12, 15, 21, 21A, 22, 23, 25, the main divisions and lettered sub-divisions being international while the numbered sub-divisions are extensions adopted by the Registrar General. The divisions of the International Intermediate List are indicated by the italic numbers in brackets shown in col. 1 of Table 6. The Abridged List used for separate areas in Table 24 is a modification of the International Abridged List adopted by the Registrar General in consultation with the Ministry of Health and is extended by the Supplementary Abridged List in Table 24A.

Where more than one cause of death is mentioned on the Medical Certificate, the choice of the assigned cause has since 1940 been determined in the main from the statement of the certifier instead of by arbitrary rules of precedence.

*See Manual of the International List of Causes of Death (Fifth Revision 1938) obtainable from H.M. Stationery Office, Kingsway, London, W.C. Price 3/6 net.

Records of the years 1931-1939 appearing in the present volume have been adjusted so as to correspond as far as possible with the present principles of cause assignment.

5. Death Rates

The death rates for 1940 to 1945 are derived from the experience of civilians only, and with the exception of Infant Mortality and Maternal Mortality rates are based upon civilian populations (*see* (2) above).

Infant Mortality rates are based upon the combined births of the associated and preceding year to which they relate.

Maternal Mortality rates have been calculated on the live and stillbirths occurring in the calendar year.

6. Standard Mortality Comparisons

The method of calculating the Comparative Mortality Index as used in Tables 3, 5, 8 and 9 was explained in the Appendix to Part I of the Registrar-General's Statistical Review for 1941. An alternative notation of the formula will be found on p. vi. of Pt. I of the Review for 1942.

7. Births and Birth Rates

The births recorded are those occurring in the calendar year.

In the classification of births by area in Table 17, the conventions adopted for the transfer of deaths (*see* para. 3, p. v.) have been applied also to the transfer of births.

In the absence of estimates of total populations the birth rates of Table 17 have been calculated upon estimates of civilians only. For the country as a whole the ratio of estimated civilian population to total population is 0.8949 by which the live birth rates of Table 17 may be multiplied to produce rates approximately comparable with those of years prior to 1940.

8. Changes of Boundaries

There were no changes in 1945.

9. Significance Indication

Rates based upon less than 20 births or deaths are distinguished by italic type as a warning to the user that the smallness of the experience may affect their significance.

10. Regions

The constitution of the Regional Divisions of England and Wales used throughout the volume is as follows :—

<p><i>Greater London.</i> The area coincident with the City of London and Metropolitan Police Districts — approximately 15 miles' radius from Charing Cross.</p> <p><i>South East.</i> Bedfordshire. Berkshire. Buckinghamshire. Essex. Hertfordshire. Kent. London. Middlesex. Oxfordshire. Southampton. Surrey. Sussex, East. Sussex, West. Wight, Isle of.</p>	<p><i>North I.</i> Durham. Northumberland.</p> <p><i>North II.</i> Cumberland. Westmorland. Yorkshire, E. Riding. Yorkshire, N. Riding.</p> <p><i>North III.</i> Yorkshire, W. Riding. York, C.B.</p> <p><i>North IV.</i> Cheshire. Lancashire.</p> <p><i>Midland I.</i> Gloucestershire. Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire.</p>	<p><i>Midland II.</i> Derbyshire. Leicestershire. Northamptonshire. Nottinghamshire. Peterborough, Soke of</p> <p><i>East</i> Cambridgeshire. Ely, Isle of. Huntingdonshire. Lincolnshire— Parts of Holland. Parts of Kesteven. Parts of Lindsey. Norfolk. Rutlandshire. Suffolk, East. Suffolk, West.</p> <p><i>South West.</i> Cornwall. Devonshire. Dorsetshire. Somersetshire. Wiltshire.</p>	<p><i>Wales I.</i> Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire.</p> <p><i>Wales II.</i> Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembroeshire. Radnorshire.</p>
---	---	---	--

CORRIGENDA

Statistical Review. 1942. Part I. Medical.

Table 24.

- Page 242. Suffolk East, Urban Districts. Footnote, deaths due to War operations, Age 1—, Males, *for 51 read 1*, Females, *for 31 read 1*.
- Page 256. Merioneth, Urban Districts. 13M Cancer of mouth and oesoph: Age 65—, *insert 2*.
- Page 257. Monmouth, Urban Districts. 14. Cancer of stomach and duodenum Age 15—, Females, *insert 3*.

✓ Entered
1942




TABLE 1. ESTIMATED POPULATION, TOTAL AND } England and Wales.
CIVILIAN, BY SEX AND AGE, 1945.

(Figures given to nearest thousand).

NOTE: The Total population includes the Armed Forces and Merchant Seamen at home and abroad. It excludes non-civilians of Foreign Countries, Dominions, etc. temporarily in this country. The Civilian population has been adjusted to allow for the increased rate of demobilisation during the latter part of the year and is appropriate for the calculation of civilian death-rates.

Age.	TOTAL POPULATION (Mid Year 1945)			CIVILIAN POPULATION (Mean 1945)		
	Persons	Males	Females	Persons	Males	Females
All Ages	42636	20549	22087	38157	16412	21745
0-	690	355	335	690	355	335
1-	682	349	333	682	349	333
2-	635	324	311	635	324	311
3-	579	296	283	579	296	283
4-	542	276	266	542	276	266
0-5	3128	1600	1528	3128	1600	1528
5-	2838	1443	1395	2838	1443	1395
10-	2787	1411	1376	2787	1411	1376
15-	2977	1495	1482	2586	1142	1444
20-	3329	1632	1697	1970	475	1495
25-	3087	1536	1551	2039	557	1482
30-	3446	1702	1744	2620	897	1723
35-	3463	1714	1749	2962	1220	1742
40-	3271	1617	1654	3027	1377	1650
45-	2857	1334	1523	2794	1272	1522
50-	2599	1191	1408	2567	1159	1408
55-	2383	1085	1298	2372	1074	1298
60-	2102	938	1164	2099	935	1164
65-	1746	773	973	1745	772	973
70-	1279	558	721	1279	558	721
75-	785	322	463	785	322	463
80-	377	138	239	377	138	239
85&up	182	60	122	182	60	122

TABLE 2. SUSPENDED.

TABLE 3. DEATHS, DEATH-RATES, MORTALITY COMPARISONS } England and Wales.
AND INFANT MORTALITY, 1841-1945.

NOTES: (a) The Comparative Mortality Index expresses the mortality of each year or period as ratio to that of 1938 adopted as the base, after adjustment for sex and age differences in the populations exposed to risk.

(b) The ratio of male to female mortality has likewise been adjusted for age differences the male and female populations.

(c) See general Explanatory notes on page v.

Period.	Deaths.			Crude rates per 1,000 living.			Comparative Mortality Indexes (Base year 1938 taken as unity)			Adjusted Ratio of Male to Female Mortality.	Deaths under 1 year p 1,000 Li births.	
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.
1841-1850	3,769,396	1,909,125	1,860,271	22.4	23.1	21.6	2.270	2.121	2.437	1.090	153	—
1851-1860	4,210,715	2,138,536	2,072,179	22.2	23.1	21.4	2.222	2.086	2.374	1.098	154	—
1861-1870	4,794,498	2,459,489	2,335,009	22.5	23.7	21.4	2.247	2.136	2.371	1.125	155	—
1871-1880	5,178,311	2,679,416	2,498,895	21.4	22.7	20.1	2.173	2.087	2.269	1.155	149	—
1881-1890	5,244,770	2,698,316	2,546,454	19.1	20.3	18.1	2.007	1.928	2.095	1.158	142	—
1891-1900	5,575,375	2,865,226	2,710,149	18.2	19.3	17.1	1.938	1.869	2.013	1.169	153	—
1901-1910	5,248,774	2,706,356	2,542,418	15.4	16.4	14.4	1.642	1.595	1.693	1.194	128	—
1911-1920*	5,188,052	2,684,511	2,503,541	14.4	15.9	13.0	1.470	1.450	1.492	1.247	100	96
1921-1930	4,722,991	2,407,475	2,315,516	12.1	12.9	11.4	1.192	1.163	1.224	1.254	72	70
1931-1940*	4,992,208	2,551,612	2,440,596	12.3	13.1	11.5	1.087	1.074	1.101	1.307	59	57
1841-1845	1,746,110	885,168	860,942	21.4	22.1	20.6	2.179	2.038	2.336	1.096	148	—
1846-1850	2,023,286	1,023,957	999,329	23.3	24.1	22.6	2.360	2.204	2.534	1.088	157	—
1851-1855	2,087,236	1,061,271	1,025,965	22.7	23.5	21.8	2.276	2.139	2.429	1.099	156	—
1856-1860	2,123,479	1,077,265	1,046,214	21.8	22.6	21.0	2.177	2.041	2.329	1.095	152	—
1861-1865	2,331,957	1,192,943	1,139,014	22.6	23.7	21.5	2.253	2.134	2.385	1.116	151	—
1866-1870	2,462,541	1,266,546	1,195,995	22.4	23.7	21.2	2.242	2.138	2.358	1.132	157	—
1871-1875	2,572,749	1,330,063	1,242,686	22.0	23.3	20.7	2.220	2.130	2.321	1.150	153	—
1876-1880	2,605,562	1,349,353	1,256,209	20.8	22.1	19.5	2.130	2.047	2.221	1.160	145	—
1881-1885	2,585,164	1,330,461	1,254,703	19.4	20.5	18.3	2.018	1.936	2.110	1.152	139	—
1886-1890	2,659,606	1,367,855	1,291,751	18.9	20.0	17.8	1.997	1.921	2.081	1.164	145	—
1891-1895	2,785,391	1,427,164	1,358,227	18.7	19.8	17.7	1.993	1.914	2.079	1.161	151	—
1896-1900	2,789,984	1,438,062	1,351,922	17.7	18.8	16.6	1.885	1.825	1.951	1.178	156	—
1901-1905	2,671,566	1,379,931	1,291,635	16.0	17.1	15.0	1.716	1.668	1.768	1.191	138	—
1906-1910	2,577,208	1,326,425	1,250,783	14.7	15.6	13.8	1.572	1.525	1.622	1.198	117	113
1911-1915*	2,598,719	1,344,171	1,254,548	14.3	15.4	13.3	1.495	1.464	1.528	1.226	110	105
1916-1920*	2,589,333	1,340,340	1,248,993	14.4	16.5	12.8	1.450	1.443	1.456	1.282	90	85
1921-1925	2,336,270	1,189,865	1,146,405	12.1	12.9	11.4	1.220	1.186	1.255	1.240	76	73
1926-1930	2,386,721	1,217,610	1,169,111	12.1	12.9	11.4	1.167	1.142	1.194	1.268	68	65
1931-1935	2,426,435	1,232,370	1,194,065	12.0	12.7	11.4	1.104	1.080	1.129	1.276	62	60
1936-1940*	2,565,773	1,319,242	1,246,531	12.5	13.5	11.6	1.070	1.067	1.074	1.377	55	54
1941-1945*	2,497,013	1,301,357	1,195,656	12.8	15.1	11.1	.956	.982	.929	1.414	50	48
1895	568,997	290,704	278,293	18.7	19.7	17.7	1.989	1.902	2.084	1.156	161	—
1896	526,727	270,575	256,152	17.1	18.1	16.1	1.798	1.736	1.865	1.163	148	—
1897	541,487	280,211	261,276	17.4	18.6	16.2	1.842	1.792	1.897	1.186	156	—
1898	552,141	283,981	268,160	17.5	18.6	16.5	1.860	1.796	1.931	1.171	160	—
1899	581,799	299,472	282,327	18.2	19.4	17.2	1.955	1.889	2.028	1.176	163	—
1900	587,830	303,823	284,007	18.2	19.5	17.1	1.965	1.908	2.028	1.189	154	—

* For the years 1915-20 and from 3rd September, 1939, the mortality-rates for males and from 1st June, 1941 for females, are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931.

TABLE 3—continued

	Deaths.			Crude rates per 1,000 living.			Comparative Mortality Indexes (Base year 1938 taken as unity)			Adjusted Ratio of Male to Females Mortality.	Deaths of Infants under 1 year per 1,000 Live births.†		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1	551,585	285,618	265,967	16.9	18.1	15.8	1.811	1.764	1.862	1.192	151	—	—
2	535,538	277,216	258,322	16.3	17.4	15.2	1.748	1.702	1.798	1.196	133	—	—
3	514,628	266,290	248,338	15.5	16.5	14.4	1.655	1.612	1.702	1.196	132	—	—
4	549,784	283,206	266,578	16.3	17.4	15.3	1.733	1.680	1.790	1.185	145	—	—
5	520,031	267,601	252,430	15.3	16.3	14.4	1.637	1.586	1.692	1.189	128	—	—
6	531,281	274,233	257,048	15.5	16.5	14.5	1.649	1.606	1.696	1.197	132	127	261
7	524,221	269,259	254,962	15.1	16.0	14.2	1.621	1.568	1.678	1.192	118	113	220
8	520,456	268,714	251,742	14.8	15.8	13.9	1.580	1.539	1.625	1.204	120	116	233
9	518,003	265,203	252,800	14.6	15.5	13.8	1.571	1.517	1.630	1.192	109	104	211
0	483,247	249,016	234,231	13.5	14.4	12.7	1.445	1.406	1.487	1.207	105	102	195
1	527,810	272,512	255,298	14.6	15.6	13.7	1.530	1.496	1.568	1.209	130	125	245
2	486,939	250,232	236,707	13.4	14.2	12.6	1.428	1.388	1.472	1.211	95	91	181
3	504,975	261,687	243,288	13.8	14.8	12.9	1.455	1.428	1.484	1.228	108	104	213
4	516,742	267,359	249,383	14.0	14.9	13.1	1.470	1.439	1.503	1.224	105	100	207
5*	562,253	292,381	269,872	15.7	17.7	14.0	1.595	1.578	1.613	1.260	110	105	203
6*	508,217	265,030	243,187	14.3	16.7	12.5	1.457	1.455	1.459	1.300	91	87	183
7*	498,922	262,215	236,707	14.2	17.1	12.1	1.432	1.456	1.405	1.348	96	90	201
8*	611,861	314,704	297,157	17.3	20.1	15.2	1.713	1.724	1.695	1.310	97	91	186
9*	504,203	258,089	246,114	14.0	15.7	12.6	1.421	1.401	1.442	1.267	89	84	173
0*	466,130	240,302	225,828	12.4	13.5	11.5	1.270	1.253	1.289	1.249	80	76	156
1	458,629	234,291	224,338	12.1	12.9	11.3	1.233	1.202	1.266	1.234	83	79	158
2	486,780	247,221	239,559	12.7	13.5	12.0	1.293	1.254	1.336	1.228	77	74	139
3	444,785	226,858	217,927	11.6	12.4	10.9	1.159	1.129	1.191	1.245	69	67	132
4	473,235	240,620	232,615	12.2	13.0	11.5	1.211	1.175	1.250	1.239	75	73	133
5	472,841	240,875	231,966	12.1	12.9	11.4	1.202	1.171	1.236	1.250	75	72	136
6	453,804	231,549	222,255	11.6	12.4	10.9	1.136	1.110	1.164	1.259	70	68	130
7	484,609	246,606	238,003	12.3	13.1	11.6	1.203	1.173	1.234	1.261	70	67	120
8	460,389	235,542	224,847	11.7	12.5	10.9	1.121	1.101	1.142	1.276	65	63	115
9	532,492	269,903	262,589	13.4	14.2	12.7	1.292	1.256	1.331	1.256	74	72	126
0	455,427	234,010	221,417	11.4	12.3	10.7	1.084	1.070	1.099	1.291	60	58	105
1	491,630	249,717	241,913	12.3	13.0	11.6	1.154	1.127	1.183	1.270	66	64	109
2	484,129	245,715	238,414	12.0	12.7	11.4	1.119	1.093	1.147	1.272	64	62	112
3	496,465	250,625	245,840	12.3	12.9	11.7	1.132	1.100	1.166	1.262	63	61	106
4	476,810	242,855	233,955	11.8	12.5	11.1	1.068	1.049	1.089	1.283	59	58	96
5	477,401	243,458	233,943	11.7	12.5	11.1	1.051	1.035	1.068	1.297	57	56	89
6	495,764	253,319	242,445	12.1	12.9	11.4	1.073	1.061	1.087	1.311	59	57	88
7	509,574	260,057	249,517	12.4	13.2	11.7	1.086	1.073	1.100	1.312	58	56	88
8	478,996	246,898	232,098	11.6	12.5	10.8	1.000	1.000	1.000	1.343	53	52	81
9*	499,902	255,879	244,023	12.1	13.0	11.3	1.022	1.016	1.028	1.339	51	49	90
0*	581,537	303,089	278,448	14.4	16.1	12.9	1.171	1.187	1.156	1.382	57	55	82
1*	535,180	281,035	254,145	13.5	15.7	11.8	1.070	1.096	1.043	1.406	60	59	82
2*	480,137	251,333	228,804	12.3	14.4	10.7	.942	.967	.916	1.416	51	49	75
3*	501,412	259,206	242,206	13.0	15.3	11.3	.957	.978	.944	1.397	49	48	71
4*	492,176	257,705	234,471	12.7	15.3	10.8	.918	.952	.894	1.433	45	44	69
5*	488,108	252,078	236,030	12.6	15.0	10.8	.893	.920	.875	1.416	46	44	65

† See footnotes on first page of this Table.

TABLE 4. DEATHS REGISTERED AND DEATH-RATES IN EACH } England and Wales.
 QUARTER, 1841-1945.

See Explanatory notes on page v.

Period.	Quarter ended							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths : Males.				Deaths : Females.			
1841-50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,300
1851-60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,900
1861-70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,100
1871-80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,300
1881-90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,300
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,500
1901-10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,000
1911-20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,800
1921-30	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,600
1931-40*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,000
1934	74,292	60,796	49,808	57,959	71,711	58,211	47,661	56,300
1935	67,538	61,679	51,357	62,884	65,119	60,256	48,709	59,800
1936	77,731	61,463	51,347	62,778	75,860	58,077	48,588	59,900
1937	82,071	60,887	51,741	65,358	81,645	57,638	48,560	61,600
1938	71,021	61,737	52,875	61,265	66,876	57,451	49,670	58,100
1939*	77,818	61,965	53,077	63,019	76,467	58,609	50,223	58,700
1940*	106,418	61,968	58,818	75,885	98,765	57,738	52,915	69,000
1941*	92,512	74,816	53,495	60,212	86,125	65,370	47,841	54,800
1942*	79,361	61,033	50,768	60,171	71,901	55,904	46,568	54,400
1943*	70,927	59,074	51,146	78,059	66,651	53,837	47,323	74,300
1944*	76,492	60,836	55,876	64,501	69,547	54,712	51,378	58,800
1945*	81,476	57,767	50,215	62,620	76,267	53,205	46,942	59,600
	Deaths : Persons.				Annual Death-rates per 1,000 persons living.			
1841-50	1,029,485	926,091	892,964	920,856	24.7	22.0	21.0	21.0
1851-60	1,157,916	1,040,596	965,924	1,046,279	24.7	22.1	20.3	21.0
1861-70	1,323,406	1,156,834	1,126,288	1,187,970	25.2	21.8	21.0	22.0
1871-80	1,422,776	1,259,064	1,195,003	1,301,468	23.7	20.9	19.6	21.0
1881-90	1,459,550	1,271,775	1,194,102	1,319,343	21.6	18.7	17.3	19.0
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20.7	17.6	17.0	17.0
1901-10	1,490,235	1,246,735	1,185,415	1,326,389	17.7	14.6	13.8	15.0
1911-20*	1,532,334	1,220,642	1,074,835	1,360,241	17.2	13.6	11.8	14.0
1921-30	1,489,996	1,136,431	936,261	1,160,303	15.5	11.7	9.5	11.0
1931-40*	1,578,974	1,177,988	1,005,878	1,229,368	15.8	11.6	9.8	12.0
1934	146,003	119,007	97,469	114,331	14.6	11.8	9.6	11.0
1935	132,657	121,935	100,066	122,743	13.2	12.0	9.8	12.0
1936	153,591	119,540	99,935	122,698	15.1	11.8	9.7	12.0
1937	163,716	118,525	100,301	127,032	16.2	11.6	9.7	12.0
1938	137,897	119,188	102,545	119,366	13.6	11.6	9.9	11.0
1939*	154,285	120,574	103,300	121,743	15.1	11.7	9.9	11.0
1940*	205,183	119,706	111,733	144,915	20.6	11.9	10.8	14.0
1941*	178,637	140,186	101,336	115,021	18.4	14.2	10.1	11.0
1942*	151,262	116,937	97,336	114,602	15.8	12.0	9.8	11.0
1943*	137,578	112,911	98,469	152,454	14.5	11.7	10.1	15.0
1944*	146,039	115,548	107,254	123,335	15.3	12.0	11.0	12.0
1945*	157,743	110,972	97,157	122,236	16.5	11.5	10.0	12.0

* See Note to Table 3.

TABLE 5. DEATH-RATES PER 1,000 LIVING
IN AGE GROUPS, INFANT MORTALITY AND } England and Wales.
MORTALITY RATIOS 1841-1945.

NOTES: (a) The Mortality Ratio expresses the all ages mortality of each year (or period) as a ratio to that of the preceding year (or period) after adjustment for sex and age differences in the populations exposed to risk.

(b) See general explanatory notes on page v.

PERSONS

Period	Mortality Ratio	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards	Deaths under 1 year per 1,000 births†
1841-50	—	66.0	9.05	5.29	7.48	9.29	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-60	.979	67.6	8.46	4.97	7.04	8.67	9.76	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-70	1.011	68.6	7.99	4.49	6.42	8.21	9.83	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-80	.967	63.4	6.47	3.71	5.35	7.07	8.96	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-90	.924	56.8	5.30	3.03	4.37	5.63	7.56	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	.965	57.7	4.34	2.51	3.73	4.74	6.40	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-10	.847	46.0	3.56	2.11	2.99	3.82	5.13	8.31	14.3	28.1	58.8	127.2	260.8	128
1911-20*	.896	34.6	3.60	2.28	3.32	4.29	5.47	7.41	12.6	25.0	55.8	125.5	254.2	100
1921-30	.811	22.7	2.42	1.64	2.55	3.21	3.64	5.54	10.0	21.3	50.8	120.9	260.2	72
1931-40*	.912	16.9	2.01	1.31	2.17	2.85	3.04	4.58	9.26	20.2	48.8	119.5	259.8	59
1841-45	—	63.6	8.69	5.01	7.21	8.81	9.66	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-50	1.083	68.7	9.39	5.56	7.74	9.77	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-55	.964	68.9	8.64	5.23	7.48	9.06	10.1	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-60	.956	66.9	8.33	4.72	6.74	8.33	9.38	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-65	1.035	69.1	8.39	4.72	6.64	8.39	9.79	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-70	.995	68.1	7.62	4.28	6.21	8.03	9.86	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-75	.990	64.9	6.86	3.97	5.81	7.74	9.61	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-80	.959	61.9	6.10	3.47	4.93	6.46	8.35	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-85	.948	56.6	5.76	3.23	4.63	5.96	8.01	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-90	.989	56.9	4.86	2.84	4.13	5.32	7.15	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-95	.998	57.8	4.56	2.65	3.98	5.01	6.81	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	.946	57.6	4.12	2.36	3.48	4.50	6.03	10.1	16.2	30.5	62.9	133.8	267.7	136
1901-05	.910	50.2	3.74	2.19	3.11	4.00	5.44	8.86	14.9	28.7	59.4	127.3	258.6	158
1906-10	.916	41.7	3.38	2.03	2.87	3.64	4.84	7.81	13.7	25.5	58.1	127.0	262.4	117
1911-15*	.951	37.5	3.39	2.08	2.88	3.58	4.57	7.28	13.1	26.2	57.3	126.2	257.9	110
1916-20*	.970	31.4	3.81	2.48	3.77	5.16	6.55	7.54	12.1	24.0	54.5	124.8	250.7	90
1921-25	.841	24.4	2.48	1.71	2.61	3.30	3.79	5.11	10.1	21.6	51.1	121.8	251.4	76
1926-30	.957	20.8	2.37	1.57	2.49	3.11	3.49	5.37	9.94	21.0	50.6	120.2	268.2	68
1931-35	.946	18.1	2.18	1.41	2.33	2.96	3.20	4.82	9.44	20.1	49.0	119.3	255.7	62
1936-40*	.969	15.6	1.84	1.20	2.01	2.72	2.87	4.35	9.09	20.4	48.5	119.7	263.4	55
1941-45*	.893	14.0	1.50	1.08	1.96	3.06	3.04	3.95	8.00	18.1	43.0	104.5	213.0	50
1904	1.047	53.0	3.59	2.14	3.05	3.89	5.28	8.53	14.6	28.7	59.7	130.1	267.6	145
1905	.945	46.2	3.43	2.12	2.99	3.86	5.16	8.25	14.2	28.0	58.0	125.5	264.5	128
1906	1.007	47.2	3.59	2.15	3.01	3.78	5.11	8.24	14.2	28.2	57.7	126.9	273.1	132
1907	.983	42.9	3.49	2.06	2.94	3.71	5.03	8.20	14.2	28.6	59.6	129.3	271.0	118
1908	.975	43.0	3.36	2.00	2.81	3.67	4.86	7.76	13.7	27.6	57.8	127.2	259.0	120
1909	.994	39.2	3.43	2.05	2.91	3.63	4.79	7.71	13.8	27.8	60.4	131.7	268.3	109
1910	.920	36.4	3.05	1.91	2.67	3.40	4.41	7.17	12.7	25.7	55.2	120.1	242.4	105
1911	1.059	43.1	3.43	2.06	2.89	3.55	4.56	7.29	13.1	26.0	55.8	123.7	243.0	130
1912	.933	32.9	3.10	1.92	2.79	3.37	4.38	7.10	12.9	25.8	56.4	123.6	248.9	95
1913	1.018	36.8	3.18	1.95	2.68	3.35	4.34	7.09	12.9	25.9	55.8	121.7	247.7	108
1914	1.010	36.2	3.41	2.12	2.88	3.53	4.56	7.35	13.2	26.0	56.5	121.8	256.8	105
1915*	1.085	38.2	3.85	2.34	3.15	4.26	5.08	7.61	13.5	27.5	61.7	139.5	291.8	110
1916*	.914	29.5	3.26	2.21	3.17	4.35	5.11	7.20	12.5	25.4	58.5	133.3	282.2	91
1917*	.983	29.1	3.25	2.20	3.38	4.49	5.26	7.21	12.0	24.7	56.5	130.5	263.9	96
1918*	1.196	36.5	5.70	3.73	6.11	9.29	12.4	10.1	14.2	25.1	55.1	117.5	225.8	97
1919*	.830	29.6	3.55	2.28	3.49	4.73	6.37	7.20	11.6	23.7	54.6	130.6	264.0	89
1920*	.894	32.6	3.29	1.97	2.81	3.61	4.42	6.14	10.4	21.2	48.2	113.1	220.8	80
1921	.970	28.7	2.76	1.79	2.77	3.39	3.93	5.82	10.0	21.1	49.0	116.7	242.3	83
1922	1.049	27.0	2.56	1.79	2.63	3.47	4.08	6.07	10.6	22.7	53.9	129.4	255.7	77
1923	.896	21.7	2.26	1.64	2.53	3.20	3.67	5.51	9.82	21.1	49.0	116.0	238.3	69
1924	1.045	22.4	2.31	1.66	2.53	3.28	3.68	5.68	10.1	21.9	52.4	123.3	251.8	75
1925	.993	22.7	2.48	1.66	2.59	3.20	3.60	5.50	10.1	21.3	51.2	123.4	268.1	75
1926	.945	21.1	2.40	1.49	2.43	3.04	3.46	5.31	9.57	20.5	48.6	115.4	254.3	70
1927	1.058	21.3	2.34	1.54	2.48	3.15	3.58	5.65	10.2	21.5	52.2	124.8	281.2	70
1928	.932	19.6	2.34	1.60	2.50	3.09	3.43	5.23	9.62	20.3	48.9	112.6	258.0	65
1929	1.153	23.9	2.47	1.70	2.61	3.28	3.65	5.74	10.9	22.8	56.2	136.5	312.3	74
1930	.839	18.2	2.29	1.54	2.45	3.00	3.36	4.95	9.43	20.0	47.2	111.8	238.1	60
1931	1.064	19.9	2.14	1.47	2.50	3.10	3.36	5.45	9.80	20.6	50.8	123.9	268.2	66
1932	.970	19.0	2.07	1.39	2.39	3.02	3.21	4.79	9.33	20.1	49.8	121.9	264.6	64
1933	1.011	17.9	2.20	1.43	2.41	3.09	3.34	5.15	9.89	20.4	49.5	123.8	266.2	63
1934	.944	17.5	2.44	1.43	2.28	2.85	3.10	4.60	9.19	19.7	47.9	113.2	236.4	59
1935	.983	16.1	2.04	1.32	2.07	2.72	2.99	4.49	8.99	19.6	47.5	114.6	245.4	57
1936	1.022	17.0	1.99	1.21	1.95	2.69	2.82	4.39	9.09	20.1	48.5	118.3	265.5	59
1937	1.012	16.7	1.87	1.18	1.97	2.66	2.89	4.47	9.23	20.6	49.0	120.0	271.7	58
1938	.921	15.3	1.87	1.19	1.86	2.49	2.65	4.05	8.47	19.0	45.5	110.6	240.0	53
1939*	1.022	13.7	1.48	1.03	1.75	2.45	2.60	3.94	8.56	19.7	47.2	119.0	260.6	51
1940*	1.147	15.6	1.96	1.40	2.54	3.50	3.44	4.92	10.1	22.6	52.3	130.1	278.7	57
1941*	.914	16.4	2.06	1.37	2.59	3.55	3.53	4.62	8.97	19.8	46.5	114.3	247.2	60
1942*	.880	14.0	1.50	1.04	1.91	3.02	2.92	3.87	7.82	17.8	42.4	102.6	216.8	51
1943*	1.016	14.0	1.40	1.04	1.88	3.02	2.97	3.95	8.02	18.0	43.1	106.4	220.2	49
1944*	.959	13.3	1.38	1.05	1.73	2.96	3.01	3.82	7.73	17.6	41.7	100.3	196.5	45
1945*	.973	12.3	1.18	0.91	1.56	2.73	2.67	3.48	7.36	17.3	41.5	100.3	194.5	46

* Civilian mortality only in 1915-20 and from 3rd September, 1939, for males, and from 1st June, 1941, for females.

† Based on related live births from 1931.

TABLE 5—continued.

MALES

Period	Mortality Ratio	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards	Deaths under 1 year per 1,000 births†
1841-50	—	71.2	9.17	5.13	7.05	9.51	9.94	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-60	-.984	72.4	8.51	4.88	6.69	8.83	9.57	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-70	1.024	73.5	8.19	4.48	6.19	8.48	9.94	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-80	-.977	68.4	6.71	3.71	5.25	7.36	9.34	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-90	-.924	61.6	5.35	2.95	4.32	5.73	7.77	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	-.969	62.7	4.31	2.45	3.79	5.06	6.76	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-10	-.853	50.0	3.50	2.05	3.09	4.18	5.57	9.15	16.2	31.8	64.8	137.7	279.2	140
1911-20*	-.909	37.8	3.61	2.23	3.44	4.94	6.46	8.61	14.5	29.0	63.5	139.3	274.5	112
1921-30	-.802	25.1	2.52	1.65	2.62	3.41	3.86	6.34	11.6	24.6	58.2	135.4	285.8	81
1931-40*	-.923	18.8	2.13	1.36	2.30	3.08	3.20	5.17	11.1	24.3	56.8	137.5	282.9	66
1841-45	—	68.7	8.82	4.84	6.76	8.99	9.37	12.2	17.2	30.3	65.5	143.7	350.1	162
1846-50	1.081	73.7	9.54	5.39	7.35	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-55	-.970	73.9	8.75	5.15	6.98	9.24	9.95	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-60	-.954	71.5	8.30	4.63	6.42	8.44	9.17	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-65	1.046	74.1	8.53	4.68	6.39	8.65	9.76	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-70	1.002	72.9	7.88	4.30	5.99	8.31	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-75	-.996	69.9	7.10	3.99	5.71	8.07	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-80	-.961	67.1	6.34	3.44	4.84	6.70	8.70	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-85	-.946	61.3	5.85	3.16	4.53	6.00	8.16	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-90	-.992	61.9	4.86	2.76	4.12	5.48	7.40	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-95	-.997	62.9	4.53	2.57	4.00	5.23	7.07	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	-.954	62.4	4.09	2.32	3.59	4.90	6.47	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-05	-.914	54.7	3.68	2.14	3.20	4.39	5.89	9.74	17.0	32.4	65.3	137.6	274.6	151
1906-10	-.914	45.4	3.33	1.97	2.97	3.97	5.25	8.62	15.5	31.2	64.4	137.7	283.0	129
1911-15*	-.960	40.9	3.42	2.05	3.01	3.98	5.15	8.20	14.9	30.2	64.1	139.2	281.6	121
1916-20*	-.986	34.4	3.81	2.41	3.91	6.60	8.58	9.07	14.0	27.9	63.0	139.4	267.8	101
1921-25	-.822	27.0	2.55	1.69	2.66	3.53	4.05	6.51	11.6	24.9	58.2	135.5	272.7	86
1926-30	-.962	23.1	2.48	1.61	2.58	3.30	3.68	6.18	11.6	24.4	58.3	135.4	298.1	77
1931-35	-.946	20.1	2.28	1.44	2.45	3.15	3.31	5.40	11.2	23.6	56.7	135.2	278.9	70
1936-40*	-.988	17.5	1.96	1.27	2.15	2.99	3.09	4.95	11.0	25.0	56.8	139.5	286.3	62
1941-45*	-.920	15.5	1.69	1.20	2.22	5.00	4.16	4.81	9.85	23.1	51.7	121.6	226.1	56
1904	1.042	57.4	3.55	2.08	3.14	4.32	5.71	9.36	16.5	32.3	65.5	139.7	287.6	159
1905	-.944	50.3	3.44	2.08	3.08	4.18	5.58	9.05	16.1	31.5	63.3	137.2	278.2	141
1906	1.012	51.2	3.48	2.04	3.17	4.12	5.54	9.08	16.1	32.4	64.3	137.3	298.5	145
1907	-.977	46.8	3.44	2.01	3.02	4.04	5.51	9.02	16.1	32.3	65.2	138.8	291.7	130
1908	-.981	46.9	3.33	1.96	2.92	4.00	5.32	8.63	15.4	31.4	64.3	138.4	277.2	133
1909	-.986	42.8	3.37	1.99	3.03	3.95	5.20	8.53	15.6	31.1	66.4	142.5	289.9	120
1910	-.927	39.7	3.02	1.86	2.74	3.74	4.72	7.87	14.5	29.4	61.8	131.6	259.7	116
1911	1.064	46.7	3.47	2.06	3.06	3.84	5.01	8.06	14.9	29.6	62.4	136.7	268.0	142
1912	-.928	35.9	3.11	1.85	2.87	3.58	4.77	7.89	14.7	29.6	62.7	135.6	266.7	106
1913	1.029	40.3	3.20	1.92	2.78	3.56	4.76	7.88	14.7	29.9	62.9	136.6	269.3	116
1914	1.008	39.4	3.43	2.06	3.06	3.90	5.11	8.29	14.9	30.0	63.4	133.2	281.2	120
1915*	1.097	42.0	3.86	2.35	3.32	5.81	6.47	8.90	15.4	31.9	69.0	153.6	322.7	123
1916*	-.922	32.5	3.34	2.20	3.40	6.86	7.21	8.63	14.4	29.6	66.8	148.1	309.2	102
1917*	1.001	31.8	3.30	2.17	3.64	7.88	8.53	9.14	14.1	29.2	66.2	147.2	286.5	108
1918*	1.184	38.9	5.53	3.48	6.20	13.8	19.6	12.6	16.4	29.3	64.4	132.1	234.4	108
1919*	-.813	32.8	3.54	2.25	3.56	5.54	8.14	8.63	13.3	27.2	62.6	145.5	277.6	100
1920*	-.894	36.2	3.34	1.91	2.93	3.94	4.74	7.03	12.1	24.5	55.6	125.1	235.2	90
1921	-.960	31.9	2.81	1.76	2.84	3.57	4.21	6.53	11.4	24.4	55.8	128.7	262.8	93
1922	1.043	29.8	2.62	1.74	2.69	3.76	4.35	6.90	12.0	26.0	61.0	143.5	271.7	87
1923	-.900	24.0	2.34	1.64	2.57	3.47	3.97	6.31	11.2	24.2	55.6	129.5	262.9	78
1924	1.041	24.8	2.40	1.65	2.57	3.50	3.89	6.47	11.6	25.1	59.6	136.9	273.4	84
1925	-.996	24.9	2.54	1.68	2.63	3.35	3.83	6.32	11.6	24.7	58.7	138.8	292.0	85
1926	1.948	23.3	2.52	1.52	2.48	3.16	3.64	6.05	11.0	23.6	55.9	131.1	284.3	79
1927	1.056	23.7	2.45	1.57	2.54	3.36	3.76	6.54	11.9	24.9	59.9	139.8	312.2	79
1928	-.938	21.9	2.43	1.68	2.62	3.23	3.62	5.95	11.2	23.6	56.5	128.0	290.9	74
1929	1.141	26.2	2.61	1.74	2.69	3.48	3.86	6.70	12.9	26.3	64.1	151.5	343.6	83
1930	-.852	20.4	2.41	1.57	2.57	3.24	3.52	5.66	11.2	23.4	55.2	126.6	263.5	68
1931	1.052	22.4	2.29	1.46	2.60	3.31	3.46	5.76	11.6	23.9	58.7	138.4	295.9	74
1932	-.970	21.0	2.20	1.45	2.54	3.24	3.33	5.33	10.8	23.4	57.9	138.0	289.7	73
1933	1.007	19.9	2.27	1.49	2.56	3.27	3.49	5.74	11.7	23.8	56.6	139.4	286.3	71
1934	-.954	19.3	2.49	1.45	2.38	3.07	3.19	5.14	10.9	23.4	55.4	129.3	256.4	66
1935	-.986	17.9	2.14	1.35	2.14	2.88	3.10	5.02	10.8	23.3	55.2	131.8	268.9	64
1936	1.025	19.1	2.12	1.29	2.06	2.87	2.94	4.91	10.8	24.2	56.3	137.3	291.8	66
1937	1.011	18.6	1.98	1.23	2.12	2.81	3.02	5.03	11.1	24.9	57.1	138.5	292.3	65
1938	-.932	17.1	1.93	1.28	2.01	2.73	2.83	4.57	10.2	23.1	53.7	130.1	263.6	60
1939*	1.016	15.2	1.65	1.08	1.87	2.64	2.74	4.42	10.3	23.4	55.4	139.1	280.8	56
1940*	1.168	17.5	2.12	1.48	2.76	4.80	4.08	5.84	12.5	28.3	61.3	151.8	303.2	64
1941*	-.923	18.2	2.25	1.50	2.94	5.57	4.64	5.64	11.0	25.1	55.2	134.6	258.8	67
1942*	-.882	15.6	1.68	1.16	2.12	4.75	3.85	4.67	9.58	22.4	51.2	120.7	232.9	57
1943*	1.011	15.6	1.61	1.10	2.12	5.04	4.04	4.76	9.95	22.8	51.4	122.6	234.1	55
1944*	-.973	14.8	1.58	1.18	1.95	4.79	4.29	4.75	9.62	22.7	50.6	116.5	212.0	50
1945*	-.966	13.7	1.35	1.03	1.79	4.75	3.84	4.20	9.10	22.3	50.3	115.7	204.7	51

* Civilian mortality only in 1915-20 and from 3rd September, 1939.

† Based on related live births from 1931.

TABLE 5—continued.

FEMALES

Period	Mortality Ratio	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards	Deaths under 1 year per 1,000 births†
1841-50	—	61.1	8.90	5.44	7.89	9.09	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-60	.974	62.7	8.42	5.06	7.39	8.53	9.93	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-70	.999	63.7	7.80	4.51	6.65	7.97	9.72	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-80	.957	58.3	6.23	3.72	5.45	6.81	8.61	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-90	.923	51.9	5.26	3.11	4.42	5.54	7.38	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	.961	52.8	4.37	2.57	3.67	4.46	6.08	9.59	14.7	28.4	60.7	130.6	261.4	138
1901-10	.841	41.9	3.61	2.17	2.89	3.50	4.74	7.53	12.5	24.8	53.9	119.8	250.3	114
1911-20	.881	31.4	3.59	2.34	3.21	3.87	4.78	6.42	10.9	21.5	49.6	116.3	243.6	89
1921-30	.820	20.2	2.33	1.63	2.48	3.02	3.45	4.85	8.61	18.3	44.9	111.6	248.2	63
1931-40	.900	14.9	1.90	1.26	2.04	2.63	2.88	4.07	7.71	16.7	42.3	107.9	249.1	51
1841-45	—	58.6	8.56	5.17	7.65	8.64	9.92	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-50	1.085	63.6	9.23	5.72	8.12	9.57	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-55	.958	63.8	8.54	5.32	7.75	8.90	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-60	.959	62.3	8.35	4.82	7.06	8.24	9.57	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-65	1.024	64.2	8.26	4.76	6.89	8.17	9.82	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-70	.989	63.3	7.37	4.27	6.42	7.78	9.63	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-75	.984	60.0	6.61	3.95	5.92	7.43	9.23	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-80	.957	56.8	5.87	3.50	5.02	6.23	8.03	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-85	.950	51.9	5.68	3.30	4.72	5.93	7.86	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-90	.986	52.0	4.85	2.93	4.15	5.17	6.92	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-95	.999	52.8	4.59	2.73	3.97	4.81	6.57	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	.938	52.7	4.15	2.40	3.37	4.14	5.63	9.10	14.3	27.4	58.5	127.0	258.7	141
1901-05	.906	45.8	3.79	2.24	3.02	3.66	5.04	8.05	13.1	25.4	54.8	119.9	249.4	124
1906-10	.917	38.0	3.44	2.09	2.76	3.34	4.46	7.05	12.0	24.3	53.1	119.6	250.9	105
1911-15	.942	34.0	3.37	2.11	2.75	3.25	4.08	6.46	11.4	22.7	51.7	117.5	245.4	97
1916-20	.953	28.4	3.81	2.56	3.66	4.47	5.48	6.39	10.4	20.4	47.7	115.1	241.9	79
1921-25	.862	21.8	2.41	1.72	2.56	3.11	3.58	5.03	8.79	18.7	45.5	112.9	241.2	66
1926-30	.951	18.5	2.25	1.53	2.41	2.94	3.33	4.69	8.44	18.0	44.4	110.4	254.4	59
1931-35	.946	16.0	2.07	1.37	2.22	2.77	3.09	4.33	7.96	17.0	42.8	108.9	245.0	54
1936-40	.951	13.7	1.71	1.13	1.87	2.49	2.68	3.83	7.47	16.5	41.8	107.1	252.7	48
1941-45*	.865	12.3	1.31	0.97	1.74	2.41	2.46	3.27	6.43	14.0	36.0	93.5	206.6	44
1904	1.052	48.5	3.62	2.20	2.97	3.51	4.88	7.75	12.8	25.6	55.1	123.2	256.1	131
1905	.945	42.1	3.52	2.16	2.89	3.56	4.78	7.51	12.5	24.8	53.8	117.2	256.7	115
1906	1.002	43.1	3.70	2.25	2.86	3.47	4.72	7.45	12.4	24.8	52.5	119.6	258.7	120
1907	.989	39.1	3.54	2.10	2.86	3.40	4.61	7.44	12.4	25.3	55.1	122.6	259.4	104
1908	.968	39.0	3.39	2.04	2.71	3.37	4.45	6.94	12.1	24.2	52.7	119.4	248.8	107
1909	1.003	35.7	3.49	2.12	2.79	3.34	4.43	6.94	12.1	24.8	55.5	124.2	256.2	97
1910	.912	33.1	3.08	1.96	2.61	3.11	4.13	6.52	11.1	22.4	49.8	112.3	232.8	94
1911	1.054	39.5	3.38	2.07	2.73	3.27	4.16	6.57	11.4	22.8	50.5	115.1	229.4	117
1912	.939	29.9	3.09	1.98	2.72	3.18	4.03	6.36	11.2	22.4	51.2	115.5	239.3	84
1913	1.008	33.3	3.15	1.99	2.58	3.15	3.97	6.36	11.3	22.3	50.2	111.8	236.2	96
1914	1.013	32.9	3.39	2.18	2.70	3.20	4.06	6.47	11.5	22.4	51.0	114.2	244.2	93
1915	1.073	34.4	3.83	2.33	3.01	3.44	4.19	6.54	11.7	23.6	55.7	130.2	275.9	96
1916	.904	26.5	3.18	2.22	2.98	3.40	4.05	6.10	10.7	21.6	51.8	123.4	268.4	80
1917	.963	26.3	3.19	2.23	3.18	3.43	3.92	5.85	10.1	20.7	48.8	119.3	252.2	85
1918	1.206	34.1	5.87	3.98	6.04	7.90	9.80	8.49	12.3	21.4	47.8	107.8	221.3	86
1919	.851	26.4	3.56	2.32	3.42	4.27	5.41	6.14	10.1	20.5	48.3	120.8	257.0	78
1920	.894	28.9	3.25	2.02	2.69	3.34	4.17	5.37	8.95	18.2	42.3	105.2	213.6	69
1921	.982	25.5	2.70	1.82	2.69	3.24	3.70	5.20	8.76	18.2	43.6	108.9	232.3	72
1922	1.055	24.1	2.51	1.83	2.56	3.22	3.85	5.34	9.35	19.7	48.3	120.2	248.0	66
1923	.891	19.4	2.17	1.63	2.50	2.95	3.42	4.81	8.53	18.2	43.6	107.3	226.5	60
1924	1.050	19.9	2.21	1.67	2.49	3.07	3.51	4.99	8.70	19.1	46.7	114.5	241.6	65
1925	.989	20.4	2.41	1.65	2.54	3.06	3.42	4.79	8.65	18.3	45.2	113.5	256.8	66
1926	.942	18.8	2.28	1.46	2.38	2.92	3.31	4.66	8.25	17.6	42.7	105.4	240.2	61
1927	1.060	18.9	2.23	1.52	2.42	2.95	3.44	4.89	8.78	18.5	45.9	115.2	262.3	60
1928	.925	17.3	2.24	1.53	2.38	2.96	3.26	4.61	8.21	17.3	42.7	102.6	242.9	56
1929	1.165	21.6	2.33	1.66	2.53	3.09	3.46	4.93	9.05	19.6	49.9	126.7	298.2	65
1930	.826	16.0	2.18	1.51	2.34	2.76	3.21	4.35	7.90	16.9	40.7	102.2	226.5	51
1931	1.076	17.4	1.99	1.47	2.40	2.90	3.27	4.51	8.27	17.6	44.4	114.4	255.3	57
1932	.970	16.8	1.94	1.33	2.24	2.81	3.10	4.34	8.02	17.1	43.2	111.4	253.0	56
1933	1.016	15.8	2.12	1.38	2.27	2.91	3.20	4.65	8.35	17.4	43.8	113.5	256.9	54
1934	.934	15.6	2.39	1.40	2.18	2.64	3.02	4.13	7.69	16.5	41.7	102.8	227.1	52
1935	.981	14.2	1.94	1.29	1.99	2.57	2.88	4.04	7.48	16.4	41.2	103.4	234.4	50
1936	1.018	14.9	1.86	1.13	1.84	2.52	2.71	3.94	7.60	16.5	42.2	106.2	253.2	51
1937	1.012	14.7	1.75	1.13	1.83	2.52	2.77	3.98	7.67	16.9	42.5	108.2	261.9	50
1938	.909	13.4	1.80	1.09	1.71	2.25	2.49	3.59	6.97	15.5	38.8	98.1	228.9	46
1939	1.028	12.1	1.31	0.97	1.64	2.27	2.47	3.51	7.05	15.7	40.5	106.2	251.1	44
1940	1.124	13.6	1.80	1.31	2.32	2.87	2.94	4.14	8.04	17.7	45.0	116.4	267.5	49
1941*	.902	14.5	1.86	1.24	2.28	2.81	2.85	3.77	7.26	15.4	39.5	101.5	241.7	52
1942*	.878	12.3	1.31	0.91	1.73	2.41	2.41	3.22	6.37	13.9	35.4	91.0	209.2	44
1943*	1.031	12.4	1.18	0.98	1.69	2.36	2.45	3.32	6.43	13.9	36.4	95.9	213.5	43
1944*	.947	11.7	1.17	0.92	1.55	2.36	2.44	3.11	6.19	13.4	34.6	89.7	188.8	40
1945*	.979	10.8	1.01	0.79	1.38	2.09	2.13	2.92	5.92	13.3	34.6	90.2	189.5	40

* Civilian mortality only from 1st June, 1941.

† Based on related live births from 1931.

TABLE 6.—DEATHS OF MALES AND FEMALES FROM VARIOUS CAUSES AT ALL AGES, 1935-1945. } England and Wales

(Non-civilian males are excluded on and after 3rd September, 1939, and females on and after 1st January 1941).

See Explanatory notes on page v.

Inter-national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
	ALL CAUSES ... {M F	243458 233943	253319 242445	260057 249517	246898 232098	255043 244023	294196 278448	270344 254090	242089 228568	249620 241911	246894 234156	245894 232356
1-44	I.—Infective and Parasitic Diseases ... {M F	27818 21874	27539 21208	31419 26399	24467 18305	24770 19096	29655 22386	27659 21948	22052 16216	25981 21013	20326 14889	20326 14889
1-26	Diseases due to bacteria ... {M F	20175 16264	19716 15632	19250 15335	17782 13798	17485 13135	19654 14962	20289 16124	16940 12808	16973 12339	15585 11459	14111 10459
1 (1)	Typhoid fever ... {M F	71 74	101 110	73 75	85 59	46 44	47 31	40 42	36 26	22 30	23 19	23 19
2 (1)	Paratyphoid fevers ... {M F	12 13	20 22	19 32	5 10	9 13	22 27	20 44	12 7	6 9	3 6	3 6
3 (2)	Plague ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4 (17)	Cholera ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5 (17)	Undulant fever (brucellosis) {M F	3 2	3 —	6 2	2 5	2 4	2 2	6 1	5 1	— 1	2 5	2 5
6 (17)	Cerebro - spinal (meningo- coccal) meningitis ... {M F	351 268	378 260	397 304	391 264	289 214	1380 1079	1127 938	620 523	432 314	327 243	327 243
7 (17)	Malignant pustule and anthrax {M F	8 —	2 —	4 1	7 2	6 2	5 1	6 1	2 1	4 —	3 1	3 —
8 (3)	Scarlet fever ... {M F	233 266	224 216	168 137	151 160	89 92	76 76	61 70	48 52	63 66	51 54	51 54
9 (4)	Whooping cough ... {M F	639 834	875 1043	739 861	460 592	539 690	326 352	1013 1370	356 443	492 622	459 595	459 595
10 (6)	Diphtheria ... {M F	1674 1734	1489 1514	1357 1541	1396 1465	1098 1032	1241 1225	1314 1308	889 918	671 677	433 475	433 475
11 (17)	Erysipelas ... {M F	477 390	438 379	268 217	181 161	127 121	102 111	86 102	76 64	57 65	58 61	58 61
12 (17)	Tetanus... {M F	98 28	86 29	85 22	72 17	62 23	91 18	79 20	66 29	61 24	55 33	55 33
13-22	Tuberculosis (all forms) ... {M F	16118 12371	15674 11793	15792 11962	14706 10833	14905 10692	16028 11843	16248 12025	14572 10571	14932 10329	13929 9762	13629 9762
13(6)	Respiratory System ... {M F	13602 10238	13270 9745	13375 9840	12445 8837	12683 8840	13730 9740	13698 9641	12268 8462	12819 8263	11958 7857	11758 7857
	(a) With mention of occu- pational disease of lung {M F	? ?	? ?	? ?	? ?	132 9	147 2	151 4	144 5	153 —	148 —	148 —
	(b) Without mention of occupational disease of {M F	? ?	? ?	? ?	? ?	12546 8829	13575 9738	13541 9636	12118 8452	12663 8261	11802 7855	11582 7855
	(c) Unspecified site ... {M F	? ?	? ?	? ?	? ?	5 2	8 —	6 1	6 5	3 2	8 2	8 2
14 (7)	Meninges and central nervous system ... {M F	1024 882	982 875	958 889	918 873	863 816	922 929	1150 1170	970 955	918 973	862 985	862 985
15 (7)	Intestines and peritoneum... {M F	430 468	375 427	411 393	359 381	341 321	356 401	389 381	378 406	299 361	285 305	285 305
16 (7)	Vertebral column ... {M F	303 196	253 184	275 166	230 139	257 155	222 150	178 157	228 162	206 164	172 150	172 150
17 (7)	Other bones and joints ... {M F	153 98	161 101	128 97	132 94	141 90	138 84	136 105	149 89	129 73	117 76	117 76
18 (7)	Skin and subcutaneous cellu- lar tissue ... {M F	15 20	13 24	15 31	14 22	18 17	19 38	21 27	18 30	26 30	14 29	14 29
19 (7)	Lymphatic system ... {M F	45 26	41 28	40 30	23 21	23 29	35 37	52 51	43 51	48 43	41 47	41 47
20 (7)	Genito-urinary system ... {M F	195 123	237 126	216 129	185 139	205 108	229 127	213 128	196 128	188 122	209 134	209 134

TABLE 6—continued.

Inter-national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
1 (7)	Tuberculosis of other organs ... {M F	21 11	19 13	21 23	15 21	13 19	24 10	21 18	18 16	17 26	22 16	10 17
	(a) Addison's disease speci- {M fied as tuberculous ... {F	12 7	11 12	20 16	12 14	9 11	14 7	13 8	12 9	10 17	16 11	5 10
	(b) Other sites included {M under 21... ... {F	9 4	8 1	1 7	3 7	4 8	10 3	8 10	6 7	7 9	6 5	5 7
2 (7)	Disseminated tuberculosis ... {M F	330 309	323 270	353 364	385 306	361 297	353 327	390 347	304 272	282 274	249 283	259 255
	(a) Acute generalised military {M tuberculosis ... {F	? ?	? ?	? ?	? ?	35 32	71 62	72 93	59 82	56 63	76 69	53 64
	(b) Chronic generalised {M tuberculosis ... {F	? ?	? ?	? ?	? ?	1 1	4 3	2 4	3 1	3 —	5 3	5 1
	(c) Not distinguished as {M acute or chronic ... {F	? ?	? ?	? ?	? ?	325 264	278 262	316 250	242 189	223 211	168 211	201 190
3 (17)	Leprosy... ... {M F	1 —	1 —	— —	1 —	1 —	3 —	2 —	3 —	2 —	1 —	— —
4 (8)	Purulent infection and septic- {M æmia ... {F	465 268	388 254	310 165	294 217	289 196	300 191	260 198	226 170	198 191	220 177	152 139
	(a) Septicæmia ... {M F	438 247	337 221	268 141	218 175	236 166	250 164	215 171	190 150	159 158	183 142	124 118
	(b) Pyæmia ... {M F	27 21	45 31	40 22	70 37	51 26	43 23	41 23	32 17	35 31	34 32	26 19
	(c) Gas-gangrene ... {M F	— —	6 2	2 2	6 5	2 1	3 2	4 3	3 3	2 —	2 2	1 1
	(d) Generalised infection by {M bacillus coli ... {F	— —	— —	— —	— —	— 3	— 2	— 1	— —	2 2	1 1	1 1
5 (17)	Gonococcal infections ... {M F	25 16	37 12	32 16	31 13	23 12	31 6	27 5	29 3	33 11	21 8	18 4
6 (17)	Other bacterial diseases (dysen- {M tery excepted) ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
7 (9)	Dysentery ... {M F	54 41	44 28	52 59	61 51	62 33	95 86	178 148	106 91	48 73	78 72	86 70
	(a) Bacillary dysentery ... {M F	31 24	23 20	30 31	31 31	36 27	70 69	128 115	72 58	30 57	50 52	57 56
	(b) Amœbic dysentery ... {M F	8 —	6 —	6 —	9 1	7 2	4 —	11 2	6 1	5 1	2 1	4 —
	(c) Other protozoal {M dysentery ... {F	15 17	15 8	16 28	21 19	1 4	— 17	— 31	— 31	— 13	2 19	— 25
	(d) Other or unspecified {M forms of dysentery ... {F	17 —	8 —	28 —	19 —	18 —	21 —	39 —	23 —	13 —	24 —	25 14
8-29	Diseases due to protozoa ... {M F	9 1	15 —	19 5	26 1	22 1	39 5	18 1	13 1	13 1	7 1	20 —
8 (10)	Malaria ... {M F	9 1	14 —	18 3	25 1	20 —	39 5	18 —	13 1	12 —	6 1	16 —
9 (17)	Other diseases due to parasitic {M protozoa except spirochætes {F	* *	1 —	1 2	1 —	2 1	— —	— 1	— —	1 —	1 —	4 —
0-32	Diseases due to spirochætes ... {M F	2638 938	2541 938	2442 1020	2500 1007	2406 929	2313 930	2233 924	2105 848	1941 880	1764 825	1691 729
0 (11)	Syphilis ... {M F	2612 909	2516 916	2412 999	2477 986	2383 911	2284 914	2206 908	2080 824	1918 863	1739 814	1659 719
	(a) Locomotor ataxia (tabes {M dorsalis) ... {F	432 94	388 78	360 90	362 93	361 76	332 88	303 97	241 58	251 60	221 53	219 53
	(b) General paralysis of the {M insane ... {F	650 217	595 204	535 233	546 202	562 183	556 195	571 184	503 166	415 159	365 133	324 133
	(c) Aneurysm of aorta ... {M F	736 278	786 303	757 333	757 351	688 311	678 279	654 286	634 277	600 298	575 338	588 260
	(d) Other forms of syphilis {M F	794 320	747 331	760 343	812 340	772 341	718 352	678 341	702 323	652 346	578 290	528 273
	(da) Congenital syphilis {M F	117 92	117 77	93 71	86 66	77 71	86 71	72 76	77 71	97 86	87 59	66 78

* Numbers not ascertainable and assumed to have been zero in these years.

TABLE 6—continued.

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
30 (11)	(<i>db, dc, dd</i>) Other or un- specified syphilis ... {M F	677 228	630 254	667 272	726 274	695 270	632 281	606 265	625 252	555 260	491 231	—
31 (17)	Relapsing fever ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
32 (17)	Other diseases due to spiro- chaetes ... {M F	26 29	25 22	30 21	23 21	23 18	29 15	27 16	25 24	23 17	25 11	—
	(<i>a</i>) Spirochaetosis ictero- haemorrhagica (Weil's disease) {M F	11 3	9 —	15 2	9 1	14 1	18 —	15 —	13 2	9 5	17 3	—
	(<i>b</i>) Other diseases included under 32... {M F	* —	16 22	15 19	14 20	9 17	11 15	12 16	12 22	14 12	8 8	—
33-38	Diseases due or attributed to filterable viruses ... {M F	4506 4382	4797 4383	9260 9711	3689 3174	4397 4738	7099 6144	4509 4465	2438 2189	6570 7442	2457 2267	—
33 (12)	Influenza ... {M F	3461 3309	3054 2724	8286 8846	2431 2015	3827 4192	6175 5245	3387 3479	1798 1584	5867 6709	2018 1858	—
	(<i>a</i>) With respiratory com- plications specified {M F	2476 2188	2143 1781	6400 6568	1704 1277	2730 2851	4581 3616	2348 2300	1159 937	4318 4685	1383 1244	—
	(1) With pneumonic com- plications ... {M F	1866 1459	1611 1219	4571 4339	1303 876	1825 1762	2712 1952	1514 1341	781 598	2754 2793	915 756	—
	(2) With other respiratory complications ... {M F	610 729	532 562	1829 2229	401 401	905 1089	1869 1664	834 959	378 339	1564 1892	468 488	—
	(<i>b</i>) Without respiratory com- plications specified {M F	985 1121	911 943	1886 2278	727 738	1097 1341	1594 1629	1039 1179	639 647	1549 2024	635 614	—
	(1) With non-respiratory complications ... {M F	711 791	720 730	1338 1553	540 548	757 909	1056 1053	708 760	461 463	910 1201	447 406	—
	(2) Without stated com- plications ... {M F	274 330	191 213	548 725	187 190	340 432	538 576	331 419	178 184	639 823	188 208	—
34 (13)	Smallpox ... {M F	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	3 —
35 (14)	Measles ... {M F	653 611	1373 1220	524 456	812 712	156 147	423 432	632 510	246 212	369 400	118 125	—
36 (17)	Acute poliomyelitis and polioencephalitis ... {M F	74 72	53 50	96 57	136 120	83 60	94 65	99 56	67 56	41 47	58 39	—
	(1) Acute poliomyelitis ... {M F	52 46	33 35	59 38	93 81	53 42	62 45	74 38	41 35	29 32	46 29	—
	(2) Acute polioencephalitis... {M F	22 26	20 15	37 19	43 39	30 18	32 20	25 18	26 21	12 15	12 10	—
37 (17)	Acute infectious encephalitis (lethargic or epidemic) ... {M F	280 299	270 304	314 285	270 246	298 272	373 351	347 354	296 288	256 235	225 189	—
	(<i>a</i>) Acute lethargic (or epi- demic) encephalitis {M F	? ?	? ?	? ?	? ?	21 16	21 26	12 23	11 16	10 8	6 8	—
	(<i>b</i>) Sequelæ of encephalitis lethargica ... {M F	? ?	? ?	? ?	? ?	112 110	179 177	191 171	169 160	158 146	140 104	—
	(<i>c</i>) Unspecified encephalitis lethargica ... {M F	? ?	? ?	? ?	? ?	165 146	173 148	144 160	116 112	88 81	79 77	—
38 (17)	Other diseases due to viruses... {M F	38 91	47 85	40 67	38 80	33 67	34 51	44 66	31 49	37 51	38 53	—
	(<i>a</i>) Yellow fever ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
	(<i>b</i>) Rabies ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
	(<i>c</i>) Herpes zoster ... {M F	25 75	25 71	27 54	26 69	22 57	15 28	25 48	20 41	22 43	18 41	—
	(<i>d</i>) German measles ... {M F	3 5	8 4	5 2	3 2	1 2	14 18	4 —	3 —	4 —	4 —	—
	(<i>e</i>) Varicella ... {M F	10 11	14 9	8 11	9 9	10 8	5 5	14 14	8 8	12 7	16 8	—
	(<i>f</i>) Other diseases included under 38 ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
39 (15)	Typhus and typhus-like diseases (Rickettsioses) ... {M F	— —	— —	— —	— —	— —	— —	1 —	3 —	1 —	— —	—
	(<i>a</i>) Louseborne exanth- ematic typhus ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
	(<i>b, c</i>) Other or unspecified typhus-like diseases ... {M F	— —	— —	— —	— —	— —	— —	1 —	3 —	— —	— —	—

* Total deaths in 1931-35 are known to have been M. 78 and F. 131; in the group totals these have been evenly distributed over the five years.

International List No.	Causes of Death				1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
40-42	Diseases due to helminths ...	M	F		17 12	17 19	16 15	11 19	7 21	17 19	13 13	10 11	10 5	7 7	13 10
40 (16)	Ankylostomiasis ...	M	F		—	—	—	—	—	—	—	—	—	—	—
41 (16)	Hydatid disease ...	M	F		15 9	12 13	7 8	9 17	7 18	14 14	12 9	8 9	8 2	7 7	11 9
	(a) Hydatid disease of liver	M	F		11 7	5 9	7 6	5 13	4 11	8 7	3 6	2 8	5 1	2 6	9 3
	(b) Hydatid disease of other or unspecified organs	M	F		4 2	7 4	— 2	4 4	3 7	6 7	9 3	6 1	3 1	5 1	2 3
42 (16)	Other diseases due to helminths ...	M	F		2 3	5 6	9 7	2 2	— 3	3 5	1 4	2 2	2 3	—	2 1
43 (17)	Mycoses ...	M	F		60 34	46 30	53 34	44 24	55 37	61 37	79 52	68 45	61 33	48 30	25 28
44 (17)	Other infective or parasitic diseases ...	M	F		359 202	363 178	327 220	354 231	336 202	377 203	339 221	369 223	364 240	380 228	395 270
	(a) Venereal diseases (other than syphilis and gonorrhoea)	M	F		? ?	? ?	? ?	? ?	1 1	3 —	— 1	3 —	1 1	2 —	— 2
	(b) Pernicious lymphogranu- lomatosis	M	F		352 193	354 167	313 213	348 227	332 196	367 199	318 210	356 214	349 225	369 218	378 249
	(c) Mumps ...	M	F		5 6	7 11	10 3	6 1	2 5	5 1	17 10	8 5	6 5	4 4	5 5
	(d) Other diseases included under 44 ...	M	F		? ?	? ?	? ?	? ?	1 —	2 3	4 —	2 4	8 9	5 6	19 14
45-57	II.—Cancer and Other Tumours ...	M	F		30926 34197	31642 35070	32189 35028	32745 36054	33038 36479	34061 36931	34427 36743	34919 37392	35813 38207	35738 38042	37144 38798
45-55	Cancer and other malignant tumours ...	M	F		29979 32623	30739 33563	31321 33622	31899 34685	32077 35056	33135 35488	33486 35488	34011 36128	34952 36862	34881 36807	36258 37493
45 (18)	Buccal cavity & pharynx ...	M	F		2835 519	2722 613	2639 562	2591 566	2432 561	2451 548	2298 525	2261 514	2186 548	2153 536	2003 526
	(a) Lips ...	M	F		268 14	239 18	233 19	225 28	235 23	196 20	214 20	220 29	219 28	206 20	180 18
	(b) Tongue ...	M	F		1000 117	934 144	926 130	884 129	812 122	863 139	764 137	779 139	734 166	756 156	656 146
	(c) Other or unspecified parts of buccal cavity and pharynx	M	F		1567 388	1549 451	1480 413	1482 409	1385 416	1392 389	1320 374	1262 346	1233 354	1191 360	1167 363
46 (19)	Digestive organs and peritoneum ...	M	F		18119 15863	18529 16239	18642 16429	18743 16791	18977 16927	19600 17191	19471 17161	19413 17055	19723 17447	19818 17478	20417 17947
	(a) Oesophagus ...	M	F		1743 692	1707 734	1675 701	1583 698	1561 722	1630 691	1572 690	1584 681	1511 766	1509 687	1488 778
	(b) Stomach and duo- denum	M	F		6815 5481	6951 5575	6929 5630	7036 5797	7190 5860	7455 5947	7343 5837	7151 5586	7100 5745	7384 5848	7633 5896
	(c) Intestines other than duodenum or rectum...	M	F		3813 4889	4138 4992	4200 5238	4248 5284	4260 5420	4468 5500	4383 5552	4432 5453	4634 5668	4534 5750	4768 5813
	(d) Rectum ...	M	F		3206 1939	3201 2017	3317 2082	3467 2175	3469 2096	3539 2250	3649 2309	3698 2442	3776 2437	3730 2360	3903 2489
	(e) Liver and biliary passages ...	M	F		1406 1761	1376 1785	1331 1637	1266 1672	1244 1595	1231 1576	1192 1573	1249 1625	1368 1587	1287 1606	1257 1543
	(f) Pancreas ...	M	F		989 883	1054 954	1072 961	1017 1002	1123 1037	1119 1002	1164 980	1146 1056	1201 1051	1251 1023	1233 1180
	(g) Peritoneum ...	M	F		147 218	102 182	118 180	126 163	130 197	158 225	168 220	153 211	133 193	122 203	134 244
	(h) Other or unspecified digestive organs ...	M	F		—	—	—	—	—	—	—	1	—	1	—
47 (20)	Respiratory system ...	M	F		3428 1085	3666 1205	4089 1162	4496 1309	4691 1433	4948 1451	5168 1426	5596 1525	6094 1581	6431 1640	6899 1750
	(a) Larynx and trachea...	M	F		873 227	885 288	914 235	887 260	940 284	901 271	908 271	838 259	858 287	821 282	821 283
	(b) Lung and pleura ...	M	F		2555 858	2781 917	3175 927	3609 1049	3751 1149	4047 1180	4260 1155	4758 1266	5236 1294	5610 1358	6076 1477
	(c) Unspecified respiratory organs ...	M	F		—	—	—	—	—	—	—	—	—	—	—

TABLE 6—continued

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
48 (21)	Uterus F	4327	4207	4330	4375	4356	4402	4528	4575	4554	4333	437
	(a) Specified as cervix*... F	?	1726	1826	1832	1800	1856	1905	1884	1932	1784	181
	(b) Other or unspecified* F	?	2481	2504	2543	2556	2546	2623	2691	2622	2549	255
49 (23)	Other female genital organs F	1935	2094	2068	2248	2160	2253	2287	2363	2480	2556	252
50 (22)	Breast {M F	71 6369	74 6653	57 6516	54 6778	53 6980	58 7058	63 6956	60 7203	90 7320	60 7306	6 729
51 (23)	Male genital organs... M	2141	2214	2339	2316	2339	2444	2584	2776	2727	2532	268
	(a) Scrotum M	57	42	66	57	47	54	54	56	50	41	3
	(b) Prostate M	1785	1835	1929	1969	1961	2082	2188	2388	2386	2189	237
	(c) Other or unspecified* M	299	337	344	290	331	308	342	332	291	302	28
52 (23)	Urinary organs {M F	1278 671	1305 725	1373 730	1452 717	1420 829	1449 809	1612 796	1623 907	1746 936	1629 920	175 91
53 (23)	Skin (scrotum excepted) ... {M F	544 431	606 455	607 454	597 464	563 420	580 440	597 425	549 457	626 468	557 468	58 47
54 (23)	Brain and other parts of the nervous system ... {M F	352 302	390 304	408 295	445 323	370 299	393 302	426 291	429 300	439 318	408 327	47 36
	(a) Glioma (not specified as benign) ... {M F	225 186	236 178	242 181	286 177	231 189	278 205	294 200	323 222	311 219	293 226	34 25
	(b) Sarcoma (of brain, etc.) {M F	127 116		75 68	72 62	71 93	65 64	33 29	40 32	22 23	30 16	20 20
	(c) Other or unspecified M cancer inc. under 54* F			79 58	94 52	88 74	82 46	92 68	84 59	98 55	95 88	98 77
55 (23)	Other or unspecified organs {M F	1211 1121	1233 1068	1167 1076	1205 1114	1232 1091	1212 1151	1267 1093	1304 1229	1321 1210	1293 1243	1362 1318
	(a) Adrenal glands ... {M F	† †		† †	{ 18 20		28 19	29 24	26 26	32 17	37 33	33 28
	(b) Bones {M F			424 395	483 409	428 409	481 391	478 357	490 403	514 456	529 456	498 418
	(c) Thyroid gland ... {M F	67 188	67 193	62 179	71 208	70 205	70 200	76 210	84 213	69 201	82 212	82 225
	(d) Others included under 55 ... {M F	†720 †538	†683 †466	†677 †488	635 495	656 510	661 524	675 465	674 536	686 534	712 559	749 648
	(1) Nose or nasal cavity {M F	?	?	?	?	?	4 9	10 7	18 8	8 5	16 18	11 12
	(2) Others included under 55(d) ... {M F	?	?	?	?	652 501	651 517	657 457	666 531	670 526	696 547	738 636
56 (24)	Non-malignant tumours ... {M F	313 963	301 890	314 886	345 870	323 819	352 787	355 745	350 790	344 883	371 770	360 778
	(a) Ovaries F	265	266	246	262	219	179	183	206	190	207	198
	(b) Uterus F	437	357	388	359	320	334	286	292	394	304	269
	(c) Other female genital organs F	19	19	14	10	16	11	6	16	12	9	14
	(d) Brain and other parts of the nervous system ... {M F	59 40	60 67	77 64	69 58	87 97	90 102	102 113	81 111	99 128	98 106	101 140
	(e) Other and unspecified M organs ... {M F	254 202	241 181	237 174	276 181	236 167	262 161	253 157	269 165	245 159	273 144	259 157
57 (24)	Tumours of undetermined nature ... {M F	634 611	602 617	554 520	501 499	638 604	574 539	586 510	558 474	517 462	486 465	528 525
	(a) Ovaries F	{ 8 8		9 6	6 6	2 2	8 6	11 9	4 3	3 3	3 3	5 5
	(b) Uterus F			4 2	4 2	2 3	2 2	4 5	8 1	3 —	4 1	3 5
	(c) Other female genital organs F	{ 8 8		2 2	2 3	2 2	6 6	5 5	1 1	— —	1 1	5 5
	(d) Brain and other parts of the nervous system ... {M F	435 430	424 464	434 421	402 409	488 476	432 406	386 378	392 337	370 355	354 351	391 393
	(e) Other and unspecified M organs ... {M F	199 173	178 138	120 87	99 79	150 118	142 117	200 112	166 119	147 101	132 106	137 119
58-71	III.—Rheumatism and Other General Diseases* ... {M F	3339 6647	3662 7165	3438 6813	3344 6622	3404 6939	3487 6915	3233 6142	2845 5666	2676 5702	2552 5223	2560 5279
58 (25)	Rheumatic fever ... {M F	511 627	536 618	379 505	490 614	427 527	349 491	298 333	218 275	254 399	290 328	256 284

* For full title according to the detailed International List see Table 21.

† Adrenal glands are included in 55(d) during these years.

TABLE 6—continued.

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
67-71	Vitamin deficiency diseases ... { M F	63 51	63 53	52 51	53 37	57 42	36 41	50 50	36 34	41 29	36 22	33 21
67 (30)	Scurvy ... { M F	6 2	2 7	2 4	3 6	4 3	3 2	7 4	6 7	8 9	3 5	2 3
	(a) Infantile scurvy (Barlow's disease) ... { M F	? ?	? ?	? ?	? ?	2 2	2 —	2 2	1 3	3 3	3 1	— 2
	(b) Other forms of scurvy ... { M F	? ?	? ?	? ?	? ?	2 1	1 2	5 2	5 4	5 6	— 4	2 —
68 (30)	Beri-beri ... { M F	— —	— —	— —	1 2	2 —	— 1	1 —	2 1	3 1	1 1	1 2
69 (30)	Pellagra ... { M F	2 6	3 8	— 6	1 6	1 8	3 7	1 13	6 4	5 2	— 7	2 4
70 (30)	Rickets ... { M F	55 43	58 38	50 41	48 23	49 30	30 26	39 29	20 17	18 13	29 5	20 7
71 (30)	Other vitamin deficiency diseases ... { M F	— —	— —	— —	— —	1 1	— 5	2 4	2 5	7 4	3 4	8 5
72-76	IV.—Diseases of the Blood and Blood-forming Organs ... { M F	1596 2198	1685 2193	1593 2212	1717 2223	1678 2300	1806 2554	1854 2725	1875 2533	1833 2459	1717 2342	1878 2602
72 (32)	Hæmorrhagic conditions ... { M F	138 143	135 134	125 131	115 107	115 122	139 140	138 149	126 111	114 91	111 115	106 97
	(a) Primary purpura ... { M F	112 139	98 128	98 80	80 99	78 116	109 136	112 149	98 111	83 90	78 114	81 97
	(b) Hæmophilia ... { M F	26 4	37 6	27 5	35 8	37 6	30 4	26 —	28 —	31 1	33 1	25 —
	(c) Other diseases included under 72 ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
73 (31)	Anæmias ... { M F	866 1430	886 1381	796 1446	882 1396	880 1494	1000 1702	1088 1907	1035 1730	946 1645	865 1467	968 1690
	(a) Pernicious anaemia ... { M F	661 1125	643 1065	615 1135	667 1104	708 1214	817 1349	885 1535	828 1409	751 1295	690 1137	775 1324
	(b) Other hyperchromic anæmias ... { M F	— —	— —	— —	— —	13 20	10 28	20 32	12 25	13 21	7 28	16 20
	(c) Hypochromic anæmias ... { M F	205 305	243 316	181 311	215 292	22 46	19 77	24 58	13 56	24 50	13 59	25 85
	(d) Other anæmias included under 73... { M F	— —	— —	— —	— —	137 214	154 248	159 282	182 240	158 279	155 243	152 261
74 (32)	Leukæmias and aleukæmias ... { M F	440 397	493 455	497 420	550 472	545 489	547 503	497 465	566 521	616 531	617 568	661 628
	(a) Leukæmia ... { M F	? ?	? ?	? ?	? ?	533 485	534 483	479 455	545 504	594 506	585 544	623 599
	(b) Aleukæmia ... { M F	? ?	? ?	? ?	? ?	12 4	13 20	18 21	21 17	22 25	32 24	38 29
75 (32)	Diseases of the spleen ... { M F	121 181	122 169	133 167	125 187	110 157	88 160	106 163	100 126	116 150	79 148	102 147
	(a) Splenic anæmia ... { M F	63 109	63 107	76 101	58 109	67 107	49 102	56 107	52 70	66 85	41 86	54 77
	(b) Banti's disease ... { M F	39 48	37 42	38 46	50 56	28 39	27 45	37 46	40 46	36 50	30 43	37 58
	(c) Other diseases included under 75... { M F	19 24	22 20	19 20	17 22	15 11	12 13	13 10	8 10	14 15	8 19	11 12
76 (32)	Other diseases of the blood and blood-forming organs ... { M F	31 47	49 54	42 48	45 61	28 38	32 49	25 41	48 45	41 42	45 44	41 40
	(a) Agranulocytosis... { M F	14 33	25 33	19 34	17 37	18 24	14 38	14 24	21 29	14 26	16 21	19 25
	(b) Erythrocytosis ... { M F	— —	— —	— —	— —	9 14	18 11	10 16	26 15	25 15	28 21	22 15
	(c) Hæmoglobinæmia ... { M F	17 14	24 21	23 14	28 24	1 —	— —	— —	— 1	— —	1 —	— —
	(d) Other diseases included under 76... { M F	— —	— —	— —	— —	— —	— —	1 1	1 —	2 1	— 2	— —

TABLE 6—continued.

International t No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
-79	V.—Chronic Poisoning and Intoxication ... {M F}	100 43	68 56	104 93	82 56	88 61	97 66	92 55	66 26	54 17	52 18	43 13
(33)	Alcoholism (ethyism) ... {M F}	71 42	45 49	76 88	62 51	72 53	85 59	70 42	49 18	48 14	42 14	35 12
(34)	Lead poisoning ... {M F}	25 1	19 3	26 3	19 1	12 3	8 4	9 —	11 1	3 —	5 —	3 —
	(a) Specified as occupational ... {M F}	23 —	17 2	24 2	19 1	10 —	6 3	9 —	8 —	3 —	4 —	3 —
	(b) Not specified as occupational ... {M F}	2 1	2 1	2 1	— —	2 3	2 —	— —	3 1	— —	1 —	— —
(34)	Chronic poisoning by other mineral and organic substances ... {M F}	4 —	4 4	2 2	1 4	4 5	4 3	13 13	6 7	3 3	5 4	5 1
	(a) Occupational poisoning (not lead) ... {M F}	† †	† †	— —	— —	— —	2 1	10 10	6 6	1 3	3 4	3 —
	(b) Poisoning by narcotic and soporific drugs ... {M F}	3 —	3 3	2 2	1 3	4 5	2 2	3 2	— 1	2 —	2 —	2 1
	(ba) Narcotics ... {M F}	2 —	2 2	1 2	1 2	3 4	2 1	1 2	— —	2 —	2 —	1 1
	(bb) Soporifics ... {M F}	1 —	1 1	1 —	— 1	1 1	— 1	2 —	— 1	— —	— —	— 1
	(c) Other non-occupational chronic poisoning ... {M F}	† †	† †	— —	— —	— —	— —	— 1	— —	— —	— —	— —
	(d) Unspecified (chronic) poisoning ... {M F}	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —
-89	VI.—Diseases of the Nervous System and Sense Organs {M F}	24417 28364	24949 29426	24974 28993	24774 28920	26409 31270	27727 33286	25730 31438	25157 31323	24947 31723	25842 32649	26140 33412
(40)	Encephalitis (non-epidemic) ... {M F}	165 155	158 132	169 131	154 119	159 113	165 147	137 103	168 117	161 108	150 133	171 126
	(a) Intra-cranial abscess ... {M F}	100 73	111 59	94 65	86 59	99 49	76 58	67 33	81 55	76 48	91 58	84 48
	(b) Other diseases included under 80... {M F}	65 82	47 73	75 66	68 60	60 64	89 89	70 70	87 62	85 60	59 75	87 78
(35)	Meningitis (non-meningococcal) {M F}	496 377	516 408	530 405	482 388	473 343	445 372	464 352	400 344	377 300	393 283	326 267
(36)	Diseases of the medulla and spinal cord ... {M F}	582 455	573 478	587 469	530 450	486 426	573 434	460 409	454 343	455 389	485 352	458 359
	(1) Motor neurone disease ... {M F}	282 217	280 249	321 222	283 249	289 221	316 225	277 209	274 209	280 238	313 207	315 211
	(2) Sub-acute combined degeneration ... {M F}	38 55	60 50	38 46	45 45	37 63	47 59	36 44	34 31	35 35	34 46	33 53
	(3) Myelitis of unstated origin ... {M F}	136 108	127 98	96 119	92 84	74 67	113 76	80 81	70 62	71 55	64 54	46 51
	(4) Other diseases included under 82... {M F}	126 75	106 81	132 82	110 72	86 75	97 74	67 75	76 41	69 61	74 45	64 44
(37)	Intra-cranial lesions of vascular origin... {M F}	19272 23775	19707 24700	19907 24459	19971 24726	21726 26940	22912 28712	20955 27154	20898 27405	20800 28059	21820 28957	22363 29722
	(a) Cerebral hæmorrhage ... {M F}	13116 16069	13116 16463	13011 15981	12794 16003	13615 17124	14131 18084	13143 17272	13010 17464	13009 18018	13637 18386	13846 18709
	(b, c) Cerebral embolism, thrombosis and softening {M F}	5368 6764	5849 7384	6010 7472	6373 7764	7271 8840	7795 9513	6947 8835	7127 9016	7061 9003	7409 9615	7793 10107
	(d) Hemiplegia and other paralyses of unstated origin {M F}	788 942	742 853	866 978	796 941	831 958	969 1102	852 1032	757 901	722 1020	765 933	709 886
	(e) Other intra-cranial effusions ... {M F}	— —	— —	20 28	8 18	9 18	17 13	13 15	4 24	8 18	9 23	15 20
(38)	Mental disorders and deficiency ... {M F}	379 522	340 538	360 517	354 485	348 516	369 595	470 529	334 408	269 349	303 389	279 376
	(a) Mental deficiency ... {M F}	96 96	89 93	90 100	90 90	81 82	116 123	139 128	115 96	108 112	128 124	113 119
	(b) Schizophrenia (dementia præcox) ... {M F}	34 24	25 26	39 31	38 35	39 28	39 39	103 52	64 48	47 33	37 33	41 28

Occupational poisoning (not lead) is included in 79 (c) during these years.

TABLE 6—continued.

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
84 (38)	(c) Manic-depressive psychosis... {M F	249 402	226 419	231 386	226 360	3 6 225 400	2 8 212 425	8 8 220 421	5 4 150 260	7 8 107 196	3 3 135 229	
	(d) Other mental disorders included under 84 ... {M F											
85 (39)	Epilepsy ... {M F	830 746	892 785	795 743	829 686	835 732	921 807	940 802	795 761	746 624	658 647	
86 (40)	Convulsions in children under 5 years of age ... {M F	692 480	649 422	555 360	512 355	480 325	516 337	520 337	423 294	352 232	317 202	
87 (40)	Other diseases of the nervous system ... {M F	1105 1201	1129 1297	1186 1281	1111 1160	1178 1348	1199 1443	1223 1341	1116 1258	1123 1236	1097 1245	
	(a) Chorea ... {M F	36 92	28 71	21 45	28 57	15 53	15 48	12 43	13 29	13 36	12 25	
	(b) Neuritis (non-rheumatic) {M F	47 57	59 55	53 56	50 43	41 56	40 50	50 46	44 35	48 53	32 32	
	(c) Paralysis agitans ... {M F	519 467	530 540	574 556	503 543	622 636	596 585	585 589	541 564	573 580	587 636	
	(d) Disseminated sclerosis ... {M F	347 434	362 483	395 441	383 371	382 503	448 536	432 513	409 504	379 469	371 474	
	(e) Other diseases included under 87... {M F	156 151	150 148	143 183	147 146	118 100	100 107	144 150	109 126	110 98	95 78	
	(1) Convulsions of undetermined origin (ages 5 and over) {M F	? ?	? ?	? ?	? ?	4 3	3 7	3 5	3 3	4 2	4 —	
	(2) Other diseases included under 87(e) ... {M F	? ?	? ?	? ?	? ?	114 97	97 100	141 145	106 123	106 96	91 78	
88 (41)	Diseases of the organs of vision {M F	33 50	43 48	31 43	50 37	26 38	40 40	29 52	22 38	23 28	31 38	
89 (41)	Diseases of the ear and of the mastoid antrum ... {M F	863 603	942 618	854 585	781 514	698 489	587 399	532 359	547 355	641 398	588 403	
	(a) Otitis, etc., (without mention of mastoid disease)* {M F	502 370	554 365	476 330	444 297	393 263	304 212	307 203	295 191	359 244	325 197	
	(b) Diseases of the mastoid antrum ... {M F	361 233	388 253	378 255	337 217	305 226	283 187	225 136	252 164	282 154	263 206	
90-103	VII.—Diseases of the Circulatory System ... {M F	55149 59706	60061 64191	61764 65721	63251 66170	68804 71636	73926 78034	67118 68978	64723 66102	66295 69129	69482 69890	70373
90-95	Heart diseases ... {M F	49277 54336	53912 58493	55429 59650	56530 59904	61208 64686	65872 70388	59811 62037	57506 59115	58799 61646	61510 62333	62685
90 (42)	Pericarditis ... {M F	143 88	289 189	270 164	256 162	181 103	214 144	170 138	153 103	142 120	151 146	
	(a) Chronic pericarditis specified as rheumatic ... {M F	? ?	? ?	? ?	? ?	10 7	12 8	9 7	13 13	19 19	12 19	
	(b) Other pericarditis included under 90 ... {M F	? ?	? ?	? ?	? ?	171 96	202 136	161 131	140 90	123 101	139 127	
91 (46)	Acute endocarditis ... {M F	559 587	560 593	579 544	568 575	499 530	480 450	460 474	439 513	451 489	386 435	
	(a, b) Acute or sub-acute bacterial endocarditis ... {M F	506 543	505 519	515 490	516 527	462 490	453 432	441 457	419 493	436 468	374 423	
	(c) Other acute and sub-acute endocarditis ... {M F	53 44	55 74	64 54	52 48	37 40	27 18	19 17	20 20	15 21	12 12	
92 (43)	Chronic affections of the valves and endocardium ... {M F	9403 11643	9020 11386	8599 10782	7930 9896	7872 10020	8385 10766	7767 9639	7350 9191	7012 9155	7190 9142	6889
	(a) Aortic valvular disease (without mitral disease) {M F	1878 917	1795 872	1703 861	1586 775	1556 811	1560 818	1462 749	1285 678	1241 652	1159 622	1189
	(b) Other specified valvular dis. (inc. sequelæ of rheumatic fever)* {M F	? ?	4090 6345	3938 6087	3607 5688	3709 5885	4164 6622	4051 6080	3888 5830	3676 5935	3916 5937	3759
	(1) Mitral valve disease ... {M F	3713 5768	3694 5762	3554 5505	3244 5108	3231 5176	3498 5626	3409 5191	3179 4808	2989 4978	3175 4955	3045
	(2) Other diseases included under 92(b) ... {M F	? ?	396 583	384 582	363 580	478 709	666 996	642 889	709 1022	687 957	741 982	710
	(c) Unspecified valvular lesions or endocarditis {M F	? ?	3135 4169	2958 3834	2737 3433	2607 3324	2661 3326	2254 2810	2177 2683	2095 2568	2115 2583	1924

* For full title according to the detailed International List see Table 21.

TABLE 6—continued.

International List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
3 (44)	Diseases of the myocardium { M F	28775 34553	32662 38558	33910 40105	35011 40680	38098 44534	41694 49186	37376 42860	35261 40415	35775 42525	36843 42686	37122 45005
	(a) Acute myocarditis ... { M F	67 82	98 98	93 100	83 80	103 92	116 92	98 72	97 63	85 97	71 74	94 81
	(b) Chronic myocarditis specified as rheumatic { M F	† †	† †	† †	† †	324 592	414 693	383 573	380 515	279 495	327 441	288 414
	(c) Myocardial degeneration, etc.* ... { M F	†23951 †28773	†27128 †32104	†28347 †33589	†30198 †35270	33049 38802	35890 42537	32424 37484	30762 35810	31416 37594	32437 37964	32809 40309
	(1) Cardio-vascular degeneration ... { M F	8028 7831	9172 8854	9592 9649	10273 10005	11192 11170	11703 11802	11011 10935	10662 10971	10911 11416	11543 11977	12100 13089
	(2) Myocardial degenera- tion described as fatty { M F	899 1292	840 1143	847 1154	731 993	752 1104	729 993	488 769	415 688	393 619	411 566	324 528
	(3) Other myocardial degeneration ... { M F	†15024 †19650	†17116 †22107	†17908 †22786	†19194 †24272	21105 26528	23458 29636	20925 25780	19685 24151	20112 25559	20483 25421	20385 26692
	(d) Myocarditis not distin- guished as ac. or chr. ... { M F	4757 5698	5436 6356	5470 6416	4730 5330	4622 5048	5274 5464	4471 4731	4022 4027	3995 4339	4008 4207	3931 4301
4 (45)	Diseases of the coronary arteries, angina pectoris ... { M F	7475 3603	8446 4020	9350 4473	10246 5163	11919 5925	12319 6311	11706 5940	12235 6356	13511 6975	15110 7629	16514 8498
	(a) Diseases of the coronary arteries ... { M F	? ?	? ?	? ?	? ?	10242 5241	10648 5605	10173 5266	10845 5732	12137 6378	13697 6949	15143 7881
	(b) Angina pectoris without mention of coronary disease { M F	? ?	? ?	? ?	? ?	1677 684	1671 706	1533 674	1390 624	1374 597	1413 680	1371 617
5 (46)	Other diseases of the heart ... { M F	2922 3862	2935 3747	2721 3582	2519 3428	2639 3574	2780 3531	2332 2986	2068 2537	1908 2382	1830 2295	1739 2420
	(a) Functional heart dis. (without organic lesion)* { M F	958 1654	1014 1755	973 1772	1024 1780	1052 1933	1105 1837	919 1559	913 1466	886 1400	853 1407	790 1498
	(b) Heart dis. specified as rheumatic or ill-defined* { M F	1964 2208	{ 60 90	{ 49 72	{ 37 55	{ 37 59	{ 88 130	{ 70 111	{ 28 63	{ 29 54	{ 28 44	{ 25 42
	(c) Other diseases included under 95... { M F											
			1861 1902	1699 1738	1458 1593	1550 1582	1587 1564	1343 1316	1127 1008	993 928	949 844	924 880
6 (48)	Aneurysm (except of heart and aorta) ... { M F	154 133	148 136	134 138	126 135	137 112	120 138	130 150	122 192	120 180	128 165	123 146
7 (47)	Arteriosclerosis* ... { M F	4482 3861	4533 3972	4680 4392	4987 4446	5658 4912	5919 5363	5337 4913	5228 4900	5280 5118	5542 5087	5497 5518
8 (47)	Gangrene ... { M F	361 374	440 433	408 348	395 346	384 390	447 370	352 332	296 252	234 249	279 249	278 240
9 (48)	Other diseases of the arteries { M F	254 218	247 220	223 181	212 150	198 135	183 175	142 142	174 143	152 133	170 127	199 158
10 (48)	Diseases of the veins... { M F	259 434	246 467	298 443	289 462	306 521	279 612	223 464	207 429	255 468	278 470	272 525
	(a) Varices ... { M F	124 189	77 172	133 206	128 198	133 237	130 288	103 238	101 231	122 251	116 244	128 251
	(b) Other diseases of the veins ... { M F	135 245	169 295	165 237	161 264	173 284	149 324	120 226	106 198	133 217	162 226	144 274
11 (48)	Diseases of the lymphatic system ... { M F	52 51	41 43	26 33	28 36	29 28	26 36	39 18	34 26	37 31	31 25	22 15
12 (48)	High blood pressure (idiopathic) ... { M F	297 291	479 418	557 530	677 684	879 850	1072 945	1074 1010	1144 1035	1407 1290	1533 1419	1575 1396
13 (48)	Other diseases of the cir- culatory system ... { M F	13 8	15 9	9 6	7 7	5 2	8 7	10 12	12 10	11 14	11 15	12 8
14-114	VIII.—Diseases of the Respira- tory System ... { M F	35469 28542	39314 31071	40601 32627	34331 25400	34072 27437	46863 36952	37118 29559	30906 22282	34812 27488	31119 21807	32214 23367
14 (52)	Diseases of the nasal fossæ and annexa ... { M F	184 107	190 104	183 117	173 113	140 68	141 91	106 67	129 63	122 85	109 80	94 70
15 (52)	Diseases of the larynx ... { M F	88 90	87 97	91 72	92 71	109 71	102 96	90 63	76 58	76 50	67 43	58 48
16 (49)	Bronchitis ... { M F	15680 13513	18538 15678	18845 16566	14532 11422	17213 14210	25591 20634	18898 15122	15863 10964	17716 13670	16306 10850	17616 12017
	(a) Acute bronchitis ... { M F	? ?	3319 3982	3518 4560	2509 2941	3009 3651	5571 6229	3814 4661	3288 3257	3835 4485	3019 2941	3240 3453

For full title according to the detailed International List see Table 21.

Chronic myocarditis specified as rheumatic is included in 93 (c) 3 during these years.

TABLE 6—continued

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
106 (49)	(b) Chronic bronchitis ... {M F	? ?	10080 6594	10343 6907	8433 5031	10173 6357	14776 9571	11337 7080	9706 5372	10784 6310	10594 5643	11594 6210
	(c) Bronchitis not distin- {M guished as acute or F	? ?	5139 5102	4984 5099	3590 3450	4031 4202	5244 4834	3747 3381	2869 2335	3097 2875	2893 2266	2893 2335
106 (49)	Bronchitis with the following as a contributory or second- ary cause:—											
	(1) Influenza (33) ... {M F	? ?	16 9	134 127	24 12	63 59	182 161	62 66	33 23	216 177	41 30	
	(2) Chronic endocarditis, etc. {M (92) ... F	? ?	351 418	335 396	255 235	306 289	385 404	256 292	265 243	256 236	201 214	201 214
	(3) Myocardial disease (93)... {M F	? ?	5887 4899	5982 5146	4985 3588	6206 5023	8493 6741	6372 4925	5479 3603	5931 4447	5874 3843	6594 4310
	(4) Arteriosclerosis (97) ... {M F	? ?	301 202	308 225	267 156	388 245	496 261	346 217	331 196	317 227	285 173	317 202
	(5) Chronic nephritis (131) ... {M F	? ?	116 78	109 79	67 59	73 39	103 95	64 69	40 28	46 35	40 28	
	(6) Without the complications specified* ... {M F	? ?	11867 10072	11977 10593	8934 7372	10177 8555	15932 12972	11798 9553	9715 6871	10950 8548	9865 6562	10494 7110
107-109	Pneumonia (all forms) ... {M F	15931 11912	16637 12253	17434 12897	16181 11286	12926 10444	16240 12767	14479 11807	11649 9034	13390 11248	11259 8671	10934 8851
	(1) With mention of influenza ... {M F	? ?	6 3	43 33	8 8	51 46	65 38	20 25	12 5	57 62	22 20	
	(2) Without mention of influenza ... {M F	? ?	16631 12250	17391 12864	16173 11278	12875 10398	16175 12729	14459 11782	11637 9029	13333 11186	11237 8651	10934 8851
107 (50)	Broncho-pneumonia ... {M F	7829 7069	8620 7379	9373 8084	8354 6862	7424 6796	10435 8863	8786 8117	6826 5967	8274 7549	6834 5776	7069 6110
108 (50)	Lobar pneumonia ... {M F	6346 3679	6315 3765	6470 3748	6278 3475	4253 2707	4372 2820	4302 2752	3613 2266	3811 2673	3294 2021	2934 1934
109 (50)	Pneumonia (unspecified) ... {M F	1756 1164	1702 1109	1591 1065	1549 949	1249 941	1433 1034	1391 998	1210 801	1305 1026	1131 874	964 706
110 (51)	Pleurisy ... {M F	706 420	642 452	709 369	574 364	518 297	514 320	567 308	505 284	448 251	401 217	320 181
	(a) Empyema ... {M F	282 100	268 125	320 114	244 105	230 85	219 94	273 100	245 78	212 88	208 92	181 70
	(b) Other or unspecified forms* ... {M F	424 320	374 327	389 255	330 259	288 228	295 228	294 208	260 206	236 163	193 125	173 100
111 (52)	Congestion, etc., of the lungs* {M F	777 1024	780 920	781 939	598 771	649 840	672 894	468 653	422 560	469 619	489 535	410 506
	(a) Hæmorrhagic infarction of lung ... {M F	113 111	117 101	85 89	103 103	129 125	113 154	126 142	107 121	112 130	166 131	126 100
	(b) Acute œdema of lung ... {M F	664 913	663 819	696 850	495 668	29 39	71 61	52 52	59 59	44 42	59 42	41 30
	(c) Chronic, etc., congestion of lungs* ... {M F	491 676	488 679	290 459	256 380	313 447	264 362	25 37				
112 (52)	Asthma ... {M F	1553 1253	1515 1328	1705 1433	1350 1167	1580 1276	2321 1846	1611 1323	1311 1139	1536 1349	1434 1198	1580 1320
	With contributory or secondary causes:—											
	(1) Influenza (33) ... {M F	? ?	6 3	35 21	3 2	13 6	29 17	16 13	5 5	25 15	7 9	
	(2) Chronic endocarditis, etc. (92) ... {M F	? ?	19 36	40 31	22 32	27 23	34 19	27 27	13 22	13 15	21 19	21 19
	(3) Myocardial disease (93)... {M F	? ?	474 370	507 477	337 272	578 439	749 641	532 432	456 384	529 449	507 419	507 419
	(4) Arteriosclerosis (97) ... {M F	? ?	8 8	15 8	8 2	6 10	22 13	13 9	15 4	17 11	8 6	

* For full title according to the detailed International List see Table 21.

TABLE 6—continued.

International List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
2 (52)	(5) Chronic nephritis (131)... (6) Without the complica- tions specified* ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$? ? ?	9 7 999 904	8 4 1100 892	1 3 979 856	3 5 953 793	4 3 1483 1153	9 6 1014 836	5 5 817 719	5 2 947 857	2 3 889 742	4 2 1020 848
3 (52)	Pulmonary emphysema ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 220 84	448 100	342 98	326 80	375 82	614 145	366 101	390 76	454 78	451 75	471 95
4 (52)	Other diseases of the respiratory system ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 530 139	477 139	511 136	505 126	562 149	668 159	533 115	561 104	601 138	603 138	632 115
	(a) Silicosis and other occupational pneumo- conioses ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ †402 †93	†358 †80	†405 †82	†365 †58	255 15	325 12	254 6	254 4	313 2	332 3	382 4
	(b) Other occupational respiratory disease ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ — —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	1 —
	(c) Gangrene of lung ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 17 4	17 9	10 11	8 8	8 4	5 6	8 6	7 4	9 7	7 2	9 1
	(d) Abscess of lung ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ †111 †42	†102 †50	†96 †43	†132 †60	119 49	84 27	92 35	100 40	91 42	76 42	69 28
	(e) Other diseases included under 114† ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ † †	† †	† †	† †	178 81	254 114	179 68	200 56	188 87	188 91	171 82
	(1) Chronic interstitial pneumonia† ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ † †	† †	† †	† †	162 72	244 105	155 58	182 48	166 74	171 83	155 71
	(2) Other diseases in- cluded under 114(e) ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ † †	† †	† †	† †	16 9	10 9	24 10	18 8	22 13	17 8	16 11
5-129	IX.—Diseases of the Digestive System ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 14087 11612	13920 11328	13675 10909	13618 10574	13010 9986	13376 10263	12883 9833	12130 9338	11872 9348	11768 9149	11933 8859
5 (60)	Diseases of the buccal cavity, etc.* ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 999 1113	860 806	736 719	806 681	619 583	592 531	481 510	447 445	395 427	357 375	330 316
	(a) Diseases of the teeth and gums ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 234 183	209 142	182 138	186 131	155 101	142 88	131 113	116 94	84 83	86 61	84 62
	(b) Septic sore throat ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 275 377	233 269	200 234	224 223	137 145	171 175	121 143	134 126	118 134	114 114	76 80
	(1) With mention of tonsillectomy ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$? ?	? ?	? ?	? ?	5 5	3 2	2 2	3 4	14 9	5 5	2 2
	(2) Others with mention of tonsils ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$? ?	? ?	? ?	? ?	63 79	100 91	60 81	74 63	55 73	49 65	44 47
	(3) Other diseases in- cluded under 115(b) ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$? ?	? ?	? ?	? ?	69 61	68 82	59 60	57 59	49 52	33 44	30 31
	(c) Other diseases of the pharynx and tonsils ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 452 490	382 347	321 307	365 283	282 267	213 203	192 200	170 180	157 151	153 147	134 123
	(1) With mention of tonsillectomy ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$? ?	? ?	? ?	? ?	40 39	30 29	31 28	42 34	39 37	30 22	29 22
	(2) Others with mention of tonsils ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$? ?	? ?	? ?	? ?	134 146	100 111	63 91	69 88	63 71	71 74	61 62
	(3) Other diseases in- cluded under 115(c) ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$? ?	? ?	? ?	? ?	108 82	83 63	98 81	59 58	55 43	52 51	44 39
	(d) Other diseases in- cluded under 115 ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 38 63	36 48	33 40	31 44	45 70	66 55	37 54	27 45	36 59	31 53	36 51
6 (60)	Diseases of the œsophagus ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 37 31	33 19	38 26	32 26	42 30	39 35	42 40	33 37	26 35	40 25	26 27
7 (53)	Ulcer of the stomach or duodenum ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 3433 1064	3651 1151	3678 1104	3689 1054	3916 1116	4443 1299	4333 1141	3697 964	3766 956	3840 1045	3998 1024
	(a) Ulcer of the stomach ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 2243 849	2312 902	2371 868	2379 825	2606 877	2838 1007	2703 892	2233 767	2314 701	2330 809	2320 729
	(b) Ulcer of the duodenum ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 1190 215	1339 249	1307 236	1310 229	1310 239	1605 292	1630 249	1464 197	1452 255	1510 236	1678 295
8 (60)	Other diseases of the stomach ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 476 496	424 441	408 383	384 402	338 339	332 327	315 324	299 289	273 287	255 255	247 222
	(1) Inflammation of the stomach ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 378 437	309 376	318 322	295 335	243 279	259 280	244 273	217 224	190 212	178 205	166 183
	(2) Other diseases included under 118 ...	$\begin{Bmatrix} M \\ F \end{Bmatrix}$ 98 59	115 65	90 61	89 67	95 60	73 47	71 51	82 65	83 75	77 50	81 39

† specified or indicated as occupational.

* For full title according to the detailed International List see Table 21.

† Chronic interstitial pneumonia is included in 114 (a); and other diseases included in 114 (e) are included in 114 (d) during these years.

TABLE 6—continued

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
119 & 120 (54 & 55)	Enteritis and diarrhoea ... { F	2703 2295	2790 2393	2818 2338	2730 2238	2358 1983	2349 2066	2559 2079	2665 2241	2601 2306	2666 2332	2818 2418
	(a) Without mention of ulceration ... { F	2510 1969	2591 2061	2589 1997	2509 1909	2093 1672	2148 1727	2343 1776	2456 1946	2429 1961	2501 2063	2703 2218
	(b) Ulceration of the intestines (except duodenum) ... { F	193 326	199 332	229 341	221 329	265 311	201 339	216 303	209 295	172 345	165 269	193 326
	121 (56) Appendicitis ... { F	1860 1318	1785 1268	1738 1301	1780 1247	1565 1157	1395 983	1092 781	1107 820	987 899	1027 854	978 781
	(1) Without mention of intestinal obstruction ... { F	? ?	? ?	? ?	? ?	1341 1051	1206 888	929 694	941 703	808 777	833 738	703 603
	(2) With mention of intestinal obstruction ... { F	? ?	? ?	? ?	? ?	224 106	189 95	163 87	166 117	179 122	194 116	116 116
	122 (57) Hernia, intestinal obstruction { F	2002 1869	1882 2004	1892 1897	1824 1694	1860 1793	2059 2212	2091 2387	2069 2135	2049 2055	1898 1951	1703 1703
	(a) Hernia ... { F	983 1017	943 1045	965 1079	948 977	957 1042	1115 1301	1095 1501	1069 1273	1102 1212	917 1089	917 1089
	(b) Intestinal obstruction ... { F	1019 852	939 959	927 818	876 717	903 751	944 911	996 886	1000 862	947 843	981 862	818 717
	(1) Intussusception ... { F	? ?	? ?	177 104	175 94	175 97	183 104	182 108	179 109	169 115	196 106	106 106
	(2) Paralytic ileus without stated cause ... { F	? ?	? ?	750 714	701 623	23 27	16 12	11 6	22 15	25 15	10 11	10 11
	(3) Other etc. forms of intestinal obstruction† { F	441 422	426 441	438 458	394 446	432 449	495 459	727 422	738 428	713 423	745 399	603 403
123 (60)	Other diseases of the intestines { F	268 239	286 289	299 296	256 300	290 300	254 306	212 256	244 260	233 255	229 259	229 259
	(a) Diverticulitis ... { F	173 183	140 152	139 162	138 146	142 149	173 153	193 166	166 168	133 168	139 140	139 140
	(b) Other diseases included under 123 ... { F	894 438	833 413	782 448	810 454	774 437	817 384	662 332	541 291	525 306	485 277	485 277
	124 (58) Cirrhosis of the liver ... { F	138 62	129 62	139 74	129 65	107 49	125 51	95 46	62 14	49 20	58 9	58 9
	(a) With mention of alcoholism ... { F	756 376	704 351	643 374	681 389	667 388	692 333	567 286	479 277	476 286	427 268	427 268
	(b) Without mention of alcoholism ... { F	100 103	115 118	112 107	137 122	119 95	106 126	115 108	111 143	178 187	165 215	165 215
	125 (59) Other diseases of the liver ... { F	27 37	32 35	24 30	31 41	29 34	28 45	31 42	32 57	45 60	32 50	32 50
	(a) Acute yellow atrophy* ... { F	73 66	83 83	88 77	106 81	90 61	78 81	84 66	79 86	133 127	133 165	133 165
	(b) Other diseases included under 125 ... { F	403 1022	375 869	330 849	325 870	325 821	257 682	234 667	224 615	211 619	251 514	251 514
	126 (59) Biliary calculi ... { F	426 948	407 946	382 852	392 899	374 848	308 835	332 754	277 645	287 616	248 606	248 606
	(a) Cholecystitis without record of biliary calculi ... { F	369 907	358 889	318 804	327 848	320 791	261 757	275 677	215 577	220 537	201 525	201 525
	(b) Other diseases included under 127 ... { F	57 41	49 57	64 48	65 51	54 57	47 78	57 68	62 91	67 69	47 69	47 69
128 (60)	Diseases of the pancreas (other than diabetes) ... { F	203 255	217 235	209 229	198 226	188 201	155 205	141 174	145 164	108 133	116 161	116 161
	129 (60) Peritonitis without stated cause ... { F	110 238	122 224	114 198	117 215	100 134	97 119	81 114	105 121	100 99	89 103	89 103
	130-139 X.—Diseases of the Urinary and Genital Systems† ... { F	15550 10645	15170 10342	15142 10260	14314 9284	14165 8932	14867 9207	14317 8417	13723 7820	13422 7759	13166 7614	12974 7474
	130-132 Nephritis (all forms) ... { F	9082 9033	8714 8667	8449 8597	7809 7528	7394 7368	7721 7705	7288 6943	6836 6459	6439 6396	6307 6301	6316 6316
130 (61)	Acute nephritis ... { F	523 569	618 576	470 541	522 494	513 469	515 461	437 440	433 378	367 373	411 353	313 313
	131 (61) Chronic nephritis ... { F	7907 7823	7444 7526	7446 7573	6694 6513	6359 6373	6713 6782	6393 6068	5925 5634	5558 5573	5459 5536	5459 5536

* Not associated with pregnancy.

† For full title according to the detailed International List see Table 21.

the deaths in 1935 to 1938 estimated for Nos. 140 <i>ba</i> and 141 <i>ba</i> combined were	39, 36, 40, 34
" " for Nos. 140 <i>bb</i> and 141 <i>bb</i> " "	16, 14, 17, 14
" " for Nos. 140 <i>bc</i> and 141 <i>bc</i> " "	39, 23, 27, 32

TABLE 6—continued

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
141 (69)	(b) Abortion (non-septic) F	30	24	28	26	28	33	24	12	13	7	
	induced*											
	(ba) By woman herself ... F	†	†	†	†	16	20	15	6	7	3	
	(bb) By other persons ... F	†	†	†	†	3	4	2	2	2	2	
	(bc) By persons unstated F	†	†	†	†	9	9	7	4	3	2	
142-150	Maternal causes F	2126	2011	1773	1742	1643	1372	1352	1358	1294	1174	
	(excluding abortion)											
142 (68)	Ectopic gestation ... F	78	71	79	75	62	75	63	84	53	44	
143 (68)	Hæmorrhage of pregnancy ... F	54	48	44	43	29	31	36	19	22	18	
	(a) Placenta prævia ... F	?	?	?	?	15	20	22	10	11	9	
	(b) Prem. separation** ... F	?	?	?	?	6	6	10	2	8	5	
	(c) Others† ... F	?	?	?	?	8	5	4	7	3	4	
144 (68)	Toxæmias of pregnancy ... F	127	143	151	137	174	134	131	117	102	77	
	(a) Eclampsia ... F	80	84	87	77	70	63	60	51	49	49	
	(b) Albuminuria, etc.† ... F	?	?	?	?	23	14	21	28	24	10	
	(c) Ac. yellow atrophy† ... F	8	10	12	11	9	6	9	9	11	8	
	(d) Other† ... F	39	49	52	49	72	51	41	29	18	10	
145 (68)	Other diseases and acc. of pregnancy F	30	35	39	30	23	12	18	15	26	30	
146 (72)	Hæm. of childbirth, etc.† ... F	238	254	263	269	267	202	234	209	190	204	
	(a) Placenta prævia*** ... F	?	?	?	?	71	67	52	58	47	59	
	(b) Prem. separation of placenta*** ... F	?	?	?	?	17	8	13	10	17	7	
	(c) Other hæmorrhages of childbirth F	?	?	?	?	13	17	21	11	8	11	
	(d) Other hæmorrhages after childbirth F	?	?	?	?	166	110	148	130	118	127	
147 (71)	Infection during childbirth and the puerperium F	839	744	499	455	402	339	288	283	275	217	
	(a) General or local with pyelitis† ... F	647	561	347	277	21	11	20	9	10	9	
	(b) do. without pyelitis† ... F	?	?	?	?	227	194	134	146	129	101	
	(c) P. thrombo phlebitis ... F	66	79	69	90	67	45	65	64	59	47	
	(d) Puer. embolism, etc.† ... F	126	104	83	88	87	89	69	64	77	60	
148 (72)	Puerperal toxæmias ... F	361	367	359	335	304	264	250	293	273	251	
	(a) Puerperal eclampsia ... F	251	241	225	196	149	124	117	122	111	122	
	(b) P. albuminuria, etc.† ... F	?	?	?	?	53	52	63	98	91	83	
	(c) Ac. yellow atrophy† ... F	31	42	47	42	34	24	21	33	43	26	
	(d) Other† ... F	79	84	87	97	68	64	49	40	28	20	
149 (72)	Other acc. of childbirth ... F	342	290	290	362	349	293	306	316	335	308	
	(a) Laceration, etc.† ... F	?	?	?	?	195	164	194	175	203	178	
	(b) Other conditions included in 149 F	?	?	?	?	154	129	112	141	132	130	
150 (72)	Other conditions of childbirth, etc.† F	57	59	49	36	33	22	26	22	18	25	
	(a) Mastitis† ... F	16	18	8	5	6	2	6	8	4	6	
	(b) Puerperal psychoses ... F	16	15	17	15	7	9	6	5	4	4	
	(c) Other condns. inc. in 150 F	25	26	24	16	20	11	14	9	10	15	
151-153	XII.—Diseases of Skin and Cellular Tissue ... F	980	1049	1032	956	766	687	689	619	577	542	
		827	795	695	660	577	603	570	536	481	533	
151 (73)	Carbuncle, boils ... F	322	350	335	314	275	264	238	212	167	168	
		225	194	178	172	183	168	161	176	115	126	
152 (73)	Cellulitis, acute abscess ... F	378	412	391	370	221	194	187	170	161	150	
		287	302	268	220	167	184	158	139	134	152	
153 (73)	Other diseases of the skin and cellular tissue ... F	280	287	306	272	270	229	264	237	249	224	
		315	299	249	268	227	251	251	221	232	255	
154-156	XIII.—Diseases of the Bones and Organs of Movement ... F	573	560	561	514	503	469	433	479	369	394	
		364	346	365	328	296	282	298	308	278	284	
154 (74)	Osteomyelitis and periostitis... F	369	367	382	334	310	239	222	247	179	196	
		190	178	178	157	124	105	111	124	101	105	
155 (74)	Other diseases of the bones ... F	49	43	41	45	66	74	60	76	63	64	
		51	43	54	55	61	53	80	63	84	65	
156 (74)	Diseases of the joints and other organs of movement ... F	155	150	138	135	130	156	151	156	127	134	
		123	125	133	116	108	124	107	121	93	114	
	(a) Diseases of the joints... F	99	89	99	70	64	76	74	75	62	64	
		67	64	68	65	45	60	49	51	40	49	
	(b) Diseases of other organs of movement ... F	56	61	39	65	66	80	77	81	65	70	
		56	61	65	51	63	64	58	70	53	65	
	(1) Diseases of muscles... F	?	?	?	?	46	59	62	52	47	52	
		?	?	?	?	44	48	46	46	40	53	
	(2) Other diseases included under 156(b) ... F	?	?	?	?	20	21	15	29	18	18	
		?	?	?	?	19	16	12	24	13	12	

* For reasons other than therapeutic.

** Of placenta and other accidental hæmorrhage.

*** (With childbirth).

† For full title according to the detailed International List see Table 21.

‡ See note on previous page.

TABLE 6—continued.

Inter- national t No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
(75)	XIV.—Congenital Malforma- tions {M F	2489 2011	2629 2030	2541 2132	2554 2127	2489 2140	2730 2272	2681 2208	2833 2475	2785 2400	2959 2395	2761 2381
	(a) Congenital hydrocephalus {M F	163 140	165 116	142 129	145 145	164 145	184 184	220 163	165 161	165 125	160 124	171 111
	(b) Spina bifida and meningocele {M F	448 630	458 648	494 672	463 673	481 698	481 636	441 645	563 850	567 769	528 765	435 676
	(c) Congenital malformation of heart {M F	845 593	950 635	883 654	924 642	892 634	956 707	905 701	952 716	912 742	1025 711	949 727
	(d) Monstrosities {M F	31 57	33 47	35 60	45 60	35 64	33 70	38 58	46 62	43 48	28 65	29 59
	(e) Congenital pyloric stenosis {M F	294 79	313 86	321 100	325 63	272 63	284 76	328 61	293 66	269 70	282 59	222 67
	(f) Cleft palate, harelip ... {M F	59 40	50 62	64 55	56 46	61 62	62 60	39 50	61 40	49 38	49 48	50 31
	(g) Imperforate anus ... {M F	56 18	56 21	44 14	46 27	51 15	45 15	49 15	51 21	42 17	47 19	34 12
	(h) Cystic disease of kidney {M F	75 92	83 89	81 92	76 100	84 90	102 96	71 88	88 79	84 85	94 95	86 88
	(i) Other stated congenital malformations {M F	472 323	471 297	431 312	430 336	425 348	561 407	579 410	591 465	638 490	716 486	761 589
	(ia) Central nervous system {M F	? ?	? ?	? ?	? ?	36 34	56 65	55 61	51 54	52 59	51 40	58 53
	(ib) Circulatory system ... {M F	? ?	? ?	? ?	? ?	71 76	103 81	96 99	114 128	122 124	132 123	133 162
	(ic) Digestive system ... {M F	? ?	? ?	? ?	? ?	196 152	265 178	293 165	270 190	323 200	369 220	383 239
	(id) Genito-urinary system {M F	? ?	? ?	? ?	? ?	59 25	74 30	75 21	80 35	80 38	86 30	96 43
	(ie) Other malformations inc. under 157 (i) ... {M F	? ?	? ?	? ?	? ?	63 61	63 53	60 64	73 58	61 69	78 73	91 86
	(f) Congenital malformations (unspecified) ... {M F	46 39	50 29	46 44	44 35	24 21	22 15	11 17	23 15	16 16	30 23	24 21
-161	XV.—Diseases peculiar to the First Year of Life ... {M F	8670 6233	8714 6226	8659 6486	8294 5995	8152 5967	8177 5836	7944 5552	8139 5863	7892 5738	8222 6051	7672 5464
(76)	Congenital debility ... {M F	915 605	888 569	828 546	667 429	639 409	774 495	769 458	619 432	503 350	534 287	405 244
(77)	Premature birth ... {M F	5615 4251	5537 4083	5500 4371	5243 3993	5156 4023	4936 3662	4948 3529	5117 3744	4938 3789	4948 3883	4206 3324
(78)	Injury at birth ... {M F	919 552	962 632	988 607	1084 599	1085 585	1017 603	913 560	1001 659	1008 599	1066 701	1154 668
	(a) Intra-cranial or spinal hemorrhage due to injury at birth {M F	? ?	? ?	? ?	? ?	637 316	702 377	622 344	708 405	720 409	771 473	844 471
	(b) Other intra-cranial or spinal injuries at birth {M F	? ?	? ?	? ?	? ?	31 10	43 19	41 26	45 23	44 23	58 24	50 21
	(c) Other birth injuries ... {M F	? ?	? ?	? ?	? ?	417 259	272 207	250 190	248 231	244 167	237 204	260 176
(79)	Other diseases peculiar to the first year of life ... {M F	1221 825	1327 942	1343 962	1300 974	1272 950	1450 1076	1314 1005	1402 1028	1443 1000	1674 1180	1907 1228
	(a) Asphyxia during or after birth, atelectasis ... {M F	710 469	746 553	794 544	767 506	752 546	768 579	699 562	765 528	715 505	860 621	1154 750
	(b) Intoxication due to maternal toxæmia ... {M F	?	?	?	?	32 15	114 93	140 113	140 135	194 126	201 174	166 113
	(c) Infections of the newborn ... {M F	?	?	?	?	53 46	79 63	77 55	86 59	84 59	94 83	76 49
	(1) Infections of the umbilicus ... {M F	26 17	21 24	30 20	22 18	22 20	19 20	23 20	24 20	21 15	19 19	20 16
	(2) Pemphigus ... {M F	34 25	42 26	48 30	41 28	21 20	40 33	42 28	44 23	37 32	33 31	21 18
	(3) Other or unspecified infections included under 161(c) {M F	?	?	?	?	12 8	20 10	12 4	18 16	26 12	42 33	35 15
	(d) Melæna neonatorum ... {M F	220 180	192 177	179 209	204 194	243 204	174 146	164 142	157 138	157 110	177 103	163 103
	(e) Other specified diseases included under 161 ... {M F	?	256 136	238 170	253 191	229 149	246 137	224 129	247 164	293 172	342 192	348 213
	(1) Hemolytic diseases of newborn ... {M F	192 95	198 108	189 134	211 148	211 113	199 118	196 111	241 161	273 157	299 170	311 185
	(2) Other diseases included under 161(e) ... {M F	?	58 28	49 36	42 43	18 36	47 19	28 18	6 3	20 15	43 22	37 28

Deaths from No. 161(b) and 161(e) 2 are included in 161(c) 3 and (d) during these years.

TABLE 6—continued

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944
162 (80)	XVI.—Senility, Old Age ... { M F	6841 10247	7007 10279	6800 10368	6245 9154	6880 10407	7690 11542	7104 10678	6171 9681	6599 10074	6497 9828
	(a) Old age ... { M F	† †	† †	† †	† †	174 300	184 304	162 280	140 275	131 244	162 253
	(b) Senility with mention of senile dementia ... { M F	468 534	578 655	486 611	316 499	301 433	343 470	315 534	312 527	292 504	302 533
	(c) Senility without mention of senile dementia ... { M F	†6373 †9713	†6429 †9624	†6314 †9757	†5929 †8655	6385 9674	7163 10768	6627 9864	5719 8879	6176 9326	6033 9042
163-198	XVII.—Deaths from Violence { M F	14479 7301	14664 7764	14864 7729	15099 7632	15285 8122	27991 19214	26478 16881	14975 9002	13296 8192	16129 11691
163-164	Suicide ... { M F	3525 1659	3441 1602	3447 1678	3556 1724	3312 1689	2894 1623	2318 1339	2095 1321	2185 1343	2190 1257
163 (81)	Suicide by poisoning ... { M F	1445 991	1379 954	1387 978	1537 1046	1442 1060	1185 1034	893 803	780 822	852 794	889 766
	(a) By solid or liquid toxic or corrosive substances ... { M F	344 313	298 264	304 276	317 274	278 243	219 271	161 206	133 193	149 173	135 167
	(aa) By corrosive sub- stances ... { M F	180 190	162 153	173 180	164 164	155 129	116 143	59 106	57 70	70 77	59 70
	(ab) By analgesic and nar- cotic drugs ... { M F	29 27	16 23	26 34	40 28	21 31	22 43	25 34	17 36	21 38	15 35
	(1) By analgesic drugs... { M F	22 23	10 20	18 33	27 28	18 28	16 39	19 32	10 31	16 36	14 34
	(2) By narcotic drugs ... { M F	7 4	6 3	8 1	13 —	3 3	6 4	6 2	7 5	5 2	1 1
	(ac) By soporific drugs ... { M F	13 32	12 25	12 23	21 27	16 31	22 41	21 27	19 22	18 29	14 34
	(ad) By other solid or liquid poisons ... { M F	122 64	108 63	93 39	92 55	86 52	59 44	56 39	40 32	40 29	47 28
	(b) By poisonous gas ... { M F	1101 678	1081 690	1083 702	1220 772	1164 817	966 763	732 597	647 612	673 621	754 599
	(ba) By coal gas ... { M F	1081 676	1057 690	1058 699	1175 768	1111 811	947 758	719 594	635 612	664 619	750 599
	(bb) By motor exhaust gases ... { M F	20 2	23 —	22 3	45 4	53 6	18 4	11 3	10 —	7 —	4 —
	(bc) By other poisonous gas ... { M F	— —	1 —	3 —	— —	— —	1 1	2 —	2 —	2 2	— —
164 (81)	Other forms of suicide ... { M F	2080 668	2062 648	2060 700	2019 678	1870 629	1709 589	1425 536	1315 516	1363 549	1301 491
	(a) By hanging or strangula- tion ... { M F	616 179	670 161	645 169	641 163	564 144	546 161	417 129	411 110	448 122	390 116
	(b) By drowning ... { M F	459 287	482 280	489 317	487 311	475 312	369 237	295 235	262 237	297 272	305 234
	(c) By firearms and explo- sives ... { M F	221 6	239 9	234 7	238 12	237 11	262 21	255 17	237 17	236 11	191 15
	(d) By cutting or piercing instruments ... { M F	491 75	399 74	383 78	366 63	364 59	319 59	281 46	220 46	238 57	247 42
	(e) By jumping from high places ... { M F	104 66	94 73	106 73	117 72	84 61	103 64	71 51	83 55	59 50	65 48
	(f) By crushing ... { M F	179 44	172 35	188 42	164 52	137 33	97 34	92 39	93 41	77 29	95 30
	(fa) On railways ... { M F	170 44	157 34	164 41	152 48	126 33	86 32	79 36	86 38	70 28	86 28
	(fb) Other suicide by crushing ... { M F	9 —	15 1	24 1	12 4	11 —	11 2	13 3	7 3	7 1	9 2
	(g) By other or unspecified means ... { M F	10 11	6 16	15 14	6 5	9 9	13 13	14 19	9 10	8 8	8 6
165-168	Homicide ... { M F	81 88	83 87	83 82	77 77	90 104	72 98	114 109	114 126	95 112	68 103
165 (82)	Infanticide (Infants under 1 year) ... { M F	11 14	22 19	20 14	11 15	25 18	19 15	13 21	29 18	29 23	25 34

† "Old age" is included in 162 (c) during these years.

TABLE 6—continued.

Personal No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
(82)	Homicide by firearms ... { M F	6 11	4 11	6 8	6 6	5 16	8 23	14 26	16 25	13 24	2 9	15 15
(82)	Homicide by cutting or { piercing instruments ... { M F	8 20	6 16	2 9	12 20	7 12	14 11	7 18	7 17	8 9	8 13	13 16
(82)	Homicide by other or un- { specified means ... { M F	56 43	51 41	55 51	48 36	53 58	31 49	38 44	62 66	44 57	33 47	57 73
195	Accidental deaths* ... { M F	10792 5554	11068 6073	11268 5969	11376 5831	12805 6328	13320 6969	13277 6688	10711 5808	9435 5306	9349 5517	8836 5513
(84)	Railway accidents† ... { M F	405 34	408 32	358 35	377 31	416 36	459 41	456 43	451 48	460 62	471 58	438 67
(83)	Motor vehicle accidents† ... { M F	3902 1338	3958 1396	4023 1440	4124 1350	5080 1558	4623 1395	4792 1600	3421 1211	2604 971	2817 1177	2529 1069
	(a) Collisions with trains ... { M F	? ?	? ?	? ?	? ?	5 —	3 1	15 2	6 —	15 4	7 1	17 1
	(b) Collisions with trams ... { M F	? ?	? ?	? ?	? ?	1 —	— —	5 1	5 —	3 —	3 2	— —
	(c) Other accidents included { under 170 ... { M F	? ?	? ?	? ?	? ?	5074 1558	4620 1394	4772 1597	3410 1211	2586 967	2807 1174	2512 1068
(84)	Other road transport ... { accidents† ... { M F	605 186	515 143	504 140	443 151	529 122	550 138	477 131	430 129	430 166	387 111	287 120
	(a) Tramway accidents on { roads ... { M F	38 17	45 24	42 26	36 29	88 19	139 34	107 38	80 29	81 46	60 32	43 29
	(b) Other accidents included { under 171 ... { M F	567 169	470 119	462 114	407 122	441 103	411 104	370 350	350 100	349 120	327 79	244 91
(84)	Water transport accidents† ... { M F	112 5	112 2	146 6	146 7	168 5	204 4	214 4	142 4	150 5	139 1	151 2
(84)	Air transport accidents† ... { M F	56 5	92 7	171 4	187 7	190 7	27 4	6 1	7 —	30 6	31 8	23 1
(84)	Accidents in mines and { quarries† ... { M F	789 —	782 —	858 —	1004 —	823 —	915 —	896 1	836 1	703 1	633 1	546 2
(84)	Agricultural and forestry { accidents† ... { M F	75 3	79 4	86 3	84 4	70 2	155 9	144 5	175 1	188 20	130 10	152 9
	(a) Accidents from farm, { etc., machinery and { vehicles ... { M F	**54 **1	**56 —	**61 —	**61 **1	35 —	78 3	68 4	102 —	109 13	75 7	92 7
	(b) Injury by animals in { farming, etc. ... { M F	21 2	23 4	25 3	23 3	18 2	45 5	40 —	32 1	24 5	29 3	22 1
	(ba) By venomous animals { M F	? ?	? ?	? ?	? ?	— —	— —	— —	— —	— —	— —	— —
	(bb) By other animals ... { M F	? ?	? ?	? ?	? ?	18 2	45 5	40 —	32 1	24 5	29 3	22 1
	(c) Other accidents included { under 175 ... { M F	** **	** **	** **	** **	17 —	32 1	36 1	41 —	55 2	26 —	38 1
(84)	Accidents caused by { machinery† ... { M F	191 5	180 4	164 13	179 5	167 9	203 8	262 8	228 19	195 17	201 11	151 10
(84)	Food poisoning ... { M F	10 9	6 6	22 14	16 11	15 15	17 3	8 7	3 5	10 4	19 5	15 11
(84)	Accidental absorption of { poisonous gas§ ... { M F	115 103	151 96	158 99	138 103	132 100	191 160	192 119	144 133	119 126	149 155	208 204
(84)	Other acute accidental poison- { ing (not by gas)§ ... { M F	78 54	80 70	66 75	77 67	57 76	62 59	76 73	60 62	65 44	50 52	75 83
(84)	Conflagration§ ... { M F	23 42	32 30	39 35	35 38	48 56	66 68	76 99	85 64	64 57	70 74	48 46
(84)	Accidental burns (conflagration { excepted)§ ... { M F	513 800	493 833	478 797	470 771	500 721	588 897	548 818	463 758	374 620	389 619	344 630
(84)	Accidental mechanical { suffocation§ ... { M F	253 168	268 189	301 178	296 194	315 195	357 226	375 281	366 259	372 209	421 307	426 304
(84)	Accidental drowning§ ... { M F	1042 286	966 250	1006 294	910 258	1110 242	1242 267	1290 239	978 212	965 227	975 205	1030 235
(84)	Accidental injury by firearms§ { M F	76 7	76 10	73 6	75 3	99 10	137 28	132 16	98 15	88 13	64 13	86 16
(84)	Accidental injury by cutting or { piercing instruments§ ... { M F	8 2	16 5	23 4	12 1	17 3	14 2	7 2	6 1	7 1	10 3	7 5

Deaths not known to be due to suicide or homicide). † Any cause of death except war.
 Cause of death. § Except deaths classed under headings 169-176, 196, 197.
 Deaths assignable to 175(c) are included in 175(a) during these years.

TABLE 6—continued

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944
186 (84)	Accidental injury by fall, crushing, landslide, etc.* {M F	2024 2280	2294 2784	2312 2593	2275 2623	2549 2956	2925 3414	2718 2965	2255 2589	2033 2469	1835 2401
187 (84)	Cataclysm (any cause of death) {M F	— —	— —	— —	1 —	— —	— —	1 —	— —	— 1	2 4
188 (84)	Injury by animals* ... {M F	17 2	23 3	24 3	23 2	15 2	16 5	18 10	11 7	17 5	20 4
189 (84)	Hunger or thirst* ... {M F	12 1	6 2	11 3	7 2	3 3	4 3	17 4	12 7	4 2	5 2
190 (84)	Excessive cold* ... {M F	9 2	12 2	11 1	10 2	7 2	25 11	3 1	13 8	5 3	5 1
191 (84)	Excessive heat* ... {M F	33 19	17 6	14 6	12 2	12 5	19 3	29 14	8 3	8 3	8 5
192 (84)	Lightning ... {M F	13 1	17 2	— —	9 1	20 4	5 2	5 2	3 —	7 —	8 2
193 (84)	Other accidents due to electric currents* ... {M F	49 9	56 10	57 9	68 6	63 11	71 6	64 16	66 14	68 18	61 19
194 (84)	Attack by venomous animals... {M F	8 15	11 13	15 11	8 12	5 5	7 10	8 5	7 9	3 10	3 3
195 (84)	Other accidents ... {M F	374 178	418 174	348 200	390 180	395 183	435 206	463 214	443 249	466 246	446 266
	(a) Vaccinia and other sequelæ of vaccination against smallpox {M F	3 5	1 3	6 2	5 3	3 —	4 2	1 3	4 3	3 1	3 5
	(1) Vaccinia ... {M F	1 3	— 3	3 2	4 1	1 —	4 2	— 2	4 3	3 1	3 3
	(2) Other sequelæ of vaccination against smallpox ... {M F	2 2	1 —	3 —	2 1	2 —	— —	1 1	— —	— —	— 2
	(b) Other accidents due to medical or surgical inter- vention {M F	— 2	— —	2 —	1 1	3 —	— 2	— 3	— 6	2 —	4 9
	(ba) Anæsthetic accidents {M F	— —	— —	— —	— —	— —	2 —	1 —	4 —	— 2	1 1
	(bb) Other accidents included under 195(b) {M F	— 2	— —	2 —	1 1	3 —	— —	— 2	— 2	— —	3 8
	(c) Lack of care of the new- born ... {M F	85 70	84 59	71 98	97 89	68 79	61 72	80 92	87 89	72 106	85 104
	(d) Other and unspecified accidents included under 195* {M F	286 101	333 112	269 100	287 87	321 104	370 130	382 116	352 151	389 139	354 148
196 (85)†											
197 (85)	Deaths of civilians due to opera- tions of war ... {M F	69 —	67 —	57 —	82 —	†74 1	†11691 10524	†10798 8745	†2044 1747	†1571 1431	†4515 4814
198 (86)	Legal executions ... {M F	12 —	5 2	9 —	8 —	5 —	14 —	13 —	11 —	10 —	7 —
199-200	XVIII.—Ill-defined Causes of Death ... {M F	775 542	686 524	701 545	593 498	546 384	587 465	584 388	477 336	397 290	389 265
199 (87)	Sudden death ... {M F	171 112	187 98	158 84	125 94	103 78	117 86	108 81	117 71	91 58	72 54
200 (87)	Causes of death unstated or ill- defined ... {M F	604 430	499 426	543 461	468 404	443 306	470 379	476 307	360 265	306 232	317 211
	(a) Ill-defined causes ... {M F	563 416	482 411	504 440	426 383	392 274	388 350	368 287	297 256	258 218	273 200
	(1) Heart failure ... {M F	512 379	455 382	474 412	400 359	361 254	303 274	295 222	233 194	227 173	221 155
	(2) Other ill-defined causes {M F	51 37	27 29	30 28	26 24	31 20	85 76	73 65	64 62	31 45	52 45
	(b) Found dead, cause unknown... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(c) Other deaths from unknown or unspecified cause {M F	41 14	17 15	39 21	42 21	30 17	62 8	89 5	54 4	40 12	42 5

* Except deaths classed under headings 169-178, 196, 197.

† Deaths of non-civilians classed to this heading will be found in Appendix B.II of the Statistical Review for 1939 and in Table 2 subsequent years.

‡ Includes the following numbers resulting from previous wars:—1939, 54; 1940, 82; 1941, 89; 1942, 90; 1943, 113; 1944, 1945, 107.

TABLE 7. CRUDE DEATH-RATES OF MALES, FEMALES AND PERSONS }
FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, } England and Wales.
1935-1945 }

Including non-civilian males on and after 3rd September, 1939 and females on and after 1st June, 1941)

See Explanatory notes on page v.

International No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
	ALL CAUSES ... { M F P	12485 11064 11746	12930 11410 12139	13198 11700 12419	1235 10834 11622	12555 11319 12100	16127 12864 14356	15692 11810 13536	14408 10660 12307	15282 11260 12997	15252 10842 12731	14955 10846 12613
44	I.—Infective & Parasitic Diseases ... { M F P	1427 1034 1223	1406 998 1194	1594 1238 1409	1236 854 1038	1258 886 1064	1626 1034 1305	1605 1020 1280	1312 756 1001	1591 978 1243	1256 689 932	1176 651 877
2	Typhoid and paratyphoid fevers ... { M F P	5 4 5	6 6 6	5 6 5	4 3 3	2 3 3	4 2 3	3 4 4	3 2 2	2 2 2	2 1 1	1 1 1
6	Cerebro-spinal (meningococcal) meningitis ... { M F P	18 13 15	19 12 16	20 14 17	20 12 16	15 10 12	76 50 62	65 44 53	37 24 30	26 15 20	20 11 15	19 10 14
8	Scarlet fever ... { M F P	12 13 12	11 10 11	9 6 7	8 7 8	5 4 4	4 4 4	4 3 3	3 2 3	3 3 3	3 3 3	2 2 2
9	Whooping cough ... { M F P	33 39 36	45 49 47	38 40 39	23 28 26	27 32 30	18 16 17	59 64 62	21 21 21	30 29 29	28 28 28	18 18 18
10	Diphtheria ... { M F P	86 82 84	76 71 74	69 72 71	56 68 69	56 48 52	68 57 62	76 61 68	53 43 47	41 32 36	27 22 24	21 16 18
11	Erysipelas ... { M F P	24 18 21	22 18 20	14 10 12	9 8 8	6 6 6	6 5 5	5 5 5	5 3 4	3 3 3	3 3 3	2 4 3
22	Tuberculosis (all forms) ... { M F P	827 585 701	800 555 673	801 561 676	743 506 620	757 496 621	879 547 699	943 559 730	867 493 657	914 481 668	860 453 628	835 449 615
	Respiratory system ... { M F P	698 484 587	677 459 564	678 461 566	629 413 516	644 410 522	753 450 588	795 448 602	730 395 542	785 385 557	739 364 524	716 364 515
14	Meninges and central nervous system ... { M F P	53 42 47	50 41 45	49 42 45	46 41 43	44 38 41	51 43 46	67 54 60	58 45 50	56 45 50	53 41 46	52 42 46
15	Intestines and peritoneum ... { M F P	22 22 22	19 20 20	21 18 20	18 18 18	17 15 16	20 19 19	23 18 20	22 19 21	18 17 17	18 14 16	17 12 14
16	Vertebral column ... { M F P	16 9 12	13 9 11	14 8 11	12 6 9	13 7 10	12 7 9	10 7 9	14 8 10	13 8 10	11 7 9	10 6 8
17	Other bones and joints ... { M F P	8 5 6	8 5 6	6 5 5	7 4 5	7 4 6	8 4 6	8 5 6	9 4 6	8 3 5	7 4 5	7 3 5
20	Genito-urinary system ... { M F P	10 6 8	12 6 9	11 6 8	9 6 8	10 5 8	13 6 9	12 6 9	12 6 8	12 6 8	13 6 9	12 6 9
22	Disseminated ... { M F P	17 15 16	16 13 15	18 17 17	19 14 17	18 14 16	19 15 17	23 16 19	18 13 16	17 13 15	15 13 14	16 12 13
24	Purulent infection and septicæmia ... { M F P	24 13 18	20 12 16	16 8 12	15 10 12	15 9 12	16 9 12	15 9 12	13 8 10	12 9 10	14 8 11	9 6 8
	(a) Septicæmia ... { M F P	22 12 17	17 10 14	14 7 10	11 8 10	12 8 10	14 8 10	12 8 10	11 7 9	10 7 8	11 7 9	8 5 6
30	Syphilis ... { M F P	134 43 87	128 43 84	122 47 83	125 46 84	121 42 80	125 42 80	128 42 80	124 38 76	117 40 74	107 38 68	101 33 62

TABLE 7—continued.

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944
30	(a) Locomotor ataxia (tabes dorsalis)	M 22 F 4 P 13	M 20 F 4 P 11	M 18 F 4 P 11	M 18 F 4 P 11	M 18 F 4 P 11	M 18 F 4 P 11	M 18 F 5 P 10	M 14 F 3 P 8	M 15 F 3 P 8	M 14 F 2 P 7
	(b) General paralysis of the insane	M 33 F 10 P 21	M 30 F 10 P 20	M 27 F 11 P 19	M 28 F 9 P 18	M 29 F 8 P 18	M 30 F 9 P 19	M 33 F 9 P 19	M 30 F 8 P 17	M 25 F 7 P 15	M 23 F 6 P 13
	(c) Aneurysm of aorta	M 38 F 13 P 25	M 40 F 14 P 27	M 38 F 16 P 27	M 38 F 16 P 27	M 35 F 14 P 24	M 37 F 13 P 24	M 38 F 13 P 24	M 38 F 13 P 24	M 37 F 14 P 24	M 36 F 16 P 24
	(da) Congenital syphilis	M 6 F 4 P 5	M 6 F 4 P 5	M 5 F 3 P 4	M 4 F 3 P 4	M 4 F 3 P 4	M 5 F 3 P 4	M 4 F 4 P 4	M 5 F 4 P 4	M 6 F 4 P 5	M 5 F 3 P 4
	(db, dc, dd) Other or unspecified syphilis	M 35 F 11 P 22	M 32 F 12 P 22	M 34 F 13 P 23	M 37 F 13 P 24	M 35 F 13 P 23	M 35 F 13 P 23	M 35 F 12 P 22	M 37 F 12 P 23	M 34 F 12 P 22	M 30 F 11 P 19
	Influenza	M 177 F 156 P 167	M 156 F 128 P 141	M 421 F 415 P 418	M 123 F 108 P 108	M 194 F 194 P 194	M 338 F 242 P 286	M 197 F 162 P 177	M 107 F 74 P 88	M 359 F 312 P 333	M 125 F 86 P 103
	(a) { 1. With pneumonic complications	M 96 F 69 P 82	M 82 F 57 P 69	M 232 F 203 P 217	M 66 F 41 P 53	M 93 F 82 P 87	M 149 F 90 P 117	M 88 F 62 P 74	M 46 F 28 P 36	M 169 F 130 P 147	M 57 F 35 P 44
	(a) { 2. With other respiratory complications	M 31 F 34 P 33	M 27 F 26 P 27	M 93 F 105 P 99	M 20 F 19 P 19	M 46 F 51 P 48	M 102 F 77 P 89	M 48 F 45 P 46	M 22 F 16 P 19	M 96 F 88 P 91	M 29 F 23 P 25
	(b) { 1. With non-respiratory complications	M 36 F 37 P 37	M 37 F 34 P 36	M 68 F 73 P 70	M 27 F 26 P 26	M 38 F 42 P 40	M 58 F 49 P 53	M 41 F 35 P 38	M 27 F 22 P 24	M 56 F 56 P 56	M 28 F 19 P 23
	(b) { 2. Without stated complications	M 14 F 16 P 15	M 10 F 10 P 10	M 28 F 34 P 31	M 9 F 9 P 9	M 17 F 20 P 19	M 29 F 27 P 28	M 19 F 19 P 19	M 11 F 9 P 9	M 39 F 38 P 39	M 12 F 10 P 10
	Measles	M 33 F 29 P 31	M 70 F 57 P 63	M 27 F 21 P 24	M 41 F 33 P 37	M 8 F 7 P 7	M 23 F 20 P 21	M 37 F 24 P 29	M 15 F 10 P 12	M 23 F 19 P 20	M 7 F 6 P 6
	Acute poliomyelitis and polioencephalitis	M 4 F 3 P 4	M 3 F 2 P 3	M 5 F 3 P 4	M 7 F 6 P 6	M 4 F 3 P 3	M 5 F 3 P 4	M 6 F 3 P 4	M 4 F 3 P 3	M 3 F 2 P 2	M 4 F 2 P 3
	Acute infectious encephalitis (lethargic or epidemic)	M 14 F 14 P 14	M 14 F 14 P 14	M 16 F 13 P 15	M 14 F 11 P 13	M 15 F 13 P 14	M 20 F 16 P 18	M 20 F 16 P 18	M 18 F 13 P 15	M 16 F 11 P 13	M 14 F 9 P 11
	44 (b) Pernicious lymphogranulomatosis (Hodgkin's disease)	M 18 F 9 P 13	M 18 F 8 P 13	M 16 F 10 P 13	M 18 F 11 P 14	M 17 F 9 P 13	M 20 F 9 P 14	M 18 F 10 P 14	M 21 F 10 P 15	M 21 F 10 P 15	M 23 F 10 P 16
	45-57 II.—Cancer and Other Tumours	M 1586 F 1617 P 1602	M 1615 F 1651 P 1634	M 1634 F 1683 P 1669	M 1654 F 1683 P 1685	M 1678 F 1692 P 1685	M 1867 F 1706 P 1780	M 1998 F 1708 P 1837	M 2078 F 1744 P 1891	M 2193 F 1778 P 1957	M 2208 F 1761 P 1953
	45-55 Cancer and other malignant tumours	M 1537 F 1543 P 1540	M 1569 F 1580 P 1575	M 1589 F 1577 P 1583	M 1612 F 1619 P 1616	M 1629 F 1626 P 1628	M 1816 F 1645 P 1723	M 1944 F 1649 P 1780	M 2024 F 1685 P 1834	M 2140 F 1716 P 1899	M 2155 F 1704 P 1897
	45 Buccal cavity and pharynx	M 145 F 25 P 83	M 139 F 29 P 82	M 134 F 26 P 78	M 131 F 26 P 77	M 124 F 26 P 73	M 134 F 25 P 75	M 133 F 24 P 73	M 135 F 24 P 73	M 134 F 26 P 72	M 133 F 25 P 71
	(a) Lips	M 14 F 7 P 7	M 12 F 7 P 6	M 12 F 7 P 6	M 11 F 1 P 6	M 12 F 1 P 6	M 11 F 1 P 5	M 12 F 7 P 6	M 13 F 1 P 7	M 13 F 1 P 7	M 13 F 1 P 6
	(b) Tongue	M 51 F 6 P 27	M 48 F 7 P 26	M 47 F 6 P 26	M 45 F 6 P 25	M 41 F 6 P 23	M 47 F 6 P 25	M 44 F 6 P 23	M 46 F 6 P 24	M 45 F 8 P 24	M 47 F 7 P 24
	(c) Other or unspecified parts of buccal cavity and pharynx	M 80 F 18 P 48	M 79 F 21 P 49	M 75 F 19 P 46	M 75 F 19 P 46	M 70 F 18 P 44	M 76 F 18 P 45	M 77 F 17 P 44	M 75 F 16 P 42	M 75 F 16 P 42	M 74 F 17 P 41
	46 Digestive organs and peritoneum	M 929 F 750 P 836	M 946 F 764 P 851	M 946 F 770 P 855	M 947 F 784 P 862	M 964 F 785 P 870	M 1074 F 794 P 922	M 1130 F 798 P 946	M 1155 F 795 P 954	M 1207 F 812 P 983	M 1224 F 809 P 987
	(a) Oesophagus	M 89 F 33 P 60	M 87 F 35 P 60	M 85 F 33 P 58	M 80 F 33 P 55	M 79 F 33 P 55	M 89 F 32 P 58	M 91 F 32 P 58	M 94 F 32 P 59	M 93 F 36 P 60	M 93 F 32 P 58
	(b) Stomach and duodenum	M 349 F 259 P 303	M 355 F 262 P 307	M 352 F 264 P 306	M 355 F 271 P 311	M 365 F 272 P 316	M 409 F 275 P 336	M 426 F 271 P 340	M 426 F 261 P 333	M 435 F 267 P 340	M 456 F 271 P 350

TABLE 7—continued

International List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
46	(c) Intestines other than duodenum or rectum {M F P	196 231 214	211 235 224	213 246 230	215 247 231	216 251 235	245 254 250	254 258 256	264 254 258	284 264 272	280 266 272	291 268 277
	(d) Rectum {M F P	164 92 127	163 95 128	168 98 132	175 102 137	176 97 135	194 104 145	212 107 154	220 114 161	231 113 164	230 109 161	238 114 167
	(e) Liver and biliary passages {M F P	72 83 78	70 84 77	68 77 72	64 78 71	63 74 69	67 73 70	69 73 71	74 76 75	84 74 78	80 74 77	77 71 73
	(f) Pancreas {M F P	51 42 46	54 45 49	54 45 50	51 47 49	57 48 52	61 46 53	68 46 55	68 49 58	74 49 60	77 47 60	75 54 63
	(g) Peritoneum {M F P	8 10 9	5 9 7	6 8 7	6 8 7	7 9 8	9 10 10	10 10 10	9 10 10	8 9 9	8 9 9	8 11 10
47	Respiratory system {M F P	176 51 111	187 57 119	208 54 128	227 61 141	238 66 148	271 66 160	300 66 170	333 71 186	373 74 203	397 76 214	420 81 227
	(a) Larynx and trachea {M F P	45 11 27	45 14 29	46 11 28	45 12 28	48 13 30	49 13 30	53 13 30	50 12 29	53 13 30	51 13 29	50 13 29
	(b) Lung and pleura {M F P	131 41 84	142 43 91	161 43 100	182 49 113	191 53 119	222 55 131	247 54 140	283 59 158	321 60 173	347 63 184	370 68 198
48	Uterus F	205	198	203	204	202	203	210	213	212	201	201
	(a) Specified as cervix F	?	81	86	86	83	86	89	88	90	83	83
	(b) Other or unspecified... F	?	117	117	119	119	118	122	126	122	118	118
49	Other female genital organs F	92	99	97	105	100	104	106	110	115	118	116
50	Breast {M F P	4 301 158	4 313 165	3 306 160	3 316 166	3 324 171	3 326 178	4 332 181	4 336 190	6 341 196	4 338 195	4 335 193
51	Male genital organs M	110	113	119	117	119	134	150	165	167	156	164
	(a) Scrotum M	3	2	3	3	2	3	3	3	3	3	2
	(b) Prostate M	92	94	98	99	100	114	127	142	146	135	145
	(c) Other or unspecified M	15	17	17	15	17	17	20	20	18	19	17
52	Urinary organs {M F P	66 32 48	67 34 50	70 34 51	73 33 53	72 38 55	79 37 57	94 37 62	97 42 66	107 44 71	101 43 67	107 42 70
53	Skin (scrotum excepted) {M F P	28 20 24	31 21 26	31 21 26	30 22 26	29 19 24	32 20 26	35 20 26	33 21 26	38 22 29	34 22 27	36 22 28
54	Brain and other parts of the nervous system {M F P	18 14 16	20 14 17	21 14 17	22 15 19	19 14 16	22 14 17	25 14 19	26 14 19	27 15 20	25 15 20	29 17 22
	(a) Glioma (not specified as benign) {M F P	12 9 10	12 8 10	12 8 10	14 8 11	12 9 10	15 9 12	17 9 13	19 10 14	19 10 14	18 10 14	21 12 16
55	Other or unspecified organs {M F P	62 53 57	63 50 56	59 50 55	61 52 56	63 51 56	66 53 59	74 51 61	78 57 66	81 56 67	80 58 67	83 61 70
	(a & d) Adrenal glands and others in 55 {M F P	37 25 31	35 22 28	34 23 28	33 24 28	34 25 29	38 25 31	41 23 31	42 26 33	44 26 34	45 27 35	48 31 38
	(b) Bones {M F P	22 19 20	25 19 22	22 19 20	24 18 21	24 17 20	25 19 21	28 18 23	31 21 25	32 21 26	32 20 24	30 19 24
	(c) Thyroid gland {M F P	3 9 6	3 9 6	3 8 6	4 10 7	4 10 7	4 9 7	4 10 7	5 10 8	4 9 7	5 10 8	5 10 8
56	Non-malignant tumours {M F P	16 46 31	15 42 29	16 42 29	17 41 29	16 38 28	19 36 29	21 35 28	21 37 30	21 41 32	23 36 30	22 36 30
	(a, b, c) Female genital organs... F	35	31	31	29	26	24	22	24	28	24	22
	(d) Brain and other parts of the nervous system {M F P	3 2 2	3 3 3	4 3 3	3 3 3	4 4 4	5 5 5	6 5 6	5 5 6	6 5 6	6 5 5	6 6 6
	(e) Other and unspecified organs {M F P	13 10 11	12 9 10	12 8 10	14 8 11	12 8 10	14 7 11	15 7 11	16 8 11	15 7 11	17 7 11	16 7 11

TABLE 7—continued.

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944
57	Tumours of undetermined nature ... { M F P	33 29 31	31 29 30	28 24 26	25 23 24	32 28 30	31 25 28	34 24 28	33 22 27	32 22 26	30 22 25
	(d) Brain and other parts of the nervous system { M F P	22 20 21	22 22 22	22 20 21	20 19 20	25 22 23	24 19 21	22 18 20	23 16 19	23 17 19	22 16 19
	(e) Other and unspecified organs ... { M F P	10 8 9	9 6 8	6 4 5	5 4 4	8 5 6	8 5 6	12 5 8	10 6 7	9 5 7	8 5 6
58-71	III.—Rheumatism and other General Diseases† ... { M F P	171 314 246	187 337 265	174 319 250	169 309 242	173 322 251	191 319 261	188 285 242	169 264 223	164 265 222	158 242 206
58	Rheumatic fever ... { M F P	26 30 28	27 29 28	19 24 22	25 29 27	22 24 23	19 23 21	17 15 16	13 13 13	16 19 17	18 15 16
	(b) Acute rheumatic endocarditis ... { M F P	? ? ?	? ? ?	? ? ?	? ? ?	10 12 11	11 13 12	10 9 10	7 8 7	10 12 11	11 10 10
59	Chronic rheumatism and other rheumatic diseases ... { M F P	27 55 41	29 62 46	27 53 41	25 56 41	25 58 42	28 64 48	32 59 47	30 53 43	29 56 44	29 52 42
	(a) Rheumatoid arthritis { M F P	23 51 37	26 59 43	24 51 38	23 54 39	16 46 31	18 52 36	21 47 35	22 43 34	20 44 34	20 41 32
	(b) Other chronic articular rheumatism ... { M F P	87 138 113	97 150 125	97 150 124	88 139 115	96 152 125	112 153 134	105 141 125	97 130 116	93 129 114	87 122 107
61	Diabetes mellitus ... { M F P	11 73 43	12 76 45	10 75 44	10 69 41	11 71 43	12 65 41	11 52 34	9 50 32	9 46 30	6 38 25
63	Diseases of the thyroid and parathyroid glands ... { M F P	1 7 4	1 6 4	1 3 3	1 6 3	1 5 3	1 6 4	1 5 3	1 5 3	1 4 3	0 4 2
	(a) Simple goitre ... { M F P	8 57 34	9 61 36	8 61 35	8 55 33	9 56 33	9 47 30	8 38 25	7 35 23	7 33 22	5 27 17
	(b) Exophthalmic goitre ... { M F P	1 9 5	1 9 5	1 9 5	1 8 5	1 10 6	2 11 7	2 8 5	2 9 6	1 8 5	1 7 5
	(c) Myxœdema and cretinism { M F P	3 7 5	4 7 5	3 6 4	4 6 5	4 6 5	4 5 5	5 4 6	4 7 6	3 5 4	3 4 4
65	Diseases of the adrenal glands (not specified as tuberculous) { M F P	82 104 93	86 103 95	81 104 93	87 104 96	85 107 96	99 118 109	108 127 118	112 118 115	112 114 113	106 108 107
72-76	IV.—Diseases of the Blood and Blood-forming Organs ... { M F P	7 7 7	7 7 7	6 6 6	6 5 5	6 6 6	8 6 7	8 7 7	7 5 6	7 5 5	7 6 5
72	Hæmorrhagic conditions ... { M F P	6 7 6	5 6 6	5 6 5	4 5 4	4 5 5	6 7 6	7 5 7	6 5 5	5 5 5	5 5 5
	(a) Primary purpura ... { M F P	44 68 56	45 65 56	40 68 55	45 65 55	45 69 58	55 79 68	63 89 77	62 81 72	58 77 69	53 68 62
73	Anæmias ... { M F P	34 53 44	33 50 42	31 53 43	34 52 43	36 66 47	45 62 54	51 71 62	49 66 58	46 60 54	43 53 48
	(a) Pernicious anæmia ... { M F P	11 14 13	12 15 14	9 15 12	11 14 12	9 13 12	10 16 13	12 17 15	12 15 14	12 16 14	11 15 13
	(b, c, d) Other anæmias ... { M F P	23 19 21	25 21 23	25 20 22	28 22 25	28 23 25	30 23 26	29 22 25	34 24 28	38 25 30	38 26 31
74	Leukæmias and aleukæmias ... { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	27 22 25	29 21 24	28 24 27	32 24 29	36 25 30
	(a) Leukæmia ... { M F P	?	?	?	?	?	27 22 25	29 21 24	28 24 27	32 24 29	36 25 30

† For full title according to the detailed International List see Table 21.

TABLE 7—continued.

ter- nol No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
75	Diseases of the spleen ... {M F P	6 9 7	6 8 7	7 8 7	6 9 8	6 7 6	5 7 6	6 8 7	6 6 6	7 7 7	5 7 6	6 7 7
-79	V.—Chronic Poisoning and Intoxication ... {M F P	5 2 4	3 3 3	5 4 5	4 3 3	4 3 4	5 3 4	5 3 4	4 1 2	3 1 2	3 1 2	3 1 1
-89	VI.—Diseases of the Nervous System and Sense Organs ... {M F P	1252 1341 1299	1273 1385 1331	1267 1360 1315	1252 1350 1303	1341 1450 1398	1520 1538 1530	1493 1461 1476	1497 1461 1477	1527 1477 1498	1596 1512 1548	1593 1537 1561
90	Encephalitis (non-epidemic) ... {M F P	8 7 8	8 6 7	9 6 7	8 6 7	8 7 5	9 7 8	8 5 6	10 5 7	10 5 7	9 5 7	10 6 8
91	Meningitis (non-meningococcal) ... {M F P	25 18 21	26 19 23	27 19 23	24 18 21	24 16 20	24 17 20	27 16 21	24 16 19	23 14 18	24 13 18	20 12 16
92	Diseases of the medulla and spinal cord ... {M F P	30 22 26	29 22 26	30 22 26	27 21 24	25 20 22	31 20 25	27 19 22	27 16 21	28 18 22	30 16 22	28 17 21
	1. Motor neurone disease ... {M F P	14 10 12	14 12 13	16 10 13	14 12 13	15 10 12	17 10 14	16 10 13	16 10 13	17 11 14	19 10 14	19 10 14
	3 & 4. Myelitis and other diseases included under 82 {M F P	13 9 11	11 9 11	12 10 10	11 7 8	8 6 7	11 7 9	9 7 8	9 5 7	9 5 7	9 5 6	7 4 5
93	Intra-cranial lesions of vascular origin ... {M F P	988 1124 1059	1006 1162 1087	1010 1147 1081	1009 1154 1084	1104 1250 1180	1256 1326 1294	1216 1262 1242	1244 1278 1263	1273 1306 1292	1348 1341 1344	1363 1367 1365
	(a) Cerebral hæmorrhage ... {M F P	673 760 718	669 775 724	660 749 707	646 747 699	692 794 745	775 835 808	763 803 785	774 815 797	796 839 820	842 851 848	844 860 853
	(b, c) Cerebral embolism, thrombosis and softening {M F P	275 320 298	299 348 324	305 350 329	322 362 343	369 410 391	427 439 434	403 411 407	424 432 422	431 419 425	458 445 451	475 465 469
	(d) Hemiplegia and other paralyses of unstated origin ... {M F P	+40 +45 +43	+38 +40 +39	44 46 45	40 44 42	42 44 43	53 51 52	49 48 49	45 42 43	44 47 46	47 43 45	43 41 42
94	Mental disorders and deficiency {M F P	19 25 22	17 25 21	18 24 21	18 23 20	18 24 21	20 27 24	27 25 26	20 19 19	16 16 16	19 18 18	17 17 17
95	Epilepsy ... {M F P	43 35 39	46 37 41	40 35 37	42 32 37	42 34 38	50 37 43	55 37 45	47 35 41	46 29 36	41 30 35	38 27 32
97	Other diseases of the nervous system ... {M F P	57 57 57	58 61 59	60 54 60	56 54 55	60 63 61	66 67 66	71 62 66	66 59 62	69 58 62	68 58 62	68 64 66
	(c) Paralysis agitans ... {M F P	27 22 24	27 25 26	29 26 28	25 25 25	32 30 30	33 32 33	34 27 30	32 26 29	35 27 30	36 29 32	38 34 36
	(d) Disseminated sclerosis ... {M F P	18 21 19	18 23 21	20 21 20	19 20 18	19 23 21	25 25 25	25 24 24	24 24 24	23 22 22	23 22 22	22 23 23
99	Diseases of the ear and of the mastoid antrum ... {M F P	44 29 36	48 29 38	43 27 35	39 24 31	35 23 29	32 18 25	31 17 23	33 17 24	39 19 27	36 19 26	32 17 23
	(a) Otitis and other diseases of the ear* ... {M F P	26 17 21	28 17 23	24 15 20	22 14 18	20 12 16	17 10 13	18 9 14	18 9 13	22 11 16	20 9 14	17 9 13
	(b) Diseases of the mastoid antrum ... {M F P	19 11 15	20 12 16	19 12 15	17 10 13	15 10 13	16 9 12	13 6 9	15 8 11	17 7 12	16 10 12	14 8 11
103	VII.—Diseases of the Circulatory System ... {M F P	2828 2824 2826	3066 3021 3042	3134 3082 3107	3196 3089 3140	3495 3323 3405	4053 3605 3810	3896 3206 3513	3852 3083 3421	4059 3218 3581	4292 3236 3689	4306 3370 3773
95	Heart diseases ... {M F P	2527 2570 2549	2752 2753 2752	2813 2797 2805	2856 2796 2825	3109 3000 3052	3611 3252 3416	3472 2833 3145	3423 2757 3049	3600 2869 3185	3800 2886 3278	3820 3002 3354
0	Pericarditis ... {M F P	7 4 6	15 9 12	14 8 11	13 8 10	9 5 7	12 7 9	10 6 8	9 5 7	9 6 7	9 7 8	10 4 7

udes 83(e) Other intra-cranial effusions during these years.
hout mention of mastoid disease).

TABLE 7—continued.

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
91	Acute endocarditis ...	M 29	29	29	29	25	26	27	26	28	24	
		F 28	28	26	27	25	21	22	24	23	20	
		P 28	28	27	28	25	23	24	25	25	22	
	(a, b) Acute or sub-acute bacterial endocarditis ...	M 26	26	26	26	23	25	26	25	27	23	
		F 26	24	23	25	23	20	21	23	22	20	
		P 26	25	24	25	23	22	23	24	24	21	
92	Chronic affections of the valves and endocardium ...	M 482	460	436	401	400	460	451	437	429	444	
		F 551	536	506	462	465	497	448	429	426	423	
		P 518	500	472	433	434	480	449	433	427	432	
	(a) Aortic valvular disease (without mitral disease)	M 96	92	86	80	79	86	85	76	76	72	
		F 43	41	40	36	38	38	35	32	30	29	
		P 69	65	62	57	57	60	57	51	50	47	
	(b) { 1. Mitral valve disease† ...	M 190	189	180	164	164	192	198	189	183	196	
		F 273	271	258	238	240	260	241	224	232	229	
		P 233	232	221	203	204	229	222	209	211	215	
	{ 2. Other diseases in- cluded under 92 (b)†	M ?	20	19	18	24	37	37	42	42	46	
		F ?	27	27	27	33	46	41	48	45	45	
		P ?	24	24	23	29	42	40	45	43	46	
	(c) Unspecified valvular lesions or endocarditis ...	M ?	160	150	138	132	146	131	130	128	131	
		F ?	196	180	160	154	154	131	125	120	120	
		P ?	179	166	150	144	150	131	127	123	124	
93	Diseases of the myocardium ...	M 1476	1667	1721	1769	1935	2285	2169	2099	2190	2276	
		F 1634	1815	1881	1899	2066	2272	1992	1885	1979	1976	
		P 1558	1744	1804	1836	2003	2278	2071	1979	2070	2105	
	(a) Acute myocarditis ...	M 3	5	5	4	5	6	6	6	5	4	
		F 4	5	5	4	4	4	3	3	5	3	
		P 4	5	5	4	5	5	4	4	5	4	
	(b) Chronic myocarditis specified as rheumatic ...	M ††	††	††	††	16	23	22	23	17	20	
		F ††	††	††	††	27	32	27	24	23	20	
		P ††	††	††	††	22	28	25	23	20	20	
	{ 1. Cardiovascular degeneration ...	M 412	468	487	519	568	642	639	635	668	713	
		F 370	417	452	467	518	545	508	512	531	555	
		P 390	441	469	492	542	589	566	566	590	622	
	{ 2. Myocardial degener- ation described as fatty ...	M 46	43	43	37	38	40	28	25	24	25	
		F 61	54	54	46	51	51	36	32	29	26	
		P 54	49	49	42	45	46	32	29	27	26	
	{ 3. Other myocardial degeneration not specified as rheumatic	M †770	†874	†909	†970	1072	1286	1215	1172	1231	1265	
		F †929	†1040	†1068	†1133	1231	1369	1198	1126	1190	1177	
		P †853	†960	†992	†1055	1155	1331	1206	1146	1208	1215	
	(d) Myocarditis not distin- guished as acute or chronic	M 244	277	278	239	235	289	260	239	245	248	
		F 269	299	301	249	234	271	220	188	202	195	
		P 257	289	290	244	234	279	238	210	220	217	
94	Diseases of the coronary arteries, angina pectoris ...	M 383	431	474	518	605	675	679	728	827	933	
		F 170	189	210	241	275	292	276	296	325	353	
		P 273	305	337	374	433	467	455	486	542	602	
95	Other diseases of the heart ...	M 150	150	138	127	134	152	135	123	117	113	
		F 183	176	168	160	166	163	139	118	111	106	
		P 167	164	154	144	151	158	137	120	113	109	
	(a) Functional heart disease without mention of organic lesion ...	M 49	52	49	52	53	61	53	54	54	53	
		F 78	83	83	83	90	85	72	68	65	65	
		P 64	68	67	68	72	74	64	62	60	60	
	(b) Heart disease specified as rheumatic but otherwise ill-defined ...	M } 3	2	2	2	5	4	2	2	2	2	
		F } 4	3	3	3	6	5	3	3	2	2	
		P } 101	4	3	2	5	5	2	2	2	2	
	(c) Other diseases included under 95... ..	M } 95	86	74	79	87	78	67	61	59	59	
		F } 90	81	74	73	72	61	47	43	39	39	
		P } 92	84	74	76	79	69	56	51	47	47	
96	Aneurysm (except of heart and aorta) ...	M 8	8	7	6	7	7	8	7	7	8	
		F 6	6	6	6	6	6	7	9	8	8	
		P 7	7	7	6	6	6	7	8	8	8	
97	Arteriosclerosis* ...	M 230	231	238	252	287	324	310	311	323	342	
		F 183	187	206	208	228	248	228	229	238	236	
		P 205	208	221	229	256	283	265	265	275	281	
98	Gangrene ...	M 19	22	21	20	20	25	20	18	14	17	
		F 18	20	16	16	18	17	15	12	12	12	
		P 18	21	18	18	19	20	18	14	13	14	
99	Other diseases of the arteries... ..	M 13	13	11	11	10	10	8	10	9	11	
		F 10	10	8	7	6	8	7	7	6	6	
		P 12	11	10	9	8	9	7	8	8	8	

† (Including sequelæ of rheumatic fever).

* 93 (b) was included in 93(c)3 during these years.

†† (Excluding coronary or renal sclerosis or cerebral hæmorrhage).

TABLE 7—continued.

International List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
100	Diseases of the veins... <div><div>M</div><div>F</div><div>P</div></div>	13 21 17	13 22 17	15 21 18	15 22 18	16 24 20	15 28 22	13 22 18	12 20 17	16 22 19	17 22 20	17 24 21
	(a) Varices ... <div><div>M</div><div>F</div><div>P</div></div>	6 9 8	4 8 6	7 10 8	6 9 8	7 11 9	7 13 10	6 11 9	6 11 9	7 12 10	7 11 10	8 12 10
	(b) Other diseases of the veins ... <div><div>M</div><div>F</div><div>P</div></div>	7 12 9	9 14 11	8 11 10	8 12 10	8 13 11	8 15 12	7 11 9	6 9 8	8 10 9	10 10 10	9 13 11
102	High blood pressure (idiopathic) ... <div><div>M</div><div>F</div><div>P</div></div>	15 14 14	24 20 22	28 25 26	34 32 33	45 39 42	59 44 51	62 42 51	68 48 57	86 60 71	95 66 78	96 64 73
104-114	VIII.—Diseases of the Respira- tory System ... <div><div>M</div><div>F</div><div>P</div></div>	1829 1350 1580	2007 1462 1723	2060 1530 1785	1735 1186 1449	1731 1273 1491	2569 1707 2101	2155 1374 1721	1839 1039 1391	2131 1279 1647	1922 1010 1401	1963 1075 1457
104	Diseases of the nasal fossae and annexa ... <div><div>M</div><div>F</div><div>P</div></div>	9 5 7	10 5 7	9 5 7	9 5 7	7 3 5	8 4 6	6 3 4	8 3 5	7 4 5	7 4 5	6 3 4
105	Diseases of the larynx ... <div><div>M</div><div>F</div><div>P</div></div>	5 4 4	4 5 5	5 3 4	5 3 4	6 3 4	6 3 5	5 3 4	5 3 4	5 2 3	4 2 3	4 2 3
106	Bronchitis ... <div><div>M</div><div>F</div><div>P</div></div>	804 639 718	946 738 838	956 777 863	734 533 630	874 659 762	1403 953 1159	1097 703 878	944 511 701	1085 636 830	1007 502 719	1073 553 777
	(a) Acute bronchitis ... <div><div>M</div><div>F</div><div>P</div></div>	? ? ?	169 187 179	179 214 197	127 137 132	153 169 161	305 288 296	221 217 219	196 152 171	235 209 220	186 136 158	197 159 175
	(b) Chronic bronchitis ... <div><div>M</div><div>F</div><div>P</div></div>	? ? ?	515 310 408	525 324 420	426 235 327	517 295 401	810 442 610	658 329 475	578 251 394	660 294 452	654 281 430	702 286 465
	(c) Bronchitis not distin- guished as acute or chronic ... <div><div>M</div><div>F</div><div>P</div></div>	? ? ?	262 240 251	253 239 246	181 161 171	205 195 200	287 223 253	217 157 184	171 109 136	190 134 158	166 105 131	178 104 136
107-109	Pneumonia (all forms) ... <div><div>M</div><div>F</div><div>P</div></div>	817 563 685	849 577 707	885 605 739	818 527 666	657 484 567	890 590 727	840 549 678	693 421 541	820 564 651	696 502 527	669 409 521
107	Broncho-pneumonia ... <div><div>M</div><div>F</div><div>P</div></div>	401 334 367	440 347 392	476 379 425	422 320 369	377 315 345	572 409 484	510 377 436	406 278 335	507 351 418	422 267 334	431 282 347
108	Lobar pneumonia ... <div><div>M</div><div>F</div><div>P</div></div>	325 174 247	322 177 247	328 176 249	317 162 237	216 126 169	240 130 180	250 128 182	215 106 154	233 124 171	203 94 141	179 91 129
109	Pneumonia (unspecified) ... <div><div>M</div><div>F</div><div>P</div></div>	90 55 72	87 52 69	81 50 65	78 44 61	63 44 53	79 50 63	81 44 60	72 37 53	80 48 62	70 40 53	59 36 46
110	Pleurisy... <div><div>M</div><div>F</div><div>P</div></div>	36 20 28	33 21 27	36 17 26	29 17 23	26 14 20	28 15 21	33 14 23	30 13 21	27 12 18	25 10 16	22 10 15
	(a) Empyema ... <div><div>M</div><div>F</div><div>P</div></div>	14 5 9	14 6 10	16 5 11	12 5 8	12 4 8	12 4 8	12 5 10	15 4 8	13 4 8	13 4 8	11 4 7
	(b) Other or unspecified forms of pleurisy ... <div><div>M</div><div>F</div><div>P</div></div>	22 15 18	19 15 17	20 12 16	17 12 14	15 10 12	16 10 13	17 10 13	15 10 12	14 8 11	12 6 8	11 7 9
111	Congestion, etc. of the lung† <div><div>M</div><div>F</div><div>P</div></div>	40 48 44	40 43 42	40 44 42	30 36 33	33 39 36	37 41 39	27 30 29	25 26 26	29 29 29	30 25 27	26 26 26
	(a) Haemorrhagic infarction of lung ... <div><div>M</div><div>F</div><div>P</div></div>	6 5 6	6 5 5	4 4 4	5 5 5	7 6 6	6 7 7	7 7 7	6 6 6	7 6 6	10 6 8	7 6 7
	(c) Chronic or unspecified congestion of lung ... <div><div>M</div><div>F</div><div>P</div></div>	*34 *43 *39	*34 *39 *36	*35 *40 *38	*25 *31 *28	25 31 28	27 31 29	17 21 19	15 18 17	19 21 20	16 17 17	15 17 17
112	Asthma ... <div><div>M</div><div>F</div><div>P</div></div>	80 59 69	77 67 70	87 67 76	68 54 61	80 59 69	127 85 104	94 61 76	78 53 64	94 63 76	89 55 70	96 61 76
113	Pulmonary emphysema ... <div><div>M</div><div>F</div><div>P</div></div>	11 4 7	23 5 13	17 5 11	16 4 10	19 4 11	34 7 19	21 5 12	23 4 12	28 4 14	28 3 14	29 3 15

For full title according to the detailed International List see Table 21.
Includes 111 (b) Acute oedema of lung during these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
114	Other diseases of the respira- tory system ... {M F P	27 7 16	24 7 15	26 6 16	26 8 15	29 7 17	37 7 21	31 5 17	33 5 17	37 6 20	37 6 20	37 6 20
	(a) Silicosis and other occupational pneu- moconioses ... {M F P	21 4 12	18 4 11	21 4 12	18 3 10	13 1 7	18 1 8	15 0 7	15 0 7	19 0 8	21 0 9	21 0 9
	(e1) Chronic interstitial pneumonia not indicated as occupational ... {M F P	12 12 12	11 11 11	12 12 12	10 10 10	8 3 6	13 5 9	9 3 5	11 2 3	10 3 6	11 4 7	11 4 7
	(d) Abscess of lung ... {M F P	16 2 14	15 2 14	15 2 13	17 3 15	6 2 4	5 1 3	5 2 3	6 2 4	6 2 4	5 2 3	5 2 3
	IX.—Diseases of the Digestive System ... {M F P	722 549 632	711 533 618	694 512 599	688 494 587	661 463 558	733 474 593	748 457 586	722 436 561	727 435 561	727 424 554	727 424 554
115	Diseases of the buccal cavity and annæxa and of the pharynx and tonsils ... {M F P	51 53 52	44 38 41	37 34 35	41 32 36	31 27 29	32 25 28	28 24 26	27 21 23	24 20 22	22 17 19	22 17 19
	(a) Diseases of the teeth and gums ... {M F P	12 9 10	11 7 9	9 6 8	9 6 8	8 5 6	8 4 6	8 5 6	7 4 5	5 4 4	5 3 4	5 3 4
	(b) Septic sore throat ... {M F P	14 18 16	12 13 12	10 11 11	11 10 11	7 7 7	9 8 9	7 7 7	8 6 7	7 6 7	5 5 5	5 5 5
	(c) Other diseases of the pharynx and tonsils ... {M F P	23 23 23	19 16 18	16 14 15	18 13 16	14 12 13	12 9 10	11 9 10	10 8 9	10 7 8	9 7 8	9 7 8
	Ulcer of the stomach or duodenum ... {M F P	176 50 111	186 54 118	187 52 117	186 49 115	199 52 122	244 60 144	252 53 141	220 45 122	231 44 125	237 48 129	237 48 129
117	(a) Ulcer of the stomach ... {M F P	115 40 76	118 42 79	120 41 79	120 39 78	132 41 84	156 47 96	157 41 93	133 36 78	142 33 80	144 37 83	144 37 83
	(b) Ulcer of the duodenum... {M F P	61 10 35	68 12 39	66 11 38	66 11 37	67 11 38	88 13 48	95 12 48	87 9 43	89 12 45	93 11 46	93 11 46
	Other diseases of the stomach {M F P	24 23 24	22 21 21	21 18 19	19 16 19	17 16 16	18 15 17	18 15 16	18 13 15	17 13 15	16 12 13	16 12 13
	1. Inflammation of the stomach ... {M F P	19 21 20	16 18 17	16 15 16	15 16 15	12 13 13	14 13 14	14 13 13	13 10 12	12 10 11	11 9 10	11 9 10
	Enteritis and diarrhœa ... {M F P	139 109 123	142 113 127	143 110 126	138 104 121	120 92 105	129 95 111	149 97 120	159 105 128	159 107 130	165 108 132	165 108 132
118	(a) Enteritis and diarrhœa without mention of ulceration ... {M F P	129 93 110	132 97 114	131 94 112	127 89 107	106 78 91	118 80 97	136 83 106	146 91 115	149 81 116	154 96 121	154 96 121
	(b) Ulceration of the intestines (except duodenum) ... {M F P	10 15 13	10 16 13	12 16 14	11 15 13	13 14 14	11 16 14	13 14 13	12 14 13	11 16 14	10 12 11	10 12 11
	Appendicitis ... {M F P	95 62 78	91 60 75	88 61 74	90 58 73	79 54 66	76 45 60	63 36 48	66 38 50	60 42 50	63 40 50	63 40 50
	Hernia, intestinal obstruction ... {M F P	103 88 95	96 94 95	96 89 92	92 79 85	94 83 89	113 102 107	121 111 116	123 100 110	125 96 109	117 90 102	117 90 102
	(a) Hernia ... {M F P	50 48 49	48 49 49	49 51 50	48 46 47	49 48 48	61 60 61	64 70 67	64 59 61	67 56 61	57 53 53	57 53 53
121	(b) Intestinal obstruction ... {M F P	52 40 46	48 45 46	47 38 43	44 33 39	46 35 40	52 42 47	58 41 49	60 40 49	58 39 47	61 40 49	61 40 49
	1. Intussusception ... {M F P	? ? ?	? ? ?	9 5 7	9 4 7	9 4 7	10 5 7	11 5 7	11 5 8	10 5 8	12 5 8	10 5 8
	Other diseases of the intestines {M F P	23 20 21	22 21 21	22 21 22	20 21 20	22 21 21	23 21 22	24 20 21	24 20 22	22 20 21	23 20 20	23 20 20

† Other diseases included under 114 (e) are included in 114 (d) during these years.

TABLE 7—continued.

ter- tional No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
23	(a) Diverticulitis ... {M F P	14 11 12	15 14 14	15 14 15	13 14 13	15 14 14	14 14 14	12 12 12	15 12 13	14 12 13	14 12 13	14 13 13
	(b) Other diseases included under 123 ... {M F P	9 9 9	7 7 7	7 8 7	7 7 7	7 7 7	9 8 8	11 8 9	10 8 9	8 8 8	9 6 7	8 6 7
24	Cirrhosis of the liver ... {M F P	46 21 33	43 19 31	40 21 30	41 21 31	39 20 29	45 18 30	38 15 26	32 14 22	32 14 22	30 13 20	30 13 20
	(a) With mention of alco- holism ... {M F P	7 3 5	7 3 5	7 3 5	7 3 5	7 2 4	7 2 4	6 2 4	4 1 2	3 1 2	4 0 2	3 1 1
	(b) Without mention of alco- holism ... {M F P	39 18 28	36 17 26	33 18 25	34 18 26	34 20 26	38 15 26	33 13 22	29 13 20	29 13 20	26 12 18	28 12 19
25	Other diseases of the liver ... {M F P	5 5 5	6 6 6	6 5 5	7 6 6	6 6 5	6 6 6	7 5 6	7 7 7	11 9 10	10 10 10	11 10 11
26	Biliary calculi ... {M F P	21 48 35	19 41 30	17 40 29	16 41 29	17 38 28	14 32 24	14 31 23	13 29 22	13 29 22	13 26 20	13 27 21
27	Other diseases of the gall- bladder and bile ducts ... {M F P	22 45 34	21 45 33	19 40 30	20 42 31	19 39 30	17 39 29	19 35 28	16 30 24	18 29 24	15 28 23	13 27 21
	(a) Cholecystitis without re- cord of biliary calculi ... {M F P	19 43 31	18 42 31	16 38 27	17 40 29	16 37 26	14 35 25	13 31 25	13 27 21	13 24 20	12 25 20	11 23 18
28	Diseases of the pancreas (other than diabetes) ... {M F P	10 12 11	11 11 11	11 11 11	10 11 10	10 9 9	8 9 8	8 8 8	9 8 8	7 6 6	7 7 7	8 8 8
29	Peritonitis without stated cause ... {M F P	6 11 9	6 11 8	6 9 8	6 10 8	5 6 6	5 5 5	5 5 5	6 6 6	6 5 5	5 5 5	5 3 4
0-139	X.—Diseases of the Urinary and Genital Systems* ... {M F P	797 503 644	774 487 625	768 481 619	723 433 573	719 414 560	815 425 604	831 391 587	817 365 563	822 361 560	813 353 550	791 341 535
0-132	Nephritis ... {M F P	466 427 446	445 408 426	429 403 445	395 351 372	376 342 358	423 356 387	423 323 367	407 301 348	394 298 339	390 292 354	384 284 327
0	Acute nephritis ... {M F P	27 27 27	32 27 29	24 25 25	26 23 25	26 22 24	28 21 24	25 20 23	26 18 21	22 17 20	25 16 20	24 16 20
1	Chronic nephritis ... {M F P	405 370 387	380 354 367	378 355 366	338 304 320	323 296 309	368 313 338	371 282 322	353 283 302	340 259 294	337 256 291	334 251 287
2	Nephritis not stated to be acute or chronic (over 10 years of age) ... {M F P	33 30 32	33 27 30	27 23 25	30 24 27	27 24 25	27 21 24	27 20 23	28 21 24	31 19 25	27 19 22	26 16 20
3	Other diseases of the kidneys and ureters ... {M F P	23 29 26	27 30 29	28 31 30	27 33 30	27 30 29	30 30 30	28 29 28	31 28 29	32 27 29	32 25 28	30 25 27
	(a) Pyelitis, pyelonephritis, pyelocystitis ... {M F P	19 25 22	22 27 25	24 27 26	23 29 26	23 27 25	26 26 26	23 25 24	26 24 25	26 23 24	26 20 23	25 21 23
4	Calculi of the urinary passages ... {M F P	16 10 13	16 8 12	17 10 14	14 9 12	14 7 11	15 7 11	15 9 12	14 7 10	13 8 10	13 7 10	14 7 10
	(a) Calculi of kidneys and ureters ... {M F P	11 9 10	10 7 9	11 8 10	9 8 8	9 6 8	11 6 8	10 8 9	10 7 8	10 8 9	9 7 8	9 7 8
5	Diseases of the bladder ... {M F P	24 16 20	26 17 21	31 18 24	29 19 24	25 16 20	25 15 20	25 14 19	21 11 15	20 10 14	22 11 16	20 10 14
	(a) Cystitis ... {M F P	22 15 19	24 16 20	28 17 22	25 17 21	22 15 18	22 14 18	21 13 16	17 9 12	17 9 12	17 9 13	14 8 11
6	Diseases of the urethra, urinary abscess, etc. ... {M F P	19 0 9	19 0 10	18 0 9	17 0 8	17 0 8	16 0 8	19 0 9	19 0 8	18 0 8	16 0 7	13 0 6

venereal or connected with pregnancy or the puerperium).

TABLE 7—continued.

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
136	(a) Stricture of the urethra... { M F P	18 0 9	18 0 9	18 0 8	16 0 8	15 — 7	15 — 7	17 0 8	17 0 8	16 0 7	14 0 6	
137	Diseases of the prostate ... M	245	239	243	238	258	303	319	321	341	338	
	(a) Hypertrophy of prostate ... M	?	?	230	227	250	291	306	310	330	326	
	(b) Other dis. inc. in 137 ... M	?	?	13	11	9	12	13	11	11	12	
139	Diseases of F. genital organs... F	21	23	18	21	18	17	17	18	19	18	
	(a) Diseases of ovaries, etc.* F	10	10	8	9	7	7	7	7	7	7	
	2. Dis. of Fallopian tubes ... F	8	9	7	7	6	6	5	5	6	5	
	(b) Diseases of the uterus ... F	9	11	9	11	9	8	8	9	11	10	
140, 141	Abortion (all forms) ... F	47	42	37	35	35	27	33	32	33	33	
140	Post abortive infection ... F	33	29	23	23	25	16	21	24	25	25	
	(a) Spontaneous* ... F	27	24	18	17	17	12	15	18	17	18	
	(b) Induced* ... F	7	5	6	5	8	4	7	6	8	8	
141	Abortion without sepsis* ... F	14	13	14	13	11	11	12	8	8	7	
	(a) Spontaneous* ... F	11	11	11	10	8	8	9	6	7	7	
142-150	Maternal causes (excluding abortion) ... F	3.41	3.19	2.79	2.70	2.57	2.24	2.25	2.02	1.83	1.52	
142	Ectopic gestation ... F	0.13	0.11	0.12	0.12	0.10	0.12	0.11	0.12	0.08	0.06	
143	Hæmorrhage of pregnancy ... F	0.09	0.08	0.07	0.07	0.05	0.05	0.06	0.03	0.03	0.02	
144	Toxæmias of pregnancy ... F	0.20	0.23	0.24	0.21	0.27	0.22	0.22	0.17	0.14	0.10	
	(a) Eclampsia of pregnancy ... F	0.13	0.13	0.14	0.12	0.11	0.10	0.10	0.08	0.07	0.06	
	(b) Albuminuria, etc.* ... F	0.01	0.02	0.02	0.02	0.01	0.02	0.04	0.04	0.03	0.01	
	(c) Ac. yellow atrophy, etc.* F	0.01	0.02	0.02	0.02	0.01	0.01	0.02	0.01	0.02	0.01	
	(d) Other dis. inc. in 144 ... F	0.06	0.08	0.08	0.08	0.11	0.08	0.07	0.04	0.03	0.01	
145	Other dis. & acc. of pregnancy F	0.05	0.06	0.06	0.05	0.04	0.02	0.03	0.02	0.04	0.04	
146	Hæm. of childbirth, etc.* ... F	0.38	0.40	0.41	0.42	0.42	0.33	0.39	0.31	0.27	0.26	
147	Infection during childbirth and the puerperium ... F	1.34	1.18	0.79	0.70	0.63	0.55	0.48	0.42	0.39	0.28	
	(a) General or local with pyelitis* ... F	1.04	0.89	0.55	0.43	0.03	0.02	0.03	0.01	0.01	0.01	
	(b) General or local without pyelitis* ... F	0.11	0.13	0.11	0.14	0.36	0.32	0.22	0.22	0.18	0.13	
	(c) Thrombophlebitis* ... F	0.20	0.16	0.13	0.14	0.10	0.07	0.11	0.09	0.08	0.06	
	(d) Puerperal embolism, etc.* F	0.13	0.13	0.14	0.15	0.11	0.10	0.08	0.06	0.04	0.03	
148	Puerperal toxæmias ... F	0.58	0.58	0.57	0.52	0.48	0.43	0.42	0.43	0.39	0.32	
	(a) Puerperal eclampsia ... F	0.40	0.38	0.35	0.30	0.23	0.20	0.20	0.18	0.16	0.12	
	(b) Albuminuria, etc.* ... F	0.05	0.07	0.07	0.07	0.08	0.08	0.11	0.15	0.13	0.11	
	(c) Ac. yellow atrophy etc.* F	0.13	0.13	0.14	0.15	0.11	0.10	0.08	0.06	0.04	0.03	
	(d) Other* ... F	0.13	0.13	0.14	0.15	0.11	0.10	0.08	0.06	0.04	0.03	
149	Other acc. of childbirth ... F	0.55	0.46	0.46	0.56	0.55	0.48	0.51	0.47	0.47	0.40	
	(a) Laceration, etc.* ... F	?	?	?	?	0.31	0.27	0.32	0.26	0.29	0.23	
	(b) Other con. inc. in 149 ... F	?	?	?	?	0.24	0.21	0.19	0.21	0.19	0.17	
150	Other conditions of childbirth, etc.* ... F	0.09	0.09	0.08	0.06	0.05	0.04	0.04	0.03	0.03	0.03	
	(a) Mastitis* ... F	0.03	0.03	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	
	(b) Puerperal psychoses ... F	0.03	0.02	0.03	0.02	0.01	0.01	0.01	0.01	0.01	0.01	
	(c) Other con. inc. in 150 ... F	0.04	0.04	0.04	0.02	0.03	0.02	0.02	0.01	0.01	0.02	
151-153	XII.—Diseases of the Skin and Cellular Tissue ... { M F P	50 39 44	54 37 45	52 33 42	48 31 39	37 29 33	38 27 32	40 26 32	37 25 30	35 22 28	33 25 28	
151	Carbuncle, boils ... { M F P	17 11 13	18 9 13	17 8 13	16 8 12	14 8 11	14 8 11	14 7 10	13 8 10	10 5 7	10 6 8	
152	Cellulitis, acute abscess ... { M F P	19 14 16	21 14 17	20 13 16	19 10 14	11 8 9	11 9 9	11 7 9	10 6 8	10 6 8	9 6 8	
153	Other diseases of the skin and cellular tissue ... { M F P	14 15 15	15 14 14	16 12 14	14 13 13	14 11 12	13 12 12	15 12 13	14 10 12	15 11 13	14 12 13	
154-156	XIII. Diseases of the Bones and Organs of Movement ... { M F P	29 17 23	29 16 22	28 17 23	26 15 20	26 14 19	26 13 19	25 14 19	29 14 21	23 13 17	24 13 18	
154	Osteomyelitis and periostitis ... { M F P	19 9 14	19 8 13	19 8 14	17 6 12	16 5 11	13 5 9	13 5 9	15 6 10	11 5 7	12 5 8	
156	Diseases of the joints and other organs of movement ... { M F P	8 6 7	8 6 7	7 6 7	7 5 6	7 5 6	9 6 7	9 5 7	9 6 7	8 6 6	8 5 7	

† Full title of 139 (a) is Diseases of the ovaries, Fallopian tubes and parametria.

* For full title according to detailed International List see Table 21.

‡§ The rates for headings ‡ are per million women aged 15-45 years and for headings § per 1,000 total (live and still) births.

TABLE 7—continued.

ter- ritorial No.	Causes of Death			1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
7	XIV.—Congenital Malformations	M F P		128 95 111	134 96 114	129 100 114	129 99 114	126 99 112	150 105 125	156 103 126	169 115 139	171 112 137	183 111 142	168 109 135
	(a) Congenital hydrocephalus	M F P		8 7 7	8 5 7	7 6 7	7 7 7	8 7 7	10 9 9	13 8 10	10 8 9	10 6 8	10 6 8	10 5 7
	(b) Spina bifida and meningocele	M F P		23 30 27	23 30 27	25 32 28	23 31 28	24 32 29	26 29 28	26 30 28	34 40 37	35 36 35	33 35 34	27 31 29
	(c) Congenital malformation of heart	M F P		43 28 35	48 30 39	45 31 37	47 30 38	45 29 37	52 33 42	53 33 41	57 33 44	56 35 44	63 33 46	58 33 44
	(e) Congenital pyloric stenosis	M F P		15 4 9	16 4 10	16 5 10	16 3 9	14 3 8	16 4 10	19 3 10	17 3 9	16 3 9	17 3 9	14 3 8
	(i) Other stated congenital malformations	M F P		24 15 20	24 14 19	22 15 18	22 16 19	22 16 19	31 19 24	34 19 26	35 22 28	39 23 30	44 23 32	46 27 35
58-161	XV.—Diseases peculiar to the First Year of Life													
2	XVI.—Senility, Old Age	M F P		351 485 420	358 484 423	345 486 418	316 427 373	348 483 419	422 533 482	412 496 459	367 452 415	404 469 441	401 455 432	404 476 445
	(a, c) Old age and senility without mention of senile dementia	M F P		327 459 396	328 453 393	320 458 392	300 404 354	333 463 401	403 512 462	394 471 437	349 427 393	386 445 420	383 450 410	391 452 426
	(b) Senility with mention of senile dementia	M F P		24 25 25	30 31 30	25 29 27	16 23 20	15 20 18	19 22 20	18 25 22	19 25 22	18 23 21	19 25 22	14 24 19
13-198	XVII.—Deaths from Violence	M F P		743 345 536	749 365 549	754 362 551	763 356 551	827 377 592	1534 888 1183	1537 785 1119	891 420 627	814 381 568	996 541 736	756 381 542
13-164	Suicide	M F P		181 78 128	176 75 123	175 79 125	180 80 128	168 78 121	159 75 113	135 62 94	125 62 89	134 63 93	135 58 91	136 66 96
3	Suicide by poisoning	M F P		74 47 60	70 45 57	70 46 58	78 49 63	73 45 61	55 48 56	52 37 44	46 38 41	50 37 43	55 35 44	56 40 47
	(a) Suicide by solid or liquid toxic or corrosive substances	M F P		18 15 16	15 12 14	15 13 14	16 13 14	14 11 13	12 13 12	9 10 9	8 8 9	9 8 9	8 8 8	10 8 9
	(b) Suicide by poisonous gas	M F P		56 32 44	55 32 43	55 33 44	62 36 48	59 35 48	53 28 43	42 29 34	39 29 33	41 29 34	47 28 36	45 32 37
4	Other forms of suicide	M F P		32 8 20	34 8 20	33 8 20	32 8 20	29 7 17	30 7 18	24 6 14	24 5 14	27 6 15	24 5 13	29 6 16
	(a) Suicide by hanging or strangulation	M F P		24 14 18	25 13 19	25 15 20	25 15 19	24 11 19	20 11 15	17 11 14	16 11 13	18 13 15	19 11 14	18 12 15
	(c) Suicide by firearms and explosives	M F P		11 0 6	12 0 6	12 0 6	12 1 6	12 1 6	14 1 7	15 1 7	14 1 7	14 1 7	12 1 5	11 1 5
	(d) Suicide by cutting or piercing instruments	M F P		25 4 14	20 3 12	19 4 11	18 3 10	18 3 10	17 3 9	16 2 8	13 2 7	15 3 8	15 2 8	14 2 7
	(e) Suicide by jumping from high places	M F P		5 3 4	5 3 4	5 3 4	6 3 5	4 3 4	6 3 4	4 2 3	5 2 4	4 2 3	4 2 3	3 3 3
	(f) Suicide by crushing	M F P		9 2 5	9 2 5	10 2 6	8 2 5	7 2 4	5 2 3	5 2 3	5 2 4	6 1 3	5 3 3	5 2 3
35-168	Homicide	M F P		4 4 4	4 4 4	4 4 4	4 4 4	5 4 5	4 5 4	4 5 5	4 6 6	6 5 5	4 5 5	7 6 7

(The rates for this section are shown per 1,000 live-births in Table 12.)

TABLE 7—continued.

Inter- national List No.	Causes of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
169-195	Accidental deaths (or deaths not known to be due to suicide or homicide) ... { M F P	553 263 402	565 286 420	572 280 420	575 272 417	650 293 464	730 322 509	771 311 515	637 271 432	578 247 390	578 255 393	
169	Railway accidents* ... { M F P	21 2 11	21 2 11	18 2 10	19 1 10	21 2 11	25 2 13	26 2 13	27 2 13	28 3 14	29 3 14	
170	Motor vehicle accidents* ... { M F P	200 63 129	202 66 131	204 68 133	208 63 133	258 72 161	253 64 151	278 74 165	204 56 121	159 45 95	174 54 106	
171	Other road transport accidents* ... { M F P	31 9 19	26 7 16	26 7 16	22 7 14	27 6 16	30 6 17	28 6 16	26 6 15	26 8 16	24 5 13	
172	Water transport accidents* { M F P	6 0 3	6 0 3	7 0 4	7 0 4	9 0 4	11 0 5	12 0 6	8 0 4	9 0 4	9 0 4	
173	Air transport accidents* ... { M F P	3 0 2	5 0 2	9 0 4	9 0 5	10 0 5	1 0 1	0 0 0	0 0 0	2 0 1	2 0 1	
174	Accidents in mines and quarries* ... { M F P	40 19 19	40 19 19	44 21 21	51 24 20	42 20 23	50 23 23	52 0 23	50 0 22	43 0 19	39 0 17	
175	Agricultural and forestry accidents† ... { M F P	4 0 2	4 0 2	4 0 2	4 0 2	4 0 2	8 0 4	8 0 4	10 0 5	12 1 6	8 0 4	
176	Accidents caused by machinery† ... { M F P	10 0 5	9 0 5	8 1 4	9 0 4	8 0 4	11 0 5	15 0 7	14 1 6	12 1 6	12 1 6	
178	Accidental absorption of poisonous gas ... { M F P	6 5 5	8 5 6	8 5 6	7 5 6	7 5 6	10 7 9	11 7 8	9 6 7	7 6 6	9 7 8	
181	Accidental burns (conflagration excepted) ... { M F P	26 38 32	25 39 32	24 37 31	24 36 30	25 33 30	32 41 37	32 38 35	28 35 32	23 29 26	24 29 27	
182	Accidental mechanical suffocation ... { M F P	13 8 10	14 9 11	15 8 12	15 9 12	16 9 12	20 9 15	22 13 17	22 12 16	23 10 15	26 14 19	
183	Accidental drowning ... { M F P	53 14 33	49 12 30	51 14 32	46 12 28	56 11 33	68 12 38	75 11 39	58 10 31	59 11 32	60 9 31	
186	Accidental injury by fall, crushing, landslide, etc. ... { M F P	104 108 106	117 131 124	117 122 120	115 122 119	129 137 133	160 158 159	158 138 147	134 121 127	124 115 119	113 111 112	
195	Other accidents ... { M F P	19 8 14	21 8 14	18 9 13	20 8 14	20 8 14	24 10 16	27 10 17	26 12 18	29 11 19	28 12 19	
197	Deaths of civilians due to operations of war ... { M F P	4 — 2	3 — 2	3 — 1	4 — 2	4 0 2	641 486 557	627 406 504	122 81 99	96 67 79	279 223 247	
199-200	XVIII.—Ill-defined Causes of Death ... { M F P	40 26 32	35 25 30	36 26 30	30 23 26	28 18 23	32 21 26	34 18 25	28 16 21	24 13 18	24 12 17	
199	Sudden death ... { M F P	9 5 7	10 5 7	8 6 6	6 4 5	5 4 4	6 4 5	6 4 5	7 3 5	6 3 4	4 3 3	
200	Causes of death unstated or ill-defined ... { M F P	31 20 25	25 20 23	28 22 24	24 19 21	23 14 18	26 18 21	28 14 20	21 12 16	19 11 14	20 10 14	

* Any cause of death except war.

† Any cause of death.

TABLE 8.—COMPARATIVE MORTALITY INDEXES (BASE YEAR 1938) BY SEX } England and Wales
FOR CERTAIN CAUSES OF DEATH, 1936-1945

rs: (a) The C.M.I. expresses each cause mortality (all ages) of each year as a ratio to that of 1938 adopted as the base, after adjustment for age differences in the populations exposed to risk and for changes in cause assignment from 1940 onwards. For the better appraisement of the C.M.I.'s, the 1938 crude death-rates (per million) are shown in the 1938 column. The C.M.I. for any group of causes is obtainable approximately by weighting the C.M.I.'s for the component causes by their respective 1938 crude rates.

(b) Non-civilian males are excluded from the experiences from 3rd September, 1939, and non-civilian females from 1st June 1941.

(c) See explanatory notes on page v.

Inter-national list No.	Causes of Death.	1936	1937	Crude death-rate per million living 1938	1939	1940	1941	1942	1943	1944	1945
	ALL CAUSES... .. {M F P	1·061 1·087 1·073	1·073 1·100 1·086	12475 10834 11622	1·016 1·028 1·022	1·187 1·156 1·171	1·096 1·043 1·070	·967 ·916 ·942	·978 ·944 ·957	·952 ·894 ·918	·920 ·875 ·893
1 & 2	Typhoid and paratyphoid fevers {M F	1·327 1·949	1·037 1·582	4 3	·607 ·806	·839 ·830	·793 1·237	·640 ·477	·410 ·552	·372 ·361	·202 ·410
6	Cerebro-spinal (meningo-coccal) meningitis {M F	·981 ·990	1·024 1·159	20 12	·742 ·805	3·766 4·076	3·283 3·609	1·790 2·000	1·237 1·171	·905 ·879	·839 ·786
8	Scarlet fever {M F	1·413 1·322	1·040 ·905	8 7	·596 ·604	·506 ·484	·426 ·449	·328 ·336	·440 ·427	·354 ·312	·215 ·312
9	Whooping cough {M F	1·974 1·847	1·635 1·539	23 28	1·129 1·116	·707 ·601	2·281 2·427	·779 ·767	1·005 1·012	·882 ·911	·551 ·596
10	Diphtheria {M F	1·052 1·007	·959 1·047	71 68	·786 ·703	·897 ·841	·968 ·906	·659 ·640	·503 ·471	·322 ·328	·253 ·239
11	Erysipelas {M F	2·293 2·486	1·421 1·332	9 8	·678 ·785	·529 ·670	·443 ·607	·893 ·373	·284 ·369	·284 ·339	·199 ·421
13-22	Tuberculosis (all forms) {M F	1·088 1·084	1·083 1·116	743 506	1·013 ·985	1·183 1·088	1·283 1·118	1·190 ·995	1·266 ·979	1·207 ·926	1·168 ·922
13	Respiratory system... .. {M F	1·089 1·112	1·083 1·120	629 413	1·024 ·996	1·224 1·095	1·363 1·094	1·268 ·973	1·329 ·957	1·270 ·910	1·235 ·915
14	Meninges and central nervous system {M F	1·056 ·998	1·043 1·022	46 41	·921 ·934	1·046 1·066	1·401 1·369	1·190 1·133	1·121 1·143	1·036 1·042	1·003 ·941
5	Intestines & peritoneum {M F	1·080 1·225	1·190 1·093	18 18	·957 ·915	1·109 1·106	1·296 1·062	1·294 1·145	1·042 1·019	·987 ·855	·941 ·752
30	Syphilis {M F	1·025 ·978	·983 1·037	125 46	·963 ·966	·917 ·922	·888 ·908	·836 ·813	·770 ·836	·694 ·778	·647 ·677
33	Influenza {M F	1·244 1·350	3·472 4·444	123 94	1·616 2·084	2·554 2·500	1·413 1·638	·747 ·732	2·376 3·001	·813 ·814	·555 ·548
35	Measles {M F	1·700 1·704	·647 ·651	41 33	·180 ·195	·514 ·597	·789 ·722	·308 ·300	·442 ·542	·132 ·161	·413 ·442
36	Acute poliomyelitis and polioencephalitis {M F	·386 ·414	·709 ·475	7 6	·618 ·500	·743 ·544	·893 ·476	·592 ·483	·373 ·403	·536 ·334	·688 ·466
37	Acute infectious encephalitis {M F	1·023 1·137	1·174 1·158	14 11	1·175 ·986	1·489 1·340	1·489 1·349	1·304 1·088	1·149 ·879	1·020 ·700	·989 ·871
44 (b)	Pernicious lymphogranu- lomatosis (Hodgkin's disease) {M F	1·026 ·753	·921 ·930	18 11	·941 ·858	1·121 ·856	1·026 ·901	1·184 ·915	1·220 ·959	1·295 ·922	1·270 1·038
45-55	Cancer, malignant disease {M F	1·001 1·009	1·002 ·991	1612 1619	·983 ·984	1·011 ·984	1·014 ·968	1·013 ·963	1·023 ·960	1·007 ·940	1·025 ·936
45	Buccal cavity and pharynx {M F	1·092 1·149	1·048 1·026	131 26	·916 ·989	·920 ·944	·852 ·891	·820 ·855	·773 ·887	·748 ·849	·679 ·813
46	Digestive organs and peritoneum {M F	1·030 1·014	1·018 1·005	947 784	·989 ·978	1·022 ·983	1·004 ·967	·984 ·937	·981 ·932	·970 ·913	·979 ·914
47	Respiratory system {M F	·842 ·953	·923 ·902	227 61	1·023 1·064	1·086 1·067	1·132 1·036	1·218 1·087	1·315 1·106	1·378 1·128	1·452 1·186
48	Uterus F	·996	1·006	204	·977	·974	·991	·983	·960	·899	·890
49	Other female genital organs F	·968	·938	105	·939	·969	·974	·988	1·016	1·031	1·001

The Comparative Mortality Indexes for the years 1940-1946 shown in this volume have been recalculated and are superseded by the revised figures which appear in Tables 8 and 9 of the review for 1947. Tables. Part I. Medical.

TABLE 8—continued.

Inter- national List No.	Causes of Death	1936	1937	Crude death-rate per million living 1938	1939	1940	1941	1942	1943	1944	1945
50	Cancer (contd.) Breast {M F	1-365 1-019	1-018 -978	3 316	-964 1-005	1-023 1-003	1-095 -978	1-024 -992	1-511 -985	-995 -966	1-000 -980
51	Male genital organs... .. M	-992	1-018	117	-977	1-018	1-064	1-118	1-066	-973	1-000
52	Urinary organs {M F	-930 1-059	-957 1-032	73 33	-957 1-115	-973 1-081	1-074 1-049	1-064 1-169	1-124 1-174	1-033 1-133	1-000 -980
53	Skin (scrotum excepted) ... {M F	1-024 -989	-997 -992	30 22	-942 -873	-932 -896	-945 -850	-849 -890	-938 -881	-812 -860	-800 -880
54	Brain and other parts of the nervous system {M F	-890 -957	-924 -921	22 15	-829 -916	-916 -918	1-024 -885	1-050 -910	1-101 -957	1-020 -976	1-000 -980
55	Other or unspecified organs {M F	1-061 -979	-983 -987	61 52	-999 -946	1-026 1-012	1-088 -953	1-112 1-053	1-126 1-018	1-102 1-028	1-000 -980
58	Rheumatic fever {M F	1-046 -937	-772 -810	25 29	-883 -887	-779 -791	-718 -542	-542 -452	-656 -659	-755 -540	-600 -700
59 (ab)	Rheumatoid arthritis and other chronic articular rheumatism {M F	1-074 1-078	1-040 1-056	23 64	-966 -992	-918 1-116	1-004 -988	-970 -876	-862 -884	-814 -824	-800 -880
61	Diabetes mellitus {M F	1-045 1-042	1-053 1-045	88 139	1-041 1-051	1-111 1-030	-985 -935	-876 -840	-812 -814	-734 -736	-600 -700
63 (b)	Exophthalmic goitre {M F	1-083 1-120	-986 1-097	8 55	1-014 -987	-997 -824	-868 -653	-703 -594	-678 -556	-526 -440	-600 -700
73 (a)	Pernicious anæmia {M F	-996 1-015	-928 1-037	34 52	1-039 1-120	1-194 1-188	1-286 1-333	1-181 1-196	1-053 1-068	-946 -917	1-000 -980
74	Leukæmias and aleukæmias ... {M F	-894 -987	-904 -914	28 22	-957 1-053	1-018 1-057	-959 -977	1-102 1-089	1-200 1-098	1-197 1-162	1-000 -980
81	Meningitis (non-meningo- coccal) {M F	1-110 1-013	1-146 1-056	24 18	-984 -898	-982 -950	1-070 -916	-926 -886	-853 -748	-852 -686	-800 -900
83	Intra-cranial lesions of vascular origin... .. {M F	1-027 1-055	1-018 1-022	1009 1154	1-042 1-042	1-103 1-107	-992 1-029	-964 1-008	-931 -997	-954 1-001	-800 -900
85	Epilepsy {M F	1-057 1-106	-954 1-070	42 32	1-021 1-079	1-194 1-140	1-302 1-136	1-143 1-078	1-115 -880	1-011 -903	-800 -900
87 (c)	Paralysis agitans {M F	1-048 -977	1-083 1-010	25 25	1-164 1-069	1-088 1-168	1-052 -963	-947 -896	-972 -889	-978 -949	1-000 -980
87 (d)	Disseminated sclerosis {M F	-989 1-315	-977 1-180	19 17	-972 1-303	1-160 1-367	1-153 1-302	1-097 1-266	1-043 1-167	1-015 1-167	-800 -900
89	Diseases of the ear and mastoid antrum {M F	1-231 1-212	1-116 1-149	39 24	-909 -957	-806 -774	-768 -704	-812 -697	-965 -778	-875 -773	-800 -900
90-95	Heart diseases {M F	1-028 1-070	1-026 1-061	2856 2796	1-076 1-074	1-157 1-153	1-037 -998	-975 -923	-970 -928	-991 -913	-800 -900
91	Acute endocarditis {M F	1-043 1-037	1-058 -953	29 27	-968 -949	-966 -783	1-004 -834	1-007 -915	1-092 -872	-937 -776	-800 -900
92	Chronic affections of the valves and endocardium {M F	1-198 1-232	1-104 1-132	401 462	-988 1-006	1-064 1-068	-993 -947	-936 -886	-888 -863	-904 -845	-800 -900
93	Diseases of the myocardium ... {M F	1-019 1-056	1-029 1-068	1769 1899	1-090 1-098	1-181 -194	1-039 1-019	-952 -930	-930 -939	-931 -914	-800 -900
93 (a)	Acute myocarditis {M F	1-098 1-053	1-236 1-199	4 4	1-293 1-058	1-407 1-027	1-200 -797	1-190 -687	1-052 1-039	-852 -768	1-000 -980
93 (bc)	Myocardial degeneration, infarction, sclerosis and other chronic myocarditis (inc. rheumatic) ... {M F	-978 1-009	-992 1-024	1526 1646	1-105 1-118	1-189 1-204	1-054 1-038	-970 -957	-949 -963	-954 -940	-800 -900
93 (d)	Myocarditis (not dis. as acute or chronic) {M F	1-235 1-329	1-222 1-325	239 249	1-003 -982	1-114 1-106	-930 -876	-817 -724	-790 -754	-775 -712	-700 -800
94	Diseases of the coronary arteries, angina pectoris ... {M F	-870 -825	-934 -891	518 241	1-126 1-078	1-171 1-160	1-100 1-074	1-130 1-117	1-223 1-187	1-347 1-267	1-400 1-300
95	Other diseases of the heart ... {M F	1-229 1-160	1-110 1-065	127 160	1-017 1-451	1-082 -992	-897 -825	-781 -682	-702 -620	-659 -582	-600 -700
97	Arteriosclerosis* {M F	-985 -966	-984 1-011	252 208	1-110 1-077	1-147 1-152	1-012 1-033	-959 -995	-929 -995	-944 -956	-900 1-000

* Excluding coronary or renal sclerosis or cerebral hæmorrhage.

* See corrigenda note
on page VIII of Part I Medical
for 1947

TABLE 8—continued.

International List No.	Causes of Death	1936	1937	Crude death-rate per million living 1938	1939	1940	1941	1942	1943	1944	1945
98	Gangrene {M F	1-106 1-171	1-038 -993	20 16	-873 -911	1-048 -931	-806 -817	-656 -599	-494 -569	-569 -548	-548 -509
100	Diseases of the veins {M F	-820 1-027	1-040 -943	15 22	1-086 1-111	-944 1-262	-752 -945	-693 -858	-842 -914	-918 -901	-872 -988
104-114	Diseases of the respiratory system {M F	1-167 1-239	1-194 1-270	1735 1186	-918 -992	1-326 1-358	1-052 1-076	-867 -794	-960 -950	-845 -735	-851 -765
106	Bronchitis {M F	1-326 1-459	1-299 1-483	734 533	1-112 1-171	1-695 1-717	1-239 1-237	1-020 -871	1-109 1-045	1-000 -807	1-050 -865
106 (a)	Acute {M F	1-358 1-398	1-394 1-566	127 137	1-102 1-184	2-114 2-002	1-433 1-476	1-212 1-001	1-365 1-326	1-051 -845	1-093 -957
106 (b)	Chronic {M F	1-226 1-398	1-213 1-350	426 235	1-161 1-207	1-688 1-799	1-284 1-307	1-081 -964	1-175 1-093	1-135 -952	1-203 1-020
107-109	Pneumonia (all forms) {M F	1-101 1-131	1-141 1-175	818 527	-805 -895	1-030 1-100	-927 1-013	-743 -763	-841 -926	-698 -697	-661 -696
107	Broncho-pneumonia {M F	1-147 1-135	1-239 1-228	422 320	-908 -968	1-300 1-267	1-102 1-157	-846 -835	1-005 1-027	-813 -766	-814 -790
108	Lobar pneumonia {M F	1-038 1-108	1-047 1-093	317 162	-685 -748	-711 -802	-708 -759	-596 -616	-625 -714	-538 -529	-468 -507
109	Pneumonia (unspecified) {M F	1-122 1-187	1-042 1-116	78 44	-771 -944	-922 1-090	-903 -939	-787 -791	-836 -988	-717 -823	-605 -719
110	Pleurisy {M F	1-111 1-234	1-272 -956	29 17	1-013 -812	-938 -831	1-061 -796	-946 -722	-839 -627	-743 -538	-652 -548
111	Congestion, etc., of the lungs† {M F	1-340 1-260	1-334 1-230	30 36	1-027 1-028	-974 -988	-668 -707	-584 -587	-626 -622	-637 -523	-527 -533
112	Asthma {M F	1-062 1-105	1-222 1-193	68 54	1-078 1-026	1-621 1-472	1-124 1-046	-916 -887	1-063 1-032	-987 -905	1-065 -979
114 (a, c: 1)	Silicosis, other occupational pneumoconioses and chronic interstitial pneumonia* {M F	-936 1-400	1-096 1-486	18 3	1-807 1-405	1-407 1-933	1-007 1-050	1-070 -838	1-179 1-200	1-222 1-349	1-289 1-139
115-129	Diseases of the digestive system {M F	1-045 1-084	1-014 1-035	688 494	-942 -921	-982 -932	-955 -888	-897 -829	-873 -813	-855 -780	-845 -737
117 (a)	Ulcer of the stomach {M F	1-003 1-160	1-002 1-067	120 39	1-087 1-025	1-190 1-180	1-141 1-033	-945 -870	-977 -778	-977 -882	-953 -776
117 (b)	Ulcer of the duodenum {M F	1-077 1-150	1-018 1-048	66 11	1-005 1-032	1-242 1-240	1-272 1-075	1-144 -813	1-140 1-028	1-181 -935	1-287 1-145
118	Other diseases of the stomach {M F	1-087 1-116	1-033 -984	19 19	-840 -768	-825 -768	-781 -752	-730 -655	-653 -630	-598 -543	-569 -458
121	Appendicitis {M F	1-058 1-026	1-009 1-031	90 58	-908 -929	-854 -771	-698 -612	-713 -640	-645 -693	-674 -651	-611 -566
122 (a)	Hernia {M F	1-050 1-130	1-029 1-105	48 46	-996 1-023	1-152 1-268	1-117 1-441	1-070 1-192	1-081 1-103	-882 -967	-901 -905
122 (b)	Intestinal obstruction... .. {M F	-971 1-112	1-008 1-060	44 33	-923 -952	1-009 1-112	1-069 1-073	1-083 1-026	1-021 -980	1-041 -986	-851 -821
124	Cirrhosis of the liver {M F	1-084 -945	-994 -990	41 21	-925 -939	-998 -814	-806 -696	-655 -601	-632 -620	-574 -553	-576 -537
125	Other diseases of the liver ... {M F	-882 -951	-846 -967	7 6	-856 -802	-807 1-037	-910 -888	-886 1-181	1-457 1-543	1-310 1-761	1-398 1-964
126	Biliary calculi {M F	1-174 1-063	1-030 -993	16 41	-993 -920	-768 -756	-692 -728	-654 -656	-601 -642	-601 -560	-564 -575
127	Other diseases of the gall bladder and bile ducts ... {M F	1-085 1-077	-995 -968	20 42	-903 -929	-763 -887	-818 -790	-670 -658	-682 -609	-577 -584	-502 -548
128	Diseases of the pancreas (other than diabetes) ... {M F	1-094 1-027	1-024 -977	10 11	-943 -874	-770 -856	-702 -719	-722 -667	-541 -532	-570 -631	-674 -665
129	Peritonitis without stated cause {M F	-968 1-050	-962 -976	6 10	-900 -676	-840 -566	-714 -545	-910 -577	-885 -469	-763 -480	-711 -347
130-132	Nephritis {M F	1-191 1-220	1-118 1-151	395 351	-935 -963	-986 -993	-936 -885	-870 -806	-813 -780	-788 -754	-766 -720

For full title according to detailed International List see Table 21.
† Not specified or indicated as occupational.

TABLE 8—continued.

Inter- national List No.	Causes of Death	1936	1937	Crude death-rate per million living 1938	1939	1940	1941	1942	1943	1944	1945
130	Acute nephritis ... {M F	1·205 1·190	·909 1·108	26 23	·982 ·938	1·047 ·916	·920 ·874	·940 ·748	·807 ·735	·916 ·689	·85 ·68
131	Chronic nephritis ... {M F	1·192 1·230	1·159 1·179	338 304	·940 ·962	·999 1·008	·954 ·892	·874 ·810	·813 ·783	·788 ·762	·77 ·73
132	Nephritis not stated to be acute or chronic (over 10 years of age) {M F	1·179 1·148	·937 ·937	30 24	·870 ·988	·829 ·857	·773 ·798	·789 ·799	·840 ·784	·708 ·706	·66 ·56
134	Calculi of the urinary passages ... {M F	1·154 ·931	1·261 1·157	14 9	·991 ·873	·991 ·754	·944 ·973	·886 ·748	·788 ·833	·766 ·760	·82 ·71
135 (a)	Cystitis ... {M F	1·038 ·970	1·162 1·001	25 17	·890 ·862	·815 ·781	·716 ·686	·549 ·468	·499 ·475	·497 ·469	·40 ·41
136 (a)	Stricture of the urethra ... M	1·138	1·086	16	·921	·836	·895	·862	·733	·640	·54
137	Diseases of the prostate ... M	1·064	1·044	238	1·037	1·129	1·100	1·046	1·037	·988	·94
151	Carbuncle, boils ... {M F	1·077 1·021	1·053 ·966	16 8	·915 ·980	·859 ·890	·797 ·847	·719 ·919	·553 ·593	·551 ·640	·40 ·43
152	Cellulitis, acute abscess ... {M F	1·104 1·387	1·133 1·302	19 10	·672 ·884	·540 ·843	·525 ·719	·481 ·625	·453 ·589	·408 ·653	·29 ·47
154	Osteomyelitis and periostitis... {M F	1·066 1·148	1·051 1·149	17 7	·938 ·832	·758 ·680	·746 ·726	·831 ·811	·626 ·654	·701 ·673	·47 ·60
162	Senility, old age ... {M F	1·176 1·186	1·118 1·164	316 427	1·075 1·112	1·180 1·197	1·057 1·079	·880 ·939	·889 ·930	·837 ·874	·81 ·88
163-198	Deaths from violence ... {M F	1·002 1·043	1·005 1·029	763 356	1·084 1·046	1·982 2·447	1·966 2·141	1·116 1·120	1·007 ·998	1·222 1·408	·92 ·96
163-164	Suicide ... {M F	·993 ·953	·981 ·989	180 80	·922 ·980	·832 ·924	·687 ·760	·629 ·743	·667 ·750	·668 ·696	·66 ·78
169-195	Accidental deaths (or deaths not known to be due to suicide or homicide) {M F	1·006 1·069	1·014 1·041	575 272	1·137 1·062	1·258 1·153	1·314 1·099	1·072 ·936	·961 ·832	·948 ·847	·88 ·82
170	Motor vehicle accidents ... {M F	? ?	? ?	208 63	1·236 1·139	1·216 1·014	1·337 1·165	·968 ·877	·752 ·694	·813 ·832	·73 ·74

TABLE 9.—PRINCIPAL EPIDEMIC OR GENERAL DISEASES: DEATH-RATES AT AGES UNDER 15 AND COMPARATIVE MORTALITY INDEXES (ALL AGES), 1851-1945 } England & Wales

Notes: (a) See note to Table 8 for explanation of Comparative Mortality Index.
(b) Changes in cause assignment are allowed for throughout as far as possible.
(c) See general explanatory notes on page v.

Period	Comparative Mortality Indexes (base year 1938 taken as unity)									Death rates per Million living at ages under 15					
	Typhoid and paratyphoid fevers, (1 and 2)	Cerebro-spinal (meningococcal) meningitis, (6)	Tuberculosis (all forms) (13-22)	Tuberculosis of respira- tory system, (13)	Syphilis (30)	Influenza (33)	Cancer (45-55)	Diabetes mellitus (61)	Pneumonia (all forms) (107-109)	Scarlet fever (8)	Whooping cough (9)	Diphtheria* (10)	Measles (35)	Acute polo- myelitis and polioencephalitis (36)	
1851-60			5-673	5-744			812								
1861-70			5-457	5-374			380			2282	1372	1122	1148		
1871-80	84-371		4-725	4-662			469			1664	1316	747	976		
1881-90	51-938		4-005	3-809			591			787	1171	804	1153		
1891-1900	45-780		3-294	3-006			749			383	1037	873	1144		
1901-10	23-842		2-696	2-445	2-007	2-536	853	839		271	815	571	915		
1911-20†	9-284	936	2-339	2-202	1-765	5-747	923	890	1-797	123	554	437	838	13	
1921-30	2-851	578	1-622	1-593	1-303	3-609	983	864	1-475	64	405	298	389	11	
1931-40†	1-211	1-502	1-172	1-175	1-023	2-444	995	976	1-119	37	186	288	206	11	
1851-55			5-929	5-984			301				1338		1047		
1856-60			5-432	5-518			322			1919	1300	1347	1114		
1861-65			5-408	5-437			361			2307	1336	1389	1189		
1866-70			5-259	5-315			397			2258	1405	871	1109		
1871-75	97-706		4-844	4-855			441			1760	1282	788	962		
1876-80	71-904		4-615	4-482			496			1575	1349	709	988		
1881-85	56-990		4-191	4-035			548			1012	1180	828	1070		
1886-90	47-199		3-831	3-598			631			572	1163	781	1234		
1891-95	45-580		3-477	3-178		5-038	706			434	1070	875	1104		
1896-1900	45-970		3-125	2-848		3-786	789			331	1003	872	1184		
1901-05	29-661		2-848	2-585		2-286	835	793		319	874	653	955		
1906-10	18-347		2-553	2-315	1-952	2-764	870	881		224	765	491	874		
1911-15†	12-429	813	2-309	2-162	1-911	2-002	923	966	1-756	161	633	434	1043	14	
1916-20†	6-020	1-069	2-376	2-250	1-628	9-534	923	821	1-844	84	473	439	625	12	
1921-25	3-270	464	1-741	1-698	1-353	3-769	994	847	1-560	79	448	302	420	11	
1926-30	2-449	698	1-508	1-495	1-259	3-543	995	897	1-414	48	360	294	357	12	
1931-35	1-352	1-480	1-287	1-288	1-109	2-850	999	980	1-199	50	223	293	270	11	
1936-40†	1-074	1-522	1-160	1-065	941	2-069	992	971	1-041	24	146	283	138	11	
1941-45†	532	1-600	1-102	1-112	766	1-243	988	817	785	10	140	152	75	6	
1904	24-617		2-907	2-622	2-113	1-993	841	817		288	1031	551	1073		
1905	23-757		2-677	2-418	2-054	2-424	842	821		290	752	520	964		
1906	24-294		2-697	2-432	2-089	2-165	867	847		262	714	573	819		
1907	17-844		2-642	2-412	2-000	3-156	853	842		240	878	529	1088		
1908	19-923		2-597	2-351	1-907	3-394	862	886		206	836	509	685		
1909	15-965		2-506	2-279	1-979	2-988	884	892		238	608	473	1076		
1910	13-969		2-335	2-114	1-858	2-120	881	936		174	742	375	705		
1911	17-765	512	2-392	2-208	1-912	1-362	897	901	1-658	138	656	423	1103	16	
1912	11-704	444	2-254	2-127	1-913	1-677	916	932	1-643	146	703	367	1081	13	
1913	10-882	432	2-200	2-043	1-929	1-965	938	975	1-633	153	458	383	894	15	
1914	12-181	513	2-217	2-106	1-943	1-798	934	999	1-739	203	671	498	767	13	
1915†	9-547	2-209	2-496	2-378	1-861	3-171	928	1-019	2-097	165	679	498	1371	13	
1916†	8-124	1-286	2-532	2-426	1-774	2-694	934	990	1-651	98	508	457	449	13	
1917†	7-430	1-467	2-668	2-550	1-863	2-196	930	980	1-738	54	382	384	885	11	
1918†	7-070	904	2-794	2-734	1-641	29-236	914	755	2-513	72	854	420	838	14	
1919†	4-112	925	2-121	2-043	1-454	11-512	914	794	1-724	91	231	437	314	12	
1920†	3-760	758	1-848	1-757	1-441	2-799	922	753	1-626	104	388	498	635	9	
1921	4-217	581	1-823	1-763	1-434	2-399	954	802	1-497	92	403	420	198	12	
1922	3-184	490	1-811	1-768	1-427	5-646	953	879	1-720	95	563	363	508	10	
1923	2-942	373	1-657	1-604	1-346	2-194	966	827	1-384	72	370	243	476	9	
1924	3-308	399	1-696	1-362	1-277	4-860	982	800	1-567	65	356	225	435	11	
1925	2-591	477	1-662	1-635	1-244	3-245	994	806	1-512	74	550	253	486	11	
1926	2-443	503	1-539	1-507	1-211	2-224	992	812	1-324	50	378	275	319	16	
1927	2-412	605	1-556	1-543	1-309	5-475	987	875	1-529	43	341	250	337	12	
1928	2-877	626	1-484	1-466	1-317	1-864	1-001	893	1-274	43	279	296	404	12	
1929	2-495	847	1-532	1-535	1-261	7-006	1-000	958	1-804	50	604	320	324	10	
1930	2-024	922	1-431	1-423	1-197	1-178	993	941	1-140	55	196	332	404	11	
1931	1-610	2-127	1-427	1-421	1-193	3-339	998	947	1-367	39	244	252	320	7	
1932	1-644	1-801	1-332	1-313	1-137	3-008	1-001	976	1-199	40	288	223	332	13	
1933	1-411	1-406	1-314	1-317	1-108	5-150	995	983	1-213	55	221	255	190	13	
1934	1-008	1-104	1-219	1-210	1-058	1-242	1-001	991	1-152	72	199	393	368	9	
1935	1-092	939	1-141	1-146	1-056	1-602	998	1-000	1-067	41	159	345	134	11	
1936	1-594	974	1-095	1-099	1-013	1-292	1-006	1-043	1-113	38	210	311	281	7	
1937	1-271	1-074	1-097	1-098	1-000	3-916	997	1-048	1-155	27	179	305	106	8	
1938	1-000	1-000	1-000	1-000	1-000	1-000	1-000	1-000	1-000	27	119	305	169	18	
1939†	693	765	1-001	1-005	963	1-830	985	1-048	841	15	140	228	34	10	
1940†	824	3-833	1-142	1-164	913	2-522	1-002	1-059	1-055	12	78	266	95	9	
1941†	980	3-290	1-203	1-204	887	1-509	994	953	958	11	279	280	128	9	
1942†	553	1-827	1-092	1-093	820	735	992	855	746	9	94	192	53	7	
1943†	457	1-192	1-117	1-132	777	2-652	994	813	871	11	129	134	86	4	
1944†	357	892	1-057	1-073	705	806	975	749	691	9	121	92	28	4	
1945†	299	810	1-035	1-058	646	546	982	726	670	7	79	67	80	4	

* Including Croup which now forms part of 105.

† Civilian mortality only in 1915-20 and from 3rd September, 1939, for males, and from 1st June, 1941, for females.

x See Concordance on Page viii of Pt I Medical for 1947.

TABLE 10.—CRUDE DEATH-RATES FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES; INFANT MORTALITY AND MATERNAL MORTALITY; 1944 AND 1945. } England and Wales, Metropolitan Boroughs, County Boroughs, Administrative Counties.

See Explanatory notes on page v.

Administrative Area.	Mortality per Million Civilian Population at all Ages.																			Mortality from Enteritis and diarrhoea under Two Years per 1,000 Live Births (119)	Mortality per 1,000 Total (live and still) births.					
	Typhoid and para-typhoid fevers. (1 & 2)						Scarlet fever. (8)		Whooping cough. (9)		Diphtheria. (10)		Tuberculosis (all forms). (13-22)		Tuberculosis of the respiratory system. (13)		Measles. (35)		Infant Mortality per 1,000 Live Births.		1944	1945	1944	1945	1944	1945
	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945								
	1	1	15	14	3	2	28	18	24	18	628	615	524	515	6	19	45	46								
England and Wales ...	1	—	—	—	—	—	—	—	—	—	719	679	719	679	—	226	52	—	—	—	—	—	—	—	—	
<i>Metropolitan Boroughs:</i>																										
City of London ...	—	—	—	—	—	—	—	—	—	—	1007	741	914	686	—	—	51	39	11.67	3.72	0.60	—	—	—	1.21	
The Temples ...	—	—	12	11	—	—	59	55	23	—	1071	1042	1004	935	22	—	66	50	17.30	14.02	1.12	—	—	—	2.24	
Battersea ...	—	—	21	21	—	—	45	—	43	—	829	927	766	866	—	—	72	29	14.81	6.81	—	—	—	—	1.11	
Bermondsey ...	—	—	20	20	—	—	83	20	—	—	839	930	739	871	—	—	53	37	13.68	4.52	—	—	—	—	—	
Bethnal Green ...	—	—	23	7	—	—	69	15	15	—	1097	821	968	765	—	—	85	52	14.49	3.45	—	—	—	—	—	
Camberwell ...	—	—	65	57	—	—	—	—	28	—	1097	821	968	765	—	—	85	52	14.49	3.45	—	—	—	—	—	
Chelsea ...	—	—	18	—	—	—	54	18	127	53	976	777	886	688	18	—	53	47	11.45	3.59	—	—	—	—	—	
Deptford ...	—	—	—	—	—	—	37	71	—	—	1458	1072	1421	1000	—	—	47	54	11.52	2.11	—	—	—	—	—	
Finsbury ...	—	—	—	—	—	—	53	20	—	—	831	822	789	742	—	—	44	40	7.98	6.64	—	—	—	—	—	
Fulham ...	—	—	21	—	—	—	16	16	113	16	809	862	680	799	—	—	54	42	7.68	8.42	—	—	—	—	—	
Greenwich ...	—	—	—	—	—	—	52	50	15	7	775	612	679	583	—	—	50	41	10.89	4.35	—	—	—	—	—	
Hackney ...	7	—	7	—	7	—	56	31	34	—	1043	968	942	853	—	—	54	44	9.43	8.62	0.38	—	—	—	—	
Hammersmith ...	11	10	34	21	—	—	—	13	14	—	759	766	673	659	—	—	65	41	6.33	5.79	—	—	—	—	—	
Hampstead ...	—	—	—	—	—	—	—	—	—	—	832	857	666	803	—	—	52	63	13.82	4.08	—	—	—	—	—	
Holborn ...	—	—	54	—	—	—	—	—	—	—	960	904	859	802	16	—	49	45	9.02	7.56	—	—	—	—	—	
Islington ...	—	16	10	11	—	—	101	26	11	15	782	836	678	700	—	—	9	53	46	9.56	6.79	—	—	—	—	
Kensington ...	—	9	46	43	—	—	56	—	—	—	762	836	678	700	—	—	57	45	10.84	6.78	—	—	—	—	—	
Lambeth ...	—	—	12	40	—	6	12	23	18	6	878	987	761	912	—	—	6	57	14.57	7.56	—	—	—	—	—	
Lewisham ...	—	—	18	6	6	—	55	18	6	—	894	806	790	712	6	—	41	32	6.59	8.12	0.32	—	—	—	—	
Paddington ...	—	—	21	20	—	—	32	10	21	20	903	681	817	591	—	—	62	59	14.57	7.56	—	—	—	—	—	
Poplar ...	—	—	37	52	—	—	56	—	—	—	1296	867	1240	780	—	—	17	41	46	5.30	7.26	—	—	—	—	
St. Marylebone ...	—	—	37	17	—	—	18	—	—	—	678	772	587	604	—	—	48	46	10.50	11.35	1.28	—	—	—	—	
St. Pancras ...	9	—	9	9	—	—	57	27	19	—	1210	1140	1087	1050	—	—	65	43	11.47	13.18	—	—	—	—	—	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	

TABLE 10—continued.

Administrative Area.	Mortality per Million Civilian Population at all Ages.												Mortality from Enteritis and diarrhoea under Two Years per 1,000 Live Births (119)		Mortality per 1,000 Total (live and still) births.									
	Typhoid and para-typhoid fevers. (1 & 2)						Scarlet fever. (8)		Whooping cough. (9)		Diphtheria. (10)		Tuberculosis (all forms). (13-22)		Tuberculosis of the respiratory system. (13)		Measles. (35)		Infant Mortality per 1,000 related Live Births.		1944		1945	
	Cerebro-spinal (meningococcal) meningitis. (6)		Scarlet fever. (8)		Whooping cough. (9)		Diphtheria. (10)		Tuberculosis (all forms). (13-22)		Tuberculosis of the respiratory system. (13)		Measles. (35)		Infant Mortality per 1,000 related Live Births.		1944		1945		1944		1945	
	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945
Great Yarmouth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Grimsby	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Halifax	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hastings	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Huddersfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ipswich	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kingston-upon-Hull	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Leeds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Leicester	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lincoln	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Liverpool	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Manchester	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Middlesbrough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newcastle-upon-Tyne	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Northampton	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nottingham	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Oldham	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Oxford	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plymouth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Portsmouth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Preston	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Reading	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Rochdale	...	—	12	25	—	—	—	—	25	25	602	469	479	395	12	25	51	44	1.49	1.60	—	0.78	0.72	1.56
Rotherham	...	—	13	26	—	—	27	26	13	13	518	582	438	542	—	13	60	56	11.71	8.53	0.54	0.64	1.63	0.64
St. Helens	...	—	—	—	—	—	20	—	10	—	610	716	488	585	41	—	58	60	10.20	8.55	0.47	0.49	2.34	2.92
Salford	...	—	—	—	—	6	71	38	51	19	1053	1113	969	928	77	19	65	61	13.20	9.41	0.30	—	1.52	0.33
Sheffield	...	—	4	21	—	—	19	15	32	17	633	663	517	552	2	10	42	45	3.56	5.14	0.19	0.23	0.67	1.13
Smethwick	...	—	28	14	—	—	28	14	42	70	874	880	805	796	—	14	45	50	9.23	6.88	—	1.48	3.85	0.74
Southampton	...	—	15	28	—	—	31	21	8	21	1030	843	883	703	8	63	46	56	5.97	8.37	—	0.29	1.52	1.75
Southend-on-Sea	8	—	11	—	—	—	45	9	—	19	626	593	571	528	—	—	38	41	4.39	2.97	—	—	—	—
Southport	...	12	12	25	—	—	12	25	—	—	398	504	326	442	36	12	45	28	2.55	2.99	—	0.96	0.83	2.87
South Shields	...	—	22	11	—	11	11	32	88	75	1109	1099	934	886	44	21	51	69	4.84	7.00	—	—	2.34	1.57
Stockport	...	—	8	8	—	—	23	8	46	23	558	557	465	495	15	46	70	67	11.67	21.04	0.40	0.90	3.63	1.80
Stoke-on-Trent	8	4	4	20	4	4	4	44	32	8	739	672	615	585	24	40	51	50	6.43	4.69	0.36	0.40	0.39	0.59
Sunderland	...	—	37	30	—	6	43	—	43	30	780	877	632	720	—	42	73	55	14.50	12.24	—	—	—	—
Tynemouth	...	17	18	34	—	—	105	17	35	51	1068	1004	911	783	18	34	67	67	7.14	7.03	—	—	1.06	0.89
Wakefield	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wallasey	...	18	—	55	—	—	18	37	18	705	477	575	404	18	18	18	43	60	4.83	6.20	0.93	—	1.87	1.00
Walsall	...	—	—	34	—	—	12	23	36	11	602	660	445	535	12	11	43	56	4.41	10.66	—	—	0.57	0.54
Warrington	...	—	19	—	—	19	39	19	39	39	729	780	593	721	10	78	61	57	6.80	10.57	—	—	0.49	0.44
West Bromwich	...	—	14	14	—	14	55	14	—	—	706	718	595	635	97	14	64	71	9.03	12.01	0.62	0.69	0.62	0.69
West Ham	...	—	37	13	12	25	62	50	100	25	810	777	673	676	—	25	68	51	16.04	13.59	—	—	—	—
West Hartlepool	...	—	31	22	—	7	101	7	—	15	1034	902	840	791	—	30	44	37	6.41	7.10	—	—	0.33	1.05
West Hartswood	...	—	16	—	—	—	79	31	32	31	984	1134	746	901	16	—	57	72	9.76	13.11	—	—	—	—
Wigan	...	—	—	13	13	—	38	—	25	—	650	582	522	468	—	25	67	59	5.99	4.43	—	—	2.03	2.99
Wolverhampton	...	7	7	7	—	—	20	54	27	14	612	620	523	545	—	27	51	51	9.78	8.94	0.31	0.36	1.53	2.53
Worcester	...	—	17	51	17	17	17	17	33	—	769	717	552	631	33	—	47	29	7.31	1.92	0.79	—	1.57	1.87
York	...	—	—	31	11	—	11	10	169	21	654	414	517	279	—	—	48	41	10.32	4.99	0.47	—	—	—
Cardiff	...	—	9	14	—	—	23	9	28	14	790	911	669	819	—	37	47	54	3.99	6.95	0.86	0.24	0.64	2.40
Merthyr Tydfil	...	17	—	—	—	—	—	—	131	84	689	755	508	604	16	84	65	71	11.82	9.56	—	—	2.61	2.03
Newport (Mon.)	...	11	21	21	—	—	21	11	43	42	840	880	787	763	—	53	53	61	6.43	8.56	—	—	0.55	0.48
Swansea	...	—	7	7	—	—	22	29	7	21	775	829	565	657	—	21	40	44	2.24	1.78	—	—	1.45	—

TABLE 10—continued.

Administrative Area.	Mortality per Million Civilian Population at all Ages.										Mortality from Enteritis and diarrhoea under Two Years per 1,000 Live Births (119)		Mortality per 1,000 Total (live and still) births.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	Typhoid and para-typhoid fevers. (1 & 2)					Scarlet fever. (8)					Whooping cough. (9)					Diphtheria. (10)					Tuberculosis (all forms). (13-22)					Tuberculosis of the respiratory system. (13)					Measles. (35)					Infant Mortality per 1,000 related Live Births.					Mortality from Enteritis and diarrhoea under Two Years per 1,000 Live Births (119)					Mortality per 1,000 Total (live and still) births.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Middlesex ...	—	—	13	13	2	2	26	7	7	560	529	484	460	3	14	37	38	3-97	4-01	0-11	0-09	0-80	0-64	
Norfolk ...	—	—	36	18	3	3	39	37	3	15	458	382	364	314	3	12	36	41	1-80	2-70	0-88	—	0-73	1-31
Northamptonshire ...	—	—	17	9	—	—	34	4	21	4	621	582	480	485	—	13	38	39	2-10	2-33	0-21	0-23	1-23	0-23
Northumberland ...	—	—	3	5	13	3	26	45	79	56	610	594	500	436	8	13	49	49	4-60	4-97	0-37	0-57	1-12	1-56
Nottinghamshire ...	2	—	19	8	15	8	42	19	15	29	510	481	402	406	4	27	48	44	3-45	3-99	0-28	0-43	1-31	0-86
Oxfordshire ...	13	—	13	27	—	—	13	7	7	—	411	375	346	307	—	20	38	37	1-62	1-82	0-32	—	0-63	1-07
Peterborough, Soke of	—	—	—	17	—	—	17	17	17	—	245	400	192	348	—	35	37	41	1-72	5-86	—	0-95	0-84	0-95
Rutlandshire ...	—	—	—	—	—	—	—	55	55	—	555	345	333	288	—	58	53	46	2-74	—	—	—	—	—
Shropshire ...	—	—	8	16	4	—	23	16	4	—	416	464	350	343	8	16	35	39	1-53	4-59	0-19	0-21	1-12	1-07
Somersetshire...	2	—	18	5	—	—	29	39	7	2	516	426	411	360	2	17	38	34	4-34	2-59	0-47	0-27	1-06	1-46
Southampton ...	2	—	2	10	8	—	6	27	12	6	488	471	415	389	—	21	37	41	3-65	5-35	—	0-20	1-64	1-00
Staffordshire ...	1	3	16	20	3	3	28	25	52	21	545	579	451	477	8	40	49	46	5-32	4-20	0-48	0-33	1-20	2-08
Suffolk, East ...	—	—	6	—	—	—	17	6	6	28	381	355	278	316	6	35	33	33	1-66	0-58	0-27	—	1-35	1-42
West	—	—	9	10	—	—	28	19	—	—	352	343	259	247	—	10	41	35	4-23	1-57	0-91	1-03	0-91	0-51
Surrey ...	1	1	7	15	1	2	26	6	6	5	481	494	415	421	1	18	37	34	3-75	1-94	0-24	0-16	1-09	0-74
Sussex, East ...	—	—	—	7	—	7	37	7	7	—	464	469	361	402	4	11	39	41	4-52	7-25	0-20	0-23	1-40	0-69
West	—	—	23	—	—	—	31	11	8	—	469	478	376	400	—	4	46	35	2-85	3-96	0-20	0-23	1-99	0-91
Warwickshire...	2	—	16	21	4	2	16	27	20	14	528	492	422	400	9	27	36	42	3-00	3-18	0-52	0-12	0-83	1-19
Westmorland ...	—	—	—	—	—	—	15	15	30	—	358	262	283	123	—	15	46	37	2-84	1-05	1-84	1-03	1-84	—
Wight, Isle of	—	—	26	25	—	9	52	12	—	—	569	324	479	299	—	12	35	36	—	2-14	—	0-69	3-44	—
Wiltshire ...	—	—	6	21	6	9	26	18	15	3	364	398	288	296	6	3	42	35	2-25	2-31	0-41	—	1-37	1-29
Worcestershire ...	3	3	8	8	3	—	8	14	49	44	505	515	410	435	3	28	41	43	2-67	3-85	0-13	0-15	1-04	0-60
Yorkshire, East Riding	—	—	27	—	11	—	32	44	11	—	543	491	425	365	—	44	43	43	2-79	4-86	—	1-36	2-53	—
North	—	—	25	10	—	—	22	6	38	22	495	588	381	439	6	19	42	54	3-30	5-04	0-31	0-70	1-38	1-57
West	1	2	17	15	5	1	14	21	34	21	459	473	366	380	5	33	45	50	2-94	6-14	0-29	0-30	1-24	1-10
Anglesey ...	—	—	21	—	21	43	64	65	42	109	552	608	404	521	—	61	72	4-80	8-57	1-15	1-19	—	—	—
Brecknockshire ...	—	—	38	19	—	—	19	78	—	39	344	640	210	524	19	58	44	56	3-21	4-69	—	1-14	2-07	1-14
Caernarvonshire ...	—	—	24	16	8	—	39	33	24	25	892	772	806	649	8	—	54	57	4-04	5-94	0-49	—	1-47	2-31
Cardiganshire ...	—	—	19	19	—	—	19	19	19	19	579	600	448	464	19	—	60	24	3-65	—	1-16	—	1-16	3-91
Carmarthenshire ...	—	—	30	12	—	12	67	12	12	18	809	695	681	547	—	12	48	47	2-36	1-95	0-99	—	2-30	2-63
Denbighshire ...	—	—	30	12	—	—	24	6	18	6	522	530	443	443	12	25	45	60	4-50	4-57	—	0-37	1-00	2-21
Flintshire ...	—	—	8	16	—	—	39	8	79	40	464	557	393	485	—	45	47	47	3-25	3-63	—	—	1-58	0-88
Glamorganshire ...	—	—	16	10	3	4	34	20	41	24	802	728	644	596	4	24	48	57	3-53	5-86	0-56	0-08	2-15	2-64
Merionethshire ...	—	—	26	25	—	—	26	25	77	999	849	949	746	—	—	39	63	1-54	10-10	—	—	—	1-51	—
Monmouthshire ...	3	3	10	16	—	3	29	39	23	7	628	677	528	569	3	56	53	56	4-00	5-80	0-15	0-70	1-69	2-09
Montgomeryshire ...	—	—	—	—	—	—	66	—	—	—	528	649	374	425	—	22	35	41	1-26	4-29	2-43	2-75	2-43	2-75
Pembrokeshire ...	—	—	12	24	—	12	130	12	—	—	581	617	522	447	24	12	62	40	4-37	0-69	—	—	1-20	2-00
Radnorshire ...	—	—	—	—	—	49	49	51	—	—	683	666	585	564	—	50	29	29	2-70	—	—	—	—	2-92

TABLE 11.—DEATHS UNDER ONE YEAR OF AGE FROM
CERTAIN CAUSES, 1935-1945. } England and Wales.*See Explanatory notes on page v.*

Cause of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
All Causes	34092	35425	35175	32724	31190	33892	34550	32258	33431	33455	31959
I—Infective Diseases other than Tuberculosis (1-12, 23-44) ...	1851	2337	1972	1504	1407	1678	2440	1295	1764	1425	1289
II—Tuberculous Diseases (13-22) ...	332	355	386	371	314	361	389	339	347	308	307
III—Enteritis and Diarrhoea (119) ...	3155	3362	3230	3143	2660	2655	2757	3252	3354	3517	3592
IV—Developmental and Wasting Diseases (157-159, 161a) ...	16222	16215	16413	15456	15276	15167	14738	15378	14821	15227	13957
V—Miscellaneous Diseases—(Remainder)	12532	13156	13174	12250	11533	14031	14226	11994	13145	12978	12814
Cerebro-spinal (meningococcal) meningitis (6)	166	180	199	173	126	415	310	219	187	159	190
Whooping cough (9)	762	985	808	519	689	357	1218	487	621	686	412
Diphtheria (10)	57	66	69	57	41	58	75	43	57	26	18
Tuberculosis of meninges and central nervous system (14) ...	186	197	223	212	164	199	218	188	179	164	181
Tuberculosis of intestines and peritoneum (15)	50	43	40	42	40	38	38	33	29	36	28
Other tuberculous diseases (13, 16-22)	96	115	123	117	110	124	133	118	139	108	98
Congenital syphilis (30da)	155	146	119	113	107	100	117	119	153	108	106
Influenza (33)	203	167	374	126	220	358	269	156	397	194	170
Measles (35)	272	591	219	370	87	249	324	136	256	89	252
Hæmorrhagic conditions (72)	51	52	45	53	49	57	49	45	36	47	38
Meningitis (non-meningococcal) (81)	216	208	206	225	212	199	179	184	177	177	196
Convulsions (86)	1033	911	795	753	713	736	761	641	514	460	394
Diseases of the ear and mastoid (89)	235	318	338	282	323	253	254	247	323	358	355
Bronchitis (106)	1511	1514	1589	1214	1113	1583	1787	1070	1236	1097	1077
Pneumonia (107-109)	5013	5334	5563	4958	4396	5971	6095	4649	5693	5111	5447
Other respiratory diseases (104, 105, 110-114)	131	127	100	125	88	117	121	116	107	105	117
Inflammation of stomach (118:1)	163	146	120	111	105	105	128	110	94	92	84
Enteritis and diarrhoea (119)	3155	3362	3230	3143	2660	2655	2757	3252	3354	3517	3592
Hernia, intestinal obstruction (122)	317	298	261	246	244	249	254	259	278	272	179
Congenital malformations (157)	3657	3839	3850	3851	3751	3953	3773	4173	4021	4094	3874
Congenital debility (158)	1520	1457	1374	1096	1048	1269	1227	1051	853	821	649
Premature birth (159)	9866	9620	9871	9236	9179	8598	8477	8861	8727	8831	7530
Injury at birth (160)	1471	1594	1595	1683	1670	1620	1473	1660	1607	1767	1822
Other diseases peculiar to first year of life (161)	2046	2269	2305	2274	2222	2526	2319	2430	2443	2854	3135
Asphyxia, atelectasis (161a)	1179	1299	1338	1273	1298	1347	1261	1293	1220	1481	1904
Pemphigus neonatorum (161 c.2)	59	68	78	69	41	73	70	67	69	64	39
Hæmolytic diseases of new born (161 c.1)	287	306	323	359	324	317	307	402	430	469	496
Melæna neonatorum (161d)	521	400	369	388	398	447	320	306	295	287	266
Other diseases included under 161 (161b, c1, c3, c2)											
Suffocation in bed or not stated how (182 pt.)	230	260	245	260	295	300	395	357	356	448	407
Lack of care of newborn (195c)	155	143	169	186	147	133	172	176	178	189	195
Other causes (remainder)	1375	1483	1365	1299	1391	1670	1627	1478	1476	1645	1413

TABLE 12.—INFANT MORTALITY (DEATHS UNDER
1 YEAR PER 1,000 RELATED LIVE BIRTHS) FROM } England and Wales.
CERTAIN CAUSES, 1935-1945.

See Explanatory notes on page v.

Cause of Death	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
All Causes	56.99	58.71	57.68	52.81	50.57	56.77	60.04	50.62	49.12	45.44	46.00
I—Infective Diseases other than Tuberculosis (1-12, 23-44) ...	3.09	3.87	3.23	2.43	2.28	2.81	4.24	2.09	2.60	1.98	1.81
II—Tuberculous Diseases (13-22) ...	0.55	0.59	0.63	0.60	0.51	0.60	0.67	0.54	0.51	0.44	0.42
III—Enteritis and Diarrhoea (119) ...	5.27	5.57	5.30	5.07	4.31	4.44	4.82	5.17	4.94	4.84	5.12
IV—Developmental and Wasting Diseases (157-159, 161a) ...	27.11	26.87	26.91	24.94	24.76	25.41	25.56	23.79	21.69	20.40	20.33
V—Miscellaneous Diseases (Remainder)	20.95	21.80	21.61	19.77	18.70	23.50	24.75	19.03	19.38	17.78	18.32
Cerebro-spinal (meningococcal) meningitis (6)	0.28	0.30	0.33	0.28	0.20	0.69	0.54	0.36	0.27	0.22	0.27
Whooping cough (9)	1.27	1.64	1.32	0.84	1.11	0.60	2.13	0.79	0.92	0.96	0.57
Diphtheria (10)	0.10	0.11	0.11	0.09	0.07	0.09	0.13	0.08	0.08	0.04	0.02
Tuberculosis of meninges and central nervous system (14) ...	0.31	0.33	0.37	0.34	0.26	0.34	0.38	0.30	0.27	0.23	0.25
Tuberculosis of intestines and peritoneum (15)	0.08	0.07	0.07	0.07	0.06	0.06	0.06	0.05	0.04	0.05	0.04
Other tuberculous diseases (13, 16-22)	0.16	0.19	0.20	0.19	0.18	0.20	0.23	0.19	0.20	0.16	0.13
Congenital syphilis (30da) ...	0.26	0.24	0.19	0.18	0.17	0.16	0.21	0.19	0.23	0.16	0.15
Influenza (33)	0.34	0.28	0.61	0.20	0.36	0.60	0.47	0.26	0.50	0.27	0.24
Measles (35)	0.45	0.98	0.36	0.60	0.14	0.42	0.56	0.23	0.38	0.12	0.34
Hæmorrhagic conditions (72) ...	0.09	0.09	0.07	0.09	0.08	0.09	0.08	0.07	0.06	0.07	0.05
Meningitis (non-meningococcal) (81)	0.36	0.34	0.34	0.36	0.34	0.34	0.31	0.30	0.27	0.25	0.28
Convulsions (86)	1.73	1.51	1.30	1.21	1.15	1.23	1.32	1.02	0.77	0.63	0.57
Diseases of the ear and mastoid (89)	0.39	0.53	0.55	0.45	0.52	0.43	0.44	0.39	0.48	0.51	0.50
Bronchitis (106)	2.52	2.51	2.60	1.95	1.81	2.65	3.12	1.72	1.82	1.51	1.53
Pneumonia (107-109)	8.38	8.84	9.12	8.00	7.13	10.00	10.62	7.43	8.41	7.03	7.74
Other respiratory diseases (104, 105, 110-114)	0.22	0.21	0.16	0.20	0.14	0.19	0.21	0.19	0.15	0.15	0.17
Inflammation of stomach (118. 1)	0.27	0.24	0.20	0.18	0.17	0.17	0.21	0.18	0.14	0.13	0.12
Enteritis and diarrhoea (119) ...	5.27	5.57	5.30	5.07	4.31	4.44	4.82	5.17	4.94	4.84	5.12
Hernia, intestinal obstruction (122)	0.53	0.49	0.43	0.40	0.39	0.42	0.44	0.42	0.42	0.39	0.25
Congenital malformations (157)	6.12	6.36	6.28	6.22	6.09	6.62	6.56	6.50	5.89	5.52	5.60
Congenital debility (158) ...	2.54	2.42	2.25	1.76	1.70	2.12	2.14	1.63	1.26	1.10	0.94
Premature birth (159)	16.49	15.94	16.19	14.91	14.88	14.40	14.68	13.67	12.76	11.81	11.01
Injury at birth (160)	2.46	2.64	2.61	2.72	2.71	2.71	2.55	2.56	2.35	2.36	2.65
Other diseases peculiar to first year of life (161)	3.42	3.76	3.78	3.67	3.61	4.23	4.01	3.74	3.55	3.80	4.57
Asphyxia, atelectasis (161a) ...	1.97	2.16	2.19	2.06	2.11	2.26	2.18	1.99	1.78	1.97	2.78
Pemphigus neonatorum (161 c.2)	0.10	0.11	0.13	0.11	0.07	0.12	0.12	0.10	0.09	0.08	0.05
Hæmolytic diseases of newborn (161 c.1)	0.48	0.51	0.53	0.58	0.52	0.53	0.53	0.63	0.62	0.63	0.73
Melæna neonatorum (161d) Other diseases included under 161 (161b, c1, c3, c2) ... }	0.87	0.66	0.60	0.62	0.64	0.75	0.55	0.47	0.43	0.39	0.39
		0.32	0.32	0.30	0.26	0.57	0.63	0.55	0.63	0.73	0.62
Suffocation in bed or not stated how (182 pt.)	0.38	0.43	0.40	0.42	0.48	0.50	0.69	0.57	0.53	0.61	0.58
Lack of care of newborn (195c)	0.26	0.24	0.28	0.30	0.24	0.22	0.29	0.26	0.26	0.25	0.28
Other causes (remainder) ...	2.30	2.46	2.24	2.10	2.26	2.80	2.84	2.35	2.17	2.27	2.03

TABLE 13.—DEATHS AT VARIOUS PERIODS IN THE FIRST YEAR OF { England and Wales, Geographical Regions, Aggregates of County Life, 1945, AND THE FOUR QUARTERS THEREOF. }
Boroughs, Other Urban Districts and Rural Districts.

See explanatory notes on page v.

	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days						1 day and under 1 week	Weeks			Months					
												0	1	2	3	Total under 4 weeks	4 weeks to 3 mths.	3-6	6-9	9-12
					1	2	3	4	5	6										
England and Wales { All Infants Legitimate Illegitimate }	18387 13572 31959	467 407 874	2988 2282 5270	3455 2889 6144	1100 792 1892	923 608 1531	682 399 1081	384 261 645	324 251 575	243 195 438	662 973 1135	9736 7174 16910	3346 2136 3670	2795 2136 4931	1562 763 2737	948 763 1711				
	16063 11791 27854	332 278 610	2652 2018 4670	2984 2296 5280	994 705 1699	815 542 1357	605 347 952	344 232 576	294 220 514	214 168 382	3266 2214 5480	8519 484 10760	2833 1860 4798	2434 1851 4285	1425 1076 2501	852 697 1549				
	2324 1781 4105	135 129 264	336 264 600	471 393 864	106 87 193	108 66 174	77 52 129	40 29 69	30 31 61	29 27 56	390 292 682	861 148 1546	107 127 2167	513 361 877	361 285 646	137 96 236	96 66 162			
South East Greater London Remainder of South East	8586 4634 3952	230 141 89	1578 852 726	1808 993 815	586 320 815	433 246 187	322 172 150	182 92 90	168 92 76	111 54 57	1802 976 826	3610 1969 1641	550 296 254	347 181 166	305 653 632	4812 373 2204	682 229 309	463 373 553	229 229 234	
	11885 2028 1232	286 400 30	1763 354 155	2049 400 885	620 248 185	521 63 63	368 32 46	235 32 23	201 28 23	166 107 15	2111 753 225	4160 753 410	816 117 98	562 84 70	453 193 47	5991 383 238	1048 182 208	643 99 91	643 99 178	
	3007 5618	63 147	439 815	502 962	168 962	145 231	87 172	59 121	53 98	48 69	560 973	1062 1935	248 353	121 287	1534 237	537 1092	484 927	274 491	178 296	
Midland Midland I " II " IV East	6344 4276 2068	208 139 69	1062 714 348	1270 853 417	359 248 111	297 188 109	218 142 76	118 72 46	126 82 44	84 51 33	1202 783 419	2472 1636 836	378 245 133	266 185 81	174 114 60	3290 788 1110	605 346 209	346 236 110	346 236 110	
	1312	31	255	286	87	67	53	29	18	26	280	566	89	40	42	737	214	188	105	68
	1596	53	263	316	100	92	56	37	31	23	339	655	104	74	69	902	279	186	100	69
Wales Wales I " II	2296 1717 579	66 48 18	349 255 94	415 303 112	140 303 94	121 86 39	64 53 11	44 31 13	31 22 9	26 310 118	428 310 230	843 613 230	147 114 33	96 72 19	92 73 19	1178 877 301	435 325 110	364 197 88	197 156 41	122 83 39
	Density Summaries— County Borough Other Urban Dists. Rural Districts	11930 10144 5251	302 276 155	1768 1700 950	2070 1976 1105	615 620 337	496 328 286	364 328 217	212 234 107	183 175 125	149 137 98	2019 1997 1170	4089 3973 2275	756 670 362	555 436 213	441 345 185	5841 5426 3035	2025 1760 828	1097 851 688	646 552 416
	England and Wales { March Quarter June September December	10676 7227 6429 7627	221 207 217 229	1331 1358 1287 1294	1552 1565 1504 1523	475 495 450 472	436 373 325 397	324 269 253 235	193 158 147 147	184 139 109 143	133 111 76 117	1745 3111 1360 1511	3297 3111 2864 3034	703 446 430 505	502 260 259 313	408 4128 3787 4085	4910 1143 1041 1349	1854 1071 851 1218	704 564 470 632	704 384 280 343

LE 14. Suspended.

LE 15. INFANT MORTALITY FROM CERTAIN CAUSES,
15. (Deaths under 1 year and various sub-divisions
the first year per 1,000 related live births.){ England and Wales, Geographical
Regions.

See Explanatory Notes on page v.

Area	All Causes.						I.—Infective Diseases other than Tuberculosis (1-12; 23-44).						II.—Tuberculous Diseases (13-22).					
	Total under 1 Year	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	46.00	24.76	8.19	6.48	3.77	2.30	1.81	0.13	0.39	0.49	0.40	0.40	0.42	0.00	0.03	0.09	0.17	0.13
London	38.99	22.21	6.43	5.43	2.96	1.96	1.42	0.11	0.29	0.46	0.26	0.30	0.32	0.00	0.02	0.07	0.14	0.09
Greater London	38.76	22.17	6.38	5.45	2.98	1.78	1.49	0.08	0.29	0.58	0.27	0.27	0.27	0.01	0.01	0.06	0.10	0.09
Remainder of England and Wales	39.24	22.25	6.49	5.40	2.93	2.17	1.38	0.15	0.30	0.33	0.26	0.34	0.39	—	0.03	0.09	0.18	0.09
North	53.74	27.58	10.08	8.83	4.54	2.71	2.15	0.16	0.44	0.57	0.50	0.48	0.44	—	0.03	0.08	0.18	0.15
North I	52.04	26.65	9.10	9.20	4.72	2.37	1.82	0.16	0.23	0.63	0.32	0.48	0.45	—	0.13	0.10	0.17	0.05
North II	55.44	28.62	10.75	9.21	3.92	2.94	1.84	0.09	0.63	0.35	0.43	0.34	0.55	—	—	—	0.30	0.25
North III	51.73	26.87	9.28	8.20	4.52	2.86	2.48	0.25	0.35	0.68	0.59	0.61	0.44	—	0.02	0.08	0.15	0.19
North IV	55.19	29.12	10.77	8.97	4.62	2.71	2.14	0.13	0.52	0.52	0.53	0.44	0.43	—	0.01	0.10	0.17	0.15
London	45.38	23.96	7.97	7.00	4.14	2.31	1.95	0.14	0.42	0.46	0.47	0.46	0.46	—	0.02	0.11	0.20	0.13
Midland I	45.93	23.84	8.50	7.15	4.07	2.37	2.08	0.15	0.46	0.50	0.49	0.48	0.50	—	0.02	0.12	0.19	0.17
Midland II	44.27	24.19	6.90	6.70	4.28	2.20	1.70	0.11	0.34	0.40	0.43	0.42	0.40	—	0.02	0.11	0.23	0.04
London	38.60	22.04	6.31	5.44	2.95	1.86	1.32	0.03	0.35	0.41	0.28	0.25	0.50	—	0.03	0.09	0.11	0.27
South West	41.50	24.72	7.54	4.93	2.58	1.73	1.22	0.11	0.43	0.27	0.21	0.20	0.42	—	0.03	0.11	0.15	0.13
London	54.10	28.25	10.29	8.44	4.44	2.68	2.37	0.14	0.47	0.63	0.56	0.57	0.66	—	0.12	0.16	0.25	0.13
Wales I	55.33	28.76	10.51	8.76	4.81	2.49	2.63	0.20	0.52	0.60	0.68	0.63	0.75	—	0.13	0.16	0.34	0.18
Wales II	50.79	26.87	9.69	7.60	3.44	3.19	1.70	—	0.35	0.69	0.25	0.41	0.42	—	0.09	0.17	—	0.16
III.—Enteritis and Diarrhoea (119).						IV.—Developmental and Wasting Diseases (157-9, 161a).						V.—Miscellaneous Diseases (Remainder).						
England and Wales	5.12	0.74	1.72	1.57	0.77	0.32	20.33	17.13	2.00	0.77	0.28	0.15	18.32	6.76	4.05	4.06	2.15	1.30
London	4.37	0.54	1.37	1.41	0.76	0.29	18.06	15.39	1.67	0.62	0.25	0.13	14.82	6.17	3.08	2.87	1.55	1.15
Greater London	4.49	0.54	1.42	1.47	0.81	0.25	17.79	15.36	1.53	0.60	0.21	0.09	14.72	6.18	3.13	2.74	1.59	1.08
Remainder of England and Wales	4.23	0.55	1.30	1.34	0.71	0.33	18.39	15.42	1.83	0.65	0.30	0.19	14.85	6.13	3.03	2.99	1.48	1.22
North	6.51	1.07	2.23	1.94	0.91	0.36	22.79	19.04	2.43	0.86	0.30	0.16	21.85	7.31	4.95	5.38	2.65	1.56
North I	5.36	0.34	1.88	1.90	0.88	0.36	22.42	19.02	2.03	0.84	0.36	0.17	21.99	7.13	4.83	5.73	2.99	1.31
North II	7.88	1.19	2.26	3.06	0.95	0.42	22.94	19.18	2.45	0.71	0.43	0.17	22.23	8.16	5.41	5.09	1.18	1.76
North III	6.40	1.38	2.04	1.95	0.84	0.19	20.74	17.59	2.18	0.60	0.32	0.05	21.67	7.65	4.69	4.89	2.62	1.82
North IV	6.73	1.15	2.48	1.70	0.96	0.44	24.05	19.83	2.70	1.07	0.24	0.21	21.84	7.01	5.06	5.58	2.72	1.47
London	4.95	0.58	1.71	1.62	0.72	0.32	19.63	16.63	1.73	0.78	0.32	0.17	18.39	6.61	4.09	4.03	2.43	1.23
Midland I	5.41	0.57	1.89	1.79	0.81	0.35	19.34	16.22	1.83	0.80	0.30	0.19	18.60	6.90	4.30	3.94	2.28	1.18
Midland II	4.02	0.59	1.35	1.29	0.53	0.26	20.15	17.44	1.53	0.74	0.32	0.12	18.00	6.05	3.66	4.16	2.77	1.36
London	2.76	0.36	0.89	0.87	0.37	0.27	18.24	15.13	1.89	0.72	0.28	0.22	15.78	6.52	3.15	3.35	1.91	0.85
South West	4.20	0.93	1.41	1.09	0.57	0.20	20.41	17.03	2.14	0.82	0.21	0.21	15.25	6.65	3.53	2.64	1.44	0.99
London	4.78	0.62	1.80	1.25	0.65	0.46	23.64	19.71	2.56	0.86	0.30	0.21	22.65	7.78	5.34	5.54	2.68	1.31
Wales I	5.05	0.72	1.84	1.27	0.77	0.45	24.38	20.54	2.33	0.93	0.31	0.27	22.52	7.30	5.69	5.80	2.71	1.02
Wales II	4.07	0.36	1.67	1.21	0.34	0.49	21.70	17.50	3.17	0.70	0.25	0.08	22.90	9.01	4.41	4.83	2.60	2.05
Cerebro-spinal (meningococcal) meningitis (6).						Whooping cough (9).						Measles (35).						
England and Wales	0.27	0.01	0.04	0.09	0.08	0.05	0.57	0.01	0.15	0.18	0.11	0.12	0.34	0.01	0.01	0.07	0.11	0.14
London	0.28	0.01	0.04	0.09	0.08	0.06	0.45	0.00	0.12	0.21	0.04	0.08	0.20	—	0.00	0.05	0.06	0.09
Greater London	0.34	0.01	0.05	0.14	0.08	0.06	0.46	—	0.10	0.25	0.05	0.06	0.20	—	0.01	0.06	0.06	0.07
Remainder of England and Wales	0.21	0.01	0.03	0.03	0.08	0.06	0.45	0.01	0.14	0.16	0.04	0.10	0.24	—	—	0.05	0.07	0.12
North	0.31	—	0.05	0.11	0.10	0.05	0.60	0.01	0.13	0.18	0.14	0.14	0.44	0.01	0.02	0.08	0.14	0.19
North I	0.38	—	0.05	0.18	0.05	0.10	0.35	—	0.05	0.13	0.05	0.12	0.49	—	—	0.15	0.12	0.22
North II	0.22	—	0.05	0.04	0.13	—	0.62	—	0.18	0.18	0.13	0.13	0.26	—	—	0.09	0.13	0.04
North III	0.27	—	0.02	0.12	0.07	0.06	0.65	—	0.12	0.22	0.15	0.16	0.70	0.04	0.03	0.08	0.23	0.32
North IV	0.33	—	0.07	0.09	0.14	0.03	0.66	0.03	0.16	0.17	0.17	0.13	0.30	—	0.02	0.05	0.09	0.14
London	0.23	0.01	0.05	0.09	0.05	0.03	0.71	0.02	0.18	0.20	0.15	0.16	0.47	0.01	0.02	0.08	0.16	0.20
Midland I	0.26	0.01	0.06	0.10	0.06	0.03	0.83	0.03	0.22	0.21	0.20	0.17	0.44	0.01	0.01	0.08	0.14	0.20
Midland II	0.20	0.02	0.02	0.08	0.04	0.04	0.48	—	0.11	0.17	0.06	0.14	0.50	—	0.04	0.06	0.20	0.20
London	0.15	—	—	0.12	—	0.03	0.74	—	0.24	0.14	0.17	0.19	0.09	—	—	0.03	0.06	—
South West	0.14	—	0.03	—	0.08	0.03	0.44	—	0.24	0.05	0.05	0.10	0.03	—	0.03	—	—	—
London	0.28	0.02	0.05	0.05	0.09	0.07	0.66	—	0.17	0.14	0.20	0.15	0.65	0.02	0.02	0.19	0.18	0.24
Wales I	0.21	0.03	0.03	0.03	0.06	0.06	0.65	—	0.19	0.06	0.25	0.15	0.83	0.03	0.03	0.22	0.25	0.30
Wales II	0.43	—	0.09	0.09	0.17	0.08	0.68	—	0.09	0.35	0.08	0.16	0.17	—	—	0.09	—	0.08

TABLE 15—*contd.*

Area.	Convulsions (86).							Bronchitis (106).							Pneumonia (107-109).						
	Total under 1 Year	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.		Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.		Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.		
England and Wales	0.57	0.21	0.14	0.14	0.06	0.02		1.53	0.16	0.54	0.44	0.26	0.13		7.74	1.23	2.22	2.43	1.07		
South East ...	0.14	0.06	0.00	0.04	0.03	0.01		1.07	0.11	0.41	0.26	0.18	0.11		6.05	1.29	1.71	1.72	0.79		
Greater London	0.07	0.03	0.01	0.02	0.01	—		1.07	0.08	0.44	0.25	0.22	0.08		6.02	1.41	1.68	1.62	0.75		
Remainder of South East ...	0.20	0.08	—	0.05	0.05	0.02		1.04	0.13	0.38	0.27	0.12	0.14		6.07	1.15	1.73	1.84	0.84		
North ...	0.87	0.35	0.20	0.22	0.07	0.03		1.90	0.18	0.64	0.63	0.30	0.15		9.78	1.41	2.80	3.16	1.49		
North I ...	1.82	0.57	0.49	0.56	0.20	—		2.73	0.13	0.75	1.11	0.57	0.17		8.28	0.81	2.45	2.73	1.60		
North II ...	1.03	0.46	0.18	0.27	0.04	0.08		2.13	0.27	0.77	0.71	0.17	0.21		9.84	1.01	3.30	3.45	1.16		
North III ...	0.81	0.42	0.12	0.17	0.05	0.05		1.76	0.14	0.66	0.56	0.26	0.14		10.53	1.80	2.75	3.19	1.65		
North IV ...	0.52	0.19	0.15	0.11	0.04	0.03		1.61	0.20	0.56	0.47	0.24	0.14		9.91	1.51	2.86	3.25	1.42		
Midland ...	0.48	0.16	0.12	0.09	0.08	0.03		1.38	0.17	0.50	0.38	0.24	0.09		7.73	1.00	2.27	2.49	1.32		
Midland I ...	0.38	0.14	0.14	0.04	0.05	0.01		1.38	0.16	0.53	0.34	0.24	0.11		7.46	0.98	2.32	2.40	1.17		
Midland II ...	0.68	0.20	0.09	0.19	0.14	0.06		1.37	0.17	0.43	0.46	0.25	0.06		8.25	1.02	2.17	2.68	1.62		
East ...	0.33	0.15	0.06	0.06	0.06	—		1.35	0.06	0.53	0.23	0.37	0.16		5.99	0.84	1.56	2.11	1.01		
South West ...	0.35	0.14	0.08	0.03	0.05	0.05		1.54	0.22	0.38	0.40	0.36	0.18		5.97	1.21	2.00	1.51	0.80		
Wales ...	1.88	0.53	0.62	0.53	0.16	0.04		2.62	0.38	0.92	0.81	0.36	0.15		8.72	1.01	2.41	3.11	1.40		
Wales I ...	1.82	0.52	0.52	0.57	0.15	0.06		2.85	0.43	1.10	0.89	0.34	0.09		9.14	1.15	2.52	3.30	1.45		
Wales II ...	2.02	0.54	0.88	0.43	0.17	—		2.06	0.27	0.44	0.60	0.42	0.33		7.56	0.62	2.11	2.59	1.26		
Congenital hydrocephalus, spina bifida (157a, b).								Other malformations included under 157 (157c-j).							Congenital debility (158).						
England and Wales	1.81	1.20	0.30	0.17	0.09	0.05		3.79	2.27	0.83	0.43	0.17	0.09		0.94	0.51	0.28	0.12	0.02		
South East ...	1.46	0.97	0.23	0.16	0.06	0.04		3.73	2.29	0.81	0.37	0.18	0.08		0.49	0.26	0.16	0.05	0.01		
Greater London	1.39	0.93	0.23	0.14	0.07	0.02		3.69	2.30	0.80	0.39	0.14	0.06		0.26	0.12	0.09	0.04	—		
Remainder of South East ...	1.54	1.03	0.22	0.18	0.05	0.06		3.78	2.27	0.83	0.35	0.22	0.11		0.76	0.42	0.24	0.07	0.02		
North ...	2.13	1.43	0.35	0.18	0.10	0.07		3.88	2.22	0.94	0.46	0.18	0.08		1.35	0.74	0.40	0.18	0.02		
North I ...	2.27	1.57	0.28	0.20	0.15	0.07		3.67	2.80	0.72	0.38	0.17	0.10		1.53	1.02	0.26	0.23	0.02		
North II ...	1.76	0.96	0.45	0.18	0.13	0.04		4.39	2.75	0.86	0.35	0.30	0.13		1.46	0.87	0.41	0.18	—		
North III ...	1.89	1.37	0.28	0.17	0.05	0.02		3.78	2.10	1.04	0.36	0.25	0.03		1.27	0.77	0.43	0.05	0.02		
North IV ...	2.28	1.51	0.39	0.18	0.10	0.10		3.89	2.14	0.98	0.58	0.11	0.08		1.30	0.58	0.42	0.24	0.03		
Midland ...	1.92	1.24	0.33	0.18	0.13	0.04		3.82	2.40	0.71	0.43	0.16	0.12		0.71	0.37	0.18	0.12	0.03		
Midland I ...	1.87	1.21	0.36	0.13	0.13	0.04		3.94	2.38	0.81	0.47	0.14	0.14		0.70	0.38	0.15	0.13	0.03		
Midland II ...	2.00	1.29	0.28	0.27	0.12	0.04		3.56	2.42	0.52	0.36	0.18	0.08		0.72	0.35	0.24	0.11	0.02		
East ...	1.44	0.78	0.30	0.14	0.14	0.08		3.63	2.27	0.65	0.46	0.14	0.11		1.19	0.66	0.44	0.09	—		
South West ...	1.71	1.07	0.32	0.21	0.03	0.08		3.86	2.33	0.87	0.40	0.13	0.13		0.95	0.44	0.30	0.16	0.05		
Wales ...	2.10	1.51	0.38	0.12	0.05	0.04		3.70	2.04	0.88	0.49	0.18	0.11		1.73	1.03	0.52	0.09	0.05		
Wales I ...	2.12	1.51	0.39	0.13	0.03	0.06		3.93	2.33	0.78	0.48	0.19	0.15		1.83	1.12	0.49	0.13	0.06		
Wales II ...	2.04	1.52	0.35	0.09	0.08	—		3.08	1.25	1.14	0.52	0.17	—		1.50	0.80	0.62	—	—		
Premature birth (159).								Injury at birth (160).							Asphyxia, atelectasis (161a).						
England and Wales...	11.01	10.42	0.55	0.04	0.00	0.00		2.65	2.61	0.03	0.01	0.00	0.00		2.78	2.73	0.04	0.01	0.00		
South East ...	9.48	9.00	0.44	0.04	0.00	0.00		2.42	2.36	0.04	0.02	—	0.00		2.90	2.87	0.03	—	—		
Greater London	9.17	8.76	0.38	0.03	—	—		2.39	2.31	0.05	0.02	—	0.01		3.28	3.25	0.03	—	—		
Remainder of South East ...	9.87	9.29	0.51	0.05	0.01	0.01		2.45	2.42	0.02	0.01	—	—		2.44	2.41	0.03	—	—		
North ...	12.69	11.97	0.69	0.03	0.00	—		2.73	2.71	0.01	0.01	0.00	—		2.74	2.68	0.05	0.01	—		
North I ...	12.86	12.07	0.77	—	0.02	—		2.74	2.66	0.05	0.03	—	—		2.09	2.06	—	0.03	—		
North II ...	12.08	11.40	0.68	—	—	—		3.25	3.25	—	—	—	—		3.25	3.20	0.05	—	—		
North III ...	11.16	10.74	0.40	0.02	—	—		2.59	2.57	—	—	0.02	—		2.64	2.61	0.03	—	—		
North IV ...	13.64	12.76	0.83	0.05	—	—		2.70	2.69	—	0.01	—	—		2.94	2.84	0.08	0.02	—		
Midland ...	10.54	10.03	0.46	0.05	—	—		2.87	2.79	0.06	0.01	0.01	—		2.64	2.59	0.05	—	—		
Midland I ...	10.29	9.77	0.45	0.07	—	—		3.08	2.97	0.09	0.01	0.01	—		2.54	2.48	0.06	—	—		
Midland II ...	11.04	10.57	0.47	—	—	—		2.44	2.42	0.02	—	—	—		2.83	2.81	0.02	—	—		
East ...	10.01	9.51	0.47	0.03	—	—		2.90	2.81	0.03	0.03	0.03	—		1.97	1.91	0.03	—	—		
South West ...	11.20	10.53	0.62	0.05	—	—		2.49	2.41	0.08	—	—	—		2.69	2.66	0.03	—	—		
Wales ...	12.46	11.63	0.69	0.14	—	—		2.89	2.85	0.02	0.02	—	—		3.65	3.50	0.09	0.02	0.02		
Wales I ...	12.64	11.87	0.61	0.16	—	—		2.49	2.43	0.03	0.03	—	—		3.86	3.71	0.06	0.03	0.03		
Wales II ...	11.95	10.98	0.88	0.09	—	—		4.02	4.02	—	—	—	—		3.13	2.95	0.18	—	—		

TABLE 16. Suspended.

TABLE 17. POPULATION, BIRTHS, DEATHS, AND { England and Wales, Regions, Counties, Boroughs, Urban Districts and INFANT MORTALITY, 1945. Rural Districts.

See Explanatory notes on page v.

AREA	Estimated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year			
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Civilian Population.	M.	F.	Total	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.			Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.												
						3	4	5	6	7	8	9	10			11	12
Col. 1	2																
ENGLAND AND WALES...	38,157,000	317,321	299,196	32,751	30,669	679,937	17.8	245,436	235,838	481,274	12.6	2,404	12.5	31,959	46		
REGIONAL SUMMARY:																	
South East	12,382,210	100,234	94,716	10,759	10,065	215,774	17.4	77,344	76,015	153,359	12.4	2,073	12.2	8,586	39		
Greater London	6,784,840	54,916	52,011	5,294	4,984	117,155	17.3	42,064	39,927	81,991	12.1	1,875	11.8	4,684	39		
Remainder of South East	5,597,370	45,318	42,705	5,465	5,131	98,619	17.6	35,280	36,088	71,368	12.8	198	12.7	3,952	39		
North	12,200,040	101,815	96,044	9,489	8,944	216,292	17.7	82,622	78,728	161,350	13.2	127	13.2	11,885	54		
North I	2,052,800	18,223	17,169	1,396	1,325	38,113	18.6	13,481	12,159	25,640	12.5	24	12.5	2,028	52		
North II	1,192,220	10,059	9,490	1,134	1,065	21,748	18.2	8,088	7,598	15,686	13.2	25	13.1	1,232	55		
North III	3,254,520	26,768	25,380	2,460	2,237	56,845	17.5	21,874	20,660	42,534	13.1	24	13.1	3,007	52		
North IV	5,700,500	46,765	44,005	4,489	4,317	99,586	17.5	39,179	38,311	77,490	13.6	54	13.6	5,618	55		
Midland	7,291,940	64,381	60,204	6,234	5,920	136,739	18.8	43,141	40,701	83,842	11.5	97	11.5	6,344	45		
Midland I	4,842,340	43,155	40,161	3,991	3,735	91,042	18.8	28,519	27,102	55,621	11.5	88	11.5	4,276	46		
Midland II	2,449,600	21,226	20,043	2,243	2,185	45,697	18.7	14,622	13,599	28,221	11.5	9	11.5	2,068	44		
East	1,755,750	14,946	14,073	2,241	2,029	33,289	19.0	11,181	10,692	21,873	12.5	47	12.4	1,312	39		
South West	2,104,780	16,330	15,520	2,343	2,135	36,328	17.3	14,163	14,795	28,958	13.8	29	13.7	1,536	41		
Wales	2,422,280	19,615	18,639	1,685	1,576	41,515	17.1	16,985	14,907	31,892	13.2	31	13.2	2,296	54		
Wales I	1,729,020	14,562	13,681	1,096	1,021	30,360	17.6	12,207	9,985	22,192	12.8	22	12.8	1,717	55		
Wales II	693,260	5,053	4,958	589	555	11,155	16.1	4,778	4,922	9,700	14.0	9	14.0	579	51		
DENSITY SUMMARY OF ALL AREAS																	
GREATER LONDON	11,662,810	100,964	95,036	11,015	10,602	217,617	18.7	79,465	75,157	154,622	13.3	139	13.2	11,930	54		
COUNTY BOROUGH	12,391,460	102,090	96,399	10,024	9,298	217,811	17.6	78,982	77,757	156,739	12.6	237	12.6	10,144	46		
URBAN DISTRICTS	7,317,890	59,351	55,750	6,418	5,835	127,354	17.4	44,925	42,897	87,922	12.0	153	12.0	5,251	40		
RURAL DISTRICTS																	

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Popula- tion (Middle 1945).	LIVE BIRTHS				DEATHS								De- un 1 y
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	
		M.	F.	M.	F.									Number.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND (excluding Monmouth)														
BEDFORDSHIRE :														
ADMIN. COUNTY ...	278500	2352	2284	243	210	5089	18.3	1522	1539	3061	11.0	3	11.0	175
URBAN DISTRICTS ...	195910	1684	1654	178	163	3679	18.8	1031	1064	2095	10.7	3	10.7	124
Amphthill ...	2736	18	21	—	6	45	16.4	19	24	43	15.7	—	15.7	—
Bedford M.B. ...	51070	396	406	63	58	923	18.1	296	324	620	12.1	—	12.1	33
Biggleswade ...	7075	47	57	2	5	111	15.7	44	38	82	11.6	—	11.6	8
Dunstable M.B. ...	15680	129	140	14	15	298	19.0	80	84	164	10.5	—	10.5	9
Kempston ...	7692	89	83	12	7	191	24.8	48	39	87	11.3	—	11.3	5
Leighton Buzzard ...	7550	70	81	7	4	162	21.5	51	44	95	12.6	—	12.6	5
Luton M.B. ...	100600	902	839	77	67	1885	18.7	469	491	960	9.5	3	9.5	62
Sandy ...	3507	33	27	3	1	64	18.2	24	20	44	12.5	—	12.5	2
RURAL DISTRICTS ...	82590	668	630	65	47	1410	17.1	491	475	966	11.7	—	11.7	51
Amphthill ...	19500	153	144	14	11	322	16.5	130	129	259	13.3	—	13.3	15
Bedford ...	25020	199	211	32	14	456	18.2	144	147	291	11.6	—	11.6	17
Biggleswade ...	20820	168	157	11	11	347	16.7	121	121	242	11.6	—	11.6	14
Luton ...	17250	148	118	8	11	285	16.5	96	78	174	10.1	—	10.1	5
BERKSHIRE :														
COUNTY BORO ¹ ...	367400	2874	2699	437	395	6405	17.4	2205	2257	4462	12.1	5	12.1	251
Reading ...	108830	910	849	147	131	2037	18.7	681	719	1,400	12.9	3	12.8	98
ADMIN. COUNTY ...	258570	1964	1850	290	264	4368	16.9	1524	1538	3062	11.8	2	11.8	153
URBAN DISTRICTS ...	89160	653	677	94	86	1510	16.9	568	589	1157	13.0	1	13.0	63
Abingdon M.B. ...	9350	82	86	16	14	198	21.2	52	46	98	10.5	—	10.5	2
Maidenhead M.B. ...	26090	178	188	24	16	406	15.6	170	174	344	13.2	—	13.2	19
Newbury M.B. ...	17560	122	137	20	18	297	16.9	111	118	229	13.0	—	13.0	20
New Windsor M.B. ...	19940	142	147	16	17	322	16.1	116	128	244	12.2	1	12.2	12
Wallingford M.B. ...	3526	25	22	2	1	50	14.2	23	23	46	13.0	—	13.0	2
Wantage ...	4,560	43	32	7	11	93	20.4	26	31	57	12.5	—	12.5	2
Wokingham M.B. ...	8134	61	65	9	9	144	17.7	70	69	139	17.1	—	17.1	6
RURAL DISTRICTS ...	169410	1311	1173	196	178	2858	16.9	956	949	1905	11.2	1	11.2	90
Abingdon ...	17760	196	166	22	20	404	22.7	82	65	147	8.3	—	8.3	6
Bradfield ...	18010	126	112	28	22	288	16.0	97	108	205	11.4	—	11.4	12
Cookham ...	12270	95	82	9	11	197	16.1	77	61	138	11.2	—	11.2	6
Easthampstead ...	20460	132	122	17	18	289	14.1	136	136	272	13.3	—	13.3	14
Faringdon ...	10270	112	75	15	15	217	21.1	69	51	120	11.7	—	11.7	5
Hungerford ...	9270	66	58	15	13	152	16.4	48	57	105	11.3	—	11.3	8
Newbury ...	13490	92	96	22	16	226	16.8	87	82	169	12.5	—	12.5	9
Wallingford ...	13620	100	109	12	15	236	17.3	66	63	129	9.5	—	9.5	9
Wantage ...	10860	88	78	19	10	195	18.0	68	61	129	11.9	—	11.9	4
Windsor ...	10800	73	62	13	11	159	14.7	60	73	133	12.3	—	12.3	3
Wokingham ...	32600	231	213	24	27	495	15.2	166	192	358	11.0	1	11.0	14
BUCKINGHAMSHIRE :														
ADMIN. COUNTY ...	349350	2696	2478	268	251	5693	16.3	1930	1914	3844	11.0	2	11.0	190
URBAN DISTRICTS ...	178620	1405	1334	141	119	2999	16.8	955	910	1865	10.4	1	10.4	97
Aylesbury M.B. ...	19120	146	151	15	15	327	17.1	78	104	182	9.5	1	9.5	9
Beaconsfield ...	6568	47	39	5	3	94	14.3	41	44	85	12.9	—	12.9	1
Bletchley ...	8545	66	69	4	6	145	17.0	53	45	98	11.5	—	11.5	6
Buckingham M.B. ...	3527	36	23	4	4	67	19.0	21	28	49	13.9	—	13.9	6
Chipping Wycombe M.B. ...	38850	293	280	30	23	626	16.1	200	198	398	10.2	—	10.2	20
Chesham ...	10700	77	86	9	8	180	16.8	80	71	151	14.1	—	14.1	3
Eton ...	4282	17	36	—	2	55	12.8	14	18	32	7.5	—	7.5	3
Linslade ...	2830	17	19	1	—	37	13.1	20	20	40	14.1	—	14.1	1
Marlow ...	5974	50	38	7	9	104	17.4	47	35	82	13.7	—	13.7	5
Newport Pagnell ...	4354	24	31	4	2	61	14.0	29	22	51	11.7	—	11.7	—
Slough M.B. ...	60220	545	494	57	43	1139	18.9	274	232	506	8.4	—	8.4	37
Wolverton ...	13650	87	68	5	4	164	12.0	98	93	191	14.0	—	14.0	6
RURAL DISTRICTS ...	170730	1291	1144	127	132	2694	15.8	975	1004	1979	11.6	1	11.6	93
Amersham ...	38170	238	193	27	29	487	12.8	169	231	400	10.5	—	10.5	19

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
HAMSHIRE : —contd.															
ury ...	24090	180	183	18	14	395	16.4	140	138	278	11.5	—	11.5	10	25
gham...	7833	70	57	9	4	140	17.9	48	54	102	13.0	—	13.0	3	21
rt Pagnell	38150	321	276	26	30	653	17.1	195	218	413	10.8	—	10.8	16	24
...	12990	106	91	9	12	218	16.8	79	92	171	13.2	1	13.1	8	36
...	7160	46	47	5	8	106	14.8	88	44	132	18.4	—	18.4	9	83
...	7187	52	44	5	7	108	15.0	47	43	90	12.5	—	12.5	3	27
...	35150	278	253	28	28	587	16.7	209	184	393	11.2	—	11.2	25	42
HAMSHIRE : COUNTY															
...	150200	1152	1133	174	182	2641	17.6	955	917	1872	12.5	2	12.5	119	44
DISTRICT															
Edge M.B. ...	76260	558	573	103	95	1329	17.4	431	456	887	11.6	2	11.6	55	41
DISTRICTS															
ton ...	73940	594	560	71	87	1312	17.7	524	461	985	13.3	—	13.3	64	48
cket ...	33240	264	263	27	31	585	17.6	212	222	434	13.1	—	13.1	36	60
ambbridgeshire	18800	146	129	15	24	314	16.7	141	108	249	13.2	—	13.2	16	50
...	21900	184	168	29	32	413	18.9	171	131	302	13.8	—	13.8	12	28
BOROUGH															
...	1116630	9037	8437	837	821	19132	17.1	7156	7039	14195	12.7	3	12.7	1053	54
...	383260	3236	3114	350	375	7075	18.5	2654	2520	5174	13.5	1	13.5	502	69
...	121660	1176	1051	117	109	2453	20.2	874	801	1675	13.8	—	13.8	194	77
...	44430	346	319	59	70	794	17.9	322	282	604	13.6	—	13.6	64	79
...	129280	967	983	86	103	2139	16.5	896	845	1741	13.5	1	13.5	147	67
...	87890	747	761	88	93	1689	19.2	562	592	1154	13.1	—	13.1	97	56
COUNTY															
...	733370	5801	5323	487	446	12057	16.4	4502	4519	9021	12.3	2	12.3	551	45
DISTRICTS															
Edge ...	572920	4523	4200	395	354	9472	16.5	3511	3610	7121	12.4	2	12.4	439	45
...	2988	20	14	3	3	40	13.4	19	24	43	14.4	—	14.4	1	24
...	4822	41	38	8	3	90	18.7	33	25	58	12.0	—	12.0	5	64
am M.B. ...	36620	290	290	19	20	619	16.9	211	220	431	11.8	—	11.8	26	41
on M.B. ...	42390	407	304	26	29	766	18.1	226	193	419	9.9	—	9.9	39	50
on ...	4658	27	37	4	1	69	14.8	30	27	57	12.2	—	12.2	3	43
...															
...	2938	25	18	2	3	48	16.3	15	23	38	12.9	—	12.9	2	41
y and Romiley	15960	127	100	8	6	241	15.1	107	85	192	12.0	—	12.0	11	45
and Gatley	28580	229	205	12	10	456	16.0	140	159	299	10.5	—	10.5	12	26
on M.B. ...	13890	101	107	12	10	230	16.6	92	109	201	14.5	—	14.5	13	65
M.B. ...	50160	441	423	23	31	918	18.3	339	290	629	12.5	—	12.5	48	51
...															
ld M.B. ...	17370	124	112	12	13	261	15.0	144	110	254	14.6	—	14.6	11	41
re Port	27160	243	249	34	18	544	20.0	143	109	252	9.3	—	9.3	26	47
...	11430	69	72	6	5	152	13.3	75	72	147	12.9	—	12.9	7	45
...															
rove and	18100	135	121	8	7	271	15.0	93	115	208	11.5	—	11.5	14	51
hall ...	8382	56	65	5	8	134	16.0	57	41	98	11.7	—	11.7	6	44
...	24770	159	147	13	9	328	13.2	154	169	323	13.0	—	13.0	10	30
B. ...	28820	233	194	18	20	465	16.1	206	229	435	15.1	—	15.1	23	48
rd ...	5620	39	39	13	5	96	17.1	35	39	74	13.2	—	13.2	6	61
dale ...	4385	23	19	3	1	46	10.5	27	42	69	15.7	—	15.7	—	—
...															
...	5988	44	35	5	5	89	14.9	35	57	92	15.4	—	15.4	6	66
ield M.B. ...	33100	213	235	39	25	512	15.5	181	229	410	12.4	—	12.4	34	65
...	11820	81	70	6	2	159	13.5	68	82	150	12.7	—	12.7	4	25
ich ...	5926	54	58	5	6	123	20.8	36	32	68	11.5	—	11.5	7	56
h ...	8540	50	57	9	7	123	14.4	56	58	114	13.3	—	13.3	7	56
...															
...	8715	64	61	9	4	138	15.8	44	50	94	10.8	—	10.8	6	43
ch ...	18130	154	124	23	24	325	17.9	141	107	248	13.7	—	13.7	21	63
...	21690	205	189	15	9	418	19.3	136	155	291	13.4	—	13.4	28	66
...	39630	309	290	13	30	642	16.2	216	242	458	11.6	1	11.5	19	29
...	8348	72	67	8	7	154	18.4	52	64	116	13.9	—	13.9	9	57
...															
Edge M.B. ...	20630	178	162	13	10	363	17.6	142	180	322	15.6	—	15.6	17	46
...	14860	102	85	5	6	198	13.3	85	94	179	12.0	—	12.0	8	40
...	10720	77	80	12	9	178	16.6	69	88	157	14.6	—	14.6	3	16
...	15800	131	133	4	8	276	17.5	104	91	195	12.3	1	12.3	7	25

TABLE 17—continued.

AREA.	Esti- mated Resident Civilian Popula- tion (Middle 1945)	LIVE BIRTHS						DEATHS						Number.
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—contd.														
RURAL DISTRICTS ...	160450	1278	1123	92	92	2585	16.1	991	909	1900	11.8	—	11.8	1
Bucklow ...	9838	80	58	4	6	148	15.0	54	53	107	10.9	—	10.9	
Chester ...	17510	162	157	12	11	342	19.5	104	96	200	11.4	—	11.4	
Congleton ...	11500	73	93	5	5	176	15.3	73	56	129	11.2	—	11.2	
Disley ...	2759	17	17	—	—	34	12.3	27	19	46	16.7	—	16.7	
Macclesfield ...	18460	129	124	6	6	265	14.4	107	115	222	12.0	—	12.0	
Nantwich ...	25040	201	172	17	14	404	16.1	171	146	317	12.7	—	12.7	
Northwich ...	28460	257	178	25	25	485	17.0	166	164	330	11.6	—	11.6	
Runcorn ...	31710	240	220	12	11	483	15.2	185	166	351	11.1	—	11.1	
Tarvin ...	14010	115	95	11	14	235	16.8	97	84	181	12.9	—	12.9	
Tintwistle ...	1163	4	9	—	—	13	11.2	7	10	17	14.6	—	14.6	
CORNWALL:														
ADMIN. COUNTY ...	315020	2243	2191	324	271	5029	16.0	2226	2377	4603	14.6	4	14.6	1
URBAN DISTRICTS ...	173630	1211	1182	202	156	2751	15.8	1197	1324	2521	14.5	1	14.5	1
Bodmin M.B. ...	5402	29	25	6	4	64	11.8	40	44	84	15.5	—	15.5	
Bude—Stratton ...	5103	28	23	4	2	57	11.2	35	33	68	13.3	—	13.3	
Camborne—Redruth ...	33850	206	239	41	30	516	15.2	229	252	481	14.2	—	14.2	
Falmouth M.B. ...	15130	129	121	24	19	293	19.4	93	120	213	14.1	—	14.1	
Fowey M.B....	1948	15	13	—	1	29	14.9	15	12	27	13.9	—	13.9	
Helston M.B. ...	5457	40	36	7	3	86	15.8	36	41	77	14.1	—	14.1	
Launceston M.B. ...	4567	22	26	4	1	53	11.6	32	30	62	13.6	—	13.6	
Liskeard M.B. ...	4242	35	24	3	5	67	15.8	32	37	69	16.3	—	16.3	
Looe ...	3782	23	13	7	—	43	11.4	25	24	49	13.0	—	13.0	
Lostwithiel M.B. ...	2130	13	14	4	—	31	14.6	22	16	38	17.8	—	17.8	
Newquay ...	9742	75	63	11	12	161	16.5	46	72	118	12.1	—	12.1	
Padstow ...	2344	22	18	2	2	44	18.8	16	20	36	15.4	—	15.4	
Penryn M.B. ...	3472	30	19	4	3	56	16.1	24	34	58	16.7	—	16.7	
Penzance M.B. ...	19700	140	131	24	25	320	16.2	146	169	315	16.0	1	15.9	
St. Austell ...	21870	157	155	25	16	353	16.1	167	157	324	14.8	—	14.8	
St. Ives M.B. ...	8525	51	59	7	10	127	14.9	60	82	142	16.7	—	16.7	
St. Just ...	4163	24	25	3	4	56	13.5	22	32	54	13.0	—	13.0	
Saltash M.B. ...	6588	62	63	5	6	136	20.6	36	51	87	13.2	—	13.2	
Torpoint ...	3255	33	36	3	3	75	23.0	24	19	43	13.2	—	13.2	
Truro M.B. ...	12360	77	79	18	10	184	14.9	97	79	176	14.2	—	14.2	
RURAL DISTRICTS ...	141390	1032	1009	122	115	2278	16.1	1029	1053	2082	14.7	3	14.7	
Camelford ...	7350	52	63	3	8	126	17.1	43	60	103	14.0	—	14.0	
Kerrier ...	18360	136	122	8	13	279	15.2	137	148	285	15.5	1	15.5	
Launceston ...	6387	56	47	9	3	115	18.0	52	44	96	15.0	—	15.0	
Liskeard ...	13790	102	96	12	18	228	16.5	107	109	216	15.7	1	15.6	
St. Austell ...	18660	112	136	19	16	283	15.2	109	110	219	11.7	1	11.7	
St. Germans ...	15110	122	100	18	11	251	16.6	126	95	221	14.6	—	14.6	
Scilly, Isles of ...	1461	10	9	1	—	20	13.7	12	10	22	15.1	—	15.1	
Stratton ...	5102	27	32	4	6	69	13.5	44	35	79	15.5	—	15.5	
Truro ...	24520	187	187	23	21	418	17.0	195	201	396	16.2	—	16.2	
Wadebridge ...	13640	93	102	7	13	215	15.8	86	106	192	14.1	—	14.1	
West Penwith ...	17010	135	115	18	6	274	16.1	118	135	253	14.9	—	14.9	
CUMBERLAND:...														
COUNTY BOROUGH ...	255080	2110	1903	231	189	4433	17.4	1634	1650	3284	12.9	—	12.9	2
Carlisle ...	59960	515	467	59	54	1095	18.3	392	415	807	13.5	—	13.5	
ADMIN. COUNTY ...	195120	1595	1436	172	135	3338	17.1	1242	1235	2477	12.7	—	12.7	1
URBAN DISTRICTS ...	77510	604	602	61	49	1316	17.0	538	533	1071	13.8	—	13.8	
Cockermouth ...	4748	23	26	3	3	55	11.6	31	28	59	12.4	—	12.4	
Keswick ...	4484	28	23	4	1	56	12.5	28	49	77	17.2	—	17.2	
Maryport ...	11010	103	92	9	4	208	18.9	69	74	143	13.0	—	13.0	
Penrith ...	9418	61	68	4	6	139	14.8	64	68	132	14.0	—	14.0	
Whitehaven M.B. ...	21600	198	187	18	19	422	19.5	140	140	280	13.0	—	13.0	
Workington M.B. ...	26250	191	206	23	16	436	16.6	206	174	380	14.5	—	14.5	

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
IRELAND—contd.															
L DISTRICTS ...	117610	991	834	111	86	2022	17.2	704	702	1406	12.0	—	12.0	88	43
on with Garrigill	2210	21	19	1	2	43	19.5	13	12	25	11.3	—	11.3	2	46
der ...	26940	197	176	25	18	416	15.4	153	182	335	12.4	—	12.4	16	38
ermouth ...	17780	151	114	15	15	295	16.6	101	100	201	11.3	—	11.3	14	46
erdale ...	25960	205	196	21	19	441	17.0	151	149	300	11.6	—	11.6	18	40
om ...	11860	97	88	18	10	213	18.0	84	65	149	12.6	—	12.6	11	51
ith ...	11200	109	72	6	5	192	17.1	67	57	124	11.1	—	11.1	7	36
ton ...	21660	211	169	25	17	422	19.5	135	137	272	12.6	—	12.6	20	46
SHIRE: ...	759270	6442	6239	548	535	13764	18.1	4463	4040	8503	11.2	4	11.2	628	43
TY BOROUGH	132520	1110	1082	127	149	2468	18.6	840	764	1604	12.1	—	12.1	121	48
oy ...	626750	5332	5157	421	386	11296	18.0	3623	3276	6899	11.0	4	11.0	507	44
N. COUNTY															
ON DISTRICTS ...	331290	2766	2667	238	211	5882	17.8	1984	1770	3754	11.3	1	11.3	275	46
ton ...	21270	190	179	19	8	396	18.6	127	93	220	10.3	—	10.3	19	47
bourne ...	4700	28	47	4	10	89	18.9	28	30	58	12.3	—	12.3	1	11
swell ...	3235	14	17	1	5	37	11.4	21	16	37	11.4	—	11.4	2	53
er ...	14000	95	99	10	3	207	14.8	60	102	162	11.6	—	11.6	7	33
over ...	10100	100	103	3	8	214	21.2	49	50	99	9.8	—	9.8	4	18
ton M.B. ...	17940	135	130	14	16	295	16.4	118	123	241	13.4	1	13.4	18	60
terfield M.B. ...	63870	571	526	43	42	1182	18.5	390	294	684	10.7	—	10.7	59	49
Cross ...	7625	73	72	9	11	165	21.6	45	39	84	11.0	—	11.0	11	65
field ...	6570	66	70	6	3	145	22.1	48	37	85	12.9	—	12.9	—	—
ton M.B. ...	16950	115	98	8	5	226	13.3	108	122	230	13.6	—	13.6	9	39
or ...	22410	164	179	22	12	377	16.8	109	99	208	9.3	—	9.3	19	49
ton M.B. ...	30320	261	275	19	17	572	18.9	187	157	344	11.3	—	11.3	24	41
Eaton ...	25720	217	199	24	20	460	17.9	147	157	304	11.8	—	11.8	31	66
rk ...	16610	135	102	11	9	257	15.5	109	91	200	12.0	—	12.0	8	30
Mills ...	7614	67	45	1	3	116	15.2	57	50	107	14.1	—	14.1	3	25
oy ...	16860	154	139	9	10	312	18.5	90	83	173	10.3	—	10.3	12	38
ley ...	16700	161	125	15	18	319	19.1	86	59	145	8.7	—	8.7	19	58
lincote District	19520	154	189	15	7	365	18.7	147	109	256	13.1	—	13.1	25	67
ey Bridge ...	4726	32	31	2	—	65	13.8	28	31	59	12.5	—	12.5	1	16
sworth ...	4550	34	42	3	4	83	18.2	30	28	58	12.7	—	12.7	3	35
L DISTRICTS ...	295460	2566	2490	183	175	5414	18.3	1639	1506	3145	10.6	3	10.6	232	42
ourne ...	10770	88	78	1	9	176	16.3	66	58	124	11.5	1	11.4	7	39
swell ...	18570	121	122	8	12	263	14.2	112	125	237	12.8	—	12.8	7	26
or ...	26330	198	207	18	9	432	16.3	147	150	297	11.2	—	11.2	18	41
swell ...	41620	447	407	24	25	903	21.7	250	177	427	10.3	—	10.3	52	56
el-en-le-Frith	17870	121	133	8	6	268	15.0	109	101	210	11.8	—	11.8	9	33
terfield ...	70400	623	604	62	35	1324	18.8	390	343	733	10.4	1	10.4	60	44
ne ...	17570	171	147	10	11	339	19.3	80	73	153	8.7	—	8.7	21	61
on ...	26830	216	202	11	23	452	16.8	154	143	297	11.1	1	11.0	16	35
flow ...	65300	581	590	41	45	1257	19.2	331	336	667	10.2	—	10.2	42	33
SHIRE: ...	702710	5519	5232	799	784	12334	17.6	5151	5300	10451	14.9	19	14.8	634	50
Y BOROUGHs ...	226650	2211	2149	339	337	5036	22.2	1709	1691	3400	15.0	16	14.9	284	55
or ...	69070	511	529	95	101	1236	17.9	444	506	950	13.8	2	13.7	70	55
outh ...	157580	1700	1620	244	236	3800	24.1	1265	1185	2450	15.6	14	15.5	214	55
Y. COUNTY	476060	3308	3083	460	447	7298	15.3	3442	3609	7051	14.8	3	14.8	350	47
ON DISTRICTS ...	246770	1628	1539	277	277	3721	15.1	1841	2045	3886	15.7	1	15.7	174	46
urion ...	2491	19	22	5	5	51	20.5	22	24	46	18.5	—	18.5	2	38
uster ...	2424	17	19	2	4	42	17.3	8	12	20	8.3	—	8.3	1	23
staple M.B. ...	15940	121	141	18	26	306	19.2	122	109	231	14.5	—	14.5	22	70
ord M.B. ...	10000	57	62	11	16	146	14.6	73	81	154	15.4	—	15.4	11	74
am ...	8497	48	61	8	6	123	14.5	72	51	123	14.5	—	14.5	7	56
astleigh ...	2563	18	17	4	1	40	15.6	16	20	36	14.0	—	14.0	3	73
igh Salterton ...	3697	22	27	2	5	56	15.1	35	40	75	20.3	—	20.3	2	35
on ...	3983	20	29	6	1	56	14.1	30	44	74	18.6	—	18.6	1	17
outh M.B. ...	5177	50	41	9	4	104	20.1	36	45	81	15.6	—	15.6	4	38
sh ...	6789	51	32	8	4	95	14.0	44	53	97	14.3	—	14.3	2	21

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Popula- tion (Middle 1945)	LIVE BIRTHS						DEATHS						Number.
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE—contd.														
U.D's.—contd.														
Exmouth ...	15720	115	93	9	11	228	14.5	131	161	292	18.6	—	18.6	12
Great Torrington M.B.	2702	21	17	1	3	42	15.5	15	21	36	13.3	—	13.3	3
Holworthy ...	1279	9	8	1	2	20	15.6	16	6	22	17.2	—	17.2	2
Honiton M.B.	3399	30	20	3	5	58	17.1	28	21	49	14.4	—	14.4	5
Ilfracombe ...	9377	65	55	18	9	147	15.7	74	96	170	18.1	—	18.1	10
Kingsbridge ...	2870	15	24	4	3	46	16.0	18	12	30	10.5	—	10.5	4
Lynton ...	2053	7	10	3	1	21	10.2	15	12	27	13.2	—	13.2	2
Newton Abbot ...	14230	105	91	14	16	226	15.9	107	104	211	14.8	—	14.8	13
Northam ...	6145	43	46	6	7	102	16.6	36	44	80	13.0	—	13.0	6
Okehampton M.B.	3816	28	29	6	2	65	17.0	29	37	66	17.3	—	17.3	3
Ottery St. Mary ...	3501	25	20	5	4	54	15.4	30	28	58	16.6	—	16.6	4
Paignton ...	24310	141	130	29	28	328	13.5	204	207	411	16.9	—	16.9	14
Salcombe ...	2344	14	16	6	3	39	16.6	17	19	36	15.4	—	15.4	4
Seaton ...	2960	17	13	3	4	37	12.5	34	22	56	18.9	1	18.6	3
Sidmouth ...	9365	60	37	7	10	114	12.2	67	93	160	17.1	—	17.1	6
South Molton M.B.	2905	16	12	7	1	36	12.4	11	16	27	9.3	—	9.3	2
Tavistock ...	5970	27	24	3	4	58	9.7	42	43	85	14.2	—	14.2	7
Teignmouth ...	9123	51	49	9	10	119	13.0	70	94	164	18.0	—	18.0	8
Tiverton M.B.	10630	56	91	10	16	173	16.3	64	83	147	13.8	—	13.8	8
Torquay M.B.	46900	322	263	52	59	696	14.8	342	425	767	16.4	—	16.4	25
Totnes M.B.	5610	38	40	8	7	93	16.6	33	22	55	9.8	—	9.8	2
RURAL DISTRICTS														
Axminster ...	229290	1680	1544	183	170	3577	15.6	1601	1564	3165	13.8	2	13.8	170
Barnstaple ...	10490	66	49	7	6	128	12.2	72	71	143	13.6	—	13.6	6
Barnstaple ...	21260	134	173	13	14	334	15.7	134	190	324	15.2	—	15.2	15
Bideford ...	5199	44	32	—	5	81	15.6	29	26	55	10.6	—	10.6	7
Broadwood Widger	1974	25	19	2	1	47	23.8	13	12	25	12.7	—	12.7	1
Credon ...	9820	82	57	11	6	156	15.9	72	67	139	14.2	—	14.2	8
Holworthy ...	6263	49	36	6	3	94	15.0	47	43	90	14.4	—	14.4	6
Honiton ...	6940	73	46	9	8	136	19.6	45	41	86	12.4	—	12.4	5
Kingsbridge ...	10280	68	79	9	6	162	15.8	90	55	145	14.1	1	14.0	6
Newton Abbot	22940	151	127	22	24	324	14.1	160	187	347	15.1	—	15.1	22
Okehampton ...	12420	79	73	12	6	170	13.7	82	83	165	13.3	—	13.3	3
Plympton St. Mary	29560	212	233	18	18	481	16.3	227	194	421	14.2	1	14.2	20
St. Thomas ...	28340	213	195	21	27	456	16.1	189	181	370	13.1	—	13.1	28
South Molton ...	8724	77	77	4	3	161	18.5	58	50	108	12.4	—	12.4	4
Tavistock ...	14700	129	85	9	12	235	16.0	108	119	227	15.4	—	15.4	4
Tiverton ...	19730	159	140	23	20	342	17.3	134	118	252	12.8	—	12.8	17
Torrington ...	7160	54	53	3	4	114	15.9	57	46	103	14.4	—	14.4	4
Totnes ...	13490	65	70	14	7	156	11.6	84	81	165	12.2	—	12.2	7
DORSETSHIRE :														
ADMIN. COUNTY														
ADMIN. COUNTY	242990	1951	1785	302	276	4314	17.8	1574	1606	3180	13.1	3	13.1	181
URBAN DISTRICTS														
Blandford Forum M.B.	151810	1254	1102	185	172	2713	17.9	970	1026	1996	13.1	—	13.1	125
Bridport M.B.	3270	25	31	6	8	70	21.4	22	31	53	16.2	—	16.2	4
Dorchester M.B.	6003	35	42	5	6	88	14.7	39	44	83	13.8	—	13.8	8
Dorchester M.B.	10180	66	64	11	9	150	14.7	65	69	134	13.2	—	13.2	4
Lyme Regis M.B.	2951	18	18	3	3	42	14.2	25	17	42	14.2	—	14.2	7
Poole M.B.	69889	594	490	87	81	1252	17.9	436	465	901	12.9	1	12.9	68
Portland ...	7040	57	47	7	7	118	16.8	56	42	98	13.9	2	13.6	4
Shaftesbury M.B.	3391	23	24	3	2	52	15.3	29	25	54	15.9	—	15.9	1
Sherborne ...	6282	47	36	6	3	92	14.6	18	40	58	9.2	—	9.2	4
Swanage ...	5231	52	39	6	4	101	19.3	47	38	85	16.2	—	16.2	4
Wareham M.B.	2623	17	30	4	3	54	20.6	18	16	34	13.0	—	13.0	5
Weymouth and Mel- combe Regis M.B.	31000	291	247	40	42	620	20.0	187	198	385	12.4	—	12.4	28
Wimborne Minster	3950	29	34	7	4	74	18.7	28	41	69	17.4	—	17.4	2
RURAL DISTRICTS														
Beaminster ...	91180	697	683	117	104	1601	17.6	604	580	1184	13.0	—	13.0	52
Beaminster ...	7519	54	54	11	6	125	16.6	52	36	88	11.7	—	11.7	4
Blandford ...	7140	63	57	11	9	140	19.6	41	41	82	11.5	—	11.5	5
Bridport ...	6843	42	35	6	8	91	13.3	46	72	118	17.2	—	17.2	6
Dorchester ...	15000	105	101	27	19	252	16.8	91	86	177	11.8	—	11.8	4
Shaftesbury ...	8430	55	67	5	7	134	15.9	70	60	130	15.4	—	15.4	4

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related to veb irths.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
TSHIRE—contd.															
—contd.															
borne ...	5114	38	45	4	6	93	18.2	37	37	74	14.5	—	14.5	3	32
minster ...	8284	70	61	5	8	144	17.4	54	54	108	13.0	—	13.0	2	14
eam and Purbeck	14260	142	132	17	17	308	21.6	77	68	145	10.2	—	10.2	8	26
borne and Cran-	18590	128	131	31	24	314	16.9	136	126	262	14.1	—	14.1	10	31
orne															
AM: ...	1335540	12138	11491	890	856	25375	19.0	8711	7872	16583	12.4	16	12.4	1,416	55
RY BOROUGHs ...	507200	4760	4362	371	373	9866	19.5	3474	3204	6678	13.2	7	13.2	580	58
ington ...	78280	646	588	67	68	1369	17.5	493	481	974	12.4	—	12.4	55	39
eshead ...	105560	998	921	76	80	2075	19.7	698	664	1362	12.9	—	12.9	116	55
ch Shields ...	93680	898	822	62	75	1857	19.8	728	622	1350	14.4	2	14.4	131	69
erland ...	165310	1572	1491	109	96	3268	19.8	1095	1031	2126	12.9	5	12.8	183	55
rt Hartlepool ...	64370	646	540	57	54	1297	20.1	460	406	866	13.5	—	13.5	95	72
N. COUNTY ...	828340	7378	7129	519	483	15509	18.7	5237	4668	9905	12.0	9	11.9	836	53
N DISTRICTS ...	569410	5088	4913	355	344	10700	18.8	3697	3275	6972	12.2	6	12.2	564	52
ard Castle ...	4085	29	36	1	2	68	16.6	36	28	64	15.7	—	15.7	6	86
ingham ...	20900	198	204	16	14	432	20.7	121	83	204	9.8	—	9.8	30	68
op Auckland ...	32520	313	277	24	35	649	20.0	266	203	469	14.4	—	14.4	39	59
ndon ...	29160	243	238	13	14	508	17.4	176	138	314	10.8	—	10.8	23	44
ndon and By-	14920	116	117	6	5	244	16.4	104	97	201	13.5	1	13.4	10	40
ottles	18270	191	178	20	7	396	21.7	157	116	273	14.9	—	14.9	32	79
ster-le-Street ...	16980	151	136	13	13	313	18.4	110	113	223	13.1	—	13.1	16	60
ett ...	35310	346	303	18	23	690	19.5	234	201	435	12.3	—	12.3	34	48
ek and Willington	26750	193	193	16	13	415	15.5	187	161	348	13.0	—	13.0	24	57
am M.B. ...	17400	124	129	5	10	268	15.4	89	108	197	11.3	—	11.3	15	65
ng ...	23210	175	196	12	11	394	17.0	119	146	265	11.4	—	11.4	13	32
lepool M.B. ...	14950	170	142	9	15	336	22.5	109	100	209	14.0	1	13.9	18	62
urn ...	22250	201	207	8	10	426	19.1	132	123	255	11.5	1	11.4	20	46
on ...	18250	190	171	9	3	373	20.4	107	85	192	10.5	—	10.5	27	45
ghton-le-Spring	27290	241	230	8	17	496	18.2	167	143	310	11.4	—	11.4	27	53
ow M.B. ...	26190	235	233	18	17	503	19.2	183	157	340	13.0	1	12.9	20	39
on ...	12970	112	109	4	7	232	17.9	75	74	149	11.5	—	11.5	11	46
am ...	23930	247	232	16	16	511	21.4	129	112	241	10.1	1	10.0	29	56
lon ...	13460	102	101	9	16	228	16.9	93	80	173	12.0	—	12.0	13	66
ynemoor ...	18070	147	178	13	16	354	19.6	122	91	213	11.8	1	11.7	16	44
iley ...	46440	421	388	32	18	859	18.5	283	291	574	12.4	—	12.4	47	54
hton-on-Tees	65660	608	586	60	43	1,297	19.8	445	409	854	13.0	—	13.0	69	52
B. ...															
Law ...	2985	21	26	3	2	52	17.4	33	10	43	14.4	—	14.4	3	56
hington ...	16370	161	134	7	9	311	19.0	91	86	177	10.8	—	10.8	16	60
ckham ...	21090	153	169	15	8	345	16.4	129	120	249	11.8	—	11.8	16	45
AL DISTRICTS ...	258930	2290	2216	164	139	4809	18.6	1540	1393	2933	11.3	3	11.3	272	55
ard Castle ...	16000	119	137	14	12	282	17.6	106	102	208	13.0	—	13.0	13	46
ster-le-Street ...	39190	372	313	27	24	736	18.8	251	229	480	12.2	1	12.2	48	64
ington ...	8910	73	65	10	2	150	16.8	60	62	122	13.7	—	13.7	7	46
ham ...	30840	277	270	21	16	584	18.9	195	157	352	11.4	—	11.4	26	44
ington ...	76990	774	749	49	36	1598	20.8	466	382	848	11.0	1	11.0	88	54
chester ...	14000	120	125	6	3	254	18.1	69	90	159	11.4	—	11.4	16	62
regheld ...	34840	306	290	19	23	633	18.3	171	158	329	9.4	—	9.4	38	58
hton ...	7020	59	46	6	7	118	16.8	43	44	87	12.4	1	12.4	12	100
erland ...	22310	155	170	10	11	346	15.5	135	124	259	11.6	—	11.6	22	62
ardale ...	8830	45	51	2	5	103	11.7	44	45	89	10.1	—	10.1	2	19
ISLE OF:															
N. COUNTY ...	81010	660	630	87	82	1459	18.0	492	493	985	12.2	3	12.1	59	40
N DISTRICTS ...	49330	390	359	51	49	849	17.2	290	328	618	12.5	2	12.5	37	43
tteris ...	4975	42	36	4	3	85	17.1	28	42	70	14.1	—	14.1	5	67
ch ...	8705	65	52	6	8	131	15.0	55	64	119	13.7	2	13.4	9	63
ch ...	12610	102	114	6	6	228	18.1	72	67	139	11.0	—	11.0	7	30
ttlesley ...	7960	65	51	5	9	130	16.3	55	38	93	11.7	—	11.7	8	60
bech M.B. ...	15080	116	106	30	23	275	18.2	80	117	197	13.1	—	13.1	8	28

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Popula- tion (Middle 1945)	LIVE BIRTHS						DEATHS						Number.
		Legiti- mate		Illegiti- mate		TOTAL	Crude rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude rate per 1,000 Civilian Population.	Civilian War Deaths.	Death rate excluding Civilian War Deaths.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ELY, ISLE OF—contd.														
RURAL DISTRICTS ...	31680	270	271	36	33	610	19.3	202	165	367	11.6	—	11.6	2
Ely ...	12920	127	117	12	11	267	20.7	90	79	169	13.1	—	13.1	1
North Witchford ...	4707	35	41	3	4	83	17.6	36	19	55	11.7	—	11.7	1
Thorney ...	2213	24	23	1	2	50	22.6	6	14	20	9.0	—	9.0	1
Wisbech ...	11840	84	90	20	16	210	17.7	70	53	123	10.4	1	10.3	1
ESSEX:														
... ..	1625090	13801	12885	1201	1077	28964	17.8	10094	9582	19676	12.1	703	11.7	1,13
COUNTY BOROUGHS ...	338480	3200	3017	297	250	6764	20.0	2520	2322	4842	14.3	270	13.5	26
East Ham ...	95230	843	792	67	42	1744	18.3	644	591	1235	13.0	49	12.5	8
Southend-on-Sea ...	107990	937	932	104	91	2064	19.1	802	753	1555	14.4	1	14.4	8
West Ham ...	135260	1420	1293	126	117	2956	21.9	1074	978	2052	15.2	220	13.5	11
ADMIN. COUNTY ...	1286610	10601	9868	904	827	22200	17.3	7574	7260	14834	11.5	433	11.2	87
URBAN DISTRICTS ...														
Barking M.B. ...	65360	572	533	27	25	1157	17.7	314	297	611	9.3	22	9.0	4
Benfleet ...	17350	140	119	6	13	278	16.0	124	136	260	15.0	—	15.0	1
Billerica ...	37430	289	321	14	24	648	17.3	279	274	553	14.8	5	14.6	3
Braintree and Bocking	16200	125	107	16	24	272	16.8	93	93	186	11.5	—	11.5	1
Brentwood ...	25970	157	139	12	10	318	12.2	132	138	270	10.4	5	10.2	2
Brightlingsea ...	3997	33	35	2	1	71	17.8	42	37	79	19.8	—	19.8	1
Burnham-on-Crouch ...	3293	27	20	3	—	50	15.2	26	30	56	17.0	—	17.0	1
Canvey Island ...	7960	58	70	12	5	145	18.2	42	41	83	10.4	—	10.4	1
Chelmsford M.B. ...	32970	291	262	24	27	604	18.3	189	166	355	10.8	—	10.8	1
Chigwell ...	25170	206	183	36	33	458	18.2	138	144	282	11.2	3	11.1	1
Chingford M.B. ...	37790	306	280	14	7	607	16.1	158	163	321	8.5	20	8.0	1
Clacton ...	14600	106	82	20	17	225	15.4	129	133	262	17.9	—	17.9	1
Colchester M.B. ...	44940	395	301	67	56	819	18.2	283	274	557	12.4	1	12.4	3
Dagenham M.B. ...	94530	873	873	61	43	1,850	19.6	360	299	659	7.0	17	6.8	7
Epping ...	5875	42	50	6	4	102	17.4	47	22	69	11.7	6	10.7	1
Frinton and Walton	5282	42	25	8	7	82	15.5	45	51	96	18.2	1	18.0	1
Halstead ...	6017	40	32	2	12	86	14.3	38	51	89	14.8	—	14.8	1
Harwich M.B. ...	9963	101	86	14	8	209	21.0	75	49	124	12.4	—	12.4	1
Hornchurch ...	84430	740	732	42	52	1566	18.5	429	408	837	9.9	58	9.2	8
Ilford M.B. ...	151520	1213	1132	73	59	2477	16.3	810	854	1664	11.0	105	10.3	1
Leyton M.B. ...	87330	731	665	43	51	1490	17.1	606	541	1147	13.1	59	12.5	5
Maldon M.B. ...	8807	69	60	8	10	147	16.7	51	52	103	11.7	—	11.7	1
Rayleigh ...	7539	61	48	8	2	119	15.8	62	58	120	15.9	—	15.9	1
Romford M.B. ...	57960	565	486	53	31	1135	19.6	309	315	624	10.8	14	10.5	4
Saffron Walden M.B. ...	6976	51	36	8	9	104	14.9	58	43	101	14.5	1	14.3	1
Thurrock ...	60820	523	520	58	51	1152	18.9	349	292	641	10.5	—	10.5	5
Waltham Holy Cross	6670	53	46	3	4	106	15.9	43	31	74	11.1	6	10.2	1
Walthamstow M.B....	103320	828	790	55	45	1718	16.6	651	620	1271	12.3	51	11.8	6
Wanstead and	48230	378	345	24	27	774	16.0	298	329	627	13.0	48	12.0	2
Woodford M.B. ...														
West Mersea ...	2162	28	20	2	4	54	25.0	17	20	37	17.1	2	16.2	1
Witham ...	7619	72	60	6	7	145	19.0	39	42	81	10.6	—	10.6	1
Wivenhoe ...	2160	16	20	1	2	39	18.1	16	18	34	15.7	—	15.7	1
RURAL DISTRICTS ...														
Braintree ...	196370	1470	1390	176	157	3193	16.3	1322	1239	2561	13.0	9	13.0	12
Chelmsford ...	16680	110	110	18	10	248	14.9	100	104	204	12.2	—	12.2	1
Dunmow ...	33520	263	268	16	32	579	17.3	194	164	358	10.7	1	10.7	2
Epping ...	17760	113	117	14	21	265	14.9	114	111	225	12.7	—	12.7	1
Halstead ...	15470	122	118	11	5	256	16.5	97	108	205	13.3	3	13.1	1
... ..	15440	101	96	6	16	219	14.2	108	119	227	14.7	1	14.6	1
Lexden and Winstree	19720	143	132	32	17	324	16.4	134	126	260	13.2	1	13.1	1
Maldon ...	12700	113	68	14	11	206	16.2	97	88	185	14.6	1	14.5	1
Ongar ...	12660	120	100	13	8	241	19.0	103	68	171	13.5	1	13.4	1
Rochford ...	15240	118	119	12	9	258	16.9	116	104	220	14.4	—	14.4	1
Saffron Walden	16400	109	97	16	11	233	14.2	126	101	227	13.8	—	13.8	1
Tendring ...	20780	158	165	24	17	364	17.5	133	146	279	13.4	—	13.4	1
GLOUCESTERSHIRE:														
COUNTY BOROUGHS ...	862890	7096	6618	728	739	15181	17.6	5112	5341	10453	12.1	5	12.1	563
Bristol ...	475990	3851	3581	367	371	8170	17.2	2758	2833	5591	11.7	—	11.7	289
Gloucester ...	414320	3328	3037	293	301	6959	16.8	2387	2418	4805	11.6	—	11.6	243
... ..	61670	523	544	74	70	1211	19.6	371	415	786	12.7	—	12.7	43

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SHERBURN—contd.															
... COUNTY ...	386900	3245	3037	361	368	7011	18.1	2354	2508	4862	12.6	5	12.6	275	38
... DISTRICTS ...	131260	1093	1007	142	137	2379	18.1	843	942	1785	13.6	2	13.6	101	42
... ton Kings ...	5666	42	37	4	5	88	15.5	32	37	69	12.2	1	12.0	2	22
... enham M.B. ...	59030	496	436	84	82	1098	18.6	384	472	856	14.5	1	14.5	55	49
... cester ...	10890	94	101	13	9	217	19.9	69	54	123	11.3	—	11.3	10	45
... ood ...	16630	153	160	9	12	334	20.1	111	109	220	13.2	—	13.2	11	32
... otswold ...	15770	145	117	12	10	284	18.0	88	86	174	11.0	—	11.0	8	28
... worth ...	3393	18	21	1	1	41	12.1	21	25	46	13.6	—	13.6	—	—
... d ...	15480	115	102	12	6	235	15.2	106	117	223	14.4	—	14.4	11	46
... esbury M.B. ...	4401	30	33	7	12	82	18.6	32	42	74	16.8	—	16.8	4	43
... DISTRICTS ...	255640	2152	2030	219	231	4632	18.1	1511	1566	3077	12.0	3	12.0	174	37
... enham ...	19990	156	144	26	19	345	17.3	102	124	226	11.3	—	11.3	11	31
... cester ...	12160	108	79	11	23	221	18.2	67	89	156	12.8	—	12.8	10	44
... ey ...	16030	131	141	13	10	295	18.4	81	94	175	10.9	—	10.9	8	27
... Dean ...	19950	162	153	13	18	346	17.3	155	129	284	14.2	—	14.2	22	62
... cester ...	31480	239	248	25	33	545	17.3	146	164	310	9.8	—	9.8	22	40
... ey ...	10030	88	63	6	9	166	16.6	61	59	120	12.0	—	12.0	1	6
... nt ...	7685	61	67	6	10	144	18.7	60	63	123	16.0	—	16.0	6	41
... n Cotswold ...	16830	136	172	21	26	355	21.1	105	109	214	12.7	2	12.6	9	25
... leach ...	7502	66	47	13	9	135	18.0	54	56	110	14.7	—	14.7	4	29
... ury ...	33570	330	295	27	19	671	20.0	161	154	315	9.4	—	9.4	25	36
... dy ...	25060	218	188	15	14	435	17.4	170	186	356	14.2	—	14.2	19	43
... ury ...	5641	38	43	6	2	89	15.8	39	50	89	15.8	1	15.6	4	44
... nbury ...	22790	205	204	16	16	441	19.4	124	123	247	10.8	—	10.8	18	40
... nley ...	9072	72	49	1	3	125	13.8	66	61	127	14.0	—	14.0	3	23
... Dean ...	17850	142	137	20	20	319	17.9	120	105	225	12.6	—	12.6	12	37
SHERBURN :															
... COUNTY ...	116680	956	837	140	122	2055	17.6	770	766	1536	13.2	—	13.2	85	40
... DISTRICTS ...	47920	397	357	63	58	875	18.3	303	334	637	13.3	—	13.3	43	48
... yard ...	1606	11	9	1	2	23	14.3	6	12	18	11.2	—	11.2	1	43
... yard M.B. ...	30510	265	248	36	43	592	19.4	190	198	388	12.7	—	12.7	27	45
... ton ...	1972	9	20	3	2	34	17.2	10	16	26	13.2	—	13.2	4	115
... ury ...	3321	27	20	9	2	58	17.5	21	22	43	12.9	—	12.9	3	51
... nminster M.B. ...	5862	52	33	7	5	97	16.5	43	38	81	13.8	—	13.8	5	50
... n-Wye ...	4649	33	27	7	4	71	15.3	33	48	81	17.4	—	17.4	3	41
... DISTRICTS ...	68760	559	480	77	64	1180	17.2	467	432	899	13.1	—	13.1	42	35
... yard ...	7382	76	47	8	7	138	18.7	57	38	95	12.9	—	12.9	6	43
... and ...	7361	74	45	6	6	131	17.8	47	43	90	12.2	—	12.2	3	22
... edwardine ...	13340	108	91	17	13	229	17.2	90	81	171	12.8	—	12.8	8	34
... ton ...	4655	31	42	6	9	88	18.9	23	43	66	14.2	—	14.2	3	33
... ury ...	8334	67	64	9	5	145	17.4	55	44	99	11.9	—	11.9	5	34
... nminster and ...	9844	69	71	13	9	162	16.5	71	77	148	15.0	—	15.0	7	42
... gnore ...	11650	85	91	11	11	198	17.0	84	70	154	13.2	—	13.2	8	40
... and Whitchurch ...	6194	49	29	7	4	89	14.4	40	36	76	12.3	—	12.3	2	22
SHERBURN :															
... COUNTY ...	535010	4151	3775	340	407	8673	16.2	2787	2849	5636	10.5	35	10.5	290	33
... DISTRICTS ...	393380	3071	2764	262	294	6391	16.2	2066	2170	4236	10.8	33	10.7	215	33
... ock ...	5448	41	36	5	8	90	16.5	21	29	50	9.2	—	9.2	4	44
... et ...	20820	158	140	13	13	324	15.6	114	120	234	11.2	2	11.1	11	30
... amsted ...	10950	79	66	8	8	161	14.7	65	63	128	11.7	—	11.7	5	33
... op's Stortford ...	11680	78	64	10	8	160	13.7	56	77	133	11.4	—	11.4	6	37
... ey ...	12880	92	80	5	5	182	14.1	66	71	137	10.6	—	10.6	8	43
... unt ...	18700	167	145	7	17	336	18.0	107	95	202	10.8	12	10.2	12	35
... eywood ...	3967	26	20	1	3	50	12.6	20	17	37	9.3	—	9.3	1	20
... Barnett ...	35270	310	267	9	16	602	17.1	174	189	363	10.3	16	9.8	15	24
...ندن ...	13090	104	100	7	4	215	16.4	68	77	145	11.1	—	11.1	7	32
... el Hempstead ...	21120	176	165	22	27	390	18.5	103	117	220	10.4	1	10.4	15	38

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Number.
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	
HERTFORDSHIRE—contd.														
U.D's.—contd.														
Hertford M.B. ...	13300	101	77	5	5	188	14.1	62	72	134	10.1	—	10.1	
Hitchin ...	19520	151	133	15	24	323	16.5	102	114	216	11.1	—	11.1	
Hoddesdon ...	12470	95	89	5	8	197	15.8	65	72	137	11.0	—	11.0	
Letchworth ...	19970	164	133	12	12	321	16.1	83	90	173	8.7	—	8.7	
Rickmansworth ...	21870	179	139	9	11	338	15.5	103	118	221	10.1	—	10.1	
Royston ...	4369	32	33	10	4	79	18.1	27	35	62	14.2	—	14.2	
St. Alban M.B. ...	41200	290	276	27	32	625	15.2	229	245	474	11.5	—	11.5	
Sawbridgeworth ...	3173	32	19	1	—	52	16.4	14	27	41	12.9	—	12.9	
Stevenage ...	6326	41	40	4	4	89	14.1	36	33	69	10.9	—	10.9	
Tring ...	4941	39	25	5	6	75	15.2	33	36	69	14.0	—	14.0	
Ware ...	7936	45	45	3	6	99	12.5	44	47	91	11.5	—	11.5	
Watford M.B. ...	67070	524	511	63	54	1152	17.2	401	376	777	11.6	2	11.6	
Welwyn Garden City	17310	147	161	16	19	343	19.8	73	50	123	7.1	—	7.1	
RURAL DISTRICTS ...	141630	1080	1011	78	113	2282	16.1	721	679	1400	9.9	2	9.9	
Berkhamsted ...	5684	32	31	4	9	76	13.4	26	35	61	10.7	—	10.7	
Braughing ...	9037	70	65	7	6	148	16.4	58	50	108	12.0	—	12.0	
Elstree ...	10660	85	78	3	6	172	16.1	40	36	76	7.1	—	7.1	
Hatfield ...	20030	157	130	11	13	311	15.5	88	72	160	8.0	1	8.0	
Hemel Hempstead	9668	90	74	8	7	179	18.5	61	46	107	11.1	—	11.1	
Hertford ...	7398	56	47	7	9	119	16.1	37	34	71	9.6	—	9.6	
Hitchin ...	20470	164	137	8	17	326	15.9	129	123	252	12.3	—	12.3	
St. Albans ...	23810	166	174	16	16	372	15.6	112	93	205	8.6	—	8.6	
Ware ...	9711	61	79	9	12	161	16.6	54	62	116	11.9	—	11.9	
Watford ...	20370	165	163	4	15	347	17.0	95	108	203	10.0	—	10.0	
Welwyn ...	4792	34	33	1	3	71	14.8	21	20	41	8.6	1	8.3	
HUNTINGDONSHIRE :														
ADMIN. COUNTY ...														
ADMIN. COUNTY ...	60070	525	505	67	76	1173	19.5	371	356	727	12.1	—	12.1	
URBAN DISTRICTS ...														
Godmanchester M.B.	28960	260	262	30	33	585	20.2	167	167	334	11.5	—	11.5	
Huntingdon M.B. ...	2230	25	22	1	6	54	24.2	12	10	22	9.9	—	9.9	
Old Fletton ...	5290	48	47	7	5	107	20.2	30	32	62	11.7	—	11.7	
Ramsey ...	8080	68	62	12	12	154	19.1	51	42	93	11.5	—	11.5	
St. Ives M.B. ...	5360	44	57	6	1	108	20.1	26	29	55	10.3	—	10.3	
St. Neots ...	3215	30	32	2	3	67	20.8	21	23	44	13.7	—	13.7	
	4785	45	42	2	6	95	19.9	27	31	58	12.1	—	12.1	
RURAL DISTRICTS ...														
Huntingdon ...	31110	265	243	37	43	588	18.9	204	189	393	12.6	—	12.6	
Norman Cross ...	7020	65	56	12	16	149	21.2	48	45	93	13.2	—	13.2	
St. Ives ...	6990	71	64	7	10	152	21.7	41	36	77	11.0	—	11.0	
St. Neots ...	10270	79	69	10	10	168	16.4	72	57	129	12.6	—	12.6	
	6830	50	54	8	7	119	17.4	43	51	94	13.8	—	13.8	
KENT: ...														
ADMIN. COUNTY ...	1243040	10644	9964	996	885	22489	18.1	7738	7626	15364	12.4	165	12.2	81
COUNTY BOROUGH														
Canterbury ...	21630	172	147	21	14	354	16.4	134	155	289	13.4	—	13.4	1
ADMIN. COUNTY														
ADMIN. COUNTY ...	1221410	10472	9817	975	871	22135	18.1	7604	7471	15075	12.3	165	12.2	80
URBAN DISTRICTS														
Ashford ...	953610	8338	7845	738	675	17596	18.5	5950	5899	11849	12.4	150	12.3	66
Beckenham M.B.	21140	168	158	27	22	375	17.7	146	140	286	13.5	—	13.5	1
Bexley M.B.	58850	444	384	29	22	879	14.9	322	328	650	11.0	25	10.6	2
Broadstairs and	75040	697	649	31	32	1409	18.8	333	363	696	9.3	21	9.0	4
St. Peters ...	8689	68	71	11	5	155	17.8	67	80	147	16.9	—	16.9	
Bromley M.B.	52310	427	396	27	41	891	17.0	319	338	657	12.6	9	12.4	2
Chatham M.B.	36080	344	354	34	23	755	20.9	259	242	501	13.9	—	13.9	3
Chislehurst and	59170	488	478	37	26	1029	17.4	309	293	602	10.2	25	9.8	3
Sidcup ...	23030	201	210	13	13	437	19.0	94	76	170	7.4	2	7.3	10
Dartford M.B.	34280	293	244	29	18	584	17.0	186	168	354	10.3	5	10.2	17
Deal M.B. ...	16620	155	195	27	20	397	23.9	110	102	212	12.8	—	12.8	13

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Popula- tion - (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
nd. ond.	24320	239	212	26	28	505	20.8	189	165	354	14.6	1	14.5	15	29
B.	38270	345	345	17	17	724	18.9	237	214	451	11.8	19	11.3	29	39
am M.B.	11270	95	64	15	12	186	16.5	90	84	174	15.4	—	15.4	10	53
me M.B.	27320	254	224	30	36	544	19.9	185	225	410	15.0	1	15.0	27	49
am M.B.	55250	589	547	47	45	1228	22.2	400	304	704	12.7	—	12.7	62	49
nd M.B.	36090	364	345	25	20	754	20.9	234	196	430	11.9	1	11.9	37	48
ay	15430	96	100	10	15	221	14.3	141	139	280	18.1	1	18.1	6	27
B.	6238	42	62	2	3	109	17.5	44	53	97	15.5	—	15.5	—	—
B.	1617	9	15	2	3	29	17.9	10	12	22	13.6	—	13.6	1	34
ne M.B.	45060	373	343	51	37	804	17.8	301	314	615	13.6	—	13.6	39	47
M.B.	24850	205	190	20	24	439	17.7	194	203	397	16.0	1	15.9	17	38
nnemy M.B.	1430	13	13	—	1	27	18.9	10	9	19	13.3	—	13.3	—	—
et	16260	126	152	8	7	293	18.0	107	82	189	11.6	1	11.6	17	57
on	49610	463	368	26	31	888	17.9	244	257	501	10.1	16	9.8	25	28
.....	18720	205	176	18	18	417	22.3	127	106	233	12.4	1	12.4	17	40
rough M.B.	2685	29	28	2	2	61	22.7	21	17	38	14.2	—	14.2	4	64
le M.B.	24620	228	209	27	31	495	20.1	174	156	330	13.4	2	13.3	15	30
r M.B.	35430	370	366	28	27	791	22.3	245	200	445	12.6	1	12.5	37	46
unbridge
M.B.	35110	231	204	31	21	487	13.9	234	323	557	15.9	—	15.9	21	42
h M.B.	3140	24	29	4	1	58	18.5	20	17	37	11.8	—	11.8	1	17
ks	13090	86	82	10	7	185	14.1	75	100	175	13.4	9	12.7	9	48
s	13280	130	112	9	20	271	20.4	87	84	171	12.9	—	12.9	7	25
ourne and
.....	19140	190	154	18	15	377	19.7	127	109	236	12.3	—	12.3	15	39
rough	7649	43	52	4	6	105	13.7	52	57	109	14.3	—	14.3	1	9
unbe.	7123	48	63	3	3	117	16.4	46	38	84	11.8	7	10.8	6	50
on M.B.	3439	29	20	2	3	54	15.7	20	28	48	14.0	—	14.0	4	73
ge	17630	126	127	26	12	291	16.5	92	137	229	13.0	—	13.0	11	37
ble	14330	101	104	12	8	225	15.7	99	140	239	16.7	2	16.5	7	30
istricts	267800	2134	1972	237	196	4539	16.9	1654	1572	3226	12.0	15	12.0	137	30
lean	16020	138	120	9	11	278	17.4	108	98	206	12.9	—	12.9	9	32
ok	12970	88	85	12	9	194	15.0	80	96	176	13.6	—	13.6	3	15
l	32130	248	236	26	19	529	16.5	182	170	352	11.0	11	10.6	19	35
.....	7145	55	48	8	4	115	16.1	61	44	105	14.7	—	14.7	3	26
hford	8187	66	55	5	5	131	16.0	60	47	107	13.1	—	13.1	6	45
.....	18440	167	151	23	13	354	19.2	100	102	202	11.0	—	11.0	14	39
.....	7356	44	60	2	5	111	15.1	51	68	119	16.2	—	16.2	3	26
ourne	14200	107	84	15	11	217	15.3	93	75	168	11.8	—	11.8	9	41
ne	16370	122	125	15	13	275	16.8	90	103	193	11.8	—	11.8	6	21
.....	30310	233	237	34	27	531	17.5	200	166	366	12.1	—	12.1	20	37
Marsh	2801	18	13	3	4	38	13.6	12	22	34	12.1	—	12.1	1	26
ks	28280	221	200	22	10	453	16.0	183	155	338	12.0	—	11.8	7	15
y	7599	98	65	7	8	178	23.4	39	32	71	9.3	—	9.3	1	5
.....	16500	134	134	10	16	294	17.8	99	95	194	11.8	—	11.7	10	33
.....	16600	153	139	11	13	316	19.0	100	96	196	11.8	1	11.8	8	25
en	6071	51	43	5	5	104	17.1	41	43	84	13.8	—	13.8	5	47
ge	18770	133	118	22	14	287	15.3	105	113	218	11.6	—	11.6	5	17
hford	8051	58	59	8	9	134	16.6	50	47	97	12.0	—	12.0	8	58
RE: ...	4583870	37728	35568	3662	3496	80454	17.6	32023	31272	63295	13.8	51	13.8	4585	56
BOROUGHS	2751450	23329	21947	2553	2441	50270	18.3	20028	19223	39251	14.3	28	14.3	3040	59
in-Furness	66440	637	601	40	39	1317	19.8	472	361	833	12.5	1	12.5	70	52
rn	102590	666	691	62	47	1466	14.3	750	825	1575	15.4	2	15.3	91	61
ol	143650	806	746	134	111	1797	12.5	1046	1089	2135	14.9	1	14.9	67	37
.....	153750	1177	1085	107	99	2468	16.1	1126	1060	2186	14.2	4	14.2	116	46
.....	58660	663	639	70	54	1426	24.3	418	337	755	12.9	—	12.9	99	68
.....	79080	579	507	67	52	1205	15.2	596	635	1231	15.6	1	15.6	77	69
.....	52530	400	322	52	56	830	15.8	401	422	823	15.7	—	15.7	37	44

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Popula- tion (Middle 1945)	LIVE BIRTHS						DEATHS					
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.
		M.	F.	M.	F.								
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14
LANCASHIRE—contd. C.B's.—contd.													
Liverpool ...	681120	6677	6452	811	769	14709	21·6	5011	4562	9573	14·1	5	14·0
Manchester ...	623480	5168	4904	579	601	11252	18·0	4625	4360	8985	14·4	9	14·4
Oldham ...	111350	907	833	66	68	1874	16·8	848	880	1728	15·5	2	15·5
Preston ...	108480	874	828	110	124	1936	17·8	755	759	1514	14·0	1	13·9
Rochdale ...	81100	586	553	54	60	1253	15·5	623	640	1263	15·6	2	15·5
St. Helens ...	99150	971	873	78	66	1988	20·1	595	521	1116	11·3	—	11·3
Salford ...	157300	1385	1320	138	131	2974	18·9	1301	1158	2459	15·6	—	15·6
Southport ...	81360	474	420	64	47	1005	12·4	561	739	1300	16·0	—	16·0
Warrington ...	72390	671	590	74	80	1415	19·5	453	419	872	12·0	—	12·0
Wigan ...	79020	688	583	47	37	1355	17·1	447	456	903	11·4	—	11·4
ADMIN. COUNTY ...	1832420	14399	13621	1109	1055	30184	16·5	11995	12049	24044	13·1	23	13·1
URBAN DISTRICTS ...	1575290	12393	11677	960	929	25959	16·5	10541	10557	21098	13·4	21	13·4
Abram ...	5563	53	41	1	4	99	17·8	33	42	75	13·5	—	13·5
Accrington M.B. ...	37510	251	268	24	27	570	15·2	273	316	589	15·7	4	15·6
Adlington ...	3592	29	26	1	2	58	16·1	27	21	48	13·4	—	13·4
Ashton-in-Makerfield	17530	152	156	9	9	326	18·6	130	113	243	13·9	—	13·9
Ashton-under-Lyne	44270	323	316	41	26	706	15·9	325	345	670	15·1	—	15·1
M.B.													
Aspull ...	6050	58	44	2	2	106	17·5	42	33	75	12·4	—	12·4
Atherton ...	19460	166	154	7	9	336	17·3	113	107	220	11·3	—	11·3
Audenshaw ...	11530	103	87	4	8	202	17·5	72	75	147	12·7	—	12·7
Bacup M.B. ...	16880	128	102	14	17	261	15·5	122	115	237	14·0	1	14·0
Barrowford ...	4387	22	26	2	4	54	12·3	35	36	71	16·2	—	16·2
Billinge and													
Winstanley ...	5748	45	35	3	1	84	14·6	51	30	81	14·1	—	14·1
Blackrod ...	2718	17	21	2	2	42	15·5	20	18	38	14·0	—	14·0
Brierfield ...	6341	54	54	5	6	119	18·8	41	51	92	14·5	—	14·5
Carnforth ...	3180	25	27	—	2	54	17·0	18	26	44	13·8	—	13·8
Chadderton ...	29360	236	215	11	9	471	16·0	163	176	339	11·5	—	11·5
Chorley M.B. ...	29410	240	211	19	15	485	16·5	181	224	405	13·8	—	13·8
Church ...	4841	32	32	5	3	72	14·9	40	30	70	14·5	—	14·5
Clayton-le-Moors ...	6410	52	45	4	1	102	15·9	56	57	113	17·6	1	17·5
Clitheroe M.B. ...	10790	68	69	5	6	148	13·7	86	81	167	15·5	—	15·5
Colne M.B. ...	19300	138	131	15	11	295	15·3	149	135	284	14·7	—	14·7
Crompton ...	11840	81	85	4	7	177	14·9	100	92	192	16·2	—	16·2
Crosby M.B. ...	53670	431	407	33	36	907	16·9	364	372	736	13·7	—	13·7
Dalton-in-Furness ...	10460	76	78	7	4	165	15·8	90	54	144	13·8	3	13·5
Darwen M.B. ...	28270	190	164	16	16	386	13·7	229	211	440	15·6	—	15·6
Denton ...	22680	188	197	12	16	413	18·2	139	152	291	12·8	1	12·8
Droylsden ...	23620	233	234	10	11	488	20·7	132	141	273	11·6	—	11·6
Eccles M.B. ...	39440	277	286	33	28	624	15·8	295	273	568	14·4	—	14·4
Failsworth ...	16540	135	141	4	10	290	17·5	127	103	230	13·9	—	13·9
Farnworth M.B. ...	25230	192	204	13	13	422	16·7	153	192	345	13·7	—	13·7
Fleetwood M.B. ...	23810	175	177	12	22	386	16·2	164	141	305	12·8	—	12·8
Formby ...	8421	59	60	2	6	127	15·1	73	57	130	15·4	—	15·4
Fulwood ...	11220	68	71	6	2	147	13·1	98	90	188	16·8	—	16·8
Golborne ...	14390	132	127	8	6	273	19·0	110	77	187	13·0	—	13·0
Grange ...	2578	12	7	—	2	21	8·1	18	26	44	17·1	—	17·1
Great Harwood ...	10020	81	74	5	5	165	16·5	73	86	159	15·9	—	15·9
Haslingden U.B. ...	13520	86	68	4	4	162	12·0	104	120	224	16·6	—	16·6
Haydock ...	10880	96	104	5	6	211	19·4	63	56	119	10·9	—	10·9
Heywood M.B. ...	22880	189	171	23	14	397	17·4	155	188	343	15·0	—	15·0
Hindley ...	18110	165	150	9	5	329	18·2	131	109	240	13·3	—	13·3
Horwich ...	14670	135	99	2	4	240	16·4	84	83	167	11·4	—	11·4
Huyton with Roby ...	44160	454	416	40	30	940	21·3	223	192	415	9·4	—	9·4
Ince in Makerfield ...	19410	163	159	10	8	340	17·5	103	119	222	11·4	—	11·4
Irlam ...	13890	116	118	5	6	245	17·6	80	51	131	9·4	—	9·4
Kearsley ...	9369	77	72	9	4	162	17·3	51	71	122	13·0	—	13·0

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
D.'s—contd.															
Gloucestershire—contd.															
Gloucester M.B.	3911	26	29	9	4	68	17.4	28	20	48	12.3	—	12.3	3	43
Gloucester M.B.	47510	324	288	27	37	676	14.2	288	272	560	11.8	2	11.7	31	45
Gloucester M.B.	3815	32	28	1	1	62	16.3	33	34	67	17.6	—	17.6	2	32
Gloucester M.B.	43600	380	371	23	31	805	18.5	294	251	545	12.5	—	12.5	51	62
Gloucester M.B.	13720	123	110	13	7	253	18.4	84	71	155	11.3	—	11.3	9	35
Gloucester M.B.	17710	180	154	11	20	365	20.6	117	97	214	12.1	—	12.1	34	91
Gloucester M.B.	9691	73	57	8	6	144	14.9	82	82	164	16.9	—	16.9	12	82
Gloucester M.B.	4325	40	32	1	1	74	17.1	36	26	62	14.3	—	14.3	2	26
Gloucester M.B.	3713	32	34	2	2	70	18.9	20	27	47	12.7	—	12.7	5	70
Gloucester M.B.	29510	169	149	18	16	352	11.9	212	274	486	16.5	1	16.4	11	31
Gloucester M.B.	28290	210	203	11	12	436	15.4	190	191	381	13.5	—	13.5	17	38
Gloucester M.B.	7671	49	64	4	10	127	16.6	50	61	111	14.5	—	14.5	9	69
Gloucester M.B.	36400	205	216	22	16	459	12.6	257	303	560	15.4	—	15.4	18	38
Gloucester M.B.	9652	72	61	7	8	148	15.3	69	87	156	16.2	—	16.2	11	73
Gloucester M.B.	31100	182	188	22	20	412	13.2	234	244	478	15.4	—	15.4	17	40
Gloucester M.B.	20320	161	162	8	14	345	17.0	125	113	238	11.7	—	11.7	23	65
Gloucester M.B.	19320	121	128	11	9	269	13.9	104	106	210	10.9	—	10.9	5	18
Gloucester M.B.	8185	68	57	2	9	136	16.6	53	52	105	12.8	—	12.8	7	50
Gloucester M.B.	11720	89	77	6	4	176	15.0	84	101	185	15.8	2	15.6	10	50
Gloucester M.B.	8811	57	79	14	6	156	17.7	69	86	155	17.6	3	17.3	8	50
Gloucester M.B.	6788	49	43	2	3	97	14.3	41	43	84	12.4	—	12.4	2	20
Gloucester M.B.	1993	16	13	2	1	32	16.1	8	16	24	12.0	—	12.0	—	—
Gloucester M.B.	11230	90	102	12	9	213	19.0	71	66	137	12.2	—	12.2	13	60
Gloucester M.B.	32400	261	214	12	8	495	15.3	163	178	341	10.5	—	10.5	20	40
Gloucester M.B.	25360	219	185	17	17	438	17.3	182	194	376	14.8	—	14.8	24	54
Gloucester M.B.	3416	28	32	1	1	62	18.1	18	21	39	11.4	—	11.4	5	79
Gloucester M.B.	13340	90	92	10	6	198	14.8	97	100	197	14.8	—	14.8	6	30
Gloucester M.B.	23000	158	143	12	10	323	14.0	177	221	398	17.3	—	17.3	18	55
Gloucester M.B.	5241	48	41	3	1	93	17.7	30	43	73	13.9	—	13.9	5	53
Gloucester M.B.	13770	120	109	6	9	244	17.7	105	101	206	15.0	—	15.0	9	36
Gloucester M.B.	5611	46	50	6	2	104	18.5	38	33	71	12.7	—	12.7	13	122
Gloucester M.B.	8162	67	58	3	4	132	16.2	67	46	113	13.8	—	13.8	6	45
Gloucester M.B.	54550	470	441	58	52	1021	18.7	369	306	675	12.4	—	12.4	51	49
Gloucester M.B.	37320	318	269	17	18	622	16.7	231	232	463	12.4	—	12.4	37	58
Gloucester M.B.	14840	96	89	7	4	196	13.2	114	126	240	16.2	—	16.2	7	35
Gloucester M.B.	5402	39	34	2	5	80	14.8	41	48	89	16.5	1	16.3	7	36
Gloucester M.B.	1951	19	12	1	1	33	16.9	21	14	35	17.9	—	17.9	—	—
Gloucester M.B.	10310	62	57	3	2	124	12.0	79	71	150	14.5	—	14.5	7	55
Gloucester M.B.	17130	159	150	5	9	323	18.9	118	105	223	13.0	—	13.0	19	58
Gloucester M.B.	9752	56	56	11	5	128	13.1	55	65	120	12.3	—	12.3	6	46
Gloucester M.B.	5958	48	29	—	2	79	13.3	36	31	67	11.2	—	11.2	9	112
Gloucester M.B.	35140	316	258	19	23	616	17.5	180	180	360	10.2	—	10.2	18	29
Gloucester M.B.	13090	117	90	6	7	220	16.8	80	94	174	13.3	—	13.3	11	49
Gloucester M.B.	3981	26	25	2	3	56	14.1	26	28	54	13.6	—	13.6	4	70
Gloucester M.B.	14100	128	105	5	4	242	17.2	86	75	161	11.4	—	11.4	9	36
Gloucester M.B.	11580	95	87	3	4	189	16.3	66	79	145	12.5	—	12.5	8	41
Gloucester M.B.	7210	51	55	7	6	119	16.5	45	56	101	14.0	—	14.0	6	49
Gloucester M.B.	42030	416	406	52	37	911	21.7	285	219	504	12.0	2	11.9	73	78
Gloucester M.B.	2553	19	16	1	1	37	14.5	17	19	36	14.1	—	14.1	1	26
Gloucester M.B.	25160	170	200	9	13	392	15.6	130	162	292	11.6	—	11.6	15	37
Gloucester M.B.	257130	2006	1944	149	126	4225	16.4	1454	1492	2946	11.5	2	11.4	186	43
Gloucester M.B.	11900	68	55	2	3	128	10.8	71	69	140	11.8	—	11.8	3	23
Gloucester M.B.	15580	124	109	6	5	243	15.7	91	112	203	13.0	—	13.0	6	24
Gloucester M.B.	24420	152	200	12	8	372	15.2	147	146	293	12.0	—	12.0	19	50
Gloucester M.B.	8582	51	43	2	4	100	11.7	39	43	82	9.6	—	9.6	—	—
Gloucester M.B.	9782	108	98	9	11	226	23.1	59	59	118	12.1	—	12.1	9	30

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ANCASHIRE—contd.														
R.D.'s.—contd.														
Garstang	11360	84	87	5	4	180	15.8	88	68	156	13.7	—	13.7	11
Lancaster	10480	70	77	6	6	159	15.2	75	80	155	14.8	—	14.8	9
Limehurst	7100	57	59	2	2	120	16.9	45	55	100	14.1	—	14.1	4
Lunesdale	6346	41	45	5	4	95	15.0	36	45	81	12.8	—	12.8	2
Preston	35570	262	256	16	15	549	15.4	175	201	376	10.6	1	10.5	27
Ulverston	16420	130	119	13	5	267	16.3	101	84	185	11.3	—	11.3	10
Warrington	21800	210	185	17	19	431	19.8	128	126	254	11.7	1	11.6	18
West Lancashire	38190	286	285	26	19	616	16.1	195	192	387	10.1	—	10.1	23
Whiston	32440	309	270	24	19	622	19.2	155	168	323	10.0	—	10.0	37
Wigan	7160	54	56	4	2	116	16.2	49	44	93	13.0	—	13.0	8
LEICESTERSHIRE :														
COUNTY BOROUGH														
Leicester	256960	2166	2124	320	297	4907	19.1	1548	1575	3123	12.2	1	12.1	268
ADMIN. COUNTY														
... ..	307690	2735	2480	290	240	5745	18.7	1775	1638	3413	11.1	1	11.1	207
URBAN DISTRICTS														
Ashby de la Zouch	145100	1354	1216	149	120	2839	19.6	835	747	1582	10.9	1	10.9	97
... ..	5651	53	42	2	3	100	17.7	31	26	57	10.1	1	9.9	2
... ..	3010	32	36	2	1	71	23.6	21	14	35	11.6	—	11.6	2
... ..	23870	247	212	13	7	479	20.1	151	122	273	11.4	—	11.4	20
... ..	34400	309	292	43	45	689	20.0	173	150	323	9.4	—	9.4	18
... ..	32640	296	251	39	26	612	18.8	202	160	362	11.1	—	11.1	22
RURAL DISTRICTS														
Market Harborough	9792	96	74	10	12	192	19.6	57	65	122	12.5	—	12.5	10
Melton Mowbray	11480	117	112	16	8	253	22.0	70	66	136	11.8	—	11.8	6
Oadby	5409	41	39	4	6	90	16.6	31	29	60	11.1	—	11.1	7
Shepshed	5508	37	48	3	4	92	16.7	33	35	68	12.3	—	12.3	7
Wigston	13340	126	110	17	8	261	19.6	66	80	146	10.9	—	10.9	10
RURAL DISTRICTS														
Ashby de la Zouch	162590	1381	1264	141	120	2906	17.9	940	891	1831	11.3	—	11.3	110
... ..	13110	128	111	7	6	252	19.2	70	67	137	10.5	—	10.5	12
... ..	40650	331	335	40	38	744	18.3	234	226	460	11.3	—	11.3	22
... ..	6747	63	55	8	3	129	19.1	32	31	63	9.3	—	9.3	8
... ..	35180	302	231	26	23	582	16.5	173	164	337	9.6	—	9.6	21
... ..	8000	60	62	11	5	138	17.2	45	47	92	11.5	—	11.5	5
Lutterworth	10810	99	77	10	6	192	17.8	63	56	119	11.0	—	11.0	4
Market Bosworth	23210	210	193	12	17	432	18.6	137	136	273	11.8	—	11.8	23
Market Harborough	8713	51	68	8	5	132	15.1	67	67	134	15.4	—	15.4	5
Melton and Belvoir	16170	137	132	19	17	305	18.9	119	97	216	13.4	—	13.4	10
LEICESTERSHIRE :														
PARTS OF HOLLAND														
ADMIN. COUNTY														
... ..	92580	814	766	99	77	1756	19.0	505	482	987	10.7	1	10.7	54
URBAN DISTRICTS														
Boston M.B.	34150	305	287	43	32	667	19.5	204	215	419	12.3	1	12.2	21
... ..	21510	203	184	31	20	438	20.4	138	139	277	12.9	1	12.8	12
... ..	12640	102	103	12	12	229	18.1	66	76	142	11.2	—	11.2	9
RURAL DISTRICTS														
Boston	58430	509	479	56	45	1089	18.6	301	267	568	9.7	—	9.7	33
... ..	19050	175	151	24	14	364	19.1	96	78	174	9.1	—	9.1	11
... ..	21350	177	180	23	17	397	18.6	124	107	231	10.8	—	10.8	15
... ..	18030	157	148	9	14	328	18.2	81	82	163	9.0	—	9.0	7
LEICESTERSHIRE :														
PARTS OF KESTEVEN														
ADMIN. COUNTY														
... ..	110480	1013	909	141	115	2178	19.7	674	646	1320	11.9	—	11.9	89
URBAN DISTRICTS														
Bourne	43770	397	363	60	49	869	19.9	258	260	518	11.8	—	11.8	40
... ..	4461	44	44	5	6	99	22.2	28	30	58	13.0	—	13.0	5
... ..	22240	196	193	36	33	458	20.6	128	142	270	12.1	—	12.1	19
... ..	7049	75	48	5	3	131	18.6	46	38	84	11.9	—	11.9	13
... ..	10020	82	78	14	7	181	18.1	56	50	106	10.6	—	10.6	3
RURAL DISTRICTS														
East Kesteven	66710	616	546	81	66	1309	19.6	416	386	802	12.0	—	12.0	49
... ..	15520	168	139	22	13	342	22.0	96	105	201	13.0	—	13.0	11

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 Rate per 1,000 Live Births
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NORTHAMPTONSHIRE:															
PARTS OF KESTEVEN—															
contd.															
R.D.s.—contd.															
North Kesteven ...	21840	199	169	20	20	408	18.7	130	106	236	10.8	—	10.8	21	5.3
South Kesteven ...	14140	120	134	13	19	286	20.2	92	84	176	12.4	—	12.4	11	3.3
West Kesteven ...	15210	129	104	26	14	273	17.9	98	91	189	12.4	—	12.4	—	2.8
NORTHAMPTONSHIRE:															
PARTS OF LINDSEY ...															
County Boroughs ...	140990	1302	1227	185	161	2875	20.4	995	870	1865	13.2	—	13.2	149	5.5
Grimsby ...	78030	733	748	101	91	1673	21.4	558	477	1035	13.3	—	13.3	80	4.5
Lincoln ...	62960	569	479	84	70	1202	19.1	437	393	830	13.2	1	13.2	69	5.0
ADMIN. COUNTY ...	266190	2300	2248	247	231	5026	18.9	1669	1522	3191	12.0	9	12.0	193	3.3
URBAN DISTRICTS															
Alford ...	130610	1200	1099	128	114	2541	19.5	806	745	1551	11.9	4	11.8	103	4.4
Barton-upon-Humber	2006	16	11	3	1	31	15.5	11	16	27	13.5	—	13.5	1	3.3
Brigg ...	5484	50	36	5	4	95	17.3	50	27	77	14.0	—	14.0	3	3.0
Cleethorpes M.B. ...	4284	96	24	2	3	65	15.2	26	11	37	8.6	—	8.6	—	—
Gainsborough ...	25290	240	232	25	32	529	20.9	176	163	339	13.4	—	13.4	23	4.4
Horncastle ...	16980	144	119	20	9	292	17.2	128	93	221	13.0	3	12.8	13	4.4
Louth M.B. ...	3934	25	29	4	5	63	18.9	25	23	48	14.4	—	14.4	5	7.2
Mablethorpe and	9777	99	72	9	9	189	19.3	65	70	135	13.8	—	13.8	5	2.9
Sutton ...	4905	45	41	7	4	97	19.8	38	51	89	18.1	—	18.1	5	5.6
Market Rasen ...	2080	15	19	2	4	40	19.2	10	18	28	13.5	—	13.5	3	7.7
Scunthorpe M.B. ...	46010	437	433	43	34	947	20.6	220	184	404	8.8	—	8.8	37	3.3
Skidmore ...	8977	83	73	7	8	171	19.0	49	72	121	13.5	1	13.4	8	4.4
Woodhall Spa ...	1483	10	10	1	1	22	14.8	8	17	25	16.9	—	16.9	—	—
RURAL DISTRICTS															
Caistor ...	135580	1100	1149	119	117	2485	18.3	863	777	1640	12.1	5	12.1	90	3.3
Gainsborough ...	11980	93	90	12	9	204	17.0	75	57	132	11.0	—	11.0	12	5.5
Glansford ...	10100	76	105	12	7	200	19.8	69	56	125	12.4	1	12.3	8	3.3
Grimsby ...	29200	243	258	29	31	561	19.2	180	150	330	11.3	—	11.3	17	3.3
Horncastle ...	10790	93	101	15	13	222	20.6	64	58	122	11.3	—	11.3	5	2.2
Isle of Axholme ...	11050	89	82	9	3	183	16.6	71	68	139	12.6	2	12.4	7	3.3
Louth ...	12460	94	92	7	11	204	16.4	90	83	173	13.9	—	13.9	12	6.2
Spilsby ...	15960	122	132	8	22	284	17.8	87	93	180	11.3	—	11.3	6	2.9
Wilton ...	21520	185	189	16	11	401	18.6	153	142	295	13.7	2	13.6	15	3.3
Welton ...	12520	105	100	11	10	228	18.1	74	70	144	11.5	—	11.5	8	3.3
LONDON															
City of London ...	2601370	20777	19873	2729	2461	45840	17.6	19303	17445	36748	14.1	881	13.8	2011	4.4
Inner and Middle	4420	10	21	4	1	36	8.1	34	25	59	13.3	4	12.4	—	—
Temples ...	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
METROPOLITAN															
BOROUGH: ...															
Battersea ...	90420	753	700	81	81	1615	17.9	660	592	1252	13.8	19	13.6	65	3.3
Bermondsey ...	47040	404	384	29	39	856	18.2	374	309	683	14.5	5	14.4	44	5.5
Bethnal Green ...	49640	432	385	35	29	881	17.7	386	318	704	14.2	6	14.1	26	2.2
Canterbury ...	135460	1156	1060	118	97	2431	17.9	1027	941	1968	14.5	37	14.3	91	3.3
Chelsea ...	35310	247	233	52	47	579	16.4	264	272	536	15.2	12	14.8	25	4.4
Deptford ...	56650	530	484	56	45	1115	19.7	526	427	953	16.8	115	14.8	53	4.4
Finsbury ...	27990	216	202	25	31	474	16.9	247	233	480	17.1	23	16.3	25	5.5
Fulham ...	99790	776	797	122	111	1806	18.1	662	639	1301	13.0	2	13.0	74	4.4
Greenwich ...	63800	554	547	36	51	1188	18.6	455	358	813	12.7	26	12.3	51	4.4
Hackney ...	140570	1146	1180	118	87	2531	18.0	989	889	1878	13.4	36	13.1	105	4.4
Hammersmith ...	96100	758	763	125	94	1740	18.1	702	606	1308	13.6	31	13.3	78	4.4
Hampstead ...	74390	529	538	66	77	1210	16.3	476	522	998	13.4	6	13.3	51	4.4
Holborn ...	18680	113	87	30	15	245	13.1	177	119	296	15.8	9	15.4	17	6.6
Islington ...	195770	1641	1617	233	212	3703	18.9	1521	1335	2856	14.6	115	14.0	172	4.4
Kensington ...	117170	859	775	171	134	1939	16.5	759	827	1586	13.5	2	13.5	92	4.4

Lambeth ...																
Lewisham ...																
Paddington ...																
Poplar ...																
St. Marylebone ...																
St. Pancras ...																
Shoreditch ...																
Southwark ...																
Stepney ...																
Stoke Newington ...																
Wandsworth ...																
Westminster...																
Woolwich ...																
MIDDLESEX :																
BARNET, COUNTY ...																
URBAN DISTRICTS :																
Acton M.B. ...																
Brentford and Chiswick M.B. ...																
Ealing M.B. ...																
Edmonton M.B. ...																
Enfield ...																
Feltham ...																
Finchley M.B. ...																
Friern Barnet ...																
Harrow ...																
Hayes and Harlington ...																
Hendon M.B. ...																
Heston and Isleworth M.B. ...																
Hornsey M.B. ...																
Kew M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B. ...																
Kew and Richmond M.B																

TABLE 17—continued.

AREA	Estimated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
—contd.															
—contd.															
Dunstanton ...	2704	19	17	1	6	43	15.9	16	36	52	19.2	—	19.2	2	46
Walsham ...	4094	24	26	5	2	57	13.9	21	36	57	13.9	—	13.9	4	69
gham ...	3839	31	30	4	5	70	18.2	27	38	65	16.9	—	16.9	7	98
am ...	2571	22	8	1	2	33	12.8	15	16	31	12.1	—	12.1	1	30
rd M.B. ...	4260	39	34	7	4	84	19.7	30	32	62	14.6	—	14.6	2	23
... ..	2283	15	18	—	1	34	14.9	20	16	36	15.8	—	15.8	1	29
ndham ...	5122	42	51	3	7	103	20.1	26	42	68	13.3	—	13.3	3	29
DISTRICTS ...	261640	2191	1965	354	282	4792	18.3	1638	1560	3198	12.2	6	12.2	196	40
nd and Flegg ...	27380	260	189	31	27	507	18.5	154	160	314	11.5	—	11.5	23	44
de ...	17450	120	122	35	25	302	17.3	114	117	231	13.2	—	13.2	12	39
g ...	15630	136	126	18	16	296	18.9	114	107	221	14.1	—	14.1	16	53
ham ...	19990	177	145	25	20	367	18.4	122	100	222	11.1	—	11.1	14	37
ham ...	16380	125	110	26	14	275	16.8	131	118	249	15.2	—	15.2	17	61
nd and Henstead ...	20500	161	167	26	26	380	18.5	104	122	226	11.0	—	11.0	21	54
dge Lynn ...	9915	90	73	7	12	182	18.4	71	59	130	13.1	3	12.8	10	54
... ..	11590	99	77	18	21	215	18.6	90	69	159	13.7	—	13.7	9	41
and ...	15670	151	127	14	8	300	19.1	104	73	177	11.3	—	11.3	15	49
and Laun-															
... ..	17090	135	124	21	24	304	17.8	93	100	193	11.3	—	11.3	7	23
hs and Ayisham	33520	283	274	56	30	643	19.2	178	177	355	10.6	3	10.5	15	23
urgh ...	15270	138	109	23	14	284	18.6	100	101	201	13.2	—	13.2	14	43
am ...	7265	66	61	11	8	145	20.1	50	49	99	13.6	—	13.6	5	34
gham ...	17220	118	143	18	12	291	16.9	107	95	202	11.7	—	11.7	11	37
nd ...	16770	132	118	25	25	300	17.9	106	113	219	13.1	—	13.1	7	23
MP TONSHIRE:															
BOROUGH															
mp ton ...	327160	2812	2601	322	321	6056	18.5	2082	1992	4074	12.5	1	12.4	241	39
... ..	98520	825	757	93	90	1765	17.9	621	631	1252	12.7	—	12.7	71	39
COUNTY ...	228640	1987	1844	229	231	4291	18.8	1461	1361	2822	12.3	1	12.3	170	39
DISTRICTS ...	118640	1051	978	122	132	2283	19.2	787	695	1482	12.5	—	12.5	98	42
y M.B. ...	2422	17	19	2	—	38	15.7	20	11	31	12.8	—	12.8	1	26
y Latimer ...	3734	43	31	1	3	78	20.9	22	28	50	13.4	—	13.4	1	13
... ..	11390	119	131	18	14	282	24.9	54	34	88	7.8	—	7.8	18	62
ry M.B. ...	3890	27	35	1	5	68	17.5	28	28	56	14.4	—	14.4	4	53
ough ...	4226	37	24	5	3	69	16.3	27	25	52	12.3	—	12.3	1	14
n Ferrers M.B.	3268	30	32	1	7	70	21.4	30	16	46	14.1	—	14.1	2	28
ng M.B. ...	4427	40	32	1	1	74	16.7	29	30	59	13.3	—	13.3	4	53
... ..	34560	305	288	36	36	665	19.2	213	196	409	11.8	—	11.8	22	32
... ..	2413	11	11	4	1	27	11.2	13	12	25	10.4	—	10.4	—	—
... ..	4222	33	32	7	9	81	19.2	29	42	71	16.8	—	16.8	4	48
ell ...	4408	35	32	9	4	80	18.1	44	26	70	15.9	—	15.9	5	61
u ...	14070	140	107	13	11	271	19.3	100	76	176	12.5	—	12.5	14	51
borough ...	25670	214	204	24	38	480	18.7	178	171	349	13.6	—	13.6	22	45
DISTRICTS ...	110000	936	866	107	99	2008	18.3	674	666	1340	12.2	1	12.2	72	35
y ...	9100	92	69	6	4	171	18.8	58	51	109	12.0	—	12.0	3	17
ry ...	15530	131	122	10	13	276	17.8	87	100	187	12.0	—	12.0	15	53
ry ...	15300	126	124	13	8	271	17.7	94	66	160	10.5	—	10.5	5	18
ng ...	10690	105	108	16	13	242	22.6	61	72	133	12.4	—	12.4	13	53
mp ton ...	17350	122	98	8	16	244	14.1	98	92	190	11.0	1	10.9	8	32
and Thrapston	16940	148	164	24	23	359	21.2	106	102	208	12.3	—	12.3	17	46
er ...	13500	103	102	14	6	225	16.7	91	83	174	12.9	—	12.9	5	22
borough ...	11590	109	79	16	16	220	19.0	79	100	179	15.4	—	15.4	6	27
BERLAND:															
BOROUGH															
le-upon Tyne	717260	6085	5678	506	469	12738	17.8	4770	4287	9057	12.6	8	12.6	612	47
outh ...	324750	2814	2606	244	235	5899	18.2	2347	1904	4251	13.1	3	13.1	270	45
... ..	265990	2254	2130	200	177	4761	17.9	1900	1554	3454	13.0	1	13.0	192	39
... ..	58760	560	476	44	58	1138	19.4	447	350	797	13.6	2	13.5	78	67
COUNTY ...	392510	3271	3072	262	234	6839	17.4	2423	2383	4806	12.2	5	12.2	342	49

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS					
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.
		M.	F.	M.	F.								
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14
NORTHUMBERLAND													
—contd.													
URBAN DISTRICTS ...	300300	2599	2456	202	178	5435	18·1	1874	1795	3669	12·2	4	12·2
Alnwick ...	6641	58	41	8	3	110	16·6	43	48	91	13·7	—	13·7
Amble ...	4095	33	33	5	4	75	18·3	23	29	52	12·7	—	12·7
Ashington ...	27290	261	263	17	13	554	20·3	153	131	284	10·4	—	10·4
Bedlingtonshire ...	25460	231	206	20	17	474	18·6	165	131	296	11·6	—	11·6
Berwick-upon-Tweed	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	10850	80	76	17	7	180	16·6	72	82	154	14·2	—	14·2
Blyth M.B. ...	31080	324	274	24	30	652	21·0	199	195	394	12·7	—	12·7
Gosforth ...	20650	149	154	16	11	330	16·0	135	135	270	13·1	1	13·0
Hexham ...	9500	54	53	7	6	120	12·6	50	68	118	12·4	—	12·4
Longbenton ...	21990	199	175	10	16	400	18·2	146	127	273	12·4	—	12·4
Morpeth M.B. ...	9390	69	72	10	4	155	16·5	40	71	111	11·8	—	11·8
Newbiggin by the Sea	8888	73	70	3	4	150	16·9	48	42	90	10·1	—	10·1
Newburn ...	19400	187	165	10	6	368	19·0	137	112	249	12·8	—	12·8
Prudhoe ...	8876	74	60	4	1	139	15·7	51	27	78	8·8	—	8·8
Seaton Valley ...	24720	195	214	11	9	429	17·4	134	131	265	10·7	2	10·6
Wallsend M.B. ...	44240	403	412	34	27	876	19·8	282	240	522	11·8	1	11·8
Whitley Bay ...	27230	209	188	6	20	423	15·5	196	226	422	15·5	—	15·5
RURAL DISTRICTS ...	92210	672	616	60	56	1404	15·2	549	588	1137	12·3	1	12·3
Alnwick ...	11270	85	64	5	9	163	14·5	76	61	137	12·2	—	12·2
Belford ...	4703	37	37	2	4	80	17·0	16	49	65	13·8	—	13·8
Bellingham ...	4550	35	28	2	7	72	15·8	28	26	54	11·9	—	11·9
Castle Ward ...	12880	94	80	9	5	188	14·6	84	65	149	11·6	—	11·6
Glendale ...	7361	56	42	2	6	106	14·4	43	43	86	11·7	—	11·7
Haltwhistle ...	6905	47	57	7	3	114	16·5	52	47	99	14·3	—	14·3
Hexham ...	19350	114	121	10	12	257	13·3	112	143	255	13·2	—	13·2
Morpeth ...	15550	136	136	12	3	287	18·5	80	81	161	10·4	—	10·4
Newcastle-upon-Tyne (Moot Hall and precincts) ...	3	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Island- shires ...	4225	29	25	5	4	63	14·9	29	35	64	15·1	—	15·1
Rothbury ...	5413	39	26	6	3	74	13·7	29	38	67	12·4	1	12·2
NOTTINGHAMSHIRE :	74100	6602	6179	699	721	14201	19·2	4404	4048	8452	11·4	1	11·4
COUNTY BOROUGH	265090	2306	2142	367	373	5188	19·6	1744	1680	3424	12·9	1	12·9
Nottingham ...	63080	—	—	—	—	—	—	—	—	—	—	—	—
ADMIN. COUNTY ...	475010	4296	4037	332	348	9013	18·9	2660	2368	5028	10·6	—	10·6
URBAN DISTRICTS ...	334550	3025	2881	233	275	6414	19·2	1919	1685	3604	10·8	—	10·8
Arnold ...	18390	154	148	11	14	327	17·8	94	111	205	11·1	—	11·1
Beeston and Stapleford ...	42300	387	391	30	38	846	20·0	215	218	433	10·2	—	10·2
Carlton ...	30210	281	222	21	26	550	18·2	166	154	320	10·6	—	10·6
East Retford M.B. ...	15260	130	124	13	14	281	18·4	87	72	159	10·4	—	10·4
Eastwood ...	9010	82	72	6	10	170	18·9	51	41	92	10·2	—	10·2
Hucknall ...	21090	209	199	18	20	446	21·1	116	113	229	10·9	—	10·9
Kirkby-in-Ashfield ...	18110	164	188	14	6	372	20·5	119	85	204	11·3	—	11·3
Mansfield M.B. ...	47030	408	413	31	34	886	18·8	288	250	538	11·4	—	11·4
Mansfield Woodhouse	15330	151	146	14	14	325	21·2	82	74	156	10·2	—	10·2
Newark M.B. ...	21150	181	171	20	28	400	18·9	133	119	252	11·9	—	11·9
Sutton-in-Ashfield ...	36760	349	312	20	29	710	19·3	209	168	377	10·3	—	10·3
Warsop ...	10100	107	97	3	9	216	21·4	42	37	79	7·8	—	7·8
West Bridgeford ...	21970	139	145	15	13	312	14·2	143	122	265	12·1	—	12·1
Worksop M.B. ...	27840	283	253	17	20	573	20·6	174	121	295	10·6	—	10·6
RURAL DISTRICTS ...	141360	1271	1156	99	73	2599	18·4	741	683	1424	10·1	—	10·1
Basford ...	44020	444	394	17	22	877	19·9	262	230	492	11·2	—	11·2
Bingham ...	16150	128	105	9	9	251	15·5	84	79	163	10·1	—	10·1
East Retford ...	19820	124	119	17	9	269	13·6	116	106	222	11·2	—	11·2
Newark ...	9928	96	80	9	7	192	19·3	56	46	102	10·3	—	10·3

TABLE 17—continued.

AREA	Estimated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SHIREHAMSHIRE—															
<i>Und.</i>															
<i>Y's.—contd.</i>															
Bottingham	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Shire Hall	36080	323	311	37	19	690	19.1	166	170	336	9.3	—	9.3	23	33
Southwell ...	15360	156	147	10	7	320	20.8	57	52	109	7.1	—	7.1	15	36
Worksop ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SHIREHAMSHIRE :															
County Borough	244610	1933	1919	269	289	4410	18.0	1385	1355	2740	11.2	6	11.2	163	36
Doncaster ...	98020	740	715	92	123	1670	17.0	486	570	1056	10.8	—	10.8	59	35
Doncaster ...	146590	1193	1204	177	166	2740	18.7	899	785	1684	11.5	6	11.4	104	37
Doncaster ...	43650	342	337	43	42	764	17.5	285	242	527	12.1	—	12.1	31	40
Doncaster ...	16560	146	140	13	17	316	19.1	132	84	216	13.0	—	13.0	13	40
Doncaster ...	3562	39	36	5	4	84	23.6	23	15	38	10.7	—	10.7	3	35
Doncaster ...	3580	22	24	5	4	55	15.4	20	22	42	11.7	—	11.7	—	—
Doncaster ...	8699	54	56	6	9	125	14.4	49	52	101	11.6	—	11.6	8	63
Doncaster ...	3461	28	24	3	1	56	16.2	23	30	53	15.3	—	15.3	1	17
Doncaster ...	5979	43	48	8	5	104	17.4	28	29	57	9.5	—	9.5	4	38
Doncaster ...	1809	10	9	3	2	24	13.3	10	10	20	11.1	—	11.1	2	32
SHIREHAMSHIRE :															
County Borough	102940	851	867	134	124	1976	19.2	614	543	1157	11.2	6	11.2	73	36
Doncaster ...	13200	106	107	11	5	229	17.3	94	77	171	13.0	—	12.9	11	47
Doncaster ...	24840	248	243	39	35	565	22.7	136	134	270	10.9	1	10.8	16	28
Doncaster ...	14320	127	105	19	21	272	19.0	97	76	173	12.1	—	12.1	12	43
Doncaster ...	18410	100	113	27	21	261	14.2	101	93	194	10.5	2	10.4	12	45
Doncaster ...	14270	132	135	20	19	306	21.4	81	67	148	10.4	—	10.4	15	48
Doncaster ...	17900	138	164	18	23	343	19.2	105	96	201	11.2	1	11.2	7	20
SHIREHAMSHIRE :															
County Borough	57520	469	420	64	71	1024	17.8	350	306	656	11.4	1	11.4	43	41
Doncaster ...	49200	412	348	50	65	875	17.8	290	264	554	11.3	1	11.2	40	45
Doncaster ...	8320	57	72	14	6	149	17.9	60	42	102	12.3	—	12.3	3	20
Doncaster ...	1993	12	23	3	—	38	19.1	9	8	17	8.5	—	8.5	1	26
Doncaster ...	6327	45	49	11	6	111	17.5	51	34	85	13.4	—	13.4	2	13
SHIREHAMSHIRE :															
County Borough	17370	164	141	17	19	341	19.6	122	119	241	13.9	—	13.9	16	46
Doncaster ...	3450	39	24	3	2	68	19.7	27	18	45	13.0	—	13.0	3	43
Doncaster ...	13920	125	117	14	17	273	19.6	95	101	196	14.1	—	14.1	13	47
Doncaster ...	2731	23	28	3	3	57	20.9	26	15	41	15.0	—	15.0	3	52
Doncaster ...	5872	52	56	8	7	123	20.9	40	47	87	14.8	—	14.8	7	56
Doncaster ...	5317	50	33	3	7	93	17.5	29	39	68	12.8	—	12.8	3	32
SHIREHAMSHIRE :															
County Borough	256530	2116	1951	259	245	4571	17.8	1520	1536	3056	11.9	2	11.9	180	39
Doncaster ...	131580	1031	964	130	137	2262	17.2	799	845	1644	12.5	2	12.5	108	47
Doncaster ...	1324	5	7	—	—	12	9.1	7	8	15	11.3	—	11.3	—	—
Doncaster ...	5966	37	59	8	7	111	18.6	44	29	73	12.2	1	12.1	3	26
Doncaster ...	2475	10	13	—	3	26	10.5	14	17	31	12.5	—	12.5	—	—
Doncaster ...	7860	72	64	5	11	152	19.3	52	39	91	11.6	—	11.6	13	84
Doncaster ...	1917	15	19	5	4	43	22.4	16	16	32	16.7	—	16.7	—	—
Doncaster ...	5965	50	46	5	9	110	18.4	53	46	99	16.6	—	16.6	4	36
Doncaster ...	5010	39	41	5	4	89	17.8	20	41	61	12.2	—	12.2	1	11

TABLE 17—continued.

AREA	Estimated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Number.
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHROPSHIRE—contd.														
U.D.s.—contd.														
Newport ...	3509	32	25	2	3	62	17·7	26	15	41	11·7	—	11·7	—
Oakengates ...	10430	98	71	9	5	183	17·5	69	66	135	12·9	—	12·9	12
Oswestry M.B. ...	10750	75	68	11	14	168	15·6	60	82	142	13·2	—	13·2	6
Shrewsbury M.B. ...	42820	329	322	48	44	743	17·4	231	250	481	11·2	—	11·2	38
Wellington ...	11220	66	62	6	9	143	12·7	61	70	131	11·7	—	11·7	12
Wem ...	2196	20	19	1	4	44	20·0	7	22	29	13·2	—	13·2	2
Wenlock M.B. ...	13870	121	106	13	8	248	17·9	103	94	197	14·2	—	14·2	10
Whitchurch ...	6268	62	42	12	12	128	20·4	36	50	86	13·7	1	13·6	7
RURAL DISTRICTS :														
Atcham ...	124950	1085	987	129	108	2309	18·5	721	691	1412	11·3	—	11·3	72
Brighthelm ...	19440	149	155	21	16	341	17·5	123	101	224	11·5	—	11·5	10
Clun ...	12430	105	97	10	5	217	17·5	74	71	145	11·7	—	11·7	3
Drayton ...	9135	90	63	7	7	167	18·3	70	60	130	14·2	—	14·2	5
Ellesmere ...	7572	76	57	14	8	155	20·5	42	46	88	11·6	—	11·6	6
Ludlow ...	6893	41	58	9	2	110	16·0	30	28	58	8·4	—	8·4	2
Wenlock ...	13330	112	99	10	11	232	17·4	70	87	157	11·8	—	11·8	5
Oswestry ...	16780	133	122	12	24	291	17·3	87	89	176	10·5	—	10·5	11
Shifnal ...	9440	105	67	11	12	195	20·7	40	40	80	8·5	—	8·5	5
Wellington ...	19450	190	184	24	17	415	21·3	127	113	240	12·3	—	12·3	21
Wem ...	10480	84	85	11	6	186	17·7	58	56	114	10·9	—	10·9	4
SOMERSETSHIRE :														
COUNTY BOROUGH														
Bath ...	74000	567	522	90	69	1248	16·9	455	542	997	13·5	—	13·5	63
ADMIN. COUNTY														
...	438770	3336	3245	401	352	7334	16·7	2815	2994	5809	13·2	2	13·2	251
URBAN DISTRICTS														
Bridgwater M.B. ...	206470	1580	1568	201	165	3514	17·0	1308	1501	2809	13·6	1	13·6	120
Burnham-on-Sea ...	19620	174	176	25	25	400	20·4	133	128	261	13·3	—	13·3	15
Chard M.B. ...	7907	59	72	11	9	151	19·1	74	67	141	17·8	1	17·7	3
Clevedon ...	4757	42	28	3	5	78	16·4	28	26	54	11·4	—	11·4	2
Crewkerne ...	9193	55	60	4	5	124	13·5	67	101	168	18·3	—	18·3	2
...	3682	22	19	3	3	47	12·8	25	25	50	13·6	—	13·6	2
Frome ...	10920	86	74	7	7	174	15·9	76	69	145	13·3	—	13·3	6
Glastonbury M.B. ...	4613	48	27	6	4	85	18·4	16	32	48	10·4	—	10·4	4
Ilminster ...	2486	24	22	—	—	46	18·5	14	19	33	13·3	—	13·3	—
Keynsham ...	6932	51	40	—	11	102	14·7	45	45	90	13·0	—	13·0	5
Minehead ...	7171	38	41	4	2	85	11·9	57	52	109	15·2	—	15·2	5
Norton-Radstock ...	11370	88	81	3	5	177	15·6	70	59	129	11·3	—	11·3	3
Portishead ...	3833	26	27	2	2	57	14·9	16	30	46	12·0	—	12·0	1
Shepton Mallet ...	4826	37	39	5	7	88	18·2	29	34	63	13·1	—	13·1	2
Street ...	4917	28	32	10	1	71	14·4	38	25	63	12·8	—	12·8	2
Taunton M.B. ...	30060	237	254	33	22	546	18·2	155	206	361	12·0	—	12·0	22
Watchet ...	2230	15	21	2	2	40	17·9	15	23	38	17·0	—	17·0	2
Wellington ...	6934	51	57	7	4	119	17·2	47	57	104	15·0	—	15·0	1
Wells M.B. ...	5659	30	44	9	8	91	16·1	39	32	71	12·5	—	12·5	2
Weston-super-Mare, M.B. ...	37470	263	276	43	27	609	16·3	252	341	593	15·8	—	15·8	19
Yeovil M.B. ...	21890	206	178	24	16	424	19·4	112	130	242	11·1	—	11·1	22
RURAL DISTRICTS														
Axbridge ...	232300	1756	1677	200	187	3820	16·4	1507	1493	3000	12·9	1	12·9	131
Bathavon ...	23990	162	149	15	24	350	14·6	150	165	315	13·1	—	13·1	9
Bridgwater ...	19770	154	160	17	17	348	17·6	120	119	239	12·1	—	12·1	18
Chard ...	18770	160	147	22	11	340	18·1	129	104	233	12·4	—	12·4	19
Clutton ...	11690	99	95	9	17	220	18·8	77	84	161	13·8	—	13·8	3
...	16790	179	137	5	6	327	19·5	98	105	203	12·1	—	12·1	10
Dulverton ...	4510	23	40	4	1	68	15·1	39	27	66	14·6	—	14·6	1
Frome ...	10440	99	80	11	9	199	19·1	63	54	117	11·2	—	11·2	8
Langport ...	12290	98	86	9	12	205	16·7	91	92	183	14·9	—	14·9	2
Long Ashton ...	22430	156	146	13	12	327	14·6	155	133	288	12·8	—	12·8	6
Shepton Mallet ...	10130	71	67	10	10	158	15·6	76	63	139	13·7	—	13·7	4

TABLE 17—continued.

AREA	Estimated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
IRE—contd.															
nd.															
...	17740	112	103	21	9	245	13.8	120	103	223	12.6	—	12.6	14	56
...	7627	52	57	6	5	120	15.7	40	55	95	12.5	—	12.5	7	57
...	9823	59	61	11	8	139	14.2	45	68	113	11.5	—	11.5	1	7
...	11770	89	62	14	11	176	15.0	68	106	174	14.8	—	14.8	6	33
...	16300	114	122	18	16	270	16.6	116	111	227	13.9	—	13.9	13	47
...	18230	129	165	15	19	328	18.0	120	104	224	12.3	1	12.2	10	30
ON:															
ROUGHS	962270	8709	8110	1143	1125	19087	19.8	6417	6249	12666	13.2	8	13.2	869	45
...	448190	4287	3984	548	553	9372	20.9	3280	3235	6515	14.5	4	14.5	460	48
uth	126640	797	775	130	150	1852	14.6	921	1191	2112	16.7	1	16.7	91	48
h...	179240	1957	1804	219	193	4173	23.3	1308	1166	2474	13.8	1	13.8	179	42
ton	142310	1533	1405	199	210	3347	23.5	1051	878	1929	13.6	2	13.5	190	56
UNTY	514080	4422	4126	595	572	9715	18.9	3137	3014	6151	12.0	4	12.0	409	41
TRICTS	289350	2573	2396	335	314	5618	19.4	1764	1738	3502	12.1	1	12.1	236	41
M.B.	23290	197	177	54	50	478	20.5	142	155	297	12.8	—	12.8	24	49
...	7835	59	66	4	5	134	17.1	49	57	106	13.5	—	13.5	5	37
M.B.	12570	95	119	19	17	250	19.9	68	70	138	11.0	—	11.0	11	43
te M.B.	15160	141	112	11	11	275	18.1	78	90	168	11.1	—	11.1	5	18
ch M.B.	16680	146	117	21	19	303	18.2	97	98	195	11.7	—	11.7	11	36
M.B.	27200	209	197	27	21	454	16.7	195	137	332	12.2	—	12.2	20	43
...	36940	332	339	32	24	727	19.7	219	207	426	11.5	—	11.5	25	34
gh	17410	134	163	14	20	331	19.0	88	76	164	9.4	—	9.4	9	27
...	8053	71	65	8	10	154	19.1	55	60	115	14.3	—	14.3	8	51
B.	40470	517	443	53	58	1071	26.5	250	223	473	11.7	—	11.7	43	39
d Waterloo	26870	247	213	22	32	514	19.1	177	184	361	13.4	—	13.4	16	30
M.B.	19910	141	130	19	24	314	15.8	138	159	297	14.9	1	14.9	23	72
...	6746	52	42	5	5	104	15.4	48	39	87	12.9	—	12.9	5	47
B.	6126	49	48	15	7	119	19.4	34	32	66	10.8	—	10.8	6	49
M.B.	24090	183	165	31	11	390	16.2	126	151	277	11.5	—	11.5	25	63
TRICTS	224730	1849	1730	260	258	4097	18.2	1373	1276	2649	11.8	3	11.8	173	41
...	17660	144	133	26	29	332	18.8	110	114	224	12.7	—	12.7	11	32
...	10820	97	87	10	17	211	19.5	63	63	126	11.6	—	11.6	7	28
...	14680	99	110	15	17	241	16.4	74	81	155	10.6	—	10.6	7	32
...	18270	155	139	20	17	331	18.1	132	105	237	13.0	—	13.0	10	30
intney	15660	120	127	15	17	279	17.8	106	119	225	14.4	3	14.2	13	46
and															
rch	16340	117	124	17	22	280	17.1	109	91	200	12.2	—	12.2	15	52
...	37510	316	271	48	38	673	17.9	204	184	388	10.3	—	10.3	30	44
...	17620	136	127	25	28	316	17.9	98	112	210	11.9	—	11.9	18	56
and															
ridge	19350	159	131	19	17	326	16.8	133	122	255	13.2	—	13.2	11	33
dge	21410	182	195	30	29	436	20.4	123	110	233	10.9	—	10.9	14	31
...	35410	324	286	35	27	672	19.0	221	175	396	11.2	—	11.2	37	54
RE:															
...	1466400	13393	12448	954	909	27704	18.9	8793	8148	16941	11.6	70	11.5	1383	49
ROUGHS	697750	6310	5862	530	494	13196	18.9	4437	4015	8452	12.1	14	12.1	696	52
n-Trent	45490	349	323	49	43	764	16.8	315	298	613	13.5	7	13.3	39	50
...	71620	647	580	32	50	1309	18.3	485	432	917	12.8	—	12.8	67	50
ent	251410	2299	2146	258	205	4908	19.5	1556	1459	3015	12.0	4	12.0	253	50
...	102570	1007	867	48	64	1986	19.4	663	567	1230	12.0	1	12.0	116	57
...	79840	763	710	39	33	1545	19.4	526	436	962	12.0	1	12.0	80	51
pton	146820	1245	1236	104	99	2684	18.3	892	823	1715	11.7	1	11.7	141	51
UNTY	768650	7083	6586	424	415	14508	18.9	4356	4133	8489	11.0	56	11.0	687	46
TRICTS	578510	5475	5067	295	314	11151	19.3	3262	3085	6347	11.0	4	11.0	546	48
...	24830	266	262	13	13	554	22.3	111	116	227	9.1	—	9.1	27	48
...	2839	15	21	2	4	42	14.8	25	27	52	18.3	—	18.3	1	23
...	10310	98	91	14	5	208	20.2	46	33	79	7.7	—	7.7	8	38
...	30330	260	259	13	12	544	17.9	172	180	352	11.6	—	11.6	43	77
...	44410	436	380	17	18	851	19.2	264	274	538	12.1	—	12.1	29	33
...	20300	195	170	9	13	387	19.1	123	80	203	10.0	—	10.0	32	81

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Popula- tion (Middle 1945)	LIVE BIRTHS						DEATHS					
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths
		M.	F.	M.	F.								
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14
STAFFORDSHIRE—contd.													
U.D's.—contd.													
Cannock	38060	375	329	24	22	750	19.7	192	176	368	9.7	—	9.7
Coseley	30330	320	280	11	2	613	20.2	176	159	335	11.0	—	11.0
Darlaston	20200	204	192	7	9	412	20.4	100	113	213	10.5	—	10.5
Kidsgrove	14080	137	129	4	10	280	19.9	92	79	171	12.1	1	12.2
Leek	17480	127	117	16	16	276	15.8	114	119	233	13.3	—	13.3
Lichfield M.B.	9082	80	79	9	9	177	19.5	58	38	96	10.6	—	10.6
Newcastle-under- Lyme M.B.	63850	573	505	37	55	1170	18.3	348	372	720	11.3	—	11.3
Rowley Regis M.B.	45480	447	384	11	6	848	18.6	249	213	462	10.2	—	10.2
Rugeley	7864	69	79	5	10	163	20.7	42	43	85	10.8	—	10.8
Sedgley	20970	161	154	7	3	325	15.5	135	104	239	11.4	—	11.4
Tamworth M.B.	33610	310	283	18	26	637	19.0	171	170	341	10.1	—	10.1
Stone	7319	60	59	11	6	136	18.6	46	39	85	11.6	—	11.6
Tamworth M.B.	11970	99	91	12	10	212	17.7	82	71	153	12.8	—	12.8
Tettenhall	6758	63	41	9	6	119	17.6	34	37	71	10.5	—	10.5
Tipton M.B.	35950	372	354	14	11	751	20.9	199	195	394	11.0	—	11.0
Uttoxeter	6618	56	57	6	11	130	19.6	45	48	93	14.1	2	13.9
Wednesbury M.B.	32200	313	323	8	11	655	20.3	190	181	371	11.5	1	11.5
Wednesfield	15450	163	157	8	13	341	22.1	79	63	142	9.2	—	9.2
Willenhall	28220	276	271	10	13	570	20.2	169	155	324	11.5	—	11.5
RURAL DISTRICTS													
Cannock	190140	1608	1519	129	101	3357	17.7	1094	1048	2142	11.3	52	11.0
Uttoxeter	22040	203	189	17	4	413	18.7	147	123	270	12.3	1	12.3
Cheadle	30890	252	246	15	20	533	17.3	165	155	320	10.4	—	10.4
Leek	14920	140	105	9	6	260	17.4	85	94	179	12.0	—	12.0
Lichfield	32710	284	292	21	23	620	19.0	169	158	327	10.0	—	10.0
Newcastle-under- Lyme	15980	139	119	14	10	282	17.6	101	97	198	12.4	—	12.4
Seisdon	19640	138	172	10	6	326	16.6	106	100	206	10.5	—	10.5
Stafford	14690	121	121	7	10	259	17.6	79	81	160	10.9	—	10.9
Stone	16790	118	83	10	10	221	13.2	77	80	157	9.4	—	9.4
Tutbury	13080	126	111	13	10	260	19.9	100	94	194	14.8	38	11.0
Uttoxeter	9400	87	81	13	2	183	19.5	65	66	131	13.9	13	12.6
SUFFOLK EAST:													
COUNTY BOROUGH	269260	2341	2151	377	327	5196	19.3	1731	1657	3388	12.6	15	12.6
Ipswich	88920	834	683	135	119	1771	19.9	572	536	1108	12.5	11	12.5
ADMIN. COUNTY	180340	1507	1468	242	208	3425	19.0	1159	1121	2280	12.6	4	12.6
URBAN DISTRICTS													
Aldeburgh M.B.	74200	665	632	107	78	1482	20.0	505	499	1004	13.5	1	13.5
Beccles M.B.	1855	16	16	3	1	36	19.4	12	12	24	12.9	—	12.9
Bungay	5828	47	48	7	5	107	18.4	54	47	101	17.3	—	17.3
Eye M.B.	3120	34	27	6	3	70	22.4	16	32	48	15.4	—	15.4
Felixstowe	1619	15	8	2	4	30	18.5	11	6	17	10.5	—	10.5
... ..	9486	93	82	17	9	201	21.2	74	60	134	14.1	—	14.1
Halesworth	1956	16	14	5	4	39	19.9	16	15	31	15.8	—	15.8
Leiston cum Sizewell	3603	28	28	—	1	57	15.8	27	23	50	13.9	—	13.9
Lowestoft M.B.	32370	304	305	41	30	680	21.0	198	196	394	12.2	—	12.2
Saxmundham	1328	11	11	4	2	28	21.1	7	8	15	11.3	—	11.3
Southwold M.B.	1756	17	9	1	2	29	16.5	17	24	41	23.3	—	23.3
Stowmarket	6561	49	49	10	12	120	18.3	46	34	80	12.2	—	12.2
Woodbridge	4718	34	35	11	5	85	18.0	27	42	69	14.6	1	14.6
RURAL DISTRICTS													
Blyth	106140	842	836	135	130	1943	18.3	654	622	1276	12.0	3	12.0
Deben	17840	131	157	29	30	347	19.5	110	115	225	12.6	—	12.6
Gipping	22570	167	155	33	23	378	16.7	164	122	286	12.7	2	12.0
Hartismere	17450	152	136	19	29	336	19.3	103	95	198	11.3	—	11.3
Lothlingland	16440	129	141	25	24	319	19.4	95	90	185	11.3	—	11.3
Samford	13270	105	105	10	7	227	17.1	78	82	160	12.1	1	12.0
Wainford	12200	91	86	9	9	195	16.0	75	70	145	11.9	—	11.9
... ..	6370	67	56	10	8	141	22.1	29	48	77	12.1	—	12.1

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Popula- tion (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
EST:															
COUNTY ...	105060	810	789	164	143	1906	18.1	701	695	1396	13.3	3	13.3	68	35
STRICTS ...	39160	313	290	71	50	724	18.5	259	257	516	13.2	3	13.1	28	38
Edmunds ...	17820	132	126	36	28	322	18.1	111	98	209	11.7	1	11.7	12	36
...	2823	23	26	6	1	56	19.8	20	20	40	14.2	—	14.2	2	35
...	3626	25	30	5	2	62	17.1	24	31	55	15.2	1	14.9	3	47
et ...	8492	69	43	12	8	132	15.5	48	56	104	12.2	—	12.2	3	22
M.B. ...	6399	64	65	12	11	152	23.8	56	52	108	16.9	1	16.7	8	52
STRICTS ...	65900	497	499	93	93	1182	17.9	442	438	880	13.4	—	13.4	40	33
...	8036	58	59	12	14	143	17.8	62	49	111	13.8	—	13.8	7	48
...	9014	65	69	11	11	156	17.3	68	58	126	14.0	—	14.0	4	26
...	11790	80	73	20	12	185	15.7	73	97	170	14.4	—	14.4	1	5
...	12980	112	113	21	15	261	20.1	84	79	163	12.6	—	12.6	9	34
...	8150	68	59	7	18	152	18.7	62	63	125	15.3	—	15.3	11	71
...	15930	114	126	22	23	285	17.9	93	92	185	11.6	—	11.6	8	27
...	1365860	10249	9818	1052	981	22100	16.2	7483	7813	15296	11.2	34	11.2	784	35
ROUGH ...	200780	1636	1542	194	196	3568	17.8	1221	1292	2513	12.5	7	12.5	148	41
COUNTY ...	1165080	8613	8276	858	785	18532	15.9	6262	6521	12783	11.0	27	10.9	636	34
STRICTS ...	1036960	7716	7392	748	684	16540	16.0	5556	5775	11331	10.9	26	10.9	557	33
M.B. ...	27690	188	165	8	25	386	13.9	127	135	262	9.5	1	9.4	12	30
on and	34670	233	235	30	26	524	15.1	217	253	470	13.6	—	13.6	19	35
ington M.B.	27900	239	221	22	21	503	18.0	151	156	307	11.0	1	11.0	11	21
a ...	54230	367	398	29	21	815	15.0	243	200	443	8.2	—	8.2	19	23
and Warl-	24110	222	190	17	25	454	18.8	143	126	269	11.2	—	11.2	18	39
...	27520	201	205	20	11	437	15.9	126	103	229	8.3	—	8.3	12	27
and Purley	53460	353	352	21	25	751	14.0	276	273	549	10.3	—	10.3	24	31
...	18920	124	119	21	14	278	14.7	117	117	234	12.4	—	12.4	5	18
...	21360	142	128	13	10	293	13.7	112	115	227	10.6	—	10.6	13	43
nd Ewell M.B.	62830	408	369	24	20	821	13.1	273	298	571	9.1	6	9.0	26	31
...	44060	353	285	24	33	695	15.8	225	262	487	11.1	—	11.1	25	35
...	22430	172	165	32	25	394	17.6	134	154	288	12.8	—	12.8	23	57
nd Camberley	16190	144	125	21	21	311	19.2	81	100	181	11.2	—	11.2	6	19
g M.B. ...	14020	107	96	11	11	225	16.0	81	90	171	12.2	—	12.2	8	35
M.B. ...	44740	348	297	44	27	716	16.0	256	254	510	11.4	—	11.4	33	45
...	11140	87	86	16	19	208	18.7	72	92	164	14.7	—	14.7	9	42
on-Thames	35760	270	262	35	31	598	16.7	262	243	505	14.1	6	14.0	26	43
...	23700	159	167	11	21	358	15.1	122	117	239	10.1	—	10.1	11	30
and Coombe	38090	301	296	15	24	636	16.7	169	183	352	9.2	1	9.2	26	40
...	66050	458	502	29	36	1025	15.5	322	280	602	9.1	4	9.1	34	32
M.B. ...	54070	450	451	35	32	968	17.9	288	263	551	10.2	1	10.2	31	31
M.B. ...	36670	248	243	46	30	567	15.5	242	255	497	13.6	—	13.6	19	33
M.B. ...	34160	253	239	31	30	553	16.2	218	260	478	14.0	2	13.9	19	34
M.B. ...	50660	402	396	36	44	878	17.3	252	284	536	10.6	1	10.6	30	33
nd Cheam M.B.	70250	485	474	49	33	1041	14.8	346	401	747	10.6	1	10.6	25	24
...	33180	280	263	22	20	585	17.6	179	199	378	11.4	—	11.4	21	35
on M.B. ...	47070	391	339	44	23	797	16.9	293	337	630	13.4	1	13.4	29	36
...	42030	331	324	42	26	723	17.2	229	225	454	10.8	1	10.8	23	31
STRICTS ...	128120	897	884	110	101	1992	15.5	706	746	1452	11.3	1	11.3	79	39
...	12660	86	87	12	10	195	15.4	53	66	119	9.4	—	9.4	4	20
and Horley	21480	144	153	18	12	327	15.2	127	128	255	11.9	—	11.9	12	36
...	27650	187	199	19	21	426	15.4	156	166	322	11.6	1	11.6	23	53
...	36850	300	281	28	38	647	17.6	202	215	417	11.3	—	11.3	28	42
on ...	29480	180	164	33	20	397	13.5	168	171	339	11.5	—	11.5	12	30

able proportion of the population of this area was enumerated in Mental Hospitals, the deaths in which are allocated to the areas deceased patients had resided before admission.

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Popula- tion (Middle 1945)	LIVE BIRTHS						DEATHS					
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.
		M.	F.	M.	F.								
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14
SUSSEX EAST :	503850	3511	3354	542	527	7934	15.7	3632	4420	8052	16.0	8	16.0
COUNTY BOROUGHS ...	220280	1610	1528	258	265	3661	16.6	1750	2030	3780	17.2	5	17.1
Brighton ...	132160	977	971	162	160	2270	17.2	1072	1131	2203	16.7	5	16.6
Eastbourne ...	39300	284	282	46	53	665	16.9	308	372	680	17.3	1	17.3
Hastings ...	48820	349	275	50	52	726	14.9	370	527	897	18.4	1	18.4
ADMIN. COUNTY ...	283570	1901	1826	284	262	4273	15.1	1882	2390	4272	15.1	3	15.1
URBAN DISTRICTS ...	146090	978	980	132	126	2216	15.2	987	1380	2367	16.2	3	16.2
Bexhill M.B. ...	18190	129	121	19	14	283	15.6	109	202	311	17.1	—	17.1
Burgess Hill ...	7476	62	47	7	9	125	16.7	48	38	86	11.5	—	11.5
Cuckfield ...	14260	92	95	10	10	207	14.5	83	92	175	12.3	2	12.1
East Grinstead ...	9910	54	66	11	4	135	13.6	68	78	146	14.7	—	14.7
Hove M.B. ...	57560	347	347	49	53	796	13.8	452	684	1136	19.7	1	19.7
Lewes M.B. ...	11530	79	86	12	9	186	16.1	66	89	155	13.4	—	13.4
Newhaven ...	5523	56	51	4	8	119	21.5	35	38	73	13.2	—	13.2
Portslade-by-Sea ...	11520	76	84	9	9	178	15.3	58	72	130	11.3	—	11.3
Rye M.B. ...	3671	21	31	3	4	59	16.1	30	29	59	16.1	—	16.1
Seaford ...	6450	62	52	8	6	128	19.8	38	58	96	14.9	—	14.9
RURAL DISTRICTS ...	137480	923	846	152	136	2057	15.0	895	1010	1905	13.9	—	13.9
Battle ...	25300	178	158	30	15	381	15.1	148	153	301	11.9	—	11.9
Chailay ...	17320	129	111	17	13	270	15.6	136	158	294	17.0	—	17.0
Cuckfield ...	25600	175	173	21	20	389	15.2	155	177	332	13.0	—	13.0
Hailsham ...	32430	216	192	20	28	456	14.1	201	245	446	13.8	—	13.8
Uckfield ...	36830	225	212	64	60	561	15.2	255	277	532	14.4	—	14.4
SUSSEX WEST :													
ADMIN. COUNTY ...	267510	1902	1890	267	234	4293	16.0	1888	2180	4068	15.2	9	15.2
URBAN DISTRICTS ...	144510	981	1011	141	115	2248	15.6	1049	1352	2401	16.6	6	16.6
Arundel M.B. ...	2400	24	23	1	4	52	21.7	16	23	39	16.2	—	16.2
Bognor Regis ...	22590	154	155	20	14	343	15.2	165	177	342	15.1	—	15.1
Chichester M.B. ...	15890	110	128	17	19	274	17.2	96	95	191	12.0	—	12.0
Horsham ...	15420	111	113	16	8	248	16.1	101	119	220	14.3	—	14.3
Littlehampton ...	10890	80	104	16	14	214	19.7	83	107	190	17.4	3	17.2
Shoreham-by-Sea ...	9566	77	87	8	10	182	19.0	65	72	137	14.3	—	14.3
Southwick ...	9134	65	74	7	5	151	16.3	47	62	109	11.9	—	11.9
Worthing M.B. ...	58620	360	327	56	41	784	13.4	476	697	1173	20.0	3	20.0
RURAL DISTRICTS ...	123000	921	879	126	119	2045	16.6	839	828	1667	13.6	3	13.5
Chanctonbury ...	17510	108	124	19	15	266	15.2	135	122	257	14.7	—	14.7
Chichester ...	34390	305	273	43	44	665	19.3	230	226	456	13.3	2	13.2
Horsham ...	22890	160	172	14	16	362	15.8	142	153	295	12.9	—	12.9
Midhurst ...	15520	96	101	15	9	221	14.2	92	87	179	11.5	—	11.5
Petworth ...	8430	58	58	10	10	136	16.1	59	54	113	13.4	—	13.4
Worthing ...	24260	194	151	25	25	395	16.3	181	186	367	15.1	1	15.1
WARWICKSHIRE :													
COUNTY BOROUGHS ...	1661200	15500	14508	1553	1342	32903	19.8	9509	8615	18124	10.9	11	10.9
Birmingham ...	1223870	11645	10822	1194	1056	24717	20.2	7190	6361	13551	11.1	1	11.1
Coventry ...	1001900	9317	8692	975	875	19859	19.8	5877	5326	11203	11.2	1	11.2
ADMIN. COUNTY ...	221970	2328	2130	219	181	4858	21.9	1313	1035	2348	10.6	—	10.6
URBAN DISTRICTS ...	437330	3855	3686	359	286	8186	18.7	2319	2254	4573	10.5	10	10.4
Bedworth ...	285610	2515	2429	243	192	5379	18.8	1496	1479	2975	10.4	4	10.4
Kenilworth ...	21800	199	216	16	8	439	20.1	90	99	189	8.7	—	8.7
Nuneaton M.B. ...	9470	81	78	9	4	172	18.2	38	56	94	9.9	—	9.9
Royal Leamington Spa M.B. ...	49140	501	458	41	38	1038	21.1	292	211	503	10.2	—	10.2
Rugby M.B. ...	34200	279	272	45	41	637	18.6	225	234	459	13.4	—	13.4
Solihull ...	42820	390	367	30	34	821	19.2	223	206	429	10.0	1	10.0
Stratford-on-Avon M.B. ...	58770	546	505	42	20	1113	18.9	251	267	518	8.8	2	8.8
Sutton Coldfield M.B. ...	13110	93	97	15	20	225	17.2	69	97	166	12.7	—	12.7
Warwick M.B. ...	42420	310	318	26	21	675	15.9	197	215	412	9.7	—	9.7
	13880	116	118	19	6	259	18.7	111	94	205	14.8	1	14.7

TABLE 17—continued.

AREA	Estimated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WICKSHIRE—contd.															
AL DISTRICTS ...	151720	1340	1257	116	94	2807	18.5	823	775	1598	10.5	6	10.5	133	46
ester ...	12140	122	97	14	7	240	19.8	66	72	138	11.4	—	11.4	6	24
erstone ...	21670	222	227	8	7	464	21.4	105	105	210	9.7	—	9.7	21	44
iden ...	33110	282	311	26	24	643	19.4	154	155	309	9.3	5	9.2	30	46
gby ...	16920	158	120	18	11	307	18.1	109	80	189	11.2	—	11.2	10	32
pton-on-Stour ...	7660	64	59	4	7	134	17.5	47	57	104	13.6	—	13.6	5	37
atham ...	10980	101	97	13	4	215	19.6	83	71	154	14.0	—	14.0	11	50
atford-on-Avon ...	16200	134	117	12	16	279	17.2	90	94	184	11.4	1	11.3	15	53
nworth ...	15190	152	125	8	7	292	19.2	81	65	146	9.6	—	9.6	20	67
arwick ...	17850	105	104	13	11	233	13.1	88	76	164	9.2	—	9.2	15	63
MORLAND :															
IN. COUNTY ...	64910	442	407	51	51	951	14.7	421	403	824	12.7	2	12.7	36	37
AN DISTRICTS ...	32640	189	174	22	26	411	12.6	187	216	403	12.3	2	12.3	13	31
leby M.B. ...	1658	14	11	2	—	27	16.3	15	14	29	17.5	—	17.5	—	—
adal M.B. ...	17710	101	105	15	16	237	13.4	108	112	220	12.4	—	12.4	9	37
le Lakes ...	5905	27	30	2	2	61	10.3	23	37	60	10.2	—	10.2	1	16
ndermere ...	7367	47	28	3	8	86	11.7	41	53	94	12.8	2	12.5	3	34
AL DISTRICTS ...	32270	253	233	29	25	540	16.7	234	187	421	13.0	—	13.0	23	42
th Westmorland ...	15920	135	125	19	12	291	18.3	118	93	211	13.3	—	13.3	12	40
th Westmorland ...	16350	118	108	10	13	249	15.2	116	94	210	12.8	—	12.8	11	43
T, ISLE OF :															
IN. COUNTY ...	80350	669	589	79	62	1399	17.4	588	635	1223	15.2	—	15.2	51	36
AN DISTRICTS ...	66170	554	482	64	54	1154	17.4	461	503	964	14.6	—	14.6	43	36
res ...	14700	124	140	14	7	285	19.4	110	81	191	13.0	—	13.0	6	21
port M.B. ...	18170	140	133	15	17	305	16.8	115	112	227	12.5	—	12.5	10	32
le M.B. ...	17590	110	117	19	21	267	15.2	130	179	309	17.6	—	17.6	16	59
down, Shanklin ...	10560	146	67	9	3	225	21.3	70	85	155	14.7	—	14.7	10	44
ntor ...	5150	34	25	7	6	72	14.0	36	46	82	15.9	—	15.9	1	14
AL DISTRICT : ...															
of Wight ...	14180	115	107	15	8	245	17.3	127	132	259	18.3	—	18.3	8	32
SHIRE :															
IN. COUNTY ...	331290	2714	2545	427	383	6069	18.3	1942	1976	3918	11.8	1	11.8	220	35
AN DISTRICTS ...	167810	1339	1259	206	201	3005	17.9	997	1019	2016	12.0	—	12.0	108	35
atford-on-Avon ...	5054	43	53	11	11	118	23.3	35	36	71	14.0	—	14.0	5	41
le M.B. ...	5402	45	41	8	4	98	18.1	38	31	69	12.8	—	12.8	4	40
openham M.B. ...	12920	127	121	13	11	272	21.1	63	71	134	10.4	—	10.4	11	40
izes M.B. ...	7701	57	42	16	12	127	16.5	38	52	90	11.7	—	11.7	6	46
izesbury M.B. ...	2564	27	12	3	4	46	17.9	22	16	38	14.8	—	14.8	1	21
lborough M.B. ...	4655	34	33	8	3	78	16.8	33	29	62	13.3	—	13.3	6	75
lsham ...	6384	55	42	12	4	113	17.7	31	41	72	11.3	—	11.3	2	17
isbury M.B. ...	30550	225	252	41	43	561	18.4	198	201	399	13.1	—	13.1	13	23
ndon M.B. ...	65520	511	484	74	75	1144	17.5	384	357	741	11.3	—	11.3	38	33
lbridge ...	13870	115	87	8	21	231	16.7	72	100	172	12.4	—	12.4	8	34
minster ...	6091	50	43	5	9	107	17.6	41	39	80	13.1	—	13.1	12	110
thbury ...	4663	31	35	3	2	71	15.2	25	28	53	11.4	—	11.4	2	28
on M.B. ...	2436	19	14	4	2	39	16.0	17	18	35	14.4	—	14.4	—	—
AL DISTRICTS ...	163480	1375	1286	221	182	3064	18.7	945	957	1902	11.6	1	11.6	112	36
isbury ...	13320	127	110	13	12	262	19.7	71	49	120	9.0	—	9.0	10	37
atford and ...	9730	91	62	10	12	175	18.0	60	65	125	12.8	—	12.8	8	45
le and ...	24140	227	222	26	20	495	20.5	134	125	259	10.7	—	10.7	17	34
appenham ...	13140	86	81	18	18	203	15.4	67	72	139	10.6	1	10.5	6	29
lades and ...	12580	94	96	15	16	221	17.6	74	75	149	11.8	—	11.8	8	35
izes ...	20140	172	177	30	23	402	20.0	99	101	200	9.9	—	9.9	12	29
nworth ...	8907	80	83	6	14	183	20.8	44	55	99	11.2	—	11.2	3	16

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS							Dea- th and 1 year
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
WILTSHIRE—contd. R.D.'s—contd.															
Marlborough and Ramsbury... ..	9563	82	85	22	13	202	21.1	70	73	143	15.0	—	15.0	9	
Mere and Tisbury ...	10840	93	64	10	11	178	16.4	66	96	162	14.9	—	14.9	12	
Pewsey	13440	110	100	26	17	253	18.8	79	67	146	10.9	—	10.9	10	
Salisbury and Wilton	15930	126	121	28	16	291	18.3	94	85	179	11.2	—	11.2	12	
Warminster and Westbury	11850	87	85	17	10	199	16.8	87	94	181	15.3	—	15.3	5	
WORCESTERSHIRE :															
COUNTY BOROUGHS ...	478640	4094	3799	357	378	8628	18.0	2815	2696	5511	11.5	—	11.5	379	
Dudley	117460	1058	917	74	89	2138	18.2	714	684	1398	11.9	—	11.9	94	
Worcester	58850	555	490	22	27	1094	18.6	367	325	692	11.8	—	11.8	61	
Worcester	58610	503	427	52	62	1044	17.8	347	359	706	12.0	—	12.0	33	
ADMIN. COUNTY ...	361180	3036	2882	283	289	6490	18.0	2101	2012	4113	11.4	—	11.4	285	
URBAN DISTRICTS ...															
Bewdley M.B.	256900	2161	2053	195	202	4611	17.9	1484	1431	2915	11.3	—	11.3	207	
Bromsgrove	4376	41	44	4	9	98	22.4	21	31	52	11.9	—	11.9	3	
Droitwich M.B.	24600	171	166	12	19	368	15.0	106	153	259	10.5	—	10.5	17	
Evesham M.B.	5675	28	39	4	5	76	13.4	32	30	62	10.9	—	10.9	2	
Halesowen M.B.	11350	95	76	11	8	190	16.7	85	53	138	12.2	—	12.2	9	
Kidderminster M.B.	37030	340	309	12	11	672	18.1	198	188	386	10.4	—	10.4	26	
Kidderminster M.B.	34670	306	285	51	52	694	20.0	202	222	424	12.2	—	12.2	39	
Malvern	20980	138	133	21	18	310	14.8	136	158	294	14.0	—	14.0	13	
Oldbury M.B.	50040	494	469	27	29	1019	20.4	255	197	452	9.0	—	9.0	34	
Redditch	25470	234	215	17	17	483	19.0	139	152	291	11.4	—	11.4	23	
Stourbridge M.B.	33960	247	244	27	21	539	15.9	249	200	449	13.2	—	13.2	32	
Stourport-on-Severn	8749	67	73	9	13	162	18.5	61	47	108	12.3	—	12.3	9	
RURAL DISTRICTS ...															
Bromsgrove	104280	875	829	88	87	1879	18.0	617	581	1198	11.5	—	11.5	78	
Droitwich	23890	224	209	15	17	465	19.5	110	135	245	10.3	—	10.3	23	
Evesham	12070	100	102	14	9	225	18.6	68	71	139	11.5	—	11.5	12	
Kidderminster	15240	115	122	11	14	262	17.2	101	115	216	14.2	—	14.2	8	
Martley	9441	73	67	11	7	158	16.7	63	41	104	11.0	—	11.0	3	
Martley	11430	107	84	12	2	205	17.9	79	59	138	12.1	—	12.1	12	
Pershore	14160	127	124	13	22	286	20.2	96	74	170	12.0	—	12.0	11	
Tenbury	5359	40	41	5	8	94	17.5	33	26	59	11.0	—	11.0	4	
Upton-on-Severn ...	12690	89	80	7	8	184	14.5	67	60	127	10.0	—	10.0	5	
YORKSHIRE, EAST															
RIDING:	429190	3691	3536	449	468	8144	19.0	2993	2716	5709	13.3	18	13.3	446	
COUNTY BOROUGH															
Kingston-upon-Hull	245740	2296	2161	295	304	5056	20.6	1750	1563	3313	13.5	13	13.4	311	
ADMIN. COUNTY ...	183450	1395	1375	154	164	3088	16.8	1243	1153	2396	13.1	5	13.0	135	
URBAN DISTRICTS ...															
Beverley M.B.	89360	701	638	79	86	1504	16.8	635	620	1255	14.0	—	14.0	62	
Bridlington M.B. ...	13790	115	111	10	12	248	18.0	100	98	198	14.4	—	14.4	6	
Driffield	19210	164	157	24	32	377	19.6	156	174	330	17.2	—	17.2	25	
Filey	6207	39	61	11	10	121	19.5	54	43	97	15.6	—	15.6	5	
Haltemprice	3828	32	27	7	3	69	18.0	23	27	50	13.1	—	13.1	7	
Hedon M.B.	31850	238	185	13	17	453	14.2	182	149	331	10.4	—	10.4	11	
Hedon M.B.	1708	17	19	2	2	40	23.4	16	13	29	17.0	—	17.0	2	
Hornsea	4451	34	25	4	2	65	14.6	29	49	78	17.5	—	17.5	1	
Norton	4050	27	31	6	7	71	17.5	36	30	66	16.3	—	16.3	4	
Withernsea	4266	35	22	2	1	60	14.1	39	37	76	17.8	—	17.8	1	
RURAL DISTRICTS ...															
Beverley	94090	694	737	75	78	1584	16.8	608	533	1141	12.1	5	12.1	73	
Bridlington	16450	125	122	13	12	272	16.5	89	97	186	11.3	—	11.3	11	
Derwent	7914	58	67	6	11	142	17.9	57	38	95	12.0	—	12.0	8	
Driffield	11920	81	96	6	10	193	16.2	88	61	149	12.5	3	12.2	8	
Holderness	9149	67	86	8	8	169	18.5	65	49	114	12.5	—	12.5	10	
Holderness	17360	131	145	12	12	300	17.3	102	107	209	12.0	1	12.0	11	
Howden	11030	73	88	14	7	182	16.5	69	77	146	13.2	—	13.2	11	
Norton	6987	63	48	7	10	128	18.3	42	25	67	9.6	—	9.6	4	
Pocklington	13280	96	85	9	8	198	14.9	96	79	175	13.2	1	13.1	10	

TABLE 17—continued.

AREA	Estimated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
IRE, NORTH															
ING: ...	443040	3816	3644	403	357	8220	18.6	3040	2829	5869	13.2	5	13.2	524	62
Borough	128620	1256	1195	101	112	2664	20.7	888	746	1634	12.7	—	12.7	215	79
COUNTY ...	314420	2560	2449	302	245	5556	17.7	2152	2083	4235	13.5	5	13.5	309	54
DISTRICTS ...	177120	1406	1397	180	143	3126	17.6	1242	1219	2461	13.9	1	13.9	177	55
... ..	29150	267	241	35	25	568	19.5	186	152	338	11.6	—	11.6	39	67
rough... ..	7813	52	69	6	3	130	16.6	65	40	105	13.4	—	13.4	6	45
... ..	6694	66	62	2	6	136	20.3	38	42	80	12.0	—	12.0	5	36
... ..	3796	16	27	8	4	55	14.5	21	28	49	12.9	—	12.9	1	18
llerton ...	4485	38	35	7	7	87	19.4	32	33	65	14.5	—	14.5	3	34
ng ...	3808	25	20	4	4	53	13.9	29	21	50	13.1	—	12.9	1	18
M.B. ...	24120	199	205	21	16	441	18.3	153	159	312	12.9	1	12.9	24	53
ond M.B. ...	5774	38	42	9	3	92	15.9	28	32	60	10.4	—	10.4	5	63
rn and Marske															
he Sea ...	6519	56	62	7	5	130	19.9	49	48	97	14.9	—	14.9	6	45
... ..	4722	36	33	4	2	75	15.9	42	38	80	16.9	—	16.9	2	26
rough M.B. ...	37630	234	225	45	38	542	14.4	297	341	638	17.0	—	17.0	30	54
and Brotton	12130	124	99	5	3	231	19.0	84	91	175	14.4	—	14.4	14	59
by-on-Tees															
... ..	20780	172	199	15	14	400	19.2	140	108	248	11.9	—	11.9	33	81
... ..	9699	83	78	12	13	186	19.2	78	86	164	16.9	—	16.9	8	42
DISTRICTS ...	137300	1154	1052	122	102	2430	17.7	910	864	1774	12.9	4	12.9	132	53
th ...	3423	17	17	2	1	37	10.8	23	31	54	15.8	—	15.8	—	—
... ..	6433	46	52	5	8	111	17.3	48	34	82	12.7	—	12.7	4	36
... ..	1988	19	13	1	—	33	16.6	17	12	29	14.6	1	14.1	3	89
wold ...	9225	78	69	14	4	165	17.9	69	68	137	14.9	2	14.6	10	59
... ..	15320	166	126	12	15	319	20.8	93	74	167	10.9	1	10.8	12	37
ey ...	4975	40	33	6	4	83	16.7	36	25	61	12.3	—	12.3	8	94
Moorside ...	4362	34	36	6	7	83	19.0	33	28	61	14.0	—	14.0	6	71
n ...	6019	47	46	3	8	104	17.3	37	40	77	12.8	—	12.8	6	56
... ..	5514	40	43	3	2	88	16.0	33	26	59	10.7	—	10.7	3	33
n ...	1898	13	12	3	—	28	14.8	21	15	36	19.0	—	19.0	6	21
llerton ...	7620	73	59	5	6	143	18.8	40	49	89	11.7	—	11.7	5	34
ng ...	5275	27	41	5	2	75	14.2	34	39	73	13.8	—	13.8	2	26
... ..	2032	6	10	1	3	20	9.8	19	15	34	16.7	—	16.7	1	49
ond ...	11960	139	131	21	12	303	25.3	69	49	118	9.9	—	9.9	16	52
rough ...	6670	42	37	5	4	88	13.2	54	49	103	15.4	—	15.4	5	56
th ...	4050	41	34	1	2	78	19.3	24	24	48	11.9	—	11.9	7	88
ey ...	15910	134	116	11	10	271	17.0	104	94	198	12.4	—	12.4	15	54
... ..	11570	86	78	7	11	182	15.7	71	87	158	13.7	—	13.7	11	59
... ..	1936	19	14	5	1	39	20.1	9	14	23	11.9	—	11.9	2	50
... ..	11120	87	85	6	2	180	16.2	76	91	167	15.0	—	15.0	10	54
IRE, WEST															
Boroughs	3254520	26768	25380	2460	2237	56845	17.5	21874	20680	42534	13.1	24	13.1	3007	52
... ..	1809080	14485	13992	1454	1341	31272	17.3	12696	11988	24684	13.6	15	13.6	1694	53
... ..	69170	653	614	45	46	1358	19.6	449	396	845	12.2	—	12.2	78	56
... ..	262660	1861	1793	237	204	4095	15.6	1946	1986	3932	15.0	—	15.0	271	65
... ..	46650	398	351	41	50	840	18.0	364	363	727	15.6	—	15.6	41	48
... ..	70820	592	519	61	68	1240	17.5	437	403	840	11.9	1	11.8	88	69
... ..	89390	661	633	60	76	1430	16.0	688	753	1441	16.1	—	16.1	62	42
... ..	115560	843	789	98	70	1800	15.6	868	901	1769	15.3	2	15.3	97	53
... ..	*451670	3493	3341	436	407	7677	17.0	3281	3129	6410	14.2	7	14.2	438	56
... ..	75630	738	671	39	47	1495	19.8	476	416	892	11.8	—	11.8	86	56
... ..	476360	3979	4087	266	235	8567	18.0	3188	2775	5963	12.5	3	12.5	398	45
... ..	54470	453	444	43	27	967	17.8	378	311	689	12.6	—	12.6	59	60
... ..	96700	814	750	128	111	1803	18.6	621	555	1176	12.2	2	12.1	76	41
COUNTY ...	1445440	12283	11388	1006	896	25573	17.7	9178	8672	17850	12.3	9	12.3	1313	50
DISTRICTS ...	1069970	8740	8232	719	642	18333	17.1	7087	6797	13884	13.0	8	13.0	962	51
le-Street ...	18060	188	177	13	14	392	21.7	124	87	211	11.7	—	11.7	38	95

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Popula- tion (Middle 1945)	LIVE BIRTHS				DEATHS							
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.
		M.	F.	M.	F.								
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14
YORKSHIRE, WEST													
RIDING—contd.													
U.D.'s.—contd.													
Aireborough ...	25040	196	193	17	14	420	16·8	149	159	308	12·3	—	12·3
Baildon ...	9438	59	66	3	4	132	14·0	61	68	129	13·7	—	13·7
Barnoldswick ...	10070	59	78	4	5	146	14·5	88	60	148	14·7	—	14·7
Batley M.B. ...	36100	291	262	17	17	587	16·3	235	294	529	14·7	—	14·7
Bentley with Arksey	18060	171	167	19	17	374	20·7	107	87	194	10·7	—	10·7
Bingley ...	20100	129	119	11	13	272	13·5	142	150	292	14·5	—	14·5
Brighouse M.B. ...	27540	208	171	7	11	397	14·4	197	221	418	15·2	1	15·1
Castleford ...	39100	386	382	19	35	822	21·0	259	214	473	12·1	—	12·1
Colne Valley ...	20220	140	130	16	12	298	14·7	134	107	241	11·9	1	11·9
Conisbrough ...	15520	182	127	18	13	340	21·9	123	72	195	12·6	—	12·6
Cudworth ...	8148	93	74	5	2	174	21·4	54	46	100	12·3	—	12·3
Darfield ...	5740	62	57	4	2	125	21·8	45	28	73	12·7	—	12·7
Darton ...	13400	141	151	7	8	307	22·9	89	75	164	12·2	—	12·2
Deerne ...	22870	246	241	18	17	522	22·8	132	111	243	10·6	—	10·6
Denby Dale ...	9209	78	66	2	3	149	16·2	60	58	118	12·8	—	12·8
Denholme ...	2282	18	19	3	4	44	19·3	17	14	31	13·6	—	13·6
Dodworth ...	3950	34	42	4	3	83	21·0	24	28	52	13·2	—	13·2
Earby ...	4991	39	36	2	—	77	15·4	30	33	63	12·6	—	12·6
Elland ...	17870	145	120	11	7	283	15·8	135	127	262	14·7	—	14·7
Featherstone ...	12540	130	130	4	11	275	21·9	91	51	142	11·3	1	11·2
Garforth ...	11580	102	107	4	3	216	18·7	66	61	127	11·0	—	10·9
Goole M.B. ...	17780	140	147	16	10	313	17·6	123	91	214	12·0	—	12·0
Harrogate M.B. ...	48730	273	292	55	45	665	13·6	297	385	682	14·0	1	14·0
Hebden Royd ...	9195	74	66	5	3	148	16·1	77	75	152	16·5	—	16·5
Heckmondwike ...	7844	59	47	3	5	114	14·5	56	64	120	15·3	—	15·3
Hemsworth ...	12360	149	134	14	11	308	24·9	96	73	169	13·7	—	13·7
Holmfirth ...	17500	130	108	12	8	258	14·7	110	118	228	13·0	—	13·0
Horbury ...	7511	76	58	9	3	146	19·4	41	60	101	13·4	—	13·4
Horsforth ...	13140	100	80	5	7	192	14·6	74	97	171	13·0	—	13·0
Hoyland Nether	14520	135	120	19	10	284	19·6	77	55	132	9·1	—	9·1
Ilkley ...	16900	96	80	11	15	202	12·0	109	115	224	13·3	—	13·3
Keighley M.B. ...	52450	377	366	37	34	814	15·5	367	402	769	14·7	1	14·6
Kirkburton ...	17120	112	87	7	7	213	12·4	92	108	200	11·7	—	11·7
Knaresborough ...	6842	53	45	10	6	114	16·7	51	64	115	16·8	—	16·8
Knottingley ...	8386	80	78	7	6	171	20·4	58	50	108	12·9	—	12·9
Maltby ...	11270	122	120	11	3	256	22·7	54	55	109	9·7	—	9·7
Meltham ...	4653	37	27	1	—	65	14·0	43	40	83	17·8	—	17·8
Mexborough ...	18110	159	146	9	13	327	18·1	110	87	197	10·9	—	10·9
Mirfield ...	11070	84	97	8	3	192	17·3	61	79	140	12·6	—	12·6
Morley M.B. ...	36280	303	269	33	33	638	17·6	256	229	485	13·4	—	13·4
Normanton ...	18400	150	186	4	11	351	19·1	120	98	218	11·8	—	11·8
Ossett M.B. ...	13430	106	118	20	19	263	19·6	92	96	188	14·0	—	14·0
Otley ...	10760	64	84	14	8	170	15·8	82	66	148	13·8	—	13·8
Penistone ...	5640	42	42	4	3	91	16·1	33	42	75	13·3	—	13·3
Pontefract M.B. ...	19810	184	150	15	12	361	18·2	126	83	209	10·6	—	10·6
Pudsey M.B. ...	26890	171	181	20	13	385	14·3	166	166	332	12·3	—	12·3
Queensbury and													
Shelf ...	8093	52	47	3	5	107	13·2	73	72	145	17·9	—	17·9
Rawmarsh ...	17640	179	175	5	5	364	20·6	91	76	167	9·5	—	9·5
Ripon M.B. ...	8879	80	77	7	7	171	19·3	60	63	123	13·9	—	13·9
Ripponden ...	4764	29	22	2	5	58	12·2	31	35	66	13·9	—	13·9
Rothwell ...	22910	187	163	9	6	365	15·9	142	122	264	11·5	—	11·5
Royston ...	7532	70	73	7	4	154	20·4	45	40	85	11·3	—	11·3
Saddleworth ...	15540	110	104	8	4	226	14·5	114	121	235	15·1	—	15·1
Selby ...	9897	76	65	3	4	148	15·0	84	55	139	14·0	1	13·9
Shipley ...	28940	215	180	24	17	436	15·1	176	190	366	12·6	—	12·6
Silsden ...	5099	38	36	4	2	80	15·7	41	43	84	16·5	—	16·5
Skipton ...	13010	100	81	3	5	189	14·5	83	75	158	12·1	1	12·1
Sowerby Bridge	17610	124	130	13	9	276	15·7	164	160	324	18·4	—	18·4
Spenborough ...	33780	261	212	15	16	504	14·9	196	241	437	12·9	—	12·9

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RE, WEST —contd. —contd.															
y ...	14850	120	128	8	5	261	17.6	89	70	159	10.7	—	10.7	13	49
bridge... ..	9455	90	83	4	3	180	19.0	42	47	89	9.4	—	9.4	1	5
on ...	10660	98	80	7	13	198	18.6	78	58	136	12.8	—	12.8	12	59
ll ...	2252	24	17	1	3	45	20.0	18	15	33	14.7	—	14.7	1	22
orden M.B. ...	17550	113	115	8	9	245	14.0	148	153	301	17.2	—	17.2	9	36
upon Dearn	12640	105	105	7	5	222	17.6	87	58	145	11.5	—	11.5	9	40
owell ...	17540	157	168	19	7	351	20.0	121	88	209	11.9	—	11.9	25	70
orough ...	12910	139	128	5	5	277	21.5	71	66	137	10.6	—	10.6	10	35
DISTRICTS ...	375470	3543	3156	287	254	7240	19.3	2091	1875	3966	10.6	—	10.6	351	47
nd ...	4696	33	32	2	2	67	14.3	28	29	57	12.1	1	12.1	2	29
ster ...	49200	509	432	43	38	1022	20.8	235	188	423	8.6	—	8.6	62	59
... ..	8084	81	75	12	3	171	21.2	49	46	95	11.8	—	11.8	4	23
... ..	44990	498	425	45	35	1003	22.3	259	204	463	10.3	—	10.3	49	48
n ...	3605	37	13	2	1	53	14.7	24	31	55	15.3	—	15.3	2	37
on Park ...	15580	160	122	4	11	297	19.1	87	63	150	9.6	—	9.6	18	59
rdale ...	13040	95	89	11	5	200	15.3	69	68	137	10.5	—	10.5	10	49
cross ...	7026	52	58	7	8	125	17.8	40	48	88	12.5	—	12.5	5	39
one ...	6506	70	52	4	3	129	19.8	40	36	76	11.7	—	11.7	7	63
and ...															
ley Bridge ...	11200	78	56	7	10	151	13.5	71	81	152	13.6	—	13.6	10	65
tham ...	41820	471	382	22	21	896	21.4	242	205	447	10.7	—	10.7	53	58
gh ...	3888	14	26	3	3	46	11.8	22	20	42	10.8	—	10.8	2	43
... ..	5581	35	45	7	8	95	17.0	38	33	71	12.7	—	12.7	3	31
... ..	13300	101	81	8	8	198	14.9	94	85	179	13.5	—	13.5	7	35
on ...	21760	147	154	4	14	319	14.7	149	153	302	13.9	—	13.9	12	37
ster ...	22510	224	194	22	17	457	20.3	154	143	297	13.2	—	13.2	23	49
... ..	29310	303	304	38	27	672	22.9	120	114	234	8.0	—	8.0	38	55
field ...	17100	188	177	10	11	386	22.6	98	74	172	10.1	—	10.1	15	38
erby ...	19460	138	145	23	22	328	16.9	97	93	190	9.8	1	9.7	10	30
edale ...	5284	40	35	1	1	77	14.6	27	20	47	8.9	—	8.9	3	38
ey ...	31530	269	259	14	6	548	17.4	148	141	289	9.2	—	9.2	16	29
AND MONMOUTH Y:															
COUNTY ...	46070	351	367	46	53	817	17.7	379	354	733	15.9	—	15.9	60	72
DISTRICTS ...	16950	140	132	20	21	313	18.5	150	140	290	17.1	—	17.1	19	59
ch ...	2318	21	21	4	1	47	20.3	30	13	43	18.6	—	18.6	1	21
maris M.B. ...	1860	18	12	—	1	31	16.7	23	18	41	22.0	—	22.0	3	95
ead ...	9375	80	76	13	16	185	19.7	74	81	155	16.5	—	16.5	11	58
efni ...	1685	12	10	1	1	24	14.2	11	17	28	16.6	—	16.6	4	163
Bridge ...	1712	9	13	2	2	26	15.2	12	11	23	13.4	—	13.4	—	—
DISTRICTS ...	29120	211	235	26	32	504	17.3	229	214	443	15.2	—	15.2	41	80
ry ...	10170	80	81	7	11	179	17.6	78	80	158	15.5	—	15.5	13	71
lyn ...	8230	54	60	4	9	127	15.4	62	74	136	16.5	—	16.5	11	85
... ..	10720	77	94	15	12	198	18.5	89	60	149	13.9	—	13.9	17	84
OCKSHIRE: COUNTY ...	51560	415	359	37	41	852	16.5	404	323	727	14.1	2	14.1	49	56
DISTRICTS ...	14640	103	80	14	13	210	14.3	127	103	230	15.7	—	15.6	9	42
ock M.B. ...	4618	34	28	4	5	71	15.4	39	37	76	16.5	2	16.5	3	41
awr ...	6231	44	33	4	4	85	13.6	56	41	97	15.6	—	15.2	4	46
Wells... ..	1617	7	10	4	1	22	13.6	4	10	14	8.7	—	8.7	—	—
... ..	1344	14	5	1	3	23	17.1	21	10	31	23.1	—	23.1	1	43
tryd ...	830	4	4	1	—	9	10.8	7	5	12	14.5	—	14.5	1	109
DISTRICTS ...	36920	312	279	23	28	642	17.4	277	220	497	13.5	—	13.5	40	61
ock ...															
nock and	5247	34	41	3	4	82	15.6	38	41	79	15.1	—	15.1	6	72
orse Div.	1810	14	5	1	—	20	11.0	13	14	27	14.9	—	14.9	1	49
hyr Cynog Div.	3753	28	25	2	2	57	15.2	27	13	40	10.7	—	10.7	1	17
owell ...	6500	61	60	5	11	137	21.1	43	48	91	14.0	—	14.0	7	60

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS					
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.
		M.	F.	M.	F.								
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14
BRECKNOCKSHIRE—contd.													
R.D.'s.—contd.													
Hay	3390	30	29	1	3	63	18.6	23	14	37	10.9	—	10.9
Vaynor and Penderyn	5100	48	39	4	3	94	18.4	46	36	82	16.1	—	16.1
Ystradgynlais ...	11120	97	80	7	5	189	17.0	87	54	141	12.7	—	12.7
CAERNARVONSHIRE :													
ADMIN. COUNTY ...	121700	761	762	82	79	1684	13.8	905	936	1841	15.1	4	15.1
URBAN DISTRICTS ...	70500	387	422	48	48	905	12.8	517	531	1048	14.9	3	14.8
Bangor M.B. ...	12220	79	78	15	6	178	14.6	97	77	174	14.2	3	14.0
Bethesda ...	4010	28	20	5	1	54	13.5	38	37	75	18.7	—	18.7
Bettws y Coed ...	790	3	3	—	2	8	10.1	5	8	13	16.5	—	16.5
Caernarvon M.B. ...	9467	57	58	7	9	131	13.8	78	68	146	15.4	—	15.4
Conway M.B. ...	9888	57	67	4	8	136	13.8	57	69	126	12.7	—	12.7
Criccieth ...	1557	10	10	—	—	20	12.8	14	17	31	19.9	—	19.9
Llandudno ...	17540	86	86	7	10	189	10.8	111	121	232	13.2	—	13.2
Llanfairfechan ...	3032	11	9	1	7	28	9.2	18	27	45	14.8	—	14.8
Penmaenmawr ...	4176	20	27	—	2	49	11.7	35	35	70	16.8	—	16.8
Porthmadoc ...	3959	18	31	6	1	56	14.1	34	34	68	17.2	—	17.2
Pwllheli M.B. ...	3861	18	33	3	2	56	14.5	30	38	68	17.6	—	17.6
RURAL DISTRICTS ...	51200	374	340	34	31	779	15.2	388	405	793	15.5	1	15.5
Gwyrfa ...	23790	176	172	12	16	376	15.8	182	195	377	15.8	—	15.8
Lleyn ...	16880	124	109	16	9	258	15.3	114	125	239	14.2	—	14.2
Nant Conway ...	5973	38	34	4	5	81	13.6	63	51	114	19.1	—	19.1
Ogwen ...	4557	36	25	2	1	64	14.0	29	34	63	13.8	—	13.8
CARDIGANSHIRE :													
ADMIN. COUNTY ...	51690	336	333	35	40	744	14.4	375	467	842	16.3	—	16.3
URBAN DISTRICTS ...	17270	102	97	8	10	217	12.6	123	148	271	15.7	—	15.7
Aberayron ...	1274	3	4	—	2	9	7.1	9	11	20	15.7	—	15.7
Aberystwyth M.B. ...	9753	60	45	5	8	118	12.1	66	81	147	15.1	—	15.1
Cardigan M.B. ...	3411	23	27	3	—	53	15.5	22	28	50	14.7	—	14.7
Lampeter M.B. ...	1880	11	11	—	—	22	11.7	15	14	29	15.4	—	15.4
New Quay ...	952	5	10	—	—	15	15.8	11	14	25	26.3	—	26.3
RURAL DISTRICTS ...	34420	234	236	27	30	527	15.3	252	319	571	16.6	—	16.6
Aberayron ...	9237	68	61	10	8	147	15.9	59	78	137	14.8	—	14.8
Aberystwyth ...													
North ...	5981	29	54	2	6	91	15.2	56	64	120	20.1	—	20.1
South ...	3866	29	20	6	1	56	14.5	33	41	74	19.1	—	19.1
Teifi-side ...	10070	74	60	6	10	150	14.9	71	85	156	15.5	—	15.5
Tregaron ...	5266	34	41	3	5	83	15.8	33	51	84	16.0	—	16.0
CARMARTHENSHIRE :													
ADMIN. COUNTY ...	162670	1209	1179	82	97	2567	15.8	1088	994	2082	12.8	1	12.8
URBAN DISTRICTS ...	67230	452	446	36	46	980	14.6	468	437	905	13.5	—	13.5
Ammanford ...	6403	40	40	1	6	87	13.6	44	38	82	12.8	—	12.8
Burry Port ...	5534	40	49	6	4	99	17.9	46	44	90	16.3	—	16.3
Carmarthen M.B. ...	10020	72	72	7	18	169	16.9	71	67	138	13.8	—	13.8
Cwmaman ...	4501	39	32	1	2	74	16.4	32	26	58	12.9	—	12.9
Kidwelly M.B. ...	2785	25	11	2	1	39	14.0	16	10	26	9.3	—	9.3
Llandilo ...	1886	14	11	—	—	25	13.3	13	20	33	17.5	—	17.5
Llandovery M.B. ...	1943	8	9	2	3	22	11.3	10	20	30	15.4	—	15.4
Llanelli M.B. ...	33400	209	220	16	12	457	13.7	229	211	440	13.2	—	13.2
Newcastle Emlyn ...	758	5	2	1	—	8	10.6	7	1	8	10.6	—	10.6
RURAL DISTRICTS ...	95440	757	733	46	51	1587	16.6	620	557	1177	12.3	1	12.3
Carmarthen ...	28160	226	244	14	21	505	17.9	169	191	360	12.8	—	12.7
Llandilo ...	25250	212	174	9	14	405	16.2	170	132	302	12.0	—	12.0
Llanelli ...	33800	253	264	14	12	543	16.1	220	167	387	11.4	—	11.4
Newcastle Emlyn ...	8230	66	51	9	4	130	15.8	61	67	128	15.6	—	15.6
DENBIGHSHIRE :													
ADMIN. COUNTY ...	162390	1210	1124	167	126	2627	16.2	1036	1132	2168	13.4	2	13.3

TABLE 17—continued.

AREA	Estimated Resident Civilian Population (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
IRE—contd.															
DISTRICTS ...	74190	483	452	82	58	1075	14.5	497	540	1037	14.0	—	14.0	63	57
Bay M.B. ...	7086	50	48	12	3	113	15.9	53	56	109	15.4	—	15.4	6	52
M.B. ...	23840	126	104	20	11	261	10.9	158	213	371	15.6	—	15.6	13	49
... ..	8384	34	45	2	4	85	10.1	50	49	99	11.8	—	11.8	4	46
... ..	3092	18	23	1	2	44	14.2	23	21	44	14.2	—	14.2	1	22
... ..	2592	19	13	2	1	35	13.5	20	18	38	14.7	—	14.7	—	—
M.B. ...	3526	18	12	3	3	36	10.2	21	18	39	11.1	—	11.1	1	27
a M.B. ...	25670	218	207	42	34	501	19.5	172	165	337	13.1	—	13.1	38	74
DISTRICTS ...	88200	727	672	85	68	1552	17.6	539	592	1131	12.8	2	12.8	97	61
... ..	6657	43	48	5	6	102	15.3	36	38	74	11.1	—	11.1	1	10
... ..	6834	52	51	3	3	109	15.9	61	48	109	15.9	—	15.9	10	90
... ..	5233	33	34	8	6	81	15.5	35	49	84	16.1	1	15.9	4	48
... ..	9746	73	53	8	6	140	14.4	60	62	122	12.5	—	12.5	11	77
... ..	59730	526	486	61	47	1120	18.8	347	395	742	12.4	1	12.4	71	62
... ..	125670	1006	996	102	99	2203	17.5	739	798	1537	12.2	—	12.2	106	47
DISTRICTS ...	63630	525	503	55	57	1140	17.9	384	441	825	13.0	—	13.0	56	48
Quay ...	6837	51	54	6	6	117	17.1	44	40	84	12.3	—	12.3	5	42
... ..	6369	63	62	5	3	133	20.9	41	34	75	11.8	—	11.8	13	96
... ..	11650	101	105	8	13	227	19.5	57	69	126	10.8	—	10.8	7	30
... ..	7397	67	57	9	10	143	19.3	23	47	70	9.5	—	9.5	5	34
... ..	5514	49	58	5	2	114	20.7	41	31	72	13.1	—	13.1	1	9
... ..	7873	60	54	8	8	130	16.5	57	76	133	16.9	—	16.9	6	45
... ..	17990	134	113	14	15	276	15.3	121	144	265	14.7	—	14.7	19	67
DISTRICTS ...	62040	481	493	47	42	1063	17.1	355	357	712	11.5	—	11.5	50	46
... ..	29700	265	267	22	21	575	19.4	157	138	295	9.9	—	9.9	26	44
... ..	20550	136	153	16	7	312	15.2	130	124	254	12.4	—	12.4	17	53
... ..	4536	36	32	7	5	80	17.6	26	35	61	13.4	—	13.4	1	12
... ..	7254	44	41	2	9	96	13.2	42	60	102	14.1	—	14.1	6	61
... ..	1114760	9533	8803	713	620	19669	17.6	8011	6461	14472	13.0	13	13.0	1120	56
... ..	416980	3459	3237	266	252	7214	17.3	2955	2495	5450	13.1	6	13.1	393	53
... ..	217410	1946	1733	177	170	4026	18.5	1826	1303	2829	13.0	3	13.0	223	54
... ..	59620	472	425	24	20	941	15.8	492	373	865	14.5	1	14.5	68	71
... ..	139950	1041	1079	65	62	2247	16.1	937	819	1756	12.5	2	12.5	102	44
... ..	697780	6074	5566	447	368	12455	17.8	5056	3966	9022	12.9	7	12.9	727	57
DISTRICTS ...	514630	4532	4123	336	284	9275	18.0	3843	2979	6822	13.3	6	13.2	555	59
... ..	38930	298	285	10	15	608	15.6	344	247	591	15.2	—	15.2	28	45
... ..	36440	351	303	37	32	723	19.8	267	236	503	13.8	—	13.8	41	56
... ..	11650	98	91	8	8	205	17.6	69	65	134	11.5	—	11.5	7	33
... ..	32160	317	291	36	27	671	20.9	252	200	452	14.1	—	14.1	46	67
... ..	1207	13	10	2	—	25	20.7	7	6	13	10.8	—	10.8	2	78
... ..	35900	334	339	36	12	721	20.1	281	173	454	12.6	1	12.6	70	95
... ..	8948	96	96	7	2	201	22.5	64	46	110	12.3	—	12.3	13	63
... ..	24640	185	191	13	7	392	16.1	173	137	310	12.6	—	12.6	25	62
... ..	22410	211	195	8	18	432	19.3	192	129	321	14.3	1	14.3	24	54
... ..	32370	307	258	21	24	610	18.8	223	186	409	12.6	1	12.6	35	56
... ..	29400	227	212	17	10	466	15.9	200	171	371	12.6	—	12.6	22	46
... ..	23560	220	204	12	4	440	18.7	159	117	276	11.7	—	11.7	20	44
... ..	15620	110	85	11	14	220	14.1	103	102	205	13.1	—	13.1	7	31
... ..	38020	354	284	23	29	690	18.1	289	217	506	13.3	1	13.3	58	82
... ..	8455	57	61	6	6	130	15.4	63	62	125	14.8	—	14.8	5	38
... ..	38440	328	304	18	22	672	17.5	270	213	483	12.6	2	12.5	42	61
... ..	116480	1026	914	71	54	2065	17.7	887	672	1559	13.4	—	13.4	110	52
DISTRICTS ...	183150	1542	1443	111	84	3180	17.4	1213	987	2200	12.0	1	12.0	172	53
... ..	34660	275	241	22	16	554	16.0	210	164	374	10.8	—	10.8	20	35
... ..	12270	124	119	8	7	258	21.0	89	69	158	12.9	—	12.9	14	53
... ..	10670	76	69	11	3	159	14.9	64	50	114	10.7	—	10.7	6	37
... ..	22950	221	231	16	16	484	21.1	176	151	327	14.2	—	14.2	34	69
... ..	39560	316	303	15	12	646	16.3	247	207	454	11.5	1	11.5	36	55

TABLE 17—continued.

AREA	Estimated Resident Civilian Population (Middle 1945)	LIVE BIRTHS				DEATHS							
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.
		M.	F.	M.	F.								
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14
GLAMORGANSHIRE— <i>contd.</i>													
R.D.'s— <i>contd.</i>													
Penybont ...	30520	274	252	24	16	566	18.5	200	174	374	12.3	—	12.3
Pontardawe ...	32520	256	228	15	14	513	15.8	227	172	399	12.3	—	12.3
MERIONETHSHIRE :													
ADMIN. COUNTY ...	38860	262	261	33	38	594	15.3	278	284	562	14.5	—	14.5
URBAN DISTRICTS ...	17000	92	110	13	16	231	13.6	135	119	254	14.9	—	14.9
Bala ...	1435	5	10	2	1	18	12.5	12	12	24	16.7	—	16.7
Barmouth ...	2390	19	19	1	1	40	16.7	13	17	30	12.6	—	12.6
Dolgelley ...	2356	12	18	4	5	39	16.6	11	14	25	11.0	—	11.0
Ffestiniog ...	7155	31	40	5	6	82	11.5	70	47	117	16.4	—	16.4
Towyn ...	3664	25	23	1	3	52	14.2	29	29	58	15.8	—	15.8
RURAL DISTRICTS ...	21860	170	151	20	22	363	16.6	143	165	308	14.1	—	14.1
Deudraeth ...	6747	52	53	8	5	118	17.5	44	44	88	13.0	—	13.0
Dolgelley ...	7577	58	49	6	7	120	15.8	49	56	105	13.9	—	13.9
Edeirnion ...	4030	39	36	4	7	86	21.3	28	37	65	16.1	—	16.1
Pennlyn ...	3165	20	11	2	2	35	11.1	20	20	40	12.6	—	12.6
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire)	341	1	2	—	1	4	11.7	2	8	10	29.3	—	29.3
MONMOUTHSHIRE :													
COUNTY BOROUGH ...	400030	3405	3340	264	263	7272	18.2	2704	2207	4911	12.3	6	12.3
Newport ...	94320	789	801	82	80	1752	18.6	644	530	1174	12.4	2	12.4
ADMIN. COUNTY ...	305710	2616	2539	182	183	5520	18.1	2060	1677	3737	12.2	4	12.2
URBAN DISTRICTS ...	265360	2332	2225	151	157	4865	18.3	1742	1448	3190	12.0	2	12.0
Abercarn ...	18950	170	164	9	7	350	18.3	132	108	240	12.7	1	12.6
Abergavenny M.B. ...	8275	52	60	10	17	139	16.8	67	53	120	14.5	—	14.5
Abertillery ...	28260	269	222	11	16	518	18.3	185	142	327	11.6	—	11.6
Bedwas and Machen	8311	73	70	2	6	151	18.2	42	32	74	8.0	—	8.0
Bedwelty ...	28050	297	283	21	22	623	22.2	182	141	323	11.5	—	11.5
Blaenavon ...	9708	87	76	5	8	176	18.1	87	64	151	15.6	—	15.6
Caerleon ...	3489	19	14	1	1	35	10.0	30	15	45	12.0	—	12.0
Chepstow ...	4920	41	43	6	3	93	18.9	29	31	60	12.2	—	12.2
Cwmbran ...	11500	116	89	4	5	214	18.6	74	67	141	12.3	—	12.3
Ebbw Vale ...	28000	233	252	15	16	516	18.4	187	153	340	12.1	1	12.1
Monmouth M.B. ...	5020	31	43	8	6	88	17.5	26	42	68	13.5	—	13.5
Mynyddislwyn ...	13320	137	128	7	8	280	21.0	84	76	160	12.0	—	12.0
Nantyglo and Blaina	11410	95	92	9	5	201	17.6	73	68	141	12.4	—	12.4
Pontypool ...	41550	358	321	18	15	712	17.1	278	234	512	12.3	—	12.3
Rhymney ...	8762	66	70	4	4	144	16.4	65	40	105	12.0	—	12.0
Risca ...	14540	111	103	7	2	223	15.3	82	66	148	10.2	—	10.2
Tredeggar ...	19920	167	180	14	15	376	18.9	111	103	214	10.7	—	10.7
Usk ...	1375	10	15	—	1	26	18.9	8	13	21	15.3	—	15.3
RURAL DISTRICTS ...	40350	284	314	31	26	655	16.2	318	229	547	13.6	2	13.5
Abergavenny ...	7445	45	59	12	11	127	17.1	54	40	94	12.6	—	12.4
Chepstow ...	9233	88	84	6	5	183	19.8	77	65	142	15.4	—	15.4
Magor and St. Mellons	11130	76	88	5	3	172	15.5	98	62	160	14.4	—	14.4
Monmouth ...	6195	34	43	3	3	83	13.4	43	41	84	13.6	—	13.6
Pontypool ...	6347	41	40	5	4	90	14.2	46	21	67	10.6	—	10.6
MONTGOMERYSHIRE :													
ADMIN. COUNTY ...	44680	298	309	53	39	699	15.6	365	289	654	14.6	—	14.6
URBAN DISTRICTS ...	16570	99	96	20	14	229	13.8	144	126	270	16.3	—	16.3
Llanfyllin M.B. ...	1379	13	8	1	2	24	17.4	8	5	13	9.4	—	9.4
Llanidloes M.B. ...	2148	8	4	2	1	15	7.0	24	26	50	23.3	—	23.3
Machynlleth ...	1827	9	9	2	1	21	11.5	20	19	39	21.3	—	21.3

TABLE 17—continued.

AREA	Esti- mated Resident Civilian Popula- tion (Middle 1945)	LIVE BIRTHS						DEATHS						Deaths under 1 year	
		Legiti- mate		Illegiti- mate		TOTAL	Crude Rate per 1,000 Civilian Population.	M.	F.	TOTAL	Crude Rate per 1,000 Civilian Population.	Civilian War Deaths.	Death Rate excluding Civilian War Deaths.	Number.	Rate per 1,000 related live births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ERYSHIRE—															
cond.															
mary M.B. ...	841	6	8	1	—	15	17·8	6	7	13	15·5	—	15·5	—	—
rn and															
lwchaarn	4901	24	31	8	4	67	13·7	42	33	75	15·3	—	15·3	6	88
ool M.B. ...	5474	39	36	6	6	87	15·9	44	36	80	14·6	—	14·6	1	11
DISTRICTS ...	28110	199	213	33	25	470	16·7	221	163	384	13·7	—	13·7	20	42
lin ...	4788	33	30	5	4	72	15·0	46	35	81	16·9	—	16·9	4	54
leth ...	10420	76	93	13	10	192	18·4	84	57	141	13·5	—	13·5	8	41
rn and	3224	23	18	5	3	49	15·2	25	17	42	13·0	—	13·0	2	40
cloes ...	9678	67	72	10	8	157	16·2	66	54	120	12·4	—	12·4	6	37
ESHIRE :															
COUNTY ...	82690	669	653	62	69	1453	17·6	568	538	1106	13·4	1	13·4	60	40
DISTRICTS	38750	337	339	34	30	740	19·1	273	241	514	13·3	1	13·2	27	36
ard and															
wick	4460	40	35	2	3	80	17·9	40	24	64	14·3	—	14·3	—	—
ordwest M.B.	7214	60	46	4	9	119	16·5	39	48	87	12·1	—	12·1	3	25
Haven ...	9865	72	83	11	5	171	17·3	54	46	100	10·1	—	10·1	8	46
ch ...	946	7	12	1	—	20	21·1	10	4	14	14·8	—	14·8	2	98
d															
ke M.B. ...	1884	18	16	2	1	37	19·6	16	12	28	14·9	—	14·9	2	53
M.B. ...	10070	103	113	11	9	236	23·4	89	77	166	16·5	—	16·5	12	50
M.B. ...	4311	37	34	3	3	77	17·9	25	30	55	12·8	1	12·5	—	—
DISTRICTS	43940	332	314	28	39	713	16·2	295	297	592	13·5	—	13·5	33	45
ordwest	8697	76	71	7	6	160	18·4	65	59	124	14·3	—	14·3	4	24
ch ...	20260	150	140	14	17	321	15·8	121	126	247	12·2	—	12·2	15	46
ke ...	9757	64	64	3	12	143	14·7	75	69	144	14·8	—	14·8	9	62
ke ...	5226	42	39	4	4	89	17·0	34	43	77	14·7	—	14·7	5	55
IRE :															
COUNTY ...	19510	160	153	9	12	334	17·1	133	124	257	13·2	2	13·1	10	29
DISTRICTS	6060	52	51	4	3	110	18·2	37	49	86	14·2	—	14·2	6	53
on ...	1894	15	10	1	—	26	13·7	13	14	27	14·3	—	14·3	1	38
ndod Wells	3031	27	24	1	1	53	17·5	22	30	52	17·2	—	17·2	3	44
gn ...	1135	10	17	2	2	31	27·3	2	5	7	6·2	—	6·2	2	63
DISTRICTS	13450	108	102	5	9	224	16·7	96	75	171	12·7	2	12·6	4	17
on ...	1726	13	12	—	—	25	14·5	9	8	17	9·8	—	9·8	—	—
dnor...	3375	31	27	2	3	63	18·7	26	20	46	13·6	—	13·6	2	31
stle ...	2306	13	22	2	4	41	17·8	23	11	34	14·7	2	13·9	—	—
er ...	1786	20	11	1	1	33	18·5	13	11	24	13·4	—	13·4	—	—
er ...	4257	31	30	—	1	62	14·6	25	25	50	11·7	—	11·7	2	32



TABLE 18. STILLBIRTHS (LEGITIMATE AND ILLEGITIMATE) (WITH RATIO PER 1,000 TOTAL BIRTHS), 1945

England and Wales, Geographical Regions
London and Metropolitan Boroughs, and
County Boroughs.
Aggregates of Urban and of Rural Districts
in each Administrative County.

See Explanatory notes on page v.

Area	Legitimate		Illegitimate		Total	Stillbirth per 1000 Total Births
	M	F	M	F		
SUMMARY						
ENGLAND AND WALES	9222	8048	1145	918	19333	28
SOUTH EAST	2507	2225	342	266	5340	24
Greater London	1906	1228	174	139	2847	24
Remainder of South East	1201	997	168	127	2493	25
NORTH	3233	2871	360	329	6793	30
North I	606	525	51	56	1238	31
North II	302	285	43	34	664	30
North III	818	747	101	95	1761	30
North IV	1507	1314	165	144	3130	30
MIDLAND	1832	1606	220	159	3817	27
Midland I	1201	1060	133	102	2496	27
Midland II	631	546	87	57	1321	28
EAST	454	378	67	50	949	28
SOUTH WEST	459	381	80	59	979	26
WALES	737	587	76	55	1455	34
Wales I	556	436	56	38	1086	35
Wales II	181	151	20	17	369	32
Density summary of areas outside Greater London						
COUNTY BOROUGHS	2993	2701	401	341	6436	29
OTHER URBAN DISTRICTS	3152	2644	361	259	6416	29
RURAL DISTRICTS	1771	1475	209	179	3634	28

TABLE 18—continued.

Area	Legitimate		Illegitimate		Total	Still-births per 1000 Total Births	Area	Legitimate		Illegitimate		Total	Still-births per 1000 Total Births
	M	F	M	F				M	F	M	F		
London Ad. Co. ...	486	461	85	73	1105	24	County Boroughs						
City of London ...	1	1	—	—	2	53	—contd.						
Inner and Middle Temples ...	—	—	—	—	—	—	Dudley ...	22	10	—	1	33	29
Metropolitan Boroughs:							Eastbourne ...	11	4	1	1	17	25
Beretere ...	19	14	2	2	37	22	East Ham ...	25	20	—	4	49	27
Barnes ...	12	10	1	—	23	26	Exeter ...	15	10	4	—	29	23
Barnet Green ...	10	7	2	4	23	25	Gateshead ...	35	23	4	1	63	29
Barnet ...	31	25	5	3	64	26	Gloucester ...	18	12	—	2	32	26
Barnet ...	6	6	—	2	14	24	Great Yarmouth ...	12	10	5	—	27	38
Barnet ...	11	7	—	—	18	16	Grimsby ...	25	14	2	2	43	25
Barnet ...	3	6	1	1	11	23	Halifax ...	19	13	2	1	35	24
Barnet ...	24	11	3	4	42	23	Hastings ...	12	9	3	—	24	32
Barnet ...	9	12	1	2	24	20	Huddersfield ...	24	33	6	2	65	35
Barnet ...	36	29	6	4	75	29	Ipswich ...	26	23	7	2	58	32
Barnet ...	21	18	3	2	44	25	Kingston-upon-Hull ...	73	66	11	12	162	31
Barnet ...	8	9	2	3	22	18	Leeds ...	111	106	18	21	256	32
Barnet ...	6	3	—	—	9	35	Leicester ...	53	60	15	5	133	26
Barnet ...	40	33	5	7	85	22	Lincoln ...	14	22	1	2	39	31
Barnet ...	17	22	9	1	49	25	Liverpool ...	189	196	31	19	435	29
Barnet ...	29	29	4	6	68	21	Manchester ...	179	151	25	19	368	32
Barnet ...	29	23	2	4	58	19	Middlesbrough ...	47	38	5	3	93	34
Barnet ...	21	15	6	7	49	28	Newcastle-upon-Tyne ...	62	60	9	8	139	28
Barnet ...	10	11	3	—	24	19	Northampton ...	18	19	1	2	40	22
Barnet ...	9	10	4	1	24	29	Norwich ...	28	23	4	10	65	30
Barnet ...	26	18	6	6	56	28	Nottingham ...	53	52	8	10	123	23
Barnet ...	12	5	3	1	21	29	Oldham ...	26	19	2	6	53	28
Barnet ...	11	22	2	—	35	26	Oxford ...	14	9	4	2	29	17
Barnet ...	20	26	4	3	53	35	Plymouth ...	51	45	4	10	110	28
Barnet ...	6	17	2	1	26	35	Portsmouth ...	61	58	6	4	129	30
Barnet ...	38	43	6	2	89	20	Preston ...	27	23	8	3	61	31
Barnet ...	10	5	3	5	23	24	Reading ...	28	22	8	3	61	29
Barnet ...	11	24	—	2	37	18	Rochdale ...	16	14	1	1	32	25
Barnet ...	3097	2796	412	350	6655	29	Rotherham ...	31	28	2	2	63	40
Barnet ...	15	22	1	1	39	28	St. Helens ...	28	37	3	2	70	34
Barnet ...	12	13	2	2	29	22	Salford ...	32	24	5	6	67	22
Barnet ...	9	12	4	1	26	20	Sheffield ...	130	106	8	6	250	28
Barnet ...	41	35	4	7	87	34	Smethwick ...	20	19	—	—	39	29
Barnet ...	248	217	23	17	505	25	Southampton ...	43	32	7	6	88	26
Barnet ...	21	17	3	1	42	28	Southend-on-Sea ...	20	15	3	1	39	19
Barnet ...	18	28	6	4	56	30	Southport ...	15	24	2	1	42	40
Barnet ...	41	31	4	8	84	33	South Shields ...	21	20	4	3	48	25
Barnet ...	19	19	1	3	42	29	Stockport ...	38	35	4	2	79	36
Barnet ...	22	19	9	4	54	28	Stoke-on-Trent ...	69	74	9	3	155	31
Barnet ...	45	47	16	24	132	31	Sunderland ...	48	42	3	4	97	29
Barnet ...	30	26	5	2	63	27	Tynemouth ...	13	16	—	5	34	29
Barnet ...	75	82	10	8	175	25	Wakefield ...	15	16	1	3	35	35
Barnet ...	20	28	3	2	53	42	Wallasey ...	18	29	4	3	54	31
Barnet ...	17	10	3	4	34	43	Walsall ...	20	17	3	1	41	20
Barnet ...	23	15	5	—	43	49	Warrington ...	24	17	1	2	44	30
Barnet ...	6	2	—	2	10	27	West Bromwich ...	22	17	1	1	41	26
Barnet ...	11	16	5	2	34	30	West Ham ...	33	31	5	1	70	23
Barnet ...	9	10	1	1	21	26	West Hartlepool ...	22	15	1	1	39	29
Barnet ...	64	55	12	8	139	28	Wigan ...	23	20	2	2	47	34
Barnet ...	46	44	6	4	100	27	Wolverhampton ...	49	34	2	2	87	31
Barnet ...	28	16	2	4	50	35	Worcester ...	16	10	—	1	27	25
Barnet ...	35	23	2	4	64	25	York ...	16	11	3	3	33	18
Barnet ...	12	13	—	2	27	31	Cardiff ...	71	55	13	5	144	35
Barnet ...	18	17	—	7	42	33	Merthyr Tydfil ...	23	17	2	4	46	47
Barnet ...							Newport, Mon. ...	30	19	1	2	52	29
Barnet ...							Swansea ...	34	35	1	—	70	30

TABLE 18—continued.

Area	Legitimate		Illegitimate		Total	Still-births per 1000 Total Births	Area	Legitimate		Illegitimate		Total	S. b. I. T. B.	
	M	F	M	F				M	F	M	F			
Bedford ...	U.D.	58	41	4	4	107	28	Salop ...	U.D.	21	28	5	5	59
...	R.D.	18	15	3	1	37	26	...	R.D.	23	27	8	3	61
Berks. ...	U.D.	12	17	7	4	40	26	Somerset ...	U.D.	46	40	9	5	100
...	R.D.	34	33	3	4	74	25	...	R.D.	43	40	6	6	95
Bucks. ...	U.D.	24	28	5	1	58	19	Southants. ...	U.D.	66	64	6	7	143
...	R.D.	41	24	3	6	74	27	...	R.D.	47	39	8	10	104
Cambs. ...	U.D.	16	13	4	1	34	25	Staffs. ...	U.D.	157	129	10	7	303
...	R.D.	13	17	1	3	34	25	...	R.D.	54	51	5	9	119
Cheshire ...	U.D.	152	111	13	7	283	29	Suffolk, East ...	U.D.	24	19	4	2	49
...	R.D.	37	33	7	4	81	30	...	R.D.	21	20	5	1	47
Cornwall ...	U.D.	53	39	4	4	100	35	Suffolk, West ...	U.D.	5	10	—	1	16
...	R.D.	40	27	7	3	77	33	...	R.D.	13	7	1	2	23
Cumberland ...	U.D.	23	20	2	1	46	34	Surrey ...	U.D.	160	158	16	14	348
...	R.D.	20	22	6	4	52	25	...	R.D.	23	20	5	4	52
Derby ...	U.D.	97	83	12	7	199	33	Sussex, East ...	U.D.	25	17	2	3	47
...	R.D.	91	59	7	5	162	29	...	R.D.	20	24	9	5	58
Devon ...	U.D.	49	33	19	7	108	28	Sussex, West ...	U.D.	20	25	4	2	51
...	R.D.	36	26	4	3	69	19	...	R.D.	18	18	5	5	46
Dorset ...	U.D.	27	28	8	9	72	26	Warwick ...	U.D.	76	61	5	5	147
...	R.D.	18	20	4	1	43	26	...	R.D.	29	31	6	2	68
Durham ...	U.D.	198	169	18	18	403	36	Westmorland ...	U.D.	5	4	—	1	10
...	R.D.	83	70	4	3	160	32	...	R.D.	6	6	—	—	12
Ely, I. of...	U.D.	11	8	1	1	21	24	Wight, I. of ...	U.D.	23	15	2	1	41
...	R.D.	8	8	1	—	17	27	...	R.D.	5	3	—	—	8
Essex ...	U.D.	209	223	24	19	475	24	Wilts. ...	U.D.	29	30	2	5	66
...	R.D.	55	26	6	7	94	29	...	R.D.	43	31	5	5	84
Gloucester ...	U.D.	30	28	5	6	69	28	Worcester ...	U.D.	67	47	9	2	125
...	R.D.	60	56	9	9	134	28	...	R.D.	24	23	3	1	51
Hereford ...	U.D.	6	6	3	3	18	20	Yorks., E.R. ...	U.D.	14	14	5	3	36
...	R.D.	14	16	2	2	34	28	...	R.D.	18	21	1	1	41
Hertford ...	U.D.	80	61	9	6	156	24	Yorks., N.R. ...	U.D.	48	46	5	6	105
...	R.D.	27	19	3	2	51	22	...	R.D.	37	32	3	1	73
Huntingdon ...	U.D.	8	6	1	2	17	28	Yorks., W.R. ...	U.D.	263	239	32	16	550
...	R.D.	7	7	—	—	14	23	...	R.D.	119	96	12	7	234
Kent ...	U.D.	226	188	26	12	452	25	Anglesey ...	U.D.	4	2	1	—	7
...	R.D.	54	51	4	8	117	25	...	R.D.	9	6	1	1	17
Lancs. ...	U.D.	428	334	25	32	819	31	Brecon ...	U.D.	4	4	—	—	8
...	R.D.	77	51	3	7	138	32	...	R.D.	8	8	2	2	20
Leicester ...	U.D.	53	25	4	3	85	29	Caernarvon ...	U.D.	13	13	1	1	28
...	R.D.	37	40	3	4	84	28	...	R.D.	6	11	2	1	20
Lincs., Holland ...	U.D.	12	11	—	—	23	33	Cardigan ...	U.D.	5	—	—	—	5
...	R.D.	20	12	3	1	36	32	...	R.D.	9	7	3	—	19
Lincs., Kesteven ...	U.D.	13	14	6	1	34	38	Carmarthen ...	U.D.	16	23	5	1	45
...	R.D.	18	13	—	1	32	24	...	R.D.	30	18	2	1	51
Lincs., Lindsey ...	U.D.	36	19	2	4	61	23	Denbigh ...	U.D.	15	16	1	3	35
...	R.D.	32	27	3	—	62	24	...	R.D.	32	21	2	2	57
Middlesex ...	U.D.	396	331	44	34	805	24	Flint ...	U.D.	20	15	2	3	40
...	R.D.	21	10	2	1	34	29	...	R.D.	18	17	3	1	39
Norfolk ...	U.D.	63	61	13	13	150	30	Glamorgan ...	U.D.	185	131	14	8	338
...	R.D.	22	21	3	3	49	21	...	R.D.	55	31	3	3	92
Northants. ...	U.D.	24	24	2	5	55	27	Merioneth ...	U.D.	3	2	—	1	6
...	R.D.	24	24	2	5	55	27	...	R.D.	4	6	—	—	10
Northumberland ...	U.D.	78	82	5	7	172	31	Monmouth ...	U.D.	88	87	12	10	197
...	R.D.	18	12	1	2	33	23	...	R.D.	12	8	1	2	23
Notts. ...	U.D.	90	94	24	4	212	32	Montgomery ...	U.D.	2	1	—	1	4
...	R.D.	45	34	2	4	85	32	...	R.D.	10	13	—	2	25
Oxford ...	U.D.	10	9	1	—	20	26	Pembroke ...	U.D.	13	5	1	1	20
...	R.D.	19	24	1	—	44	22	...	R.D.	16	12	1	—	29
Peterborough, ...	U.D.	9	12	4	1	26	29	Radnor ...	U.D.	—	3	1	—	4
Soke of ...	U.D.	4	—	—	—	4	26	...	R.D.	—	3	1	—	4
Rutland ...	U.D.	—	1	—	—	1	15							
...	R.D.	8	3	1	—	12	42							

Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.



TABLE 19. CIVILIAN DEATHS BY SEX AT EACH YEAR OF AGE } England and Wales.
(WITH MARITAL CONDITION), 1945

Included in this Table are 470 cases (237 Males and 233 Females) in which the age of deceased not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

See Explanatory notes on page v.

Males.						Age last birthday.	Males.					
Persons.	Total.	Single.	Married.	Widowed.	No Statement.		Persons.	Total.	Single.	Married.	Widowed.	No Statement.
481274	245436	51815	126924	54046	12651							
38400	21918	21918	—	—	—	50-54	23052	13070	1435	9924	705	1006
31959	18387	18387	—	—	—	50	4053	2244	233	1709	100	202
2865	1555	1555	—	—	—	51	4090	2298	250	1757	104	187
1526	819	819	—	—	—	52	4650	2615	303	2013	128	171
1158	633	633	—	—	—	53	4924	2815	297	2129	177	212
892	524	524	—	—	—	54	5335	3098	352	2316	196	234
3360	1954	1954	—	—	—	55-59	32357	18916	1913	14168	1582	1253
899	504	504	—	—	—	55	5251	3052	288	2330	227	207
796	480	480	—	—	—	56	5931	3474	348	2613	250	263
618	364	364	—	—	—	57	6494	3818	393	2870	308	247
554	324	324	—	—	—	58	7017	4110	423	3055	363	269
493	282	282	—	—	—	59	7664	4462	461	3300	434	267
2538	1453	1453	—	—	—	60-64	45024	25843	2685	18564	3172	1422
465	274	274	—	—	—	60	7996	4672	519	3443	434	276
438	256	256	—	—	—	61	7994	4687	432	3499	509	247
458	264	264	—	—	—	62	8995	5092	534	3654	629	275
568	319	319	—	—	—	63	9725	5555	586	3918	763	288
609	340	340	—	—	—	64	10314	5837	614	4050	837	336
4041	2049	1797	2	1	249	65-69	57860	32013	3327	21150	6021	1515
661	354	347	—	—	7	65	10748	6113	619	4168	996	330
776	421	387	—	1	33	66	10328	5861	643	4003	975	240
873	478	396	—	—	82	67	11575	6426	660	4259	1201	306
854	426	355	1	—	70	68	12273	6675	701	4293	1348	333
877	370	312	1	—	57	69	12936	6938	704	4427	1501	306
5384	2256	1688	269	4	295	70-74	67676	34919	3380	20079	9947	1513
955	427	365	11	1	50	70	13179	6943	689	4248	1663	343
1018	425	342	30	—	52	71	12494	6661	682	3983	1733	263
1089	459	345	45	1	69	72	13929	7202	737	4078	2047	340
1093	442	303	74	2	63	73	13913	7018	640	3942	2172	264
1229	503	333	109	—	61	74	14161	7095	632	3828	2332	303
5428	2325	1214	809	15	287	75-79	66218	31700	2549	15318	12534	1299
1273	526	333	137	2	54	75	14113	6967	610	3652	2419	286
968	384	225	101	1	57	76	13574	6588	525	3351	2428	284
950	420	219	155	3	43	77	13144	6300	500	3049	2474	277
1083	486	225	193	5	63	78	12902	6095	484	2780	2599	232
1154	509	212	223	4	70	79	12485	5750	430	2486	2614	220
6991	3256	1015	1742	49	450	80-84	50295	21520	1553	7914	11239	814
1315	592	203	290	4	95	80	11619	5164	401	2180	2378	205
1404	649	224	334	10	81	81	10480	4561	340	1698	2346	177
1357	628	191	332	12	93	82	10539	4586	330	1677	2408	171
1389	637	190	350	13	84	83	9063	3765	251	1267	2108	139
1526	750	207	436	10	97	84	8594	3444	231	1092	1999	122
8884	4422	1014	2751	89	568	85-89	25959	9576	572	2497	6155	352
1622	778	173	481	20	104	85	7301	2819	196	843	1684	96
1612	784	219	461	11	93	86	6076	2317	139	620	1473	85
1731	873	216	533	19	105	87	5069	1869	107	466	1223	73
1917	961	192	612	17	140	88	4073	1453	78	327	994	54
2002	1026	214	664	22	126	89	3440	1118	52	241	781	44
11930	6476	1071	4535	165	705	90-94	7979	2370	118	423	1746	83
2051	1088	210	724	25	129	90	2696	871	38	178	625	30
2107	1142	197	808	18	119	91	1904	523	39	95	369	20
2404	1301	227	911	29	134	92	1434	439	17	69	338	15
2534	1383	202	988	44	149	93	1106	296	17	42	224	13
2834	1562	235	1104	49	174	94	839	241	7	39	190	5
16429	9063	1144	6739	352	828	95-99	1358	319	14	38	256	11
3044	1694	231	1220	52	191	95	547	145	6	20	112	7
2917	1613	232	1171	55	155	96	370	84	4	8	70	2
3247	1802	236	1326	84	156	97	218	48	4	4	39	1
3480	1852	212	1405	69	166	98	131	25	—	3	21	1
3741	2102	233	1617	92	160	99	92	17	—	3	14	—
						100 & over	111	18	1	2	14	1

TABLE 19—continued.

Age last birth-day.	Females.					Age last birth-day.	Females.				
	Total.	Single.	Married.	Widowed.	No Statement.		Total.	Single.	Married.	Widowed.	No Statement.
All Ages	235838	58213	80359	97013	253						
0-4	16482	16482	—	—	—	50-54	9982	1750	6835	1387	10
0	13572	13572	—	—	—	50	1809	331	1279	195	4
1	1310	1310	—	—	—	51	1792	331	1249	212	—
2	707	707	—	—	—	52	2035	347	1395	292	1
3	525	525	—	—	—	53	2109	338	1464	303	4
4	368	368	—	—	—	54	2237	403	1448	385	1
5-9	1406	1406	—	—	—	55-59	13441	2182	8356	2888	15
5	395	395	—	—	—	55	2199	370	1417	410	2
6	316	316	—	—	—	56	2457	411	1592	450	4
7	254	254	—	—	—	57	2676	435	1668	572	1
8	230	230	—	—	—	58	2907	451	1777	677	2
9	211	211	—	—	—	59	3202	515	1902	779	6
10-14	1085	1085	—	—	—	60-64	19181	3033	10594	5526	28
10	191	191	—	—	—	60	3324	581	1905	832	6
11	182	182	—	—	—	61	3307	541	1941	822	3
12	194	194	—	—	—	62	3903	585	2239	1074	5
13	249	249	—	—	—	63	4170	639	2245	1280	6
14	269	269	—	—	—	64	4477	687	2264	1518	8
15-19	1992	1917	72	—	3	65-69	25847	3905	11831	10082	29
15	307	307	—	—	—	65	4635	661	2338	1628	8
16	355	354	1	—	—	66	4467	672	2177	1614	4
17	395	388	5	—	2	67	5149	812	2406	1926	5
18	428	405	23	—	—	68	5598	809	2470	2310	9
19	507	463	43	—	1	69	5998	951	2440	2604	3
20-24	3128	1907	1174	43	4	70-74	32757	4987	11521	16216	33
20	528	420	102	5	1	70	6236	872	2498	2757	9
21	593	425	161	6	1	71	5833	841	2271	2717	4
22	630	381	244	5	—	72	6727	1035	2352	3336	4
23	651	378	264	9	—	73	6895	1035	2306	3548	6
24	726	303	403	18	2	74	7066	1104	2094	3858	10
25-29	3103	1049	1970	79	5	75-79	34518	5457	7790	21240	31
25	747	278	451	16	2	75	7146	1119	1958	4062	7
26	584	225	349	10	—	76	6986	1095	1738	4148	5
27	530	171	346	12	1	77	6844	1106	1581	4152	5
28	597	186	391	19	1	78	6807	1045	1335	4417	10
29	645	189	433	22	1	79	6735	1092	1178	4461	4
30-34	3735	936	2689	106	4	80-84	28775	4661	3755	20310	29
30	723	201	505	15	2	80	6455	1051	1042	4351	11
31	755	201	531	22	1	81	5919	948	841	4124	6
32	729	170	535	24	—	82	5953	965	768	4210	10
33	752	163	570	19	—	83	5298	846	609	3842	1
34	776	201	548	26	1	84	5150	871	495	3783	1
35-39	4462	1011	3275	170	6	85-89	16383	2733	1039	12585	26
35	844	181	636	27	—	85	4482	724	368	3384	6
36	828	196	607	24	1	86	3759	630	253	2869	7
37	858	204	619	35	—	87	3200	536	185	2475	4
38	956	208	700	45	3	88	2620	446	136	2033	5
39	976	222	713	39	2	89	2322	397	97	1824	4
40-44	5454	1178	3969	297	10	90-94	5609	948	143	4504	14
40	963	218	709	32	4	90	1825	300	70	1449	6
41	965	201	718	43	3	91	1381	234	38	1108	1
42	1103	265	778	60	—	92	995	160	15	817	3
43	1151	254	823	74	—	93	810	148	11	650	1
44	1272	240	941	88	3	94	598	106	9	480	3
45-49	7366	1376	5333	653	4	95-99	1039	173	13	851	2
45	1350	270	987	92	1	95	402	73	8	321	—
46	1304	262	917	125	—	96	286	46	3	236	1
47	1445	261	1062	121	1	97	170	29	1	140	—
48	1628	281	1187	160	—	98	106	10	1	95	—
49	1639	302	1180	155	2	99	75	15	—	59	1
						100 & over	93	17	—	76	—

TABLE 19A. CONSTRUCTED ANALYSIS OF 1945 CIVILIAN DEATHS } England and Wales
BY AGE AND MARITAL CONDITION.

NOTE.—In this table the deaths of unstated marital condition in each age group (which are shown separately in Table 19) have been distributed proportionately amongst those of stated condition in the age group.

Age groups	Persons	MALES				FEMALES			
		Total	Single	Married	Widowed	Total	Single	Married	Widowed
All Ages	481274	245436	53975	134944	56517	235838	58259	80452	97127
0-4	38400	21918	21918	—	—	16482	16482	—	—
5-9	3360	1954	1954	—	—	1406	1406	—	—
10-14	2538	1453	1453	—	—	1085	1085	—	—
15-19	4041	2049	2046	2	1	1992	1920	72	—
20-24	5384	2256	1942	309	5	3128	1909	1176	43
25-29	5428	2325	1385	923	17	3103	1051	1973	79
30-34	6991	3256	1178	2021	57	3735	937	2692	106
35-39	8884	4422	1164	3156	102	4462	1012	3280	170
40-44	11930	6476	1202	5089	185	5454	1180	3976	298
45-49	16429	9063	1259	7417	387	7366	1377	5336	653
50-54	23052	13070	1555	10751	764	9982	1752	6842	1388
55-59	32357	18916	2049	15173	1694	13441	2185	8365	2891
60-64	45024	25843	2841	19645	3357	19181	3037	10610	5534
65-69	57860	32013	3492	22201	6320	25847	3909	11844	10094
70-74	67676	34919	3533	20989	10397	32757	4992	11533	16232
75-79	66218	31700	2658	15972	13070	34518	5462	7797	21259
80-84	50295	21520	1614	8225	11681	28775	4686	3759	20330
85-89	25959	9576	594	2592	6390	16383	2737	1041	12605
90-94	7979	2370	122	438	1810	5609	950	143	4516
95-99	1358	319	15	39	265	1039	173	13	853
100 & over	111	18	1	2	15	93	17	—	76

TABLE 20. DEATHS AT DIFFERENT AGES, 1945

Non-Civilian deaths are shown for England and Wales only. They are excluded from the rest of the table.

England and Wales, Geographical Region
London and Metropolitan Boroughs.
Aggregates of other Urban and of Rural Districts in each Administrative County

Age.	Sex.	ENGLAND AND WALES.		SOUTH EAST.			NORTH.				
		Total excluding Non-Civilians.	Non-Civilians.	Total.	Greater London.	Remainder.	Total.	North I.	North II.	North III.	North IV.
All ages ...	M	245436	6642	77344	42064	35280	82622	13481	8088	21874	391
	F	235838	192	76015	39927	36088	78728	12159	7598	20660	383
Under 1 month	M	9736	—	2807	1516	1291	3432	571	368	898	15
	F	7174	—	2005	1092	913	2559	449	257	636	12
1-3 months	M	3346	—	813	453	360	1328	201	130	333	6
	F	2324	—	600	308	292	892	152	108	204	4
3-6 months	M	2795	—	670	369	301	1117	205	121	268	5
	F	2136	—	546	294	252	866	159	87	216	4
6-12 months	M	2510	—	663	350	313	952	179	95	244	4
	F	1938	—	482	252	230	739	112	66	208	3
Total under 1 year	M	18387	—	4953	2688	2265	6829	1156	714	1743	32
	F	13572	—	3633	1946	1687	5056	872	518	1264	24
1—	M	1555	—	422	199	223	558	101	58	159	2
	F	1310	—	321	171	150	488	109	44	112	2
2—	M	819	—	242	131	111	268	44	32	65	1
	F	707	—	187	87	100	257	42	42	66	1
3—	M	633	—	173	95	78	232	51	17	64	1
	F	525	—	151	71	80	204	33	24	55	1
4—	M	524	—	129	67	62	204	49	17	40	1
	F	368	—	97	54	43	136	22	14	38	1
Total under 5 years	M	21918	—	5919	3180	2739	8091	1401	838	2071	37
	F	16482	—	4389	2329	2060	6141	1078	642	1535	28
5—	M	1954	—	565	322	243	683	130	75	165	3
	F	1406	—	401	234	167	508	107	53	118	2
10—	M	1453	—	442	230	212	490	92	42	115	2
	F	1085	—	298	170	128	415	82	45	102	1
15—	M	2049	526	647	374	273	699	154	73	159	3
	F	1992	13	570	351	219	731	178	87	163	3
20—	M	2256	2116	628	378	250	763	184	68	199	3
	F	3128	101	888	550	338	1128	251	104	249	5
25—	M	2325	1203	670	392	278	827	177	88	199	3
	F	3103	38	947	580	367	1076	226	94	248	5
30—	M	3256	1065	998	622	376	1112	252	126	248	4
	F	3735	18	1161	718	443	1312	225	144	309	6
35—	M	4422	698	1324	806	518	1530	251	157	406	7
	F	4462	8	1386	846	540	1568	278	136	370	7
40—	M	6476	535	2020	1251	769	2305	372	224	596	11
	F	5454	10	1716	985	731	1939	345	174	502	9
45—	M	9063	240	2836	1754	1082	3292	508	282	839	16
	F	7366	2	2244	1324	920	2616	403	275	687	12
50—	M	13070	130	4113	2548	1565	4702	784	393	1210	23
	F	9982	1	3066	1770	1296	3485	539	297	905	17
55—	M	18916	79	5869	3502	2367	6757	1060	552	1752	33
	F	13441	1	4231	2394	1837	4866	754	397	1278	24
60—	M	25843	36	8176	4791	3385	9132	1424	854	2437	44
	F	19181	—	5996	3279	2717	6876	1036	590	1864	33
65—	M	32013	8	10151	5707	4444	11205	1703	1002	3084	54
	F	25847	—	7954	4221	3733	9377	1365	872	2457	46
70—	M	34919	4	10853	5777	5076	11938	1905	1149	3280	56
	F	32757	—	10184	5315	4869	11591	1713	1082	3103	56
75—	M	31700	—	10377	5164	5213	9997	1552	998	2777	46
	F	34518	—	11607	5798	5809	11173	1606	1058	2991	55
80—	M	21520	—	7268	3399	3869	6175	1026	753	1610	27
	F	28775	—	10073	4920	5153	8422	1192	864	2261	41
85—	M	12283	2	4488	1867	2621	2924	506	414	727	12
	F	23124	—	8904	4143	4761	5504	781	684	1518	25

TABLE 20—continued.

Age.	Sex.	MIDLAND.			EAST.	SOUTH WEST.	WALES.			Aggregates of areas outside Greater London.		
		Total.	Midland I.	Midland II.			Total.	Wales I.	Wales II.	County Boroughs.	Urban Districts.	Rural Districts.
Ages ...	M	43141	28519	14622	11181	14163	16985	12207	4778	79465	78982	44925
	F	40701	27102	13599	10692	14795	14907	9985	4922	75157	77757	42997
Under 1 month	M	1885	1238	647	425	511	676	500	176	3303	3128	1789
	F	1405	942	463	312	391	502	377	125	2538	2298	1246
1-3 months	M	651	471	180	131	172	251	189	62	1400	1028	465
	F	458	317	141	83	107	184	136	48	921	732	363
3-6 months	M	575	399	176	108	105	220	159	61	1152	906	368
	F	419	277	142	80	81	144	117	27	873	649	320
6-12 months	M	536	354	182	93	92	174	136	38	987	775	398
	F	415	278	137	80	77	145	103	42	756	628	302
Total under 1 year	M	3647	2462	1185	757	880	1321	984	337	6842	5837	3020
	F	2697	1814	883	555	656	975	733	242	5088	4307	2231
1—	M	323	228	95	59	76	117	86	31	562	494	300
	F	271	184	87	62	64	104	83	21	454	450	235
2—	M	168	116	52	44	35	62	44	18	257	271	160
	F	146	100	46	32	30	55	38	17	229	248	143
3—	M	125	87	38	37	21	45	35	10	221	206	111
	F	88	67	21	16	28	38	32	6	186	172	96
4—	M	93	67	26	18	29	51	40	11	176	187	94
	F	66	46	20	18	24	27	17	10	122	122	70
Total under 5 years	M	4356	2960	1396	915	1041	1596	1189	407	8058	6995	3685
	F	3268	2211	1057	683	802	1199	903	296	6079	5299	2775
5—	M	392	252	140	79	88	147	97	50	656	633	343
	F	267	180	87	56	61	113	89	24	461	469	242
10—	M	269	170	99	67	74	111	86	25	459	482	282
	F	187	120	67	38	59	88	75	13	387	358	170
15—	M	335	233	102	85	102	181	143	38	610	687	378
	F	366	247	119	64	92	169	126	43	703	615	323
20—	M	471	303	168	85	109	200	145	55	775	710	393
	F	593	405	188	113	132	274	226	48	1154	952	472
25—	M	464	326	138	84	95	185	148	37	825	732	376
	F	606	420	186	106	121	247	185	62	1107	958	458
30—	M	588	410	178	136	162	260	211	49	1123	941	570
	F	686	456	230	156	176	244	182	62	1291	1136	590
35—	M	857	615	242	158	220	333	251	82	1537	1349	730
	F	798	535	263	182	225	303	223	80	1496	1387	733
40—	M	1197	809	388	233	302	419	310	109	2197	2080	948
	F	969	642	327	201	267	362	239	123	1827	1721	921
45—	M	1603	1097	506	291	410	631	496	135	3221	2807	1281
	F	1320	893	427	292	391	503	359	144	2493	2357	1192
50—	M	2242	1546	696	459	598	956	739	217	4546	4118	1858
	F	1759	1194	565	385	556	731	523	208	3268	3242	1702
55—	M	3283	2254	1029	722	943	1342	1004	338	6698	5945	2771
	F	2219	1487	732	540	707	878	613	265	4422	4362	2263
60—	M	4390	2911	1479	1037	1321	1787	1326	461	8900	8113	4039
	F	3216	2143	1073	789	1093	1211	822	389	6306	6357	3239
65—	M	5535	3680	1855	1260	1704	2158	1546	612	10732	10218	5356
	F	4335	2861	1474	1057	1446	1678	1119	559	8475	8722	4429
70—	M	5993	3851	2142	1618	2131	2386	1663	723	11033	11529	6580
	F	5505	3593	1912	1453	1959	2065	1377	688	10614	10877	5951
75—	M	5408	3491	1917	1641	2093	2184	1505	679	9302	10499	6735
	F	5781	3857	1924	1625	2276	2056	1269	787	10511	11609	6600
80—	M	3691	2293	1398	1379	1668	1339	902	437	5846	7085	5190
	F	4839	3199	1640	1551	2298	1592	963	629	8470	9594	5791
85—	M	2067	1318	749	932	1102	770	446	324	2947	4059	3410
	F	3987	2659	1328	1401	2134	1194	692	502	6093	7742	5146

TABLE 20—*contd.*—METROPOLITAN BOROUGH.

Age.	Sex.	Total London. Admin. County.	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages ...	M	19303	34	—	660	374	386	1027	264	526	247	662	455	989	702	47
	F	17445	25	1	592	309	318	941	272	427	233	639	358	889	606	52
Under 1 month	M	608	—	—	19	10	3	31	7	18	8	20	19	35	27	1
1-3 months	F	440	—	—	21	9	3	12	4	14	10	17	8	20	15	1
3-6 months	M	213	—	—	6	2	—	12	1	3	1	9	5	12	6	—
6-12 months	F	131	—	—	4	4	1	6	4	1	1	8	6	7	4	—
	M	188	—	—	5	4	8	8	1	6	2	3	4	13	9	—
	F	148	—	—	2	3	3	6	4	6	3	4	4	11	7	—
	M	164	—	—	7	6	—	10	1	3	—	6	3	5	4	—
	F	119	—	—	1	6	8	6	3	2	1	7	2	2	6	—
Total under 1 year	M	1173	—	—	37	22	11	61	10	30	11	38	31	65	46	3
	F	838	—	—	28	22	15	30	15	23	15	36	20	40	32	1
1—	M	89	—	—	4	3	2	5	4	4	—	1	—	7	6	—
	F	69	—	—	1	1	—	4	1	—	—	1	2	3	7	—
2—	M	62	—	—	5	3	1	2	4	2	—	3	3	4	5	—
	F	43	—	—	2	3	—	2	2	3	1	4	1	3	4	—
3—	M	37	—	—	1	—	—	4	1	3	—	2	—	—	2	—
	F	26	—	—	—	2	2	2	—	1	2	1	—	—	2	—
4—	M	27	—	—	1	1	—	2	1	1	—	2	—	—	—	—
	F	24	—	—	1	1	—	2	—	2	—	1	1	—	—	—
Total under 5 years	M	1388	—	—	48	29	14	73	18	42	13	43	34	76	59	3
	F	1000	—	—	32	29	17	40	18	29	18	43	24	46	45	1
5—	M	135	—	—	6	6	4	6	5	3	2	1	5	5	4	—
	F	83	—	—	2	1	2	4	—	4	1	3	1	6	3	—
10—	M	95	—	—	4	2	2	1	2	6	3	2	3	9	3	—
	F	58	—	—	2	2	1	4	—	4	1	—	2	5	3	—
15—	M	177	1	—	7	5	2	7	1	9	3	3	5	11	10	—
	F	150	—	—	4	1	2	13	1	6	1	5	5	5	4	—
20—	M	201	—	—	4	3	2	10	1	5	2	8	3	11	4	—
	F	262	1	—	8	6	12	16	1	7	—	6	12	11	11	—
25—	M	194	—	—	5	7	3	8	4	7	4	9	5	7	5	—
	F	267	1	1	8	7	3	13	6	12	2	9	2	8	9	—
30—	M	283	—	—	9	7	4	18	3	10	4	7	10	21	12	—
	F	314	—	—	14	3	5	20	10	9	5	13	4	15	11	—
35—	M	362	—	—	11	9	10	16	4	14	5	12	9	17	15	—
	F	380	—	—	13	9	8	22	5	15	2	11	9	23	12	—
40—	M	560	—	—	14	12	5	27	6	20	6	17	13	37	19	—
	F	390	2	—	9	5	7	19	6	10	8	14	6	23	16	—
45—	M	760	4	—	20	13	14	35	8	12	11	23	19	35	25	—
	F	571	2	—	19	6	11	26	5	19	6	13	13	29	23	—
50—	M	1151	4	—	33	18	33	60	11	23	11	34	33	56	38	—
	F	796	2	—	28	6	16	53	10	17	13	30	19	50	38	—
55—	M	1668	6	—	51	27	40	86	19	47	18	59	51	98	66	—
	F	1087	3	—	38	16	20	58	22	25	21	34	15	60	22	—
60—	M	2290	6	—	82	45	53	117	35	61	41	87	41	127	76	—
	F	1495	2	—	50	35	36	78	18	29	21	59	30	90	48	—
65—	M	2704	6	—	103	58	50	145	43	70	31	89	58	139	110	—
	F	1921	3	—	53	40	34	98	25	43	28	77	44	112	64	—
70—	M	2752	4	—	85	59	65	152	33	74	42	108	50	140	102	—
	F	2363	5	—	80	47	47	133	34	61	26	78	40	106	80	—
75—	M	2280	3	—	87	42	53	118	35	65	24	82	49	101	78	—
	F	2536	3	—	86	40	40	135	45	56	36	101	58	117	89	—
80—	M	1528	—	—	67	23	23	108	21	40	20	47	37	70	42	—
	F	2093	—	—	90	35	32	112	27	45	28	85	41	95	66	—
85—	M	775	—	—	24	9	9	40	15	18	7	31	30	29	34	—
	F	1679	1	—	56	21	25	97	39	36	16	58	33	88	62	—

TABLE 20—*contd.*—METROPOLITAN BOROUGHs.

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages ...	M F	177 119	1521 1335	759 827	1372 1215	1052 1016	638 729	500 344	397 392	1020 786	326 277	645 502	811 658	235 240	1687 1710	571 475	790 688
Under 1 month	M F	10 3	50 34	32 24	35 28	29 17	33 35	12 11	14 8	21 16	6 6	15 14	23 21	8 9	55 34	25 12	24 22
1-3 months	M F	— 1	21 14	6 6	21 9	14 6	8 12	6 3	5 2	20 4	3 1	4 3	8 4	2 1	18 13	4 2	8 4
3-6 months	M F	— —	20 16	5 6	15 15	13 4	13 8	6 7	3 2	10 6	4 1	4 2	10 5	2 —	14 8	3 7	8 6
6-12 months	M F	3 —	9 8	8 5	17 10	9 10	5 —	8 5	2 1	6 3	3 3	7 2	6 4	3 2	16 10	6 8	7 4
Total under 1 year	M F	13 4	100 72	51 41	88 62	65 37	49 55	32 26	24 13	57 29	16 11	30 21	47 34	15 12	103 65	38 29	47 36
1—	M F	— —	5 4	3 —	5 6	4 9	3 5	— 2	2 5	6 1	1 2	6 2	6 2	2 2	6 3	— 1	2 5
2—	M F	— —	6 1	1 2	6 1	3 1	2 1	— 1	1 —	3 2	3 1	— 1	— 4	— 4	3 5	— 2	3 1
3—	M F	— 1	5 —	— 1	— 3	1 2	2 1	3 —	— —	— —	— —	— —	1 2	— —	5 2	— 1	— 1
4—	M F	1 —	2 4	— —	— 1	2 —	5 —	1 —	— —	1 2	1 —	2 1	1 2	— —	2 2	— —	4 —
Total under 5 years	M F	14 5	118 81	55 44	99 73	75 49	61 62	36 29	27 13	68 38	21 13	42 25	56 44	17 14	119 74	40 31	52 47
5—	M F	1 —	11 9	1 —	13 4	3 4	5 6	7 1	2 3	3 3	3 4	2 5	5 7	3 1	12 7	4 1	8 1
10—	M F	— 1	10 6	2 3	9 2	1 2	2 1	6 —	1 —	1 3	1 4	4 8	8 —	— 1	6 3	2 1	3 2
15—	M F	— 1	16 14	5 3	13 9	5 9	2 3	6 5	1 2	7 6	3 2	8 10	15 18	4 1	20 12	1 2	7 3
20—	M F	— 1	16 18	7 10	15 17	15 13	6 10	4 6	6 8	15 10	4 5	5 8	12 23	2 1	7 17	8 6	13 13
25—	M F	3 —	13 19	11 12	16 22	6 22	5 9	6 9	3 6	13 11	— 2	9 6	10 13	3 5	12 18	5 4	6 17
30—	M F	4 1	16 24	3 15	20 23	14 12	9 13	6 10	6 5	23 12	6 5	5 8	12 14	3 5	26 36	8 12	13 11
35—	M F	5 2	28 19	23 16	27 23	15 22	13 15	12 7	11 9	14 18	7 7	16 12	19 25	3 5	25 34	9 16	9 12
40—	M F	6 1	50 35	21 11	29 30	28 29	18 29	13 6	15 13	28 20	10 5	25 8	26 14	7 4	39 34	19 8	19 17
45—	M F	7 4	63 45	28 22	56 40	50 29	22 29	21 10	17 9	54 31	17 11	26 14	36 33	5 3	47 55	30 23	38 21
50—	M F	8 8	103 60	30 34	92 48	70 66	40 35	31 16	19 21	58 31	25 13	42 19	47 36	13 6	96 53	48 22	48 27
55—	M F	24 8	115 79	75 55	103 65	105 59	66 42	38 30	39 23	83 60	27 19	45 31	70 37	12 16	123 98	70 39	56 51
60—	M F	26 13	176 107	85 69	150 112	136 68	64 60	57 35	48 38	120 64	43 31	66 55	102 73	30 32	189 181	67 41	99 83
65—	M F	21 15	210 156	115 87	176 141	122 101	82 72	73 31	51 41	141 89	40 38	110 58	124 73	28 32	250 181	75 41	122 83
70—	M F	16 22	172 178	107 97	156 179	161 105	93 67	49 67	53 60	108 129	34 36	88 67	80 84	35 41	230 202	73 54	101 93
75—	M F	14 10	205 131	119 60	168 96	150 88	106 47	40 33	66 28	112 88	36 27	60 55	93 52	35 17	286 165	56 42	99 61
80—	M F	17 5	159 59	119 40	155 62	109 58	89 27	35 20	47 15	102 40	35 8	49 25	54 20	29 10	232 83	56 11	83 21
85—	M F	12 12	127 101	101 132	111 132	111 132	66 111	23 37	37 68	68 17	43 17	35 43	35 16	16 205	37 37	51 51	

TABLE 20—*contd.*—COUNTY BOROUGH.

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages ...	M	449	472	455	874	5877	750	1046	1126	418	921	1946	1072	2387	5935
	F	396	361	542	801	5326	825	1089	1060	337	1191	1986	1131	2418	6355
Under 1 month	M	21	25	16	49	251	20	24	34	29	22	77	40	75	19
	F	16	15	17	40	199	18	19	40	13	23	50	29	65	20
1-3 months	M	14	7	9	18	117	19	7	6	9	5	34	17	19	8
	F	5	5	4	15	68	6	2	9	8	12	21	16	14	6
3-6 months	M	6	5	6	29	126	10	2	8	11	4	28	24	18	4
	F	8	5	6	19	75	6	3	3	11	11	17	14	13	5
6-12 months	M	5	5	3	15	87	7	6	5	11	7	28	11	20	9
	F	3	3	2	9	73	5	4	11	7	7	16	10	21	6
Total under 1 year	M	46	42	34	111	581	56	39	53	60	38	167	92	132	40
	F	32	28	29	83	415	35	28	63	39	53	104	69	113	37
1—	M	4	4	2	9	42	2	2	9	5	5	16	8	13	2
	F	4	1	—	5	42	4	2	8	3	1	11	4	14	5
2—	M	3	1	1	4	24	—	2	2	1	2	4	4	3	—
	F	1	3	1	1	22	—	—	4	3	—	4	3	5	—
3—	M	2	3	—	1	13	—	3	3	2	—	9	—	6	1
	F	1	—	—	5	9	—	3	3	—	1	5	3	6	1
4—	M	—	—	2	3	10	1	1	2	4	3	4	1	3	3
	F	3	—	—	4	10	1	3	3	—	—	2	—	1	2
Total under 5 years	M	55	50	39	128	670	59	47	69	72	48	200	105	157	46
	F	41	32	30	98	498	40	36	81	45	55	126	79	139	45
5—	M	7	4	3	12	49	5	4	11	5	4	14	7	14	3
	F	3	1	4	7	30	7	1	8	4	1	15	9	8	5
10—	M	1	5	1	4	28	3	4	7	3	7	14	6	12	2
	F	3	1	1	4	26	3	3	3	1	—	8	7	11	3
15—	M	9	2	2	7	39	7	5	11	9	4	9	6	21	4
	F	7	7	3	11	43	2	7	4	3	5	12	1	16	2
20—	M	9	8	3	6	59	5	2	12	4	3	15	5	24	5
	F	4	10	3	13	85	8	11	16	10	9	15	7	28	7
25—	M	6	7	3	14	66	7	6	8	5	4	11	8	29	3
	F	4	8	7	14	79	8	10	15	4	8	15	8	49	4
30—	M	3	6	5	15	113	4	7	9	12	6	20	17	27	4
	F	5	7	4	13	91	7	12	13	4	7	26	12	38	6
35—	M	11	7	7	20	134	11	16	19	9	9	33	9	52	11
	F	8	6	6	16	124	12	17	17	16	16	31	12	48	21
40—	M	16	12	12	21	174	25	34	37	19	11	46	27	58	16
	F	11	4	10	16	122	23	20	35	11	31	39	12	42	17
45—	M	21	19	13	43	242	26	44	47	26	24	75	30	87	29
	F	16	9	12	26	184	25	32	33	12	24	66	22	89	26
50—	M	30	29	20	39	331	35	68	51	20	22	104	43	131	30
	F	12	16	22	25	255	28	46	53	18	35	84	39	112	28
55—	M	37	42	30	62	500	65	95	92	36	65	165	61	202	56
	F	34	22	18	35	301	61	62	56	23	45	130	64	121	49
60—	M	57	57	48	98	612	92	124	134	39	78	222	126	251	65
	F	38	27	42	63	439	80	98	85	35	91	165	81	202	60
65—	M	56	77	61	103	831	110	164	166	57	130	299	146	347	100
	F	45	51	57	96	570	114	157	128	34	113	240	132	258	86
70—	M	56	67	60	118	760	114	169	178	54	152	283	159	319	94
	F	60	54	65	105	715	140	191	151	44	166	328	161	329	98
75—	M	45	46	71	93	657	88	140	157	28	153	254	133	307	77
	F	47	50	81	103	749	128	181	183	34	193	305	193	359	98
80—	M	21	20	42	61	405	66	82	70	14	109	126	103	223	37
	F	34	35	82	88	551	93	130	117	23	186	217	170	303	51
85—	M	9	14	35	30	207	28	35	48	6	92	56	81	126	14
	F	24	21	95	68	464	46	75	62	16	206	164	122	266	29

TABLE 20—*contd.*—COUNTY BOROUGHES.

Age.	Sex.	Buton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages	M	315	401	134	392	322	1313	1221	493	840	364	437	367	308	644	444	698	371
	F	298	422	155	415	282	1035	1292	481	764	363	403	325	372	591	506	664	415
Under 1 month	M	12	5	5	19	28	97	32	8	38	7	21	15	9	19	18	32	9
1-3 months	F	7	14	4	13	11	70	44	15	21	5	19	12	5	13	18	34	13
3-6 months	M	4	5	3	8	7	53	22	5	14	7	8	6	2	7	7	17	—
6-12 months	F	6	1	1	3	4	32	11	3	10	4	6	9	—	4	6	6	4
	M	3	3	—	5	5	20	11	8	9	6	13	8	1	4	6	3	3
	F	1	2	—	6	5	22	5	8	6	6	4	4	3	2	5	7	5
	M	4	2	—	7	2	31	16	6	15	3	10	3	2	8	5	11	5
	F	2	5	—	3	2	13	7	2	8	3	7	6	2	4	5	6	4
Total under 1 year	M	23	15	8	39	42	201	81	27	76	23	52	32	14	38	36	63	17
	F	16	22	5	25	22	137	67	28	45	18	36	31	10	23	34	53	26
1—	M	1	2	—	1	—	17	7	5	5	3	4	5	—	3	3	5	4
	F	—	3	—	—	1	10	8	3	9	1	2	1	—	6	3	4	3
2—	M	—	3	—	4	—	7	6	1	3	—	—	2	—	2	1	1	2
	F	—	—	1	3	1	5	2	1	1	1	1	1	1	2	—	3	4
3—	M	—	1	1	2	1	8	1	—	4	3	1	4	1	2	—	4	—
	F	—	—	1	1	1	—	4	2	—	1	—	1	—	—	1	2	—
4—	M	1	1	—	—	—	2	—	3	1	—	—	1	—	—	—	2	—
	F	—	1	—	—	—	—	—	—	1	—	1	1	—	1	—	1	2
Total under 5 years	M	25	22	9	46	43	235	95	36	89	29	57	44	15	45	40	75	23
	F	16	26	7	29	25	152	81	34	56	21	40	35	11	32	38	63	35
5—	M	2	1	—	7	5	8	8	4	8	4	8	4	1	7	6	4	5
	F	—	3	—	4	1	9	4	5	5	—	5	3	1	2	1	6	1
10—	M	2	3	1	1	1	8	4	2	6	4	3	2	—	3	3	4	2
	F	1	2	—	—	—	7	7	5	3	1	3	4	—	1	—	5	2
15—	M	2	1	—	1	1	6	7	3	8	5	3	4	3	9	4	7	4
	F	2	—	1	6	1	9	5	7	7	3	1	5	1	4	5	12	10
20—	M	1	1	—	5	—	29	12	6	3	3	5	5	3	9	3	15	6
	F	5	3	2	9	5	21	12	6	14	2	4	8	2	10	10	11	13
25—	M	1	—	1	7	5	26	5	2	7	2	4	6	—	2	2	9	3
	F	5	6	1	4	5	26	10	12	10	3	10	5	3	9	7	17	7
30—	M	3	2	—	6	5	28	17	8	12	8	4	2	4	7	11	15	10
	F	3	5	1	8	6	25	17	4	13	4	2	9	2	12	6	10	9
35—	M	10	4	1	10	4	42	14	8	11	11	2	12	1	11	11	13	8
	F	5	10	—	10	7	24	21	9	13	9	8	7	2	14	12	21	10
40—	M	10	15	3	9	17	39	26	7	18	11	10	12	2	20	10	22	7
	F	7	9	3	10	8	32	22	6	15	5	15	7	7	13	12	22	10
45—	M	13	17	2	21	8	65	44	28	27	11	9	12	8	25	17	25	13
	F	9	12	6	17	5	41	26	15	33	16	12	11	6	24	21	25	10
50—	M	20	25	10	25	15	72	73	25	49	19	23	26	16	30	17	45	21
	F	13	13	1	14	16	56	63	29	29	18	18	18	16	18	19	35	12
55—	M	24	43	5	27	29	116	79	46	60	35	37	41	15	59	31	70	28
	F	19	30	10	18	14	49	75	34	48	17	31	17	16	38	22	41	24
60—	M	33	55	18	48	38	139	151	50	90	34	45	30	36	67	60	79	47
	F	25	43	15	36	24	92	83	47	58	33	30	24	25	48	36	53	27
65—	M	52	64	20	46	49	156	169	69	116	48	51	50	38	86	41	80	49
	F	36	54	21	49	30	90	145	64	80	46	49	29	39	65	56	76	39
70—	M	50	57	16	43	41	129	162	62	128	48	72	50	50	98	64	98	46
	F	42	71	13	65	33	124	171	74	104	71	49	42	48	90	51	91	42
75—	M	33	46	20	45	28	115	171	71	107	47	47	41	58	83	58	71	38
	F	45	59	19	51	47	118	200	62	113	52	46	43	68	84	75	80	58
80—	M	21	35	14	34	22	57	107	45	75	34	39	14	35	51	37	47	41
	F	37	54	29	49	35	86	188	42	91	46	46	42	64	65	75	64	63
85—	M	13	10	14	11	11	43	77	21	26	11	18	12	23	32	29	19	20
	F	28	22	26	36	20	74	162	26	72	16	34	16	61	62	60	32	43

TABLE 20—contd.—COUNTY BOROUGH.

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages	M	268	558	688	370	868	572	1750	3281	1548	437	5011	4625	888	1900	621	653	17
	F	269	477	753	527	901	536	1563	3129	1575	393	4562	4360	746	1554	631	656	168
Under 1 month	M	5	13	21	11	28	23	76	129	65	27	271	171	60	73	22	28	7
1-3 months	F	3	13	18	5	30	11	55	91	59	18	175	143	48	44	19	10	5
3-6 months	M	3	17	4	4	12	4	42	61	26	4	139	91	20	16	3	9	3
6-12 months	F	2	7	5	4	7	2	31	33	23	3	95	53	21	3	3	8	2
	M	7	6	3	4	7	5	32	37	28	8	123	56	31	16	6	9	2
	F	3	8	3	1	5	5	19	29	21	2	95	41	16	14	4	4	2
	M	3	9	6	2	5	8	32	30	21	4	107	42	10	17	9	5	2
	F	3	7	2	4	3	—	24	28	25	3	73	37	9	9	5	7	2
Total under 1 year	M	18	45	34	21	52	40	182	257	140	43	640	360	121	122	40	51	15
	F	11	35	28	14	45	18	129	181	128	26	438	274	94	70	31	29	12
1—	M	2	3	5	2	2	2	20	17	5	1	55	22	12	18	7	4	1
	F	3	8	1	—	2	4	14	16	14	2	27	20	6	11	1	5	—
2—	M	—	1	3	2	4	3	10	5	4	1	23	17	4	5	—	2	—
	F	—	2	2	—	1	—	12	3	1	1	23	12	4	4	2	2	—
3—	M	—	2	5	—	2	—	1	4	—	2	16	12	2	11	—	2	—
	F	2	1	1	1	—	—	8	14	3	—	20	8	2	3	1	—	—
4—	M	—	—	1	1	1	1	6	5	1	1	11	14	3	4	1	1	—
	F	1	2	—	—	—	1	2	4	3	1	12	6	4	2	—	—	—
Total under 5 years	M	20	51	48	26	61	47	222	290	150	48	745	425	142	160	48	60	19
	F	17	48	32	15	48	23	165	218	149	30	520	320	110	90	35	36	13
5—	M	—	7	7	—	9	4	22	19	10	3	53	35	12	18	7	3	2
	F	1	4	3	—	5	1	12	17	12	3	31	32	7	16	—	3	—
10—	M	3	2	2	3	1	2	14	10	11	2	47	27	4	11	3	6	1
	F	4	1	3	—	3	2	13	21	4	1	47	21	6	13	1	2	1
15—	M	2	3	5	—	2	6	10	14	12	5	42	35	9	22	7	4	1
	F	1	7	3	1	9	2	29	31	18	2	69	50	12	25	3	2	—
20—	M	3	3	5	1	6	7	16	25	21	—	65	37	8	27	2	2	—
	F	1	5	8	2	9	7	21	34	25	5	93	78	15	41	8	12	2
25—	M	1	6	3	2	6	5	16	34	11	4	78	48	7	23	3	2	1
	F	4	6	6	2	9	6	23	43	19	5	83	63	12	25	7	7	2
30—	M	2	7	8	2	7	6	25	46	22	7	79	60	19	38	5	10	2
	F	12	14	16	5	16	10	43	51	22	6	112	78	21	27	8	9	3
35—	M	5	9	10	3	19	9	28	64	22	11	107	90	19	38	12	6	3
	F	3	14	12	4	14	8	26	63	34	9	88	90	24	43	12	9	3
40—	M	5	8	13	6	20	18	51	109	45	13	161	126	26	50	16	13	4
	F	4	8	9	2	22	10	50	72	36	5	135	102	21	55	13	13	3
45—	M	6	12	26	6	27	23	75	143	72	7	215	207	40	81	15	17	7
	F	10	17	20	10	29	17	67	121	49	11	156	179	18	48	14	24	5
50—	M	9	39	40	13	46	35	98	206	69	15	311	357	59	105	30	35	9
	F	9	17	43	19	23	26	74	173	69	12	204	191	32	69	22	23	7
55—	M	18	55	47	17	82	40	160	283	113	37	420	437	72	173	43	42	12
	F	16	26	48	25	72	27	87	176	89	21	280	284	40	95	26	26	10
60—	M	37	64	79	38	105	70	207	366	173	39	565	521	117	232	67	65	19
	F	24	37	77	34	84	42	115	286	116	43	360	415	51	124	45	55	13
65—	M	32	67	104	49	141	72	211	464	191	57	632	691	107	282	78	71	23
	F	36	45	79	54	120	58	178	367	155	42	488	544	86	177	69	74	17
70—	M	39	68	121	65	140	74	222	453	221	60	605	637	100	239	104	105	23
	F	26	63	133	77	126	77	221	443	222	53	612	633	102	214	98	77	23
75—	M	45	70	105	56	114	76	176	429	195	51	496	493	80	209	87	93	18
	F	41	63	118	95	150	86	195	451	204	56	563	584	88	209	88	114	23
80—	M	26	59	45	53	58	51	124	233	149	48	282	284	46	125	61	81	14
	F	36	54	89	89	105	62	143	338	201	57	440	431	63	171	105	79	19
85—	M	15	28	20	30	24	27	73	93	61	30	108	115	21	67	33	38	8
	F	24	48	54	93	57	72	101	224	151	32	281	265	38	112	77	91	15

TABLE 20—*contd.*—COUNTY BOROUGH.

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages ...	M	848	486	1265	1308	755	681	623	476	595	1301	3188	485	1051	802	561	728	896
	F	880	570	1185	1166	759	719	640	416	521	1158	2775	432	878	753	739	622	845
Under 1 month	M	29	18	55	45	29	27	23	22	33	47	118	22	59	39	9	37	44
1-3 months	F	19	13	57	46	21	19	10	17	24	42	94	16	43	14	8	33	43
3-6 months	M	7	3	38	22	10	9	1	9	13	22	39	9	23	5	3	17	16
6-12 months	F	7	6	19	11	6	6	6	7	8	20	32	2	15	6	2	5	8
	M	11	5	12	18	6	12	3	6	15	19	35	5	19	6	3	9	9
	F	12	4	10	11	12	7	5	11	8	13	20	6	10	7	—	12	5
	M	6	5	14	16	8	14	4	11	9	13	29	5	16	3	3	13	14
	F	6	5	9	10	7	4	4	3	11	8	31	2	5	7	1	5	8
Total under 1 year	N	53	31	119	101	53	62	31	48	70	101	221	41	117	53	18	76	83
	F	44	28	95	78	46	36	25	38	51	83	177	26	73	34	11	55	64
1—	M	1	5	11	6	5	1	3	3	4	14	28	1	7	2	1	5	9
	F	5	4	7	4	3	7	3	3	4	8	15	1	7	3	1	5	5
2—	M	1	—	5	6	3	2	2	3	2	7	3	2	3	—	1	3	—
	F	1	2	5	6	2	2	2	—	1	2	7	—	5	3	1	2	2
3—	M	3	2	1	8	2	2	1	1	2	1	5	—	4	2	—	3	1
	F	2	—	4	7	3	1	—	2	3	—	6	—	3	—	—	2	1
4—	M	1	1	4	1	4	1	—	—	1	2	5	1	1	—	1	4	3
	F	—	—	4	—	1	1	—	2	1	3	4	1	4	1	1	1	1
Total under 5 years	M	59	39	140	122	67	67	37	55	79	125	262	45	132	57	21	91	96
	F	52	34	115	95	55	47	30	45	60	96	209	28	92	41	14	65	73
5—	M	4	2	12	11	7	3	1	4	8	14	26	6	10	2	6	3	8
	F	8	2	10	9	7	2	7	7	1	6	10	1	7	1	1	4	2
10—	M	4	2	3	11	2	10	2	2	4	10	17	2	6	1	2	5	5
	F	3	2	2	4	1	4	—	6	3	6	13	4	7	—	3	2	1
15—	M	4	6	9	15	5	7	4	5	4	5	20	3	6	7	4	8	7
	F	4	2	10	3	3	4	1	—	3	13	19	2	11	3	3	15	7
20—	M	14	1	11	10	5	6	3	7	6	11	33	3	9	4	4	7	5
	F	10	6	18	26	11	10	4	6	17	20	56	5	15	10	7	8	6
25—	M	6	6	13	17	13	8	6	4	4	14	32	6	14	5	1	10	6
	F	5	10	19	12	9	12	7	8	10	17	48	10	13	12	7	14	14
30—	M	9	6	16	14	10	8	7	6	15	21	44	8	13	6	1	9	11
	F	16	6	26	20	16	11	6	8	12	22	43	10	13	10	7	13	12
35—	M	12	14	24	19	11	7	15	9	13	38	57	10	21	12	10	17	18
	F	27	9	18	19	12	12	11	5	16	28	55	7	15	8	9	16	12
40—	M	19	10	37	24	25	15	21	12	22	36	87	18	29	22	13	26	29
	F	20	10	23	32	23	15	15	12	12	34	85	14	18	15	12	12	20
45—	M	27	12	47	51	46	32	28	30	27	57	121	22	49	11	22	31	38
	F	30	14	43	48	24	19	19	14	13	34	93	10	26	26	15	23	32
50—	M	52	28	58	65	53	39	32	23	34	86	206	30	47	34	28	53	66
	F	45	19	39	51	36	27	29	19	22	55	127	20	38	20	20	29	47
55—	M	89	36	107	111	72	48	52	40	50	151	254	25	87	71	31	46	81
	F	77	31	70	66	46	45	45	19	38	66	161	33	41	32	29	39	49
60—	M	113	52	147	153	93	66	65	46	74	159	381	60	108	97	78	82	90
	F	81	35	103	88	65	49	63	35	46	113	267	44	74	56	47	44	89
65—	M	131	48	166	187	85	73	93	71	52	184	466	71	138	108	67	81	103
	F	123	61	105	105	104	57	71	44	54	151	309	52	91	82	95	82	95
70—	M	124	68	186	185	103	94	107	67	73	147	508	72	132	124	94	106	123
	F	113	72	142	167	111	107	115	61	74	192	387	61	113	100	125	82	122
75—	M	98	70	138	151	81	90	85	50	77	138	379	58	125	110	85	79	110
	F	114	89	160	165	109	96	105	61	68	158	360	61	127	126	121	71	111
80—	M	64	51	110	97	57	63	40	30	32	72	217	33	82	75	64	47	70
	F	100	100	150	139	78	109	76	39	51	94	336	34	91	127	127	62	98
85—	M	19	35	41	65	20	45	25	15	21	33	78	13	43	56	30	27	30
	F	52	68	132	117	49	93	36	27	21	53	197	36	86	84	97	41	55

TABLE 20—contd.—COUNTY BOROUGH.

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.).	Swansea.
All Ages ...	M	1556	1095	447	378	562	663	453	526	1074	460	447	892	347	621	1526	492	644	93
	F	1459	1031	350	311	592	567	419	436	978	406	456	823	359	555	1303	373	530	81
Under 1 month	M	68	41	25	24	20	40	35	19	26	23	19	33	14	23	75	18	27	2
1-3 months	F	57	32	21	5	16	26	13	15	20	20	26	22	7	18	54	13	24	2
3-6 months	M	30	26	7	9	13	18	16	13	6	10	12	16	3	6	20	12	15	6
6-12 months	F	12	16	3	5	12	6	10	—	9	10	5	19	1	3	18	5	9	1
	M	24	32	7	4	12	10	8	10	13	10	8	14	1	7	13	3	8	1
	F	13	13	4	5	15	6	12	10	15	11	3	17	1	5	12	5	9	—
	M	22	13	7	5	5	7	3	6	14	4	6	11	3	5	18	6	12	—
	F	27	10	4	2	4	3	6	7	9	7	3	9	1	9	13	6	6	—
Total under 1 year	M	144	112	46	42	50	75	62	48	59	47	45	74	21	41	126	39	62	4
	F	109	71	32	17	47	41	32	53	48	37	67	37	10	35	97	29	48	5
1—	M	17	9	4	3	3	8	—	4	13	6	1	9	—	4	10	3	6	—
	F	15	10	—	2	3	6	1	2	8	7	5	5	1	1	10	4	5	—
2—	M	3	2	3	2	3	5	5	3	8	—	3	2	—	2	5	3	4	—
	F	9	7	1	4	1	1	—	3	4	1	1	2	—	1	4	1	2	—
3—	M	5	3	1	1	2	3	2	3	4	1	2	3	2	3	3	—	3	—
	F	4	2	1	—	5	1	2	3	1	2	1	4	2	2	3	2	2	—
4—	M	4	3	3	—	2	—	3	2	4	2	1	2	2	3	4	3	4	—
	F	1	2	2	—	—	7	—	1	1	2	1	2	—	1	1	—	1	—
Total under 5 years	M	173	129	57	48	60	91	72	60	88	56	52	90	25	53	148	48	79	5
	F	138	92	36	23	56	56	44	41	67	60	45	80	15	40	115	36	58	6
5—	M	19	15	4	2	2	6	2	6	22	2	1	5	2	3	10	2	2	—
	F	8	6	2	2	2	4	1	3	14	2	3	12	6	2	7	6	4	—
10—	M	11	7	1	1	3	2	1	8	5	8	4	—	—	2	7	4	2	—
	F	3	4	6	—	1	3	2	3	11	1	7	3	—	1	23	5	2	—
15—	M	14	12	2	5	6	6	4	7	15	6	3	5	7	1	14	4	6	1
	F	18	13	7	2	9	7	7	9	18	4	8	6	3	2	18	1	6	—
20—	M	14	14	13	3	1	9	4	4	10	4	1	10	6	6	13	9	10	1
	F	18	21	4	3	10	12	8	5	27	11	4	14	6	4	27	7	14	2
25—	M	22	22	7	3	7	7	3	9	14	3	4	8	3	2	15	7	8	1
	F	25	25	5	6	7	8	11	5	19	8	7	13	6	1	22	8	10	1
30—	M	20	28	10	2	12	7	12	6	32	15	3	7	2	5	24	11	12	1
	F	29	22	9	4	9	8	13	5	26	11	11	15	9	7	27	3	9	1
35—	M	34	27	9	9	8	19	11	10	20	10	13	17	11	8	28	7	10	1
	F	32	24	11	5	7	9	6	5	29	11	13	18	8	10	30	9	10	2
40—	M	44	35	18	14	9	24	11	17	27	14	12	24	5	22	35	6	14	2
	F	45	37	12	6	8	19	14	16	28	12	18	25	9	17	27	10	10	—
45—	M	76	39	18	15	22	19	21	21	42	20	13	51	13	21	77	23	33	3
	F	44	45	11	8	22	22	13	11	38	11	17	13	11	21	51	8	17	2
50—	M	83	52	23	16	29	53	30	32	63	28	25	52	21	31	87	33	46	5
	F	71	44	12	12	24	15	16	21	39	11	27	32	15	15	78	18	20	3
55—	M	159	90	26	34	48	49	40	47	79	48	31	80	32	54	145	36	45	10
	F	108	60	17	25	38	35	24	26	65	21	30	55	18	37	79	24	35	5
60—	M	170	106	59	41	61	58	50	46	122	41	52	90	42	68	153	64	71	12
	F	119	86	31	27	62	44	34	42	89	27	43	72	23	38	100	36	38	6
65—	M	211	123	41	50	93	89	58	63	154	49	59	119	40	83	203	69	78	12
	F	177	95	33	38	72	70	59	51	109	49	53	89	48	78	140	31	45	8
70—	M	233	156	69	53	77	88	46	71	148	62	60	130	56	104	204	73	78	13
	F	224	157	43	53	73	76	55	60	114	51	65	100	48	86	152	73	83	12
75—	M	156	118	50	39	57	72	39	60	126	51	61	109	40	72	196	55	73	9
	F	182	131	51	47	75	81	56	60	109	50	54	123	61	71	158	42	76	11
80—	M	81	78	24	29	44	43	38	41	74	32	37	61	20	53	106	35	48	7
	F	135	114	41	26	57	61	38	44	97	30	38	87	39	73	139	34	50	8
85—	M	36	44	16	14	23	21	11	18	30	14	12	30	22	33	61	6	24	3
	F	83	55	19	24	60	37	18	29	79	36	13	66	34	52	110	22	43	5

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1031	491	568	956	955	975	431	524	3511	991	1197	1029	538	704	1984	1639
	F	1064	475	589	949	910	1004	456	461	3610	909	1324	1053	533	702	1770	1506
Under 1 month	M	38	21	22	32	26	35	16	24	129	46	32	24	21	30	73	74
1-3 months	F	34	10	20	13	28	26	17	10	104	22	35	15	12	26	74	58
3-6 months	M	8	2	5	9	9	6	9	11	53	12	9	8	7	10	20	17
6-12 months	F	9	5	3	7	6	7	2	8	32	9	12	2	11	9	19	10
	M	8	2	4	2	12	5	3	4	32	4	6	7	7	2	22	22
	F	10	1	3	6	3	4	—	2	28	6	6	6	7	3	18	16
	M	8	6	3	11	10	6	3	2	31	7	8	8	7	2	23	20
	F	9	4	3	10	3	4	5	3	30	6	7	2	2	6	26	15
Total under 1 year	M	62	31	34	54	57	52	31	41	245	69	55	47	42	44	138	133
	F	62	20	29	36	40	41	24	23	194	43	60	25	32	44	137	99
1—	M	7	3	6	8	6	2	—	2	12	8	13	6	6	4	14	10
	F	6	—	2	2	4	1	2	4	14	6	5	2	4	4	8	15
2—	M	5	1	—	2	7	1	1	2	9	4	1	1	3	1	7	5
	F	—	4	2	2	5	3	—	2	7	5	4	3	5	1	8	3
3—	M	2	—	2	1	3	2	2	2	8	3	—	1	1	1	6	6
	F	1	1	2	2	1	—	1	2	4	3	5	2	2	3	5	—
4—	M	4	1	1	—	3	3	1	—	9	1	5	—	—	1	2	2
	F	4	—	1	1	3	4	1	3	3	4	5	3	1	1	4	1
Total under 5 years	M	80	36	43	65	76	60	35	47	283	85	74	55	52	51	167	156
	F	73	25	36	43	53	49	28	34	222	61	79	35	44	53	162	118
5—	M	11	4	4	10	10	5	4	1	26	7	8	9	5	5	20	13
	F	4	1	1	4	8	2	4	4	12	8	2	4	3	5	11	20
10—	M	8	4	1	7	5	6	2	2	13	5	5	4	3	2	10	11
	F	7	—	3	4	4	4	—	1	12	3	5	4	6	6	9	5
15—	M	8	8	8	7	5	10	2	3	34	5	10	8	10	11	12	10
	F	10	1	4	9	5	8	2	2	20	2	6	12	6	7	12	9
20—	M	11	5	8	4	10	7	3	7	21	4	10	11	4	6	27	21
	F	11	4	7	5	8	8	3	3	29	4	12	8	11	8	18	15
25—	M	16	6	4	5	7	5	4	4	24	7	13	6	8	6	25	8
	F	14	5	5	11	12	10	4	5	37	6	12	7	13	8	21	15
30—	M	15	6	11	13	14	12	8	5	30	12	12	11	6	13	22	22
	F	15	5	9	9	14	13	7	5	40	9	16	12	16	11	18	24
35—	M	18	7	6	8	19	17	5	11	61	15	24	22	16	8	37	31
	F	23	4	5	13	18	17	7	10	66	25	23	21	6	12	34	35
40—	M	29	7	8	19	24	14	11	14	84	31	29	16	23	22	68	35
	F	26	13	6	13	20	13	8	12	76	17	17	18	6	15	41	43
45—	M	28	16	18	26	41	24	16	14	151	43	39	28	24	13	64	38
	F	32	9	8	25	29	30	10	11	121	18	40	25	24	25	59	47
50—	M	54	21	21	37	70	38	22	11	189	39	60	34	25	40	81	77
	F	41	18	21	48	33	29	14	10	170	47	58	36	13	22	78	65
55—	M	89	35	30	61	56	57	33	18	318	55	71	68	42	41	148	117
	F	66	24	23	43	47	50	23	23	220	59	66	51	34	31	108	85
60—	M	112	37	55	101	93	83	35	39	424	100	125	96	47	62	208	156
	F	74	35	42	69	80	79	36	19	314	71	119	86	42	57	149	115
65—	M	123	65	63	111	114	108	48	71	423	119	153	121	75	84	262	214
	F	90	55	49	95	88	109	42	39	430	90	125	124	63	69	195	178
70—	M	151	66	88	108	112	157	57	75	508	149	172	167	66	115	313	248
	F	133	53	104	127	113	134	61	65	540	138	190	160	71	91	274	226
75—	M	128	83	92	169	134	161	65	77	465	152	178	151	70	104	250	237
	F	164	76	91	165	149	147	67	83	569	138	189	164	81	123	250	221
80—	M	97	52	70	114	108	129	39	68	292	106	126	124	42	78	177	145
	F	157	55	95	136	120	159	76	67	423	119	170	151	44	99	188	161
85—	M	53	33	38	91	57	82	42	57	165	57	88	98	20	43	93	100
	F	124	92	80	130	109	143	64	68	309	94	195	135	50	60	143	124

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of		Essex.		Gloucester-shire.		Herefordshire.		Hertfordshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ...	M	1841	1601	970	604	3697	1540	290	202	6252	1322	843	1511	303	467	2066	721
	F	2045	1564	1026	580	3275	1393	328	165	6021	1239	942	1566	334	432	2170	679
Under 1 month	M	69	74	43	21	159	70	13	6	236	49	25	58	11	13	77	29
1-3 months	F	34	42	36	14	123	52	10	6	175	36	32	38	13	10	54	22
3-6 months	M	20	16	12	7	47	31	6	—	80	3	13	13	4	6	25	4
6-12 months	F	12	12	6	3	50	23	1	3	50	2	3	8	4	3	14	4
	M	12	9	10	2	62	24	2	1	55	8	9	10	4	1	13	8
	F	8	6	6	2	40	26	1	4	45	7	6	14	3	5	9	4
	M	7	12	9	1	51	28	1	—	64	12	8	16	4	3	16	2
	F	12	5	7	2	32	18	3	2	49	5	5	17	—	1	7	2
Total under 1 year	M	108	111	74	31	319	153	22	7	435	72	55	97	23	23	131	43
	F	66	65	55	21	245	119	15	15	319	50	46	77	20	19	84	32
1—	M	4	7	6	2	27	9	1	2	42	6	4	10	2	3	9	13
	F	7	6	2	4	36	12	5	1	33	6	2	5	4	2	8	3
2—	M	4	4	1	1	15	5	1	2	22	6	1	7	2	1	5	4
	F	1	3	1	3	11	7	1	—	14	3	1	5	1	1	8	—
3—	M	3	3	4	—	17	4	—	—	21	2	4	2	1	2	4	3
	F	2	—	3	1	7	7	—	—	15	4	2	6	1	—	1	1
4—	M	3	3	1	4	10	6	—	—	17	1	1	2	—	2	2	2
	F	3	1	1	—	7	1	1	—	5	3	—	6	—	—	4	—
Total under 5 years	M	122	128	86	38	388	177	24	11	537	87	65	118	28	31	151	65
	F	79	75	62	29	296	146	17	16	386	66	51	99	26	22	105	36
5—	M	9	5	9	3	42	17	4	3	57	7	9	16	3	1	14	5
	F	8	5	4	1	35	14	1	1	47	5	8	9	4	1	8	3
10—	M	12	8	6	1	30	7	—	—	51	4	4	13	2	3	14	5
	F	6	11	6	3	21	6	2	2	34	3	3	4	1	1	7	3
15—	M	11	12	7	2	48	19	4	3	72	11	5	13	2	1	12	7
	F	11	12	8	1	49	24	4	1	74	2	6	12	—	—	15	5
20—	M	12	12	7	2	49	20	5	1	45	8	7	17	5	3	18	14
	F	12	15	11	4	78	32	2	2	76	8	11	27	4	7	23	10
25—	M	8	11	13	3	50	28	3	2	68	6	7	13	4	2	14	4
	F	9	12	9	4	55	31	1	2	98	14	5	32	3	7	16	3
30—	M	14	20	11	4	65	34	6	2	78	14	9	24	2	5	28	10
	F	19	11	8	6	64	32	2	2	114	11	14	24	4	2	34	12
35—	M	23	23	13	5	68	25	6	5	130	18	9	25	4	8	47	15
	F	33	21	14	10	76	30	6	6	132	21	17	27	4	4	36	11
40—	M	20	32	26	11	112	34	9	3	195	17	23	47	7	8	54	14
	F	29	33	20	9	102	35	5	4	171	17	15	41	6	7	51	20
45—	M	49	43	25	11	129	58	8	3	298	33	27	44	14	10	86	19
	F	41	38	28	7	106	34	2	5	181	30	33	57	8	15	62	15
50—	M	79	79	38	12	224	89	9	5	334	34	39	65	17	18	115	31
	F	79	55	34	14	163	52	22	8	273	59	33	62	10	20	71	19
55—	M	120	88	65	46	282	110	14	13	487	66	56	87	32	38	177	44
	F	94	72	46	30	200	98	19	4	343	59	38	73	14	26	112	48
60—	M	153	119	83	50	377	172	25	13	665	121	91	137	23	32	203	59
	F	137	100	69	42	271	152	25	11	464	94	63	104	30	29	180	54
65—	M	225	203	103	65	472	191	23	21	732	156	112	165	41	57	271	86
	F	197	140	102	49	389	135	38	13	637	120	110	143	36	39	206	80
70—	M	308	223	150	96	525	230	47	30	781	217	126	211	34	79	288	99
	F	262	233	132	92	469	193	42	22	761	177	97	210	44	64	299	81
75—	M	284	251	138	109	429	165	47	36	801	220	104	220	37	80	273	105
	F	337	269	145	91	408	176	53	27	882	203	155	224	52	65	353	101
80—	M	237	207	111	84	275	116	32	26	603	185	86	166	34	62	189	82
	F	361	247	173	102	279	116	43	22	743	173	137	225	42	66	299	95
85—	M	155	137	79	62	132	48	19	25	318	118	64	130	14	29	112	57
	F	331	215	155	86	204	87	39	17	605	177	146	193	46	57	293	83

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire : Parts of Holland.		Lincolnshire : Parts of Kesteven.		Lincolnshire : Parts of Lindsey.		Middlesex.
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	
All Ages ...	M	167	204	5950	1654	10541	1454	835	940	204	301	258	416	806	863	10372
	F	167	189	5899	1572	10557	1492	747	891	215	267	260	386	745	777	10151
Under 1 month	M	4	5	234	55	405	52	33	41	8	9	11	15	37	28	478
1-3 months	M	4	5	143	18	308	53	21	34	4	10	12	10	24	22	311
3-6 months	M	4	4	54	11	144	26	8	6	1	3	2	3	9	9	116
6-12 months	M	—	1	53	15	87	12	8	7	1	5	4	4	5	5	87
	F	—	2	57	10	125	12	5	7	1	4	2	4	10	6	89
	F	—	—	39	7	84	6	11	6	2	—	3	4	3	5	72
	M	1	1	49	11	103	11	9	6	2	1	4	4	11	10	80
	F	3	—	40	10	83	14	2	3	2	1	2	5	4	5	63
Total under 1 year	M	9	12	394	87	777	101	55	60	12	17	19	26	67	53	763
	F	7	6	275	50	562	85	42	50	9	16	21	23	36	37	533
1—	M	1	2	34	13	58	9	2	8	1	3	2	2	4	5	41
	F	—	—	20	6	73	13	2	5	1	1	4	3	1	5	42
2—	M	2	—	23	5	32	2	2	8	2	2	—	2	8	4	27
	F	—	—	16	5	30	5	4	8	1	1	1	1	4	3	18
3—	M	—	—	16	5	28	2	3	2	1	1	3	2	1	5	24
	F	—	—	12	3	22	5	2	1	—	—	1	1	2	2	19
4—	M	—	1	5	1	28	2	1	2	1	1	1	1	2	2	16
	F	—	—	6	2	13	2	1	1	—	—	1	—	—	2	18
Total under 5 Years	M	12	15	472	111	923	116	63	80	17	24	24	33	82	69	871
	F	7	6	329	66	700	110	51	65	11	18	28	28	43	49	630
5—	M	2	1	41	15	73	16	11	7	—	4	2	2	4	3	72
	F	2	—	44	7	63	9	4	7	2	3	1	3	3	1	57
10—	M	—	4	34	16	65	11	11	3	1	1	3	3	3	5	65
	F	1	—	28	5	50	6	4	4	1	1	—	1	1	3	42
15—	M	—	—	51	11	92	12	5	5	—	4	—	2	6	10	77
	F	—	1	50	12	53	14	4	9	2	3	—	3	4	7	74
20—	M	2	2	38	8	75	13	6	6	—	4	3	2	11	6	85
	F	2	2	75	17	127	13	11	12	1	1	1	7	9	6	123
25—	M	2	—	53	17	77	10	9	10	—	6	2	1	11	3	86
	F	2	3	91	14	129	22	17	11	3	2	3	—	15	12	142
30—	M	3	4	71	17	118	22	12	6	2	3	3	4	9	18	157
	F	1	2	90	22	168	30	12	19	5	8	3	4	11	12	174
35—	M	1	1	94	24	170	23	9	14	3	6	4	5	13	16	211
	F	—	1	91	22	217	35	12	11	3	13	4	3	14	11	207
40—	M	6	2	156	38	284	34	26	20	4	10	6	9	14	18	325
	F	7	3	142	42	237	32	16	26	3	7	3	7	19	15	260
45—	M	6	7	185	54	424	63	34	35	5	6	7	13	18	15	467
	F	3	5	168	38	328	50	32	27	6	8	4	6	23	22	341
50—	M	5	9	307	67	600	72	34	48	9	10	12	21	44	25	648
	F	6	11	226	63	504	64	29	37	7	10	9	13	33	36	442
55—	M	15	5	436	92	904	94	71	54	10	18	23	21	73	56	849
	F	11	10	321	82	716	84	35	46	15	14	16	14	43	36	580
60—	M	14	18	552	134	1127	143	77	83	24	29	22	35	93	74	1138
	F	10	12	448	122	942	126	52	77	17	21	25	32	70	40	842
65—	M	18	16	804	201	1525	211	104	113	21	30	39	36	93	94	1365
	F	19	14	629	165	1352	152	87	66	24	32	33	41	87	63	1007
70—	M	26	40	877	233	1650	209	119	141	33	39	38	79	105	118	1354
	F	17	33	779	225	1610	228	105	121	25	36	34	56	102	126	1360
75—	M	28	32	833	264	1317	213	114	130	32	47	24	57	113	127	1288
	F	27	31	927	244	1588	222	120	124	27	40	29	52	100	137	1507
80—	M	18	36	570	206	767	130	94	115	25	33	31	57	64	100	814
	F	36	30	772	222	1142	167	89	122	28	26	35	76	89	117	1270
85—	M	9	12	376	146	350	62	36	70	18	27	15	36	50	106	500
	F	16	25	689	204	631	128	67	107	35	24	31	44	80	87	1093

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Norfolk.		Northampton-shire.		Northumberland.		Nottingham-shire.		Oxfordshire.		Peterborough, Soke of		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ...	M	407	1638	787	674	1874	549	1919	741	285	614	290	60	27	95	799	721
	F	450	1560	695	666	1795	588	1685	683	242	543	264	42	18	101	845	691
Under 1 month	M	15	72	31	30	89	14	115	35	7	27	15	1	3	5	36	22
1-3 months	F	9	49	25	11	63	12	55	18	8	17	13	1	—	5	22	18
3-6 months	M	5	15	8	5	19	6	34	5	8	10	2	—	—	1	12	7
6-12 months	F	2	11	6	3	29	4	21	8	4	6	2	1	—	—	8	8
	M	4	14	10	6	30	4	30	3	2	3	4	—	—	1	9	5
	F	6	14	6	6	21	3	21	4	1	5	—	—	—	1	7	3
	M	4	8	8	9	22	7	21	10	1	3	3	—	—	—	7	7
	F	6	13	4	2	17	2	20	2	—	2	1	—	—	—	7	2
Total under 1 year	M	28	109	57	50	160	31	200	53	18	43	24	1	3	7	64	41
	F	23	87	41	22	130	21	117	32	13	30	16	2	—	6	44	31
1—	M	5	11	2	1	10	3	21	9	3	5	—	—	—	—	10	2
	F	1	5	5	3	16	5	11	3	1	2	1	2	—	—	1	9
2—	M	1	3	3	3	7	2	6	2	2	1	1	—	1	—	5	5
	F	2	3	2	3	5	—	6	2	2	1	—	—	—	—	7	3
3—	M	1	8	2	2	4	3	6	1	—	—	—	—	—	1	1	—
	F	—	2	1	1	4	1	3	2	1	2	—	—	—	—	2	3
4—	M	1	4	2	1	11	1	5	1	—	5	—	—	—	—	5	—
	F	—	3	2	—	3	1	4	—	—	2	—	1	—	1	—	1
Total under 5 years	M	36	135	66	57	192	40	238	66	23	54	25	1	4	8	85	48
	F	26	100	51	29	158	28	141	39	17	37	17	5	—	7	54	47
5—	M	4	16	8	2	20	1	16	13	1	2	2	1	—	1	6	4
	F	1	8	2	4	17	—	12	2	3	1	2	—	—	—	4	2
10—	M	2	13	7	4	15	5	18	4	1	—	—	—	—	—	6	6
	F	4	6	4	2	13	6	12	6	—	2	1	1	1	—	2	1
15—	M	2	16	4	3	21	6	9	11	1	3	—	2	—	1	10	7
	F	1	6	5	3	19	3	22	9	2	4	2	—	—	1	3	2
20—	M	3	13	6	7	22	7	35	5	3	5	1	—	—	—	6	8
	F	6	20	11	12	32	7	25	6	6	8	5	—	1	1	7	7
25—	M	3	8	4	8	18	5	24	5	2	1	4	2	—	—	8	9
	F	3	9	7	5	31	3	34	10	2	3	5	1	—	—	4	5
30—	M	2	20	12	9	24	6	22	11	1	6	1	—	—	—	11	7
	F	2	17	7	8	25	8	41	21	3	4	3	1	—	—	12	7
35—	M	4	25	11	5	30	6	36	15	6	2	2	2	—	—	12	13
	F	7	26	8	13	29	8	40	11	5	10	4	—	—	1	9	5
40—	M	7	28	21	11	48	6	60	16	1	13	6	1	—	1	17	16
	F	6	30	15	20	40	12	42	11	6	8	8	2	—	2	12	18
45—	M	9	46	32	15	67	12	65	20	8	15	9	1	3	3	24	22
	F	13	47	20	14	61	24	51	16	6	13	12	—	—	4	27	16
50—	M	16	58	28	27	119	21	102	39	17	23	16	6	3	1	46	35
	F	8	42	31	24	75	20	69	28	12	22	12	1	—	3	37	28
55—	M	26	94	54	38	133	36	134	48	19	34	22	1	1	6	52	41
	F	17	79	31	36	113	36	80	34	11	20	9	3	4	6	38	31
60—	M	33	131	86	55	177	49	183	73	28	48	32	6	2	15	70	67
	F	25	114	60	53	149	52	139	43	16	30	26	2	2	5	57	35
65—	M	40	180	85	79	246	69	241	93	44	74	40	9	5	12	109	82
	F	50	134	80	84	198	67	198	83	27	63	27	2	—	7	91	65
70—	M	64	218	127	101	271	87	268	95	37	81	32	8	3	13	101	105
	F	60	217	92	63	255	84	247	91	34	65	25	5	4	18	115	104
75—	M	57	237	112	116	228	81	233	101	49	101	41	11	2	12	110	115
	F	60	230	100	113	269	99	211	102	37	93	42	6	—	15	140	114
80—	M	55	237	82	96	162	75	140	80	24	87	37	5	4	13	80	79
	F	84	229	98	89	185	82	177	82	27	84	37	8	3	16	124	103
85—	M	44	163	42	41	81	37	95	46	20	65	20	4	—	9	46	57
	F	77	246	73	94	126	49	144	89	28	76	27	5	3	15	109	101

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Somersetshire.		Southampton.		Staffordshire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1308	1507	1764	1373	3262	1094	505	654	259	442	5556	706	987	895	1049	839
	F	1501	1493	1738	1276	3085	1048	499	622	257	438	5775	746	1380	1010	1352	828
Under 1 month	M	38	39	90	58	148	42	16	23	7	12	190	26	30	21	21	27
	F	33	45	48	41	119	44	15	21	8	16	167	29	30	10	21	17
1-3 months	M	11	14	21	15	50	11	2	6	4	—	43	2	8	10	7	6
	F	7	6	17	14	48	11	3	3	1	2	28	2	12	6	8	6
3-6 months	M	9	7	12	10	62	11	2	8	5	—	37	3	6	5	6	1
	F	5	6	16	13	34	6	6	4	1	2	28	5	9	4	8	8
6-12 months	M	9	6	17	14	52	9	2	3	1	6	39	8	7	6	5	5
	F	8	8	15	8	33	7	2	1	1	2	25	4	7	6	4	4
Total under 1 year	M	67	66	140	97	312	73	22	40	17	18	309	39	51	42	39	39
	F	53	65	96	76	234	68	26	29	11	22	248	40	58	26	41	35
1—	M	3	8	10	8	35	8	2	2	—	2	29	6	5	2	5	9
	F	9	6	15	5	28	10	4	1	1	1	28	1	2	5	4	2
2—	M	2	8	4	3	16	2	5	—	—	1	17	2	2	5	—	2
	F	3	1	9	4	12	6	2	4	—	2	8	1	1	1	5	—
3—	M	1	4	2	4	11	5	1	1	1	—	12	—	—	—	—	3
	F	2	2	8	3	6	3	—	1	—	1	15	2	4	2	1	2
4—	M	1	2	4	3	11	10	—	1	—	—	15	2	—	1	1	—
	F	4	1	1	1	6	2	—	1	—	—	8	1	1	—	—	—
Total under 5 years	M	74	88	160	115	385	98	32	44	18	21	382	49	58	50	45	54
	F	71	75	129	89	286	89	32	36	12	26	307	45	66	34	51	39
5—	M	8	7	18	8	39	8	3	4	1	3	43	5	5	4	3	4
	F	2	7	13	7	29	14	1	4	2	3	32	5	2	6	2	3
10—	M	9	8	7	6	21	9	2	4	2	5	26	2	5	5	6	5
	F	6	9	9	3	17	11	2	—	1	1	22	2	5	1	3	2
15—	M	11	9	18	16	35	10	5	3	2	2	41	1	4	6	4	2
	F	3	8	9	9	55	9	2	8	—	10	42	4	2	6	3	7
20—	M	7	12	15	7	36	10	4	1	1	2	30	3	4	9	4	8
	F	8	14	14	9	65	10	5	7	—	4	45	3	7	7	7	5
25—	M	7	8	8	18	41	13	2	7	1	7	46	6	4	6	4	4
	F	13	10	24	10	59	12	5	4	2	3	49	7	9	4	7	5
30—	M	16	9	18	9	40	14	4	8	2	1	64	6	8	5	7	9
	F	16	19	22	16	64	15	8	9	2	5	80	8	12	8	14	7
35—	M	17	19	23	20	80	26	3	6	3	1	94	9	10	9	12	10
	F	25	13	31	22	66	20	4	13	3	7	105	14	14	17	16	5
40—	M	35	32	41	25	109	28	8	13	6	7	157	15	15	15	21	20
	F	18	26	39	31	75	25	12	6	5	7	145	14	17	20	22	11
45—	M	45	40	49	33	125	47	15	14	9	9	211	18	17	19	36	25
	F	42	37	44	29	111	30	14	15	7	8	189	15	30	20	25	28
50—	M	62	56	85	48	179	47	21	15	17	13	328	27	50	26	34	41
	F	53	64	56	44	138	54	19	20	10	17	222	23	42	41	43	19
55—	M	85	121	131	75	272	68	28	39	16	21	420	52	61	47	70	46
	F	74	82	95	61	172	53	24	36	12	18	312	37	65	60	64	36
60—	M	134	144	181	125	358	101	44	47	27	42	574	64	89	93	96	73
	F	109	112	125	84	267	75	35	44	18	27	432	58	96	77	108	73
65—	M	158	175	236	154	385	128	61	67	37	44	750	80	113	139	135	98
	F	138	146	187	137	324	104	37	67	24	38	599	69	145	113	149	81
70—	M	200	240	251	210	430	159	77	107	33	70	771	106	155	125	158	134
	F	218	180	243	160	386	159	75	75	34	55	764	99	178	136	195	122
75—	M	195	231	240	214	398	164	88	114	31	80	751	116	176	150	187	133
	F	236	232	272	206	403	156	86	84	53	64	832	128	236	177	253	145
80—	M	149	180	181	169	216	105	77	90	35	74	524	71	126	107	131	98
	F	230	237	204	184	349	114	73	94	38	81	820	97	221	145	222	131
85—	M	96	128	102	121	113	59	33	71	18	40	344	76	87	80	96	75
	F	239	222	222	175	219	98	65	100	34	64	778	118	233	138	168	109

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ...	M	1496	823	187	234	461	127	997	945	1484	617	635	608	1242	910
	F	1479	775	216	187	503	132	1019	957	1431	581	620	533	1219	864
Under 1 month	M	75	49	8	9	15	3	36	46	69	35	18	26	50	51
1-3 months	F	47	30	2	7	9	—	25	20	39	21	11	15	37	31
3-6 months	M	29	12	2	2	8	2	12	9	23	3	9	8	12	10
6-12 months	F	16	8	—	1	3	—	10	8	21	6	4	4	17	7
	M	13	11	—	1	3	—	11	8	18	4	4	5	25	9
	F	8	7	—	—	1	—	8	7	9	2	4	10	15	7
	M	15	6	1	2	1	1	3	7	17	6	9	2	8	15
	F	16	10	—	1	3	2	3	7	11	1	3	3	13	2
Total under 1 year	M	132	78	11	14	27	6	62	70	127	48	40	41	95	85
1—	F	87	55	2	9	16	2	46	42	80	30	22	32	82	47
2—	M	11	7	1	2	1	1	3	8	10	5	—	5	5	2
	F	9	4	1	1	2	—	4	9	8	2	—	4	7	3
3—	M	11	6	—	1	—	—	2	4	3	4	3	2	3	1
	F	3	3	1	3	1	—	3	2	5	1	2	3	5	3
4—	M	4	3	—	1	2	1	2	2	6	1	—	—	3	3
	F	2	2	—	—	—	1	2	4	7	1	2	—	5	1
	M	2	1	—	—	1	—	4	—	4	1	2	2	2	1
	F	2	1	1	—	—	—	—	2	1	1	—	—	4	1
Total under 5 years.	M	160	95	12	18	31	8	73	84	150	59	45	50	108	92
5—	F	103	65	5	13	19	3	55	59	101	35	26	39	103	55
10—	M	18	6	2	4	1	1	4	5	11	5	3	4	5	8
	F	6	6	1	—	1	—	3	10	11	1	3	3	12	3
15—	M	7	7	1	1	1	1	6	8	9	2	—	3	3	11
	F	8	1	—	2	4	—	4	2	2	2	1	4	6	1
20—	M	17	4	3	1	2	—	10	7	7	4	5	6	11	6
	F	12	8	4	—	2	2	7	6	8	2	4	6	9	4
25—	M	16	7	—	1	4	1	10	9	12	6	3	6	11	8
	F	18	8	3	1	2	—	9	8	14	7	4	7	12	13
30—	M	18	7	1	3	—	—	4	4	13	5	8	11	13	8
	F	16	8	—	1	5	1	8	4	24	7	7	7	12	7
35—	M	25	11	3	1	3	1	14	19	22	7	7	11	20	15
	F	21	14	3	—	6	3	22	11	21	7	4	9	18	11
40—	M	24	16	2	8	9	3	20	12	29	10	14	12	19	21
	F	26	20	5	1	2	4	11	18	31	9	13	8	22	9
45—	M	44	25	4	5	13	2	24	18	39	14	24	5	35	20
	F	31	18	6	2	8	3	29	23	32	14	6	16	33	9
50—	M	43	31	9	3	10	4	34	19	58	18	17	12	39	29
	F	45	29	6	6	15	2	28	29	57	10	28	16	41	27
55—	M	74	35	5	5	18	5	46	37	92	27	28	16	56	36
	F	71	36	3	3	15	3	45	38	49	16	18	24	60	34
60—	M	111	52	18	11	29	5	64	47	108	34	30	30	79	42
	F	78	42	8	16	25	7	41	41	85	31	29	25	63	46
65—	M	168	71	29	14	41	9	85	77	160	55	75	50	134	71
	F	116	63	15	9	41	10	65	73	111	40	53	42	110	60
70—	M	191	92	20	33	61	18	126	107	184	56	81	80	177	88
	F	153	66	22	26	45	14	114	93	153	68	66	53	156	104
75—	M	196	121	21	33	71	18	147	118	197	88	106	103	204	136
	F	195	88	25	28	62	18	111	123	175	93	84	76	173	146
80—	M	177	110	29	35	64	19	127	162	189	101	87	88	160	124
	F	206	116	35	31	92	27	155	142	209	77	114	74	145	121
85—	M	135	90	18	38	69	20	132	129	128	72	62	86	105	120
	F	198	89	39	26	72	23	175	145	192	78	71	71	153	106
	M	72	43	10	23	31	12	71	83	76	54	40	35	63	75
	F	176	98	36	22	87	12	137	132	156	84	89	53	91	108

TABLE 20—contd.—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock- shire.		Caernarvon- shire.		Cardiganshire.		Carmarthen- shire.		Denbighshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	7087	2091	150	229	127	277	517	388	123	252	468	620	497	539
	F	6797	1875	140	214	103	220	531	405	148	319	437	557	540	592
Under 1 month	M	299	108	3	12	3	10	16	14	2	5	10	29	26	26
1-3 months	F	206	67	5	9	2	11	10	9	2	2	12	18	9	22
3-6 months	M	98	32	3	2	1	5	8	2	—	—	3	8	10	10
6-12 months	F	56	20	—	4	—	3	6	6	—	3	3	6	1	6
	M	82	34	7	4	2	6	3	3	—	1	5	7	5	12
	F	75	28	—	1	1	—	3	7	—	2	4	—	3	4
	M	76	31	1	5	—	2	—	3	—	—	3	7	4	7
	F	70	31	—	4	—	3	3	5	1	—	4	3	5	10
Total under 1 year	M	555	205	14	23	6	23	27	22	2	6	21	51	45	55
	F	407	146	5	18	3	17	22	27	3	7	23	27	18	42
1—	M	46	24	1	4	1	2	4	3	—	1	1	7	3	3
	F	37	17	—	2	1	1	2	2	—	—	2	7	3	6
2—	M	21	15	2	3	2	1	3	—	—	1	1	2	2	2
	F	28	13	—	2	—	—	1	3	—	1	2	2	—	—
3—	M	17	9	—	—	2	—	1	—	—	—	2	2	1	2
	F	13	10	1	—	1	—	2	—	—	—	1	1	1	—
4—	M	16	5	—	—	—	1	2	—	—	—	1	2	1	1
	F	14	7	1	—	1	—	1	1	—	—	—	1	—	—
Total under 5 years	M	655	258	17	30	11	27	37	25	2	8	26	63	52	63
	F	499	193	7	22	6	18	28	33	3	8	28	38	24	48
5—	M	43	19	4	5	1	3	5	4	1	2	4	8	4	5
	F	37	12	1	1	2	2	2	2	—	1	4	4	3	2
10—	M	42	16	1	1	2	2	3	3	1	—	3	7	2	5
	F	28	12	—	—	2	1	2	1	—	—	1	2	1	2
15—	M	59	22	2	—	2	1	3	2	—	4	3	12	4	4
	F	54	20	1	1	4	4	3	2	4	1	5	3	2	8
20—	M	51	31	4	—	—	1	6	8	2	4	2	6	3	4
	F	81	23	1	1	4	5	6	3	—	1	9	9	5	11
25—	M	77	15	1	2	2	2	4	3	1	2	6	11	3	2
	F	68	27	1	4	—	3	5	6	1	—	10	8	10	9
30—	M	72	23	3	5	2	5	3	4	2	2	11	15	3	7
	F	92	35	2	1	3	3	8	5	2	1	6	12	4	9
35—	M	127	46	4	4	1	3	6	7	—	4	14	14	9	12
	F	109	41	3	1	1	1	10	6	1	6	4	7	8	14
40—	M	189	47	3	9	2	4	11	7	5	5	13	19	12	12
	F	170	39	5	—	1	8	6	11	3	4	7	16	11	18
45—	M	285	55	3	2	4	13	22	12	4	2	15	20	16	18
	F	208	63	6	3	3	6	20	15	3	9	19	15	16	15
50—	M	374	92	9	6	7	6	22	17	10	10	31	41	15	27
	F	280	81	3	10	3	13	18	10	9	15	21	40	44	19
55—	M	525	159	12	16	7	21	35	26	12	12	42	41	44	37
	F	417	111	6	11	3	7	27	19	9	21	27	36	23	33
60—	M	806	187	11	19	7	24	59	32	14	19	62	60	50	52
	F	630	154	12	17	8	27	43	40	11	24	49	50	43	49
65—	M	964	287	13	31	16	30	74	50	20	27	60	82	64	51
	F	817	225	12	22	7	25	61	42	14	41	58	52	69	70
70—	M	1082	293	18	24	24	41	83	61	18	49	57	66	76	93
	F	1068	238	25	35	16	33	72	52	20	46	82	89	84	89
75—	M	937	259	19	29	21	49	81	53	17	47	67	70	68	76
	F	1008	275	20	31	19	25	95	59	26	59	47	66	82	95
80—	M	534	191	12	28	7	29	33	37	8	31	33	58	45	38
	F	731	181	16	32	12	20	79	59	20	47	37	68	56	57
85—	M	265	91	14	18	11	16	30	37	6	24	19	27	27	33
	F	500	145	19	22	9	19	46	40	22	35	23	42	55	44

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Flintshire.		Glamorganshire.		Merionethshire.		Monmouthshire.		Montgomeryshire.		Pembrokeshire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ...	M	384	355	3843	1213	135	143	1742	318	144	221	273	295	37	96
	F	441	357	2979	987	119	165	1448	229	126	163	241	297	49	75
Under 1 month	M	15	20	162	55	4	3	77	13	4	6	7	11	2	—
1-3 months	F	9	11	113	38	5	5	55	8	—	7	6	10	2	2
3-6 months	M	11	5	73	15	1	2	28	3	—	1	2	4	—	1
6-12 months	F	5	2	39	14	2	3	22	2	2	2	2	3	—	1
	M	6	5	53	17	4	2	33	—	2	1	4	1	1	—
	F	2	2	40	14	—	—	23	3	—	1	1	1	—	—
	M	6	4	41	13	1	1	23	3	1	—	2	2	1	—
	F	2	1	34	6	1	4	20	3	—	2	3	1	—	—
Total under 1 year	M	38	34	329	100	10	8	161	19	7	8	15	18	4	1
	F	18	16	226	72	8	12	120	16	2	12	12	15	2	3
1—	M	4	1	24	5	1	1	19	5	—	—	3	1	—	1
	F	1	2	24	6	—	—	17	—	—	2	—	—	—	1
2—	M	—	1	12	5	—	—	5	2	—	1	1	1	—	—
	F	2	2	15	5	—	—	4	—	1	—	2	1	—	—
3—	M	—	—	13	4	1	—	4	—	—	1	3	1	—	—
	F	—	1	15	4	—	—	2	—	—	—	—	—	1	—
4—	M	1	—	11	8	1	—	4	—	1	—	1	2	1	—
	F	1	3	8	2	2	—	3	—	—	—	—	1	—	—
Total under 5 years	M	43	36	389	122	13	9	193	26	8	10	23	23	6	2
	F	22	24	288	89	10	12	146	16	3	14	14	17	3	4
5—	M	4	5	34	11	—	1	16	—	—	3	2	4	—	1
	F	3	3	34	3	1	—	14	3	1	2	—	1	1	—
10—	M	3	1	28	11	1	—	11	2	—	1	—	1	1	1
	F	3	—	24	3	—	1	9	1	—	2	—	1	—	—
15—	M	3	2	50	21	1	1	17	3	4	4	2	1	—	1
	F	6	2	45	7	2	1	23	3	2	4	2	1	1	—
20—	M	4	3	57	9	4	1	21	3	3	3	4	1	—	1
	F	5	2	66	23	2	3	36	6	2	—	—	5	—	1
25—	M	—	5	49	13	3	4	19	5	—	1	3	2	—	1
	F	6	6	56	23	3	1	25	5	3	3	2	1	—	1
30—	M	3	4	65	27	—	1	23	4	1	3	2	6	—	—
	F	7	6	55	16	1	1	30	4	3	2	6	3	1	—
35—	M	3	8	78	30	2	5	43	7	2	1	6	5	—	4
	F	11	5	85	20	1	3	29	4	1	1	1	6	1	1
40—	M	9	3	107	30	4	4	51	6	2	8	7	3	1	4
	F	21	9	76	28	2	2	37	6	6	2	12	10	1	—
45—	M	12	11	143	58	3	1	65	10	4	2	13	8	1	1
	F	10	11	111	39	2	9	50	13	3	6	7	8	—	1
50—	M	16	17	247	72	13	6	99	17	2	10	20	12	1	4
	F	18	16	157	58	1	11	73	5	1	9	6	17	—	1
55—	M	27	28	305	98	9	8	139	22	14	14	22	18	1	3
	F	23	22	173	65	7	3	99	13	10	17	16	14	3	1
60—	M	31	44	421	138	18	12	170	32	16	14	26	34	2	8
	F	33	22	235	75	9	11	125	14	14	10	21	21	3	6
65—	M	64	56	504	140	12	24	211	28	18	20	35	28	8	17
	F	50	40	352	113	14	19	185	26	17	13	20	41	3	11
70—	M	49	53	525	153	25	19	267	42	22	38	38	46	4	7
	F	58	50	400	126	21	15	172	23	16	21	32	30	6	16
75—	M	55	35	466	140	14	24	215	55	23	40	34	41	3	20
	F	76	52	378	124	18	25	182	36	12	25	42	48	8	14
80—	M	39	22	256	94	9	15	124	36	12	28	23	40	4	13
	F	45	55	270	98	11	27	125	21	19	21	33	35	7	10
	M	19	22	119	46	4	8	58	20	13	21	13	22	5	8
	F	44	32	174	77	14	21	88	30	13	11	27	38	11	8

TABLE 21.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1945, in England and Wales. Non-civilian deaths are excluded from this table but shown separately in Table 21A page 146.

The sequence of causes of death followed in this table is that of the full detailed International List of Causes of Death (Fifth revision, 1938). Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus 5, Undulant fever, 30, 40, 55 denotes that the deaths of one male in each age-group 30— and 40— and one female in age-group 55— are assigned to this cause. A dash (—) indicates that no deaths are assigned.

See Explanatory notes on page v.

Causes of Death.	All Causes.		1. 1-44 Infective and Parasitic Diseases.		1-26 Diseases due to bacteria.		1 Typhoid fever.		2 Paratyphoid fevers.		3, 4, 5* 6 Cerebro-spinal (meningococcal) meningitis.		7* 8 Scarlet fever.		9 Whooping cough.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	245436	235838	19300	14153	14955	11059	12	17	3	12	306	221	33	49	293	396
0—	18387	13572	871	726	525	477	—	—	—	—	117	73	3	1	194	218
1—	3531	2910	1122	1061	853	804	—	1	—	—	65	51	15	11	92	162
5—	1954	1406	458	467	395	415	—	—	—	—	18	15	8	14	6	15
10—	1453	1085	312	328	267	307	1	—	—	—	11	12	3	6	1	—
15—	2049	1992	630	1024	567	984	—	1	—	1	15	11	1	1	—	1
20—	2256	3128	1033	1700	982	1639	1	—	—	—	10	5	—	4	—	—
25—	2325	3103	1082	1365	1008	1305	—	4	—	1	6	4	—	2	—	—
30—	3256	3735	1245	1192	1132	1098	1	1	—	1	6	7	—	6	—	—
35—	4422	4462	1339	1011	1206	907	1	—	2	1	8	5	1	—	—	—
40—	6476	5454	1598	839	1400	713	1	1	—	2	9	6	1	2	—	—
45—	9063	7366	1651	722	1362	568	1	3	—	—	7	6	—	—	—	—
50—	13070	9982	1754	616	1399	431	—	4	—	1	6	7	—	—	—	—
55—	18916	13441	1850	621	1358	402	—	1	—	1	13	8	—	1	—	—
60—	25843	19181	1692	598	1150	325	3	1	—	1	4	3	1	—	—	—
65—	32013	25847	1256	558	754	305	2	—	—	—	6	5	—	—	—	—
70—	34919	32757	756	499	402	200	1	—	1	1	3	2	—	—	—	—
75—	31700	34518	400	419	148	105	—	—	—	—	1	1	—	—	—	—
80—	21520	28775	162	234	37	55	—	—	—	—	1	1	—	—	—	—
85—	12283	23124	89	173	10	19	—	—	—	—	1	—	—	1	—	—
*3, Plague —; 4, Cholera —; 5, Undulant fever (brucellosis), 30, 40, 55; 7, Malignant pustule and anthrax, —.																
Causes of Death.	10 Diphtheria.		11 Erysipelas.		12 Tetanus.		13-22 All forms.		13 Respiratory System.		13 (a) With mention of occupational disease of lung.		13 (b) Without mention of occupational disease of lung.		13 (c)* 14 Meninges and central nervous system.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	343	351	41	78	55	24	13697	9767	11755	7913	166	5	11585	7908	856	916
0—	12	6	—	3	3	1	156	151	34	32	—	—	34	32	92	89
1—	127	108	—	1	2	4	544	460	70	74	—	—	70	74	333	287
5—	125	132	—	—	10	3	226	228	27	38	—	—	27	38	144	149
10—	40	34	—	—	9	1	195	248	53	94	—	—	53	94	92	97
15—	11	9	—	—	1	1	534	951	367	755	—	—	367	755	81	124
20—	6	11	—	—	—	2	963	1613	846	1456	—	—	846	1456	25	58
25—	4	12	1	2	—	—	994	1276	913	1175	1	—	912	1175	19	35
30—	4	5	1	1	2	1	1112	1067	1026	985	3	—	1023	985	10	16
35—	1	6	1	—	3	3	1177	883	1073	814	7	1	1066	813	24	18
40—	3	8	—	4	4	1	1377	681	1269	609	14	2	1255	607	11	14
45—	3	4	3	4	6	—	1329	548	1251	480	17	1	1234	479	12	14
50—	2	2	2	6	—	—	1381	405	1314	364	25	—	1287	364	6	3
55—	2	4	4	6	5	3	1321	367	1257	311	29	—	1227	311	4	5
60—	2	3	2	5	4	3	1119	300	1067	253	41	1	1025	252	2	3
65—	1	3	8	13	—	—	726	272	699	222	18	—	681	222	—	2
70—	—	1	7	9	4	1	375	181	341	147	9	—	332	147	—	2
75—	—	2	5	10	2	—	134	86	120	66	2	—	118	66	1	—
80—	—	—	5	12	—	—	26	38	23	30	—	—	23	30	—	—
85—	—	1	2	2	—	—	8	12	5	8	—	—	5	8	—	—

* 13 (c), Tuberculosis of unspecified site, 50, 50, 55, 60.

TABLE 21—continued.

Causes of Death.	Tuberculosis																21 (a) Addison's disease specified tubercu-
	15 Intestines and peritoneum		16 Vertebral column.		17 Other bones and joints.		18 Skin and subcutaneous cellular tissue.		19 Lymphatic system		20 Genito- urinary system.		21 Other organs.				
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Ages	276	270	169	127	110	70	18	41	43	28	201	130	10	17	5		
0—	16	12	—	—	—	1	—	—	2	1	1	—	—	—	—	—	
1—	62	26	11	8	7	5	—	—	8	7	—	—	—	—	—	—	
5—	25	11	2	—	8	4	—	—	5	3	1	1	—	1	—	—	
10—	14	19	7	3	7	—	—	1	3	3	3	1	—	—	—	—	
15—	27	25	14	5	11	2	—	—	2	2	12	4	1	2	1	—	
20—	13	34	21	14	12	7	1	—	3	1	14	11	2	1	1	—	
25—	11	14	14	12	6	5	3	1	1	1	20	19	1	—	1	—	
30—	12	28	15	8	4	2	1	—	5	—	25	12	1	1	—	—	
35—	18	12	14	8	14	2	2	3	1	1	17	16	—	1	—	—	
40—	21	22	19	6	4	4	1	2	1	1	31	12	—	2	—	—	
45—	8	10	16	10	5	3	3	6	1	1	19	17	1	1	—	—	
50—	11	17	12	2	7	4	2	3	—	—	14	7	1	2	—	—	
55—	11	15	8	15	6	2	1	2	3	—	17	12	—	2	—	—	
60—	10	11	7	13	4	4	2	4	2	—	15	7	1	1	1	—	
65—	7	5	4	8	3	9	1	8	1	2	3	11	1	1	—	—	
70—	5	4	2	8	8	9	—	5	4	1	7	—	1	2	1	—	
75—	3	3	1	5	3	5	1	3	1	3	2	—	—	—	—	—	
80—	1	2	1	2	—	2	—	1	—	1	—	—	—	—	—	—	
85—	1	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	

Causes of Death.	Tuberculosis										23*		24 (a) Septi- cæmia.		24 (b) Pyæmia.	
	21 (b) Other sites included under 21.		22 Dis- seminated tuberculosis.		22 (a) Acute generalised miliary tuberculosis.		22 (b) Chronic generalised tuberculosis.		22 (c) Not dis- tinguished as acute or chronic.		24 Purulent infection and septicæmia.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	7	259	255	53	64	5	1	201	190	152	139	124	118	26	
0—	—	—	11	16	1	3	—	—	10	13	38	23	31	17	7	
1—	—	—	53	53	8	13	—	—	45	40	8	6	6	6	2	
5—	—	—	14	21	2	3	—	—	12	18	2	8	2	8	—	
10—	—	—	16	30	8	9	—	—	8	21	7	6	7	5	—	
15—	—	2	19	32	3	10	—	—	16	22	5	7	5	6	—	
20—	1	—	26	31	5	8	1	—	20	23	2	4	1	4	1	
25—	—	—	6	14	3	3	1	—	2	11	3	4	3	4	—	
30—	1	—	13	15	3	3	—	—	10	12	4	9	3	9	1	
35—	—	—	14	8	4	2	—	—	10	6	12	7	12	6	—	
40—	—	1	20	9	4	4	1	—	15	5	3	8	3	6	—	
45—	1	—	13	6	3	3	1	1	9	2	11	3	9	3	2	
50—	1	—	14	3	3	—	—	—	11	3	7	6	4	5	3	
55—	—	1	14	3	3	2	—	—	11	1	12	10	5	7	5	
60—	—	1	9	4	—	—	—	—	9	4	13	9	11	6	2	
65—	1	—	7	4	1	—	—	—	6	4	8	12	7	12	1	
70—	—	2	7	3	2	—	1	—	4	3	8	5	8	5	—	
75—	—	—	2	1	—	—	—	—	2	1	5	6	3	4	2	
80—	—	—	1	—	—	—	—	—	1	—	4	4	4	3	—	
85—	—	—	—	2	—	1	—	—	—	1	—	2	—	2	—	

* 23, Leprosy, —.

TABLE 21—continued.

Causes of Death.	24 (c) (d)*		26*		27 (a)		27 (b) (c)*		28-29		28		29*		30	
	25 Gonococcal infections.		27 Dysentery.		27 (a) Bacillary dysentery.		27 (d) Other or unspecified forms of dysentery.		Diseases due to protozoa.		Malaria.		30-32 Diseases due to spirochaetes.		Syphilis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1 Ages	18	4	86	70	57	56	25	14	20	—	16	—	1691	729	1659	719
0—	2	1	28	8	25	8	3	—	—	—	—	—	52	54	52	54
1—	—	—	4	7	3	4	1	3	—	—	—	—	1	5	1	4
5—	—	—	5	1	4	1	1	—	—	—	—	—	2	1	—	1
10—	—	—	4	—	3	—	1	—	—	—	—	—	3	4	3	3
15—	—	1	1	1	—	1	1	—	—	—	—	—	6	7	6	7
20—	—	—	1	1	1	1	—	—	—	—	—	—	13	17	13	15
25—	—	—	3	—	2	—	1	—	3	—	1	—	15	9	13	7
30—	1	—	1	1	1	1	—	—	1	—	1	—	16	15	12	15
35—	—	2	5	1	4	1	—	—	4	—	3	—	30	26	29	26
40—	1	—	4	1	1	1	2	—	2	—	1	—	73	37	71	37
45—	2	—	1	5	—	4	—	1	2	—	2	—	172	62	169	62
50—	1	—	2	4	—	3	2	1	3	—	3	—	209	72	206	72
55—	1	—	3	3	1	2	1	1	—	—	—	—	259	101	255	100
60—	2	—	4	5	1	3	3	2	3	—	3	—	299	95	292	94
65—	3	—	5	6	2	4	3	2	1	—	1	—	285	66	283	65
70—	3	—	5	7	4	6	1	1	1	—	1	—	145	75	144	75
75—	1	—	7	8	3	8	4	—	—	—	—	—	82	49	82	49
80—	1	—	1	6	1	4	—	2	—	—	—	—	20	21	20	21
85—	—	—	2	5	1	4	1	1	—	—	—	—	9	13	8	12

* 24 (c), Gas Gangrene 55, 35; 24 (d), Generalised infection by bacillus coli, 55, 40; 26, Other bacterial diseases (dysentery excepted) —; 27 (b), Amoebic dysentery 35, 40, 45, 55; 27 (c), Other protozoal dysentery —; 29, Other diseases due to parasitic protozoa except spirochaetes 25, 25, 35, 40.

Causes of Death.	30 (a) Locomotor ataxia (tabes dorsalis).		30 (b) General paralysis of the insane.		30 (c) Aneurysm of aorta.		30 (d) Other forms of syphilis.		30 (da) Congenital syphilis.		30 (db, dc, dd) Other or unspecified syphilis.		31* 32 Other diseases due to spirochaetes.		32 (a) - Spirochaetosis lepto- haemorrhagica (Weill's Disease).	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1 Ages	219	53	324	133	588	260	528	273	66	78	462	195	32	10	23	2
0—	—	—	—	—	—	—	52	54	52	54	—	—	—	—	—	—
1—	—	—	—	—	—	—	1	4	1	4	—	—	—	1	—	—
5—	—	—	—	—	—	—	—	1	—	1	—	—	2	—	—	—
10—	—	—	1	—	—	—	2	3	2	3	—	—	—	1	—	—
15—	—	—	2	2	2	—	2	5	1	3	1	2	—	—	—	—
20—	—	—	7	4	1	1	5	10	4	3	1	7	—	2	—	1
25—	—	—	6	3	2	—	5	4	2	3	3	1	2	2	—	—
30—	—	1	5	4	2	—	5	10	1	2	4	8	4	—	4	—
35—	4	1	9	9	6	2	10	14	—	2	10	12	1	—	1	—
40—	2	1	25	12	12	8	32	16	—	2	32	14	2	—	2	—
45—	10	8	68	22	39	8	52	24	1	1	51	23	3	—	3	—
50—	25	9	54	23	60	13	67	27	—	—	67	27	3	—	3	—
55—	30	7	59	25	80	36	86	32	1	—	85	32	4	1	4	—
60—	44	8	48	14	116	41	84	31	1	—	83	31	7	1	5	—
65—	48	6	31	10	132	41	72	8	—	—	72	8	2	1	1	1
70—	35	6	6	3	69	45	34	21	—	—	34	21	1	—	—	—
75—	17	5	1	1	47	37	17	6	—	—	17	6	—	—	—	—
80—	2	1	1	1	15	17	2	—	—	—	2	2	—	—	—	—
85—	2	—	1	—	5	11	—	1	—	—	—	1	1	1	—	—

* 31, Relapsing fever —.

TABLE 21—continued.

Causes of Death.	32 (b) Other diseases included under 32.		33-38 Diseases due or attributed to filterable viruses.		33 Influenza.		33 (a) With respiratory complications specified.		33 (a) (1) With pneumonic complications.		33 (a) (2) With other respiratory complications.		33 (b) Without respiratory complications specified.		33 (b) (1) With no respiratory complications.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	8	2091	1987	1390	1279	937	819	633	483	304	336	453	460	318	
0—	—	—	256	179	107	63	68	40	53	26	15	14	39	23	33	
1—	—	1	257	242	56	39	23	16	20	12	3	4	33	23	32	
5—	2	—	45	46	8	7	7	5	4	4	3	1	1	2	1	
10—	—	1	27	15	8	5	5	5	3	5	2	—	3	—	3	
15—	—	—	40	19	23	12	16	9	12	7	4	2	7	3	5	
20—	—	1	19	26	10	12	2	9	2	5	—	4	8	3	7	
25—	2	2	34	35	17	14	11	9	9	8	2	1	6	5	5	
30—	—	—	65	50	27	18	18	14	13	11	5	3	9	4	8	
35—	—	—	65	49	32	24	24	18	23	12	1	6	8	6	7	
40—	—	—	75	66	47	33	35	22	28	15	7	7	12	11	9	
45—	—	—	74	73	60	45	42	28	32	21	10	7	18	17	12	
50—	—	—	106	82	86	58	61	46	41	37	20	9	25	12	14	
55—	—	1	173	90	149	69	113	48	81	28	32	20	36	21	28	
60—	2	1	190	139	168	116	120	71	84	38	36	33	48	45	34	
65—	1	—	183	160	155	127	114	83	74	50	40	33	41	44	29	
70—	1	—	176	199	154	175	100	111	59	65	41	46	54	64	38	
75—	—	—	140	233	133	206	90	130	53	70	37	60	43	76	23	
80—	—	—	99	150	91	137	53	76	32	38	21	38	38	61	21	
85—	1	1	67	134	59	119	35	79	10	31	25	48	24	40	9	

Causes of Death.	33 (b) (2) Without stated complications.		34* 35 Measles		36 Acute poliomyelitis and poli-encephalitis		36 (1) Acute poliomyelitis.		36 (2) Acute poli-encephalitis.		37 Acute infectious encephalitis (lethargic or epidemic).		37 (a) Acute lethargic (or epidemic) encephalitis.		37 (b) Sequelae encephalitis lethargic	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	135	130	376	352	71	55	43	41	28	14	220	238	12	19	141	
0—	6	5	141	111	3	3	2	1	1	2	1	—	1	—	—	
1—	1	—	191	189	2	6	1	2	1	4	6	4	2	1	—	
5—	—	—	29	32	3	4	2	3	1	1	4	2	1	2	—	
10—	—	—	7	1	9	7	5	7	4	—	3	2	—	1	—	
15—	2	—	—	5	13	1	11	—	2	1	4	1	2	—	1	
20—	1	—	2	1	3	10	2	7	1	3	4	3	—	—	2	
25—	1	1	—	2	5	6	3	6	2	—	12	13	—	1	9	
30—	1	2	1	3	10	4	4	3	6	1	27	25	2	2	17	
35—	1	1	1	—	3	4	2	3	1	1	29	21	1	3	20	
40—	3	3	1	1	7	3	4	3	3	—	20	29	—	—	14	
45—	6	3	1	—	3	2	1	2	2	—	10	25	1	3	5	
50—	11	2	—	—	3	1	1	1	2	—	17	21	—	—	12	
55—	8	3	—	—	2	1	1	1	1	—	20	20	1	1	13	
60—	14	4	—	2	—	2	—	1	—	1	21	19	—	1	18	
65—	12	13	—	1	2	1	1	1	1	—	23	25	1	2	16	
70—	16	21	2	1	2	—	2	—	—	—	14	14	—	—	9	
75—	20	26	—	2	—	—	—	—	—	—	4	14	—	2	4	
80—	17	24	—	1	—	—	—	—	—	—	1	—	—	—	1	
85—	15	22	—	—	1	—	1	—	—	—	—	—	—	—	—	

* 34, Smallpox —.

TABLE 21—continued.

Causes of Death.	37 (c) Unspecified encephalitis lethargica.		38 Other diseases due to viruses.		38 (a, b, d, f)* 38 (c) Herpes zoster.		38 (e) Varicella.		39* 40-42 Diseases due to helminths.		40* 41 Hydatid disease.		41 (a) Hydatid disease of liver.		41 (b) Hydatid disease of other or unspecified organs.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	67	72	34	63	26	55	5	4	13	10	11	9	9	6	2	3
0—	—	—	4	2	—	—	2	1	—	—	—	—	—	—	—	—
1—	4	3	2	4	—	—	2	2	1	1	—	—	—	—	—	—
5—	3	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—
10—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	3	3	—	—	—	—	—	—	1	—	1	—	1	—	—	—
30—	8	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	8	4	—	—	—	—	—	—	1	2	1	2	1	1	—	1
40—	6	10	—	—	—	—	—	—	2	1	2	1	2	1	—	—
45—	4	11	—	1	—	1	—	—	2	—	2	—	2	—	—	—
50—	5	7	—	2	—	2	—	—	—	1	—	1	—	1	—	—
55—	6	4	2	—	2	—	—	—	5	—	4	—	2	—	2	—
60—	3	6	1	—	1	—	—	—	—	3	—	3	—	1	—	2
65—	6	6	3	6	3	5	—	1	—	—	—	—	—	—	—	—
70—	5	2	4	9	3	9	—	—	—	1	—	1	—	1	—	—
75—	—	5	3	11	3	11	—	—	1	1	1	1	1	1	—	—
80—	—	—	7	12	7	12	—	—	—	—	—	—	—	—	—	—
85—	—	—	7	15	7	15	—	—	—	—	—	—	—	—	—	—

* 38 (a), Yellow fever —; 38 (b), Rabies —; 38 (d), German measles 0, 0, 70, 0, 1, 1, 5; 38 (f), Other diseases included under 38 —; 39 (a), Louse-borne exanthematic typhus —; 39 (b), Other or unspecified typhus-like diseases —; 40, Ankylostomiasis —.

Causes of Death.	42* 43 Mycoses.		44 (a)* 44 Other ineffective or parasitic diseases.		44 (b) Pernicious lympho-granulomatosis.†		44 (c) Mumps.		44 (d) Other diseases included under 44.		II. 45-57 Cancer and other Tumours.		Cancer and other malignant tumours.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	45-55 Total.		45 Buccal cavity and pharynx.	
All Ages	45	28	399	270	378	249	2	5	19	14	37146	38798	36258	37495	2003	526
0—	9	8	1	—	—	—	—	—	1	—	19	18	12	14	—	—
1—	—	1	6	1	3	—	1	—	2	1	81	71	65	57	—	1
5—	1	—	10	4	9	3	—	—	1	1	63	57	48	41	3	2
10—	1	—	10	2	9	1	1	—	—	1	61	45	38	33	1	2
15—	3	—	13	13	12	11	—	1	1	1	71	58	54	36	3	—
20—	1	—	17	17	16	16	—	—	1	1	87	109	75	83	3	—
25—	2	1	16	15	15	13	—	—	1	2	127	191	107	157	3	3
30—	1	1	29	27	27	26	—	—	2	1	286	434	265	378	3	5
35—	3	1	25	25	24	23	—	—	1	1	536	882	484	807	13	9
40—	3	4	39	17	39	17	—	—	—	—	1063	1600	1010	1463	20	11
45—	5	1	33	13	32	13	—	—	1	—	1808	2477	1713	2297	35	26
50—	5	4	30	22	30	21	—	—	—	1	2812	3433	2724	3271	81	43
55—	4	2	48	23	45	21	—	—	3	2	4170	4340	4072	4214	122	50
60—	4	1	42	30	40	29	—	—	2	1	5722	5123	5613	5012	252	51
65—	—	—	28	21	27	20	—	1	1	—	6647	5784	6550	5688	388	80
70—	2	3	25	14	25	12	—	1	—	1	6434	5639	6364	5568	482	81
75—	1	1	21	22	19	20	—	1	2	—	4493	4565	4438	4491	358	83
80—	—	—	5	2	5	1	—	1	—	—	2013	2591	1988	2547	184	46
85—	—	—	1	2	1	2	—	—	—	—	653	1381	638	1338	52	33

* 42, Other diseases due to helminths 1, 55, 1; 44 (a), Venereal diseases (other than syphilis and gonorrhoea) 35, 75.

† Hodgkin's disease.

TABLE 21—continued.

Causes of Death.	Cancer and other malignant tumours.															
	45 (a) Lips.		45 (b) Tongue.		45 (c) Other, etc. parts of buccal cavity.†		46 Digestive organs and peritoneum.		46 (a) Oesophagus.		46 (b) Stomach and duodenum.		46 (c) Intestines other than duodenum or rectum.		46 (d) Rectum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	180	18	656	146	1167	362	20417	17947	1489	779	7631	5896	4768	5818	3902	2489
0—	—	—	—	—	—	—	—2	2	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	1	7	2	—	—	—	—	2	—	—	—
5—	—	—	—	—	3	2	3	3	—	—	—	—	1	—	—	—
10—	—	—	—	—	1	2	8	2	—	—	—	—	3	—	—	—
15—	—	—	2	—	1	—	8	3	—	—	1	1	3	—	1	1
20—	—	—	—	—	3	—	16	20	1	—	5	1	5	13	2	4
25—	—	—	1	—	2	3	33	53	1	2	11	21	9	9	8	11
30—	—	—	—	—	3	5	122	106	2	3	45	30	36	35	27	23
35—	—	—	3	3	10	6	220	247	10	5	103	84	40	89	37	37
40—	—	—	8	4	12	7	473	438	25	20	219	133	95	164	79	70
45—	1	—	11	9	23	17	767	677	38	44	367	208	138	203	120	109
50—	2	—	28	12	51	31	1354	1086	79	54	602	325	247	358	222	172
55—	6	1	36	14	80	35	2060	1632	108	81	947	540	376	505	328	219
60—	15	4	81	14	156	33	3114	2323	228	113	1239	793	643	702	595	332
65—	28	4	140	18	220	58	3932	3067	328	134	1432	1037	901	937	784	421
70—	36	1	170	23	276	57	3981	3225	334	134	1357	1113	1003	1003	820	422
75—	46	3	114	23	198	57	2749	2704	216	106	856	900	785	924	572	351
80—	32	2	52	15	100	29	1198	1592	96	52	350	489	363	530	232	223
85—	14	3	10	11	28	19	370	765	23	31	97	221	118	296	75	94

† The full title according to the detailed International List is 45 (c) Other or unspecified parts of buccal cavity and pharynx.

Cancer and other malignant tumours.														
Causes of Death.	46 (e) Liver and biliary passages.		46 (f) Pancreas.		46 (h)* 46 (g) Peritoneum		47 Respiratory system.		47 (a) Larynx and trachea.		47 (c)* 47 (b) Lung and pleura.		48 Uterus.	48 (a) Specified as cancer of cervix.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	F.	F.
All Ages	1257	1543	1232	1180	138	240	6898	1758	822	281	6076	1477	4370	1814
0—	2	1	—	—	—	1	—	1	—	—	—	1	—	—
1—	2	—	—	—	3	2	1	1	—	—	1	1	2	1
5—	—	—	—	—	2	3	2	3	—	—	2	3	1	1
10—	1	2	—	—	4	—	3	3	—	—	3	3	1	—
15—	—	—	—	1	3	—	5	1	—	—	5	1	2	—
20—	2	1	—	—	1	1	8	8	—	1	8	7	3	3
25—	1	2	—	2	3	6	16	14	2	—	14	14	10	6
30—	3	6	6	3	3	6	53	29	2	4	51	25	58	34
35—	9	11	15	14	6	7	124	49	4	4	120	45	100	58
40—	22	23	23	19	10	9	334	75	15	12	319	63	232	135
45—	38	50	51	47	15	16	627	117	31	13	596	104	427	215
50—	76	81	111	72	17	24	866	183	39	37	827	146	569	279
55—	153	142	128	109	20	36	1248	239	90	51	1158	188	675	280
60—	185	209	207	142	17	32	1334	294	148	34	1186	260	658	251
65—	241	264	230	234	16	38	1135	286	181	41	954	245	559	211
70—	243	301	216	218	8	34	667	227	155	33	512	194	506	175
75—	165	229	147	178	8	16	323	140	90	31	233	109	353	114
80—	86	157	70	82	1	9	127	62	54	12	73	50	143	31
85—	28	64	28	59	1	—	25	26	11	8	14	18	71	20

* 46 (h), Other or unspecified digestive organs 66, 65; 47 (c), Unspecified respiratory organs —.

TABLE 21—continued.

Causes of Death.	Cancer and other malignant tumours.									
	48 (b) Other or unspecified cancer of uterus.	49 Other Female genital organs.	50 Breast.		51 Male genital organs.	51 (a) Scrotum.	51 (b) Prostate.	51 (c) Other or unspecified male genital organs.	52 Urinary organs.	
Ages at Death.	F.	F.	M.	F.	M.	M.	M.	M.	M.	F.
All Ages	2556	2528	68	7291	2686	33	2372	281	1758	914
0—	—	—	—	1	1	—	1	—	4	4
1—	1	2	—	—	2	—	1	1	25	24
5—	—	—	1	—	—	—	—	—	4	4
10—	1	1	—	—	—	—	—	—	—	—
15—	2	3	—	—	1	—	—	1	—	—
20—	—	13	—	4	9	—	—	9	—	1
25—	4	19	—	12	20	—	—	20	3	2
30—	24	33	1	89	25	—	3	22	12	7
35—	42	83	—	233	22	2	2	18	16	13
40—	97	142	1	439	25	—	9	16	37	25
45—	212	246	—	646	28	—	13	15	91	27
50—	290	318	8	819	66	1	43	22	138	61
55—	395	351	7	939	138	4	117	17	207	87
60—	407	348	5	992	317	8	270	39	294	111
65—	348	315	12	980	479	6	444	29	320	156
70—	331	296	9	827	636	5	601	30	287	147
75—	239	205	11	643	563	7	545	11	204	148
80—	112	104	8	397	268	—	248	20	83	69
85—	51	49	5	270	86	—	75	11	33	28

Causes of Death.	Cancer and other malignant tumours.															
	53 Skin (scrotum excepted).		54 Brain and other parts of the nervous system.		54 (a) Glioma (not specified as benign).		54 (b) Sarcoma (of brain, etc.).		54 (c) Other or unspecified forms of cancer included under 54.		55 Other or unspecified organs.		55 (a) Adrenal glands.		55 (b) Bones.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	589	479	477	363	341	251	38	20	98	92	1362	1319	33	28	498	418
0—	—	—	3	1	2	—	1	—	—	1	2	5	1	3	1	1
1—	1	1	14	10	10	8	—	—	4	2	15	14	3	4	4	4
5—	1	1	21	20	16	16	1	—	4	4	13	7	1	1	5	4
10—	2	—	11	11	7	9	2	—	2	2	13	13	—	1	9	9
15—	1	2	15	8	11	3	2	2	2	3	21	17	—	—	17	12
20—	2	4	8	12	7	10	1	—	—	2	29	18	1	1	17	10
25—	3	5	11	16	10	13	1	1	—	2	18	23	1	1	7	11
30—	6	5	21	17	13	13	5	1	3	3	22	29	—	3	8	8
35—	13	13	32	24	22	14	4	4	6	6	44	36	1	2	14	7
40—	13	13	48	40	35	27	1	1	12	12	59	48	2	—	21	19
45—	13	17	62	45	48	34	2	4	12	7	90	69	4	3	28	20
50—	27	30	68	51	52	35	2	3	14	13	116	111	4	1	57	45
55—	44	29	72	47	52	38	8	—	12	9	174	165	2	—	70	50
60—	50	38	51	32	30	21	2	2	19	9	196	165	7	1	65	45
65—	86	50	24	14	17	7	3	—	4	7	174	181	3	4	57	54
70—	107	64	8	6	6	—	—	1	2	5	187	189	3	1	60	54
75—	98	78	5	7	3	2	1	1	1	4	127	130	—	1	40	37
80—	73	69	2	2	—	1	2	—	—	1	45	63	—	—	15	13
85—	49	60	1	—	—	—	—	—	1	—	17	36	—	1	3	15

TABLE 21—continued.

Causes of Death.	Cancer and other malignant tumours.								Non-malignant tumours.						
	55 (c) Thyroid gland.		55 (d) Others included under 55.		55 (d) (1) Cancer of nose or nasal cavity.		55 (d) (2) Others included under 55 (d).		56 Total.		56 (a) Ovaries.		56 (b) Uterus.		56 (c) Other female genital organs.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	F.	F.	F.	F.	
All Ages	82	225	749	648	11	12	738	636	360	778	198	269	14		
0—	—	—	—	1	—	—	—	1	3	4	1	—	—		
1—	—	—	8	6	—	—	8	6	7	2	—	—	—		
5—	—	—	7	2	—	—	7	2	3	5	1	—	—		
10—	—	—	4	3	—	—	4	3	6	3	1	—	—		
15—	—	—	4	5	—	—	4	5	7	12	—	—	—		
20—	—	—	11	7	—	—	11	7	4	13	6	1	—		
25—	1	—	9	11	—	—	9	11	10	17	4	4	2		
30—	2	5	12	13	—	—	12	13	6	38	4	13	2		
35—	3	1	26	26	—	—	26	26	20	47	5	27	1		
40—	5	4	31	25	—	—	31	25	19	84	14	44	2		
45—	5	8	53	38	1	—	52	38	26	131	16	85	3		
50—	4	14	51	51	1	—	50	51	26	92	21	45	—		
55—	8	34	94	81	—	1	94	80	34	65	14	15	2		
60—	10	31	114	88	1	1	113	87	42	62	21	12	—		
65—	11	33	103	90	1	3	102	87	40	55	26	3	—		
70—	15	47	109	87	2	3	107	84	36	38	18	4	—		
75—	12	26	75	66	4	2	71	64	40	53	20	11	1		
80—	5	14	25	36	1	1	24	35	19	28	11	1	—		
85—	1	8	13	12	—	1	13	11	12	29	15	4	—		

Non-malignant Tumours					Tumours of Undetermined Nature									
Causes of Death.	56 (d) Brain and other parts of the nervous system.		56 (e) Other and unspecified organs.		57 Total		57 (a) Ovaries.	57 (b) Uterus.	57 (c) Other female genital organs.	57 (d) Brain and other parts of the nervous system		57 (e) Other and unspecified organs.		
Ages at Death.	M.	F.	M.	F.	M.	F.	F.	F.	F.	F.	M.	F.	M.	F.
All Ages	101	140	259	157	528	525	5	3	5		391	393	137	115
0	—	—	3	3	4	—	—	—	—		4	—	—	—
1—	5	1	2	1	9	12	—	—	—		9	12	—	—
5—	1	3	2	1	12	11	—	—	—		11	10	1	1
10—	5	1	1	1	17	9	—	—	—		14	8	3	1
15—	3	4	4	7	10	10	—	—	—		8	9	2	1
20—	2	4	2	2	8	13	—	—	—		7	10	1	3
25—	4	7	6	—	10	17	—	—	—		10	13	—	4
30—	4	11	2	8	15	18	—	—	—		13	17	2	1
35—	9	10	11	4	32	28	—	—	—		29	26	3	2
40—	8	15	11	9	34	53	—	—	—		32	46	2	7
45—	12	10	14	17	69	49	—	—	—		57	43	12	6
50—	13	17	13	9	62	70	—	—	—		51	63	11	7
55—	9	19	25	15	64	61	2	1	2		50	46	14	10
60—	17	16	25	13	67	49	1	—	1		45	37	22	10
65—	5	11	35	15	57	41	—	—	—		34	23	23	18
70—	3	2	33	14	34	33	2	—	—		13	16	21	15
75—	1	2	39	19	15	21	—	1	1		2	8	13	11
80—	—	3	19	13	6	16	—	—	—		2	5	4	11
85—	—	4	12	6	3	14	—	1	1		—	1	3	11

TABLE 21—continued.

Causes of Death.	III. 58-71 Rheumatism and Other General Diseases.†		58 Rheumatic fever.		58 (a) Acute rheumatic pericarditis.		58 (b) Acute rheumatic endocarditis.		58 (c) Acute rheumatic myo-carditis.		58 (d) Other diseases included under 58.		59 Chronic rheumatism and other rheumatic diseases.		59 (a) Rheumatoid arthritis.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2560	5279	256	284	25	33	157	158	26	36	48	57	485	1170	321	945
0—	92	61	—	1	—	—	—	1	—	—	—	—	—	—	—	—
1—	72	39	18	9	5	3	9	5	1	—	3	1	1	—	1	—
5—	56	59	46	49	8	10	26	28	4	5	8	6	—	—	—	—
10—	64	87	46	62	7	13	33	40	3	5	3	4	2	—	2	—
15—	60	62	29	26	1	1	22	16	2	3	4	6	1	2	1	2
20—	44	68	23	24	—	2	16	15	3	2	4	5	1	3	1	3
25—	41	83	10	17	1	1	7	14	—	2	2	—	2	7	2	7
30—	53	82	10	11	2	—	7	8	—	2	1	1	3	4	2	2
35—	75	100	17	13	—	2	12	4	1	3	4	4	12	12	9	10
40—	75	143	13	13	1	1	7	8	2	1	3	3	8	16	8	15
45—	95	201	9	14	—	—	3	8	2	1	4	5	13	27	10	25
50—	147	281	11	7	—	—	4	3	1	2	6	2	28	46	17	38
55—	168	387	7	8	—	—	4	4	2	—	1	4	40	65	30	58
60—	246	670	6	14	—	—	2	4	2	4	2	6	58	127	49	104
65—	336	833	6	7	—	—	2	—	1	3	3	4	62	176	47	147
70—	404	948	2	3	—	—	1	—	1	—	—	3	96	217	56	179
75—	313	673	2	4	—	—	2	—	—	2	—	2	78	234	46	182
80—	163	351	1	—	—	—	—	—	1	—	—	—	54	153	28	122
85—	56	151	—	2	—	—	—	—	—	1	—	1	26	81	12	51

† The full title according to the detailed International List is 111. 58-71. Rheumatism, Diseases of Nutrition and of the Endocrine Glands, Other General Diseases and Vitamin Deficiency Diseases.

Causes of Death.	59 (b) Other chronic articular rheumatism.		59 (c) Other forms of chronic rheumatism		60 Gout.		61 Diabetes mellitus.		62 (3) 62 Diseases of the pituitary gland.		62 (1) Hyperpituitarism.		62 (2) Hypopituitarism.		63 Diseases of the thyroid and parathyroid glands.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	124	179	40	46	34	3	1364	2662	22	35	10	9	11	25	135	820
0—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—
1—	—	—	—	—	—	—	6	3	—	—	—	—	—	—	2	5
5—	—	—	—	—	—	—	4	6	—	—	—	—	—	—	1	—
10—	—	—	—	—	—	—	11	21	1	—	—	—	1	—	2	2
15—	—	—	—	—	—	—	21	22	3	3	—	—	3	3	1	6
20—	—	—	—	—	—	—	14	29	—	3	—	1	—	2	3	4
25—	—	—	—	—	—	—	22	33	—	4	—	—	—	4	1	15
30—	1	1	—	1	—	—	27	33	—	3	—	2	—	1	4	20
35—	3	—	—	2	1	—	29	41	4	1	2	—	2	1	5	16
40—	—	—	—	1	—	—	40	53	—	5	—	2	—	3	4	38
45—	3	2	—	—	—	—	49	68	3	5	2	—	1	5	15	62
50—	8	4	3	4	5	—	70	104	1	2	1	1	—	1	17	91
55—	7	7	3	—	2	—	80	178	4	2	3	1	1	1	22	110
60—	8	17	1	6	3	—	139	351	3	1	2	—	1	1	25	147
65—	10	26	5	3	5	1	229	523	1	4	—	1	1	2	13	105
70—	33	32	7	6	7	1	280	600	1	—	—	—	1	—	11	116
75—	23	44	9	8	5	1	221	367	—	2	—	1	—	1	2	56
80—	19	23	7	8	4	—	98	173	—	—	—	—	—	—	2	18
85—	9	23	5	7	2	—	24	57	—	—	—	—	—	—	3	9

* 62 (3), Other diseases included under 62, 0, 65.

TABLE 21—continued.

Causes of Death.	63 (a) Simple goitre.		63 (b) Exophthalmic goitre.		63 (c) Myxoedema and cretinism.		63 (d) Other diseases of the thyroid gland.		63 (e) Diseases of the parathyroid gland.		64 Diseases of the thymus (including status lymphaticus).		65 Diseases of the adrenal glands (not specified as tuberculous).		65 (a) Addison's disease, not specified as tuberculous.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	75	90	563	23	174	5	4	1	4	51	31	61	105	51	
0—	—	—	—	—	2	—	—	—	—	—	45	26	5	1	—	—
1—	—	—	—	—	2	4	—	—	—	1	4	1	1	—	—	—
5—	—	—	—	—	1	—	—	—	—	—	1	1	—	2	—	—
10—	—	1	1	—	1	1	—	—	—	—	—	2	—	—	—	—
15—	—	—	1	6	—	—	—	—	—	—	1	—	3	1	3	—
20—	—	—	1	4	1	—	1	—	—	—	—	—	1	2	1	—
25—	—	—	1	11	—	3	—	—	—	1	—	—	1	3	1	—
30—	—	1	3	18	1	1	—	—	—	—	—	—	6	8	5	—
35—	—	4	5	11	—	1	—	—	—	—	—	—	3	10	3	1
40—	1	3	2	34	—	—	1	1	—	—	—	1	6	12	6	1
45—	2	6	12	50	—	6	—	—	1	—	—	—	2	17	2	1
50—	—	4	15	75	2	9	—	2	—	1	—	—	9	14	9	1
55—	1	6	14	88	4	15	3	1	—	—	—	—	4	12	3	1
60—	5	13	15	96	5	38	—	—	—	—	—	—	5	12	4	1
65—	2	5	10	72	1	27	—	—	—	1	—	—	9	6	8	—
70—	3	16	6	63	2	37	—	—	—	—	—	—	3	1	3	—
75—	—	8	2	24	—	24	—	—	—	—	—	—	2	3	2	—
80—	1	5	—	8	1	5	—	—	—	—	—	—	—	1	—	—
85—	1	3	2	3	—	3	—	—	—	—	—	—	1	—	1	—

Causes of Death.	65 (b) Other diseases included under 65.		66 Other general diseases.		66 (a) Osteomalacia.		66 (b) Other diseases included under 66.		66 (b) (1) "Pink" disease.		66 (b) (2) Idiopathic steatorrhœa.		66 (b) (3) Other diseases included under 66 (b).		68* 67-71 Vitamin deficiency diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	6	119	148	4	8	115	140	24	24	39	38	52	78	33	2
0—	5	1	24	25	—	—	24	25	15	16	2	6	7	3	15	—
1—	1	—	32	19	—	—	32	19	8	8	17	8	7	3	8	—
5—	—	—	4	1	—	—	4	1	1	—	3	—	—	1	—	—
10—	—	—	2	—	—	—	2	—	—	—	1	—	1	—	—	—
15—	—	—	1	2	—	—	1	2	—	—	—	—	1	2	—	—
20—	—	—	2	3	—	1	2	2	—	—	1	—	1	2	—	—
25—	—	—	4	3	—	—	4	3	—	—	1	1	3	2	1	—
30—	1	1	3	3	—	—	3	3	—	—	1	2	2	1	—	—
35—	—	—	4	6	—	1	4	5	—	—	3	—	1	5	—	—
40—	—	—	4	5	—	—	4	5	—	—	2	3	2	2	—	—
45—	—	1	4	8	1	—	3	8	—	—	—	4	3	4	—	—
50—	—	—	5	14	—	—	5	14	—	—	1	4	4	10	1	—
55—	1	1	8	10	3	1	5	9	—	—	1	1	4	8	1	—
60—	1	1	6	17	—	1	6	16	—	—	2	1	4	15	1	—
65—	1	—	8	11	—	1	8	10	—	—	3	2	5	8	3	—
70—	—	—	4	10	—	1	4	9	—	—	—	2	4	7	—	—
75—	—	1	2	4	—	—	2	4	—	—	—	1	2	3	1	—
80—	—	—	2	5	—	1	2	4	—	—	1	2	1	2	2	—
85—	—	—	—	2	—	1	—	1	—	—	—	1	—	—	—	—

TABLE 21—continued.

Causes of Death.	67 (a) Infantile Scurvy (Barlow's disease).		67 (b) Other forms of scurvy.		69 Pellagra.		70 Rickets.		71 Other vitamin deficiency diseases.		IV. 72-76 Diseases of the blood and blood-forming organs		72 Hemorrhagic conditions.		72 (a) Primary purpura.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	3	2	—	2	4	20	7	8	5	1878	2602	106	97	81	97
0—	—	3	—	—	—	—	13	4	2	—	49	31	22	16	17	16
1—	—	—	—	—	—	—	7	2	1	—	88	64	16	9	11	9
5—	—	—	—	—	—	—	—	—	—	—	47	43	8	5	6	5
10—	—	—	—	—	—	—	—	—	—	—	37	32	7	5	4	5
15—	—	—	—	—	—	—	—	—	—	—	45	54	5	3	3	3
20—	—	—	—	—	—	—	—	—	—	—	26	38	2	5	1	5
25—	—	—	1	—	—	1	—	—	—	—	26	45	2	2	2	2
30—	—	—	—	—	—	—	—	—	—	—	46	69	3	8	3	8
35—	—	—	—	—	—	—	—	—	1	—	61	82	7	3	5	3
40—	—	—	—	—	—	—	—	—	—	—	55	96	3	8	2	8
45—	—	—	—	—	—	—	—	—	—	—	82	126	8	6	5	6
50—	—	—	—	—	—	1	—	1	—	—	106	152	2	3	2	3
55—	—	—	—	—	1	1	—	—	1	—	134	189	3	7	3	7
60—	—	—	—	—	—	1	—	—	1	—	213	296	6	2	5	2
65—	—	—	—	—	1	—	—	—	2	—	262	365	4	6	4	6
70—	—	—	—	—	—	—	—	—	—	—	288	380	5	3	5	3
75—	—	—	1	—	—	—	—	—	—	2	205	313	2	3	2	3
80—	—	—	—	—	—	—	—	—	2	1	80	167	1	1	1	1
85—	—	—	—	—	—	—	—	—	—	—	28	60	—	2	—	2

Causes of Death.	72 (b) Hemophilia.		72 (c)* 73 Anæmias.		73 (a) Pernicious anæmia.		73 (b) Other hyper-chromic anæmias.		73 (c) Hypo-chromic anæmias.		73 (d) Other anæmias included under 73.		74 Leukæmias and aleukæmias.		74 (a) Leukæmia.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	25	—	968	1690	775	1324	16	20	25	85	152	261	661	628	623	599
0—	5	—	13	6	—	—	—	—	1	1	12	5	13	9	13	9
1—	5	—	7	10	—	1	—	—	1	—	6	9	59	44	52	44
5—	2	—	2	6	1	—	—	—	—	—	1	6	33	29	31	27
10—	3	—	2	2	—	1	—	—	—	—	2	1	27	21	26	21
15—	2	—	4	11	—	2	—	—	—	1	4	8	30	29	28	26
20—	1	—	2	12	1	4	—	2	—	—	1	6	17	13	15	9
25—	—	—	4	18	—	5	—	—	—	1	4	12	12	18	12	17
30—	—	—	4	23	3	6	—	—	—	3	1	14	25	30	25	28
35—	2	—	14	27	6	13	2	—	—	4	6	10	31	49	27	47
40—	1	—	17	39	13	18	—	—	—	4	4	17	24	37	23	36
45—	3	—	22	68	15	44	—	1	—	5	7	18	40	39	38	38
50—	—	—	37	87	22	73	1	—	1	4	13	10	52	38	49	35
55—	—	—	70	113	58	82	1	3	2	11	9	17	49	48	47	47
60—	1	—	118	184	100	153	4	2	2	7	12	22	73	85	68	78
65—	—	—	164	272	140	228	3	1	4	12	17	31	81	62	77	62
70—	—	—	220	322	187	278	3	6	5	9	25	29	58	41	57	41
75—	—	—	171	278	147	247	2	5	6	9	16	17	29	25	27	24
80—	—	—	71	158	62	124	—	—	2	10	7	24	6	7	6	7
85—	—	—	26	54	20	45	—	—	1	4	5	5	2	4	2	3

72 (c), Other diseases included under 72 —.

TABLE 21—continued.

Causes of Death.	74 (b) Aleukæmia.		75 Diseases of the spleen.		75 (a) Splenic anæmia.		75 (b) Banti's disease.		75 (c) Other diseases included under 75.		76 Other diseases of the blood and blood-forming organs		76 (a) Agranulocytosis.		76 (c) (d)* 76 (b) Erythrocytosis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	38	29	102	147	54	77	37	58	11	12	41	40	19	25	22	15
0—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
1—	7	—	5	1	3	1	1	—	1	—	1	—	1	—	—	—
5—	2	2	2	3	2	2	2	1	—	—	2	—	2	—	—	—
10—	1	—	1	4	1	3	—	1	—	—	—	—	—	—	—	—
15—	2	3	5	8	3	5	2	3	—	—	1	3	1	2	—	1
20—	2	4	3	6	2	5	1	1	—	—	2	2	2	1	—	1
25—	—	1	8	4	3	2	4	1	1	—	—	3	—	2	—	1
30—	—	2	12	6	6	1	4	5	2	—	2	2	—	2	2	—
35—	4	2	6	3	2	1	3	—	1	2	3	—	1	—	2	—
40—	1	1	10	9	7	3	2	6	1	—	1	3	1	2	—	1
45—	2	1	8	10	6	6	1	4	1	—	4	3	1	3	3	—
50—	3	3	12	20	4	9	7	9	1	2	3	4	1	3	2	1
55—	2	1	9	17	5	9	3	6	1	2	3	4	1	3	2	1
60—	5	7	8	19	5	6	3	11	—	2	8	6	5	2	3	4
65—	4	—	5	21	2	13	3	6	—	2	8	4	1	2	7	2
70—	1	—	3	10	—	6	2	4	1	—	2	4	1	2	1	2
75—	2	1	2	6	1	5	—	—	1	1	1	1	1	—	—	1
80—	—	—	2	—	2	—	—	—	—	—	—	1	—	1	—	—
85—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 76 (c), Hæmoglobinæmia —; 76 (d), Other diseases included under 76, —.

Causes of Death.	V. 77-79 Chronic Poisoning and Intoxication		78, 79* 77 Alcoholism (ethyism).		VI. 80-89 Diseases of the Nervous System and Sense Organs.		80 Encephalitis (non-epidemic).		80 (a) Intracranial abscess.		80 (b) Other diseases included under 80.		81 Meningitis (non-meningococcal).		82 Diseases of the medulla and spinal cord.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	43	13	35	12	26140	33412	171	126	84	48	87	78	326	267	458	359
0—	—	—	—	—	645	470	19	9	3	3	16	6	110	86	2	2
1—	—	—	—	—	224	176	21	12	3	3	18	9	54	38	5	—
5—	—	—	—	—	97	75	15	10	5	3	10	7	26	19	—	—
10—	—	—	—	—	98	82	11	5	6	1	5	4	8	9	2	3
15—	—	—	—	—	133	99	12	11	6	5	6	6	8	8	6	2
20—	—	—	—	—	135	114	6	5	3	2	3	3	6	5	5	9
25—	—	—	—	—	123	128	6	7	2	2	4	5	6	8	4	7
30—	2	—	1	—	170	218	6	9	4	6	2	3	9	9	5	2
35—	5	1	3	—	260	269	11	9	11	4	—	5	7	5	13	9
40—	2	—	2	—	377	451	11	9	6	3	5	6	13	11	21	14
45—	6	2	6	2	608	805	11	5	10	1	1	4	7	16	32	24
50—	7	3	6	3	1035	1341	15	15	10	10	5	5	14	14	52	31
55—	7	4	3	4	1780	1996	10	6	7	1	3	5	18	14	53	57
60—	5	1	5	1	2801	3262	8	8	6	2	2	6	18	9	82	72
65—	6	1	6	1	4209	4684	4	3	—	2	4	1	12	5	66	49
70—	3	1	3	1	4964	5981	5	3	2	—	3	3	7	7	67	45
75—	—	—	—	—	4501	6110	—	—	—	—	—	—	1	3	29	22
80—	—	—	—	—	2730	4400	—	—	—	—	—	—	2	—	11	5
85—	—	—	—	—	1250	2751	—	—	—	—	—	—	—	1	3	6

* 78, Lead poisoning; (a) Specified as occupational 35, 55, 55; (b) Not specified as occupational —; 79, Chronic poisoning by other mineral and organic substances; (a) Occupational poisoning (not lead) 30, 35, 50; (ba) Narcotics 55, 36; (bb) Soporifics 55; (c) Other non-occupational chronic poisoning —; (d) Unspecified (chronic) poisoning —.

TABLE 21—continued.

Causes of Death.	82 (1) Motor neurone disease.		82 (2) Sub-acute combined degeneration.		82 (3) Myelitis of unstated origin.		82 (4) Other diseases included under 82.		83 Intra-cranial lesions of vascular origin.		83 (a) Cerebral hæmorrhage.		83 (b) (c) Cerebral embolism, thrombosis and softening.		83 (d) Hemiplegia and other paralyses of unstated origin.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	315	211	33	53	46	51	64	44	22363	29722	13846	18709	7793	10107	709	886
0—	2	2	—	—	—	—	—	—	23	16	20	15	3	—	—	—
1—	5	—	—	—	—	—	—	—	5	4	4	1	1	2	—	—
5—	—	—	—	—	—	—	—	—	3	6	3	6	—	—	—	—
10—	2	2	—	1	—	—	—	—	5	2	5	2	—	—	—	—
15—	3	—	—	—	1	1	2	1	7	3	6	3	1	—	—	—
20—	3	3	—	—	—	1	2	5	7	14	7	12	—	2	—	—
25—	1	2	—	—	1	3	2	2	10	20	10	17	—	3	—	—
30—	4	—	—	1	—	—	1	1	38	57	33	46	5	10	—	1
35—	11	4	—	—	1	4	1	1	79	118	69	92	10	24	—	1
40—	16	5	2	2	1	3	2	4	205	243	180	197	20	38	5	7
45—	20	13	1	4	6	6	5	1	416	563	343	473	71	75	2	14
50—	36	26	2	2	7	1	7	2	797	1111	628	875	152	218	16	18
55—	35	33	3	10	7	8	8	6	1520	1719	1086	1299	393	370	40	50
60—	64	47	6	8	4	12	8	5	2506	2937	1662	2044	775	814	66	78
65—	43	27	6	8	9	7	8	7	3875	4380	2471	2953	1284	1312	118	112
70—	39	23	8	12	7	4	13	6	4676	5667	2792	3536	1723	1952	156	173
75—	22	16	3	3	2	1	2	2	4329	5873	2468	3463	1697	2203	163	205
80—	7	4	2	1	—	—	2	—	2636	4282	1434	2300	1100	1848	101	134
85—	2	4	—	1	—	—	1	1	1226	2707	625	1375	558	1236	42	93

Causes of Death.	83 (e) Other intra-cranial effusions.		84 Mental disorders and deficiency.		84 (a) Mental deficiency.		84 (b) Schizophrenia (dementia præcox).		84 (c) Manic-depressive psychosis.		84 (d) Other mental disorders included under 84.		85 Epilepsy.		86 Convulsions in children under 5 years of age.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	15	20	279	376	113	119	41	28	4	9	121	220	628	597	262	186
0—	—	1	33	38	31	38	—	—	—	—	2	—	11	5	234	160
1—	—	1	26	28	24	26	—	—	—	—	2	2	32	32	28	26
5—	—	—	12	5	11	5	—	—	—	—	1	—	21	10	—	—
10—	—	—	7	12	7	11	—	—	—	—	—	1	31	13	—	—
15—	—	—	9	8	6	4	2	1	—	—	1	3	58	37	—	—
20—	—	—	22	15	9	6	8	4	—	1	5	4	52	49	—	—
25—	—	—	16	13	6	6	5	—	—	—	5	7	53	37	—	—
30—	—	—	11	24	3	5	5	2	—	—	3	17	51	58	—	—
35—	—	1	16	18	2	2	7	3	—	—	7	13	61	47	—	—
40—	—	1	12	24	—	5	6	3	—	—	6	16	40	57	—	—
45—	—	1	20	41	1	4	2	10	—	3	17	24	41	53	—	—
50—	1	—	21	29	1	—	4	1	—	—	15	28	37	37	—	—
55—	1	—	21	42	6	3	—	1	1	—	14	38	38	46	—	—
60—	3	1	23	28	2	1	1	2	2	4	18	21	31	37	—	—
65—	2	3	15	24	2	2	1	1	—	1	12	20	24	25	—	—
70—	5	6	10	12	2	—	—	—	—	—	8	12	23	21	—	—
75—	1	2	2	9	—	—	—	—	—	—	2	9	17	18	—	—
80—	1	—	3	3	—	1	—	—	—	—	3	2	5	12	—	—
85—	1	3	—	3	—	—	—	—	—	—	—	3	2	3	—	—

TABLE 21—*continued.*

Causes of Death.	87 Other diseases of the nervous system.		87 (a) Chorea.		87 (b) Neuritis (non-rheumatic).		87 (c) Paralysis agitans.		87 (d) Disseminated sclerosis.		87 (e) Other diseases included under 87.		87 (e) (1)* 87 (e) (2) Other diseases included under 87 (e).		88 Disease of the organs & vision.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1113	1391	9	32	32	32	630	733	363	497	79	97	79	94	17	
0—	2	3	—	—	—	—	—	—	—	1	2	2	2	2	3	
1—	10	7	—	—	—	1	—	—	—	—	10	6	10	6	1	
5—	4	7	1	3	—	—	—	—	—	—	3	4	3	4	1	
10—	7	16	—	7	1	—	—	—	—	—	6	9	6	9	3	
15—	8	9	—	4	1	—	—	—	2	2	5	3	5	2	—	
20—	13	7	1	1	1	—	1	—	7	3	3	3	3	3	—	
25—	11	24	2	4	—	—	1	—	6	15	2	5	2	5	1	
30—	30	42	—	3	1	1	2	1	23	34	4	3	4	3	—	
35—	51	54	—	—	2	2	5	3	41	44	3	5	3	5	—	
40—	54	85	—	3	1	—	5	5	42	66	6	11	6	10	—	
45—	57	86	1	2	2	6	8	8	40	63	6	7	6	7	—	
50—	79	96	1	1	3	1	17	19	51	69	7	6	7	5	1	
55—	90	101	1	—	1	1	36	34	47	56	5	10	5	10	—	
60—	119	149	1	2	5	3	70	85	40	54	3	5	3	5	—	
65—	201	189	—	—	6	5	154	136	35	40	6	8	6	8	3	
70—	171	218	—	1	3	3	144	179	19	33	5	2	5	2	—	
75—	118	177	1	1	4	5	104	155	6	12	3	4	3	4	1	
80—	71	94	—	—	—	2	68	85	3	5	—	2	—	2	2	
85—	17	27	—	—	1	2	15	23	1	—	—	2	—	2	1	

* 87 (e) (1), Convulsions of undetermined origin (ages 5 and over) 15, 40, 50.

Causes of Death.	89 Diseases of the ear and of the mastoid antrum.		89 (a) Otitis and other diseases of the ear (without mention of mastoid disease).		89 (b) Diseases of the mastoid antrum.		VII. 90-103 Diseases of the Circulatory System.		90-95 Heart diseases.		90 Pericarditis.		90 (a) Chronic pericarditis specified as rheumatic.		90 (b) Other pericarditis included under 90 (a).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	523	365	287	192	236	173	70674	73279	62696	65273	171	89	5	10	166	
0—	208	147	103	69	105	78	12	7	4	3	1	1	—	—	1	
1—	42	26	27	15	15	11	17	9	15	7	8	—	—	—	8	
5—	15	18	2	8	13	10	55	49	52	48	4	3	—	1	4	
10—	24	21	12	10	12	11	82	97	79	93	3	4	1	2	2	
15—	25	21	11	12	14	9	126	169	122	164	3	2	1	—	2	
20—	24	10	15	6	9	4	190	235	187	226	5	5	—	1	5	
25—	16	12	9	7	7	5	193	294	187	278	3	4	1	—	2	
30—	20	17	14	15	6	2	326	474	295	448	2	5	—	2	2	
35—	22	9	15	2	7	7	531	653	476	605	6	4	—	—	6	
40—	21	8	12	7	9	1	1007	796	902	706	11	4	—	—	11	
45—	24	17	13	7	11	10	1701	1300	1559	1148	9	6	—	1	9	
50—	19	8	10	2	9	6	2915	1972	2633	1770	12	4	—	—	12	
55—	30	10	20	8	10	2	4845	3089	4412	2757	23	6	—	—	23	
60—	14	21	10	11	4	10	7551	5302	6766	4743	26	12	2	1	24	
65—	9	8	7	5	2	3	10558	8486	9459	7548	19	11	—	1	19	
70—	5	5	3	3	2	2	12879	12429	11377	11125	12	8	—	—	12	
75—	4	5	3	4	1	1	12670	14229	11182	12683	17	5	—	—	17	
80—	—	1	—	1	—	—	9421	12989	8199	11534	4	4	—	1	4	
85—	1	1	1	—	—	1	5595	10700	4790	9387	3	1	—	—	3	

TABLE 21—continued.

Cases of Death.	91 Acute endocarditis.		91 (a) (b) Acute or sub-acute bacterial endocarditis.		91 (c) Other acute and sub-acute endocarditis.		92 Chronic affections of the valves and endocardium.		92 (a) Aortic valvular disease (without mitral disease).		92 (b) Other specified valvular diseases (including sequelae of rheumatic fever).		92 (b) (1) Mitral valve disease.		92 (b) (2) Other diseases included under 92 (b).	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages	335	318	328	309	7	9	6815	8943	1103	565	3793	5944	3031	4899	762	1045
0—	3	2	3	2	—	—	—	—	—	—	—	—	—	—	—	—
1—	5	2	5	2	—	—	2	5	—	—	1	3	—	2	1	1
5—	11	5	11	5	—	—	33	34	1	1	31	33	13	16	18	17
0—	5	14	4	14	1	—	67	64	2	—	60	60	32	25	28	35
5—	16	30	15	30	1	—	84	119	4	—	77	114	58	61	19	53
0—	24	37	24	37	—	—	127	157	2	2	118	144	69	93	49	51
5—	26	40	26	39	—	1	124	193	8	6	105	173	71	127	34	46
0—	34	40	33	40	1	—	188	315	16	5	158	283	118	212	40	71
5—	33	29	33	28	—	1	246	409	20	10	191	367	132	289	59	78
0—	29	16	29	15	—	1	302	437	40	11	221	377	148	273	73	104
5—	29	18	29	18	—	—	385	564	44	23	268	424	203	333	65	91
0—	20	18	19	18	1	—	522	618	93	30	284	450	222	383	62	67
5—	21	16	21	12	—	4	664	727	123	44	365	478	292	404	73	74
0—	36	18	34	18	2	—	838	905	155	65	403	577	324	473	79	104
5—	26	15	25	14	1	1	994	1099	197	87	481	654	424	581	57	73
0—	12	9	12	9	—	—	919	1198	175	110	428	682	376	596	52	86
5—	5	5	5	5	—	—	772	1048	125	90	360	561	325	507	35	54
0—	—	2	—	2	—	—	395	669	63	54	185	345	169	318	16	27
5—	—	2	—	1	—	1	153	382	35	27	57	219	55	206	2	13

Cases of Death.	(92 c) Unspecified valvular lesions or endocarditis.		93 Diseases of the myocardium.		93 (a) Acute myocarditis.		93 (b) Chronic myocarditis specified as rheumatic.		93 (c) Myocardial degeneration, infarction, sclerosis and other chronic myocarditis.		93 (c) (1) Cardio-vascular degeneration.		93 (c) (2) Myo-cardial degeneration described as fatty.		93 (c) (3) Other myocardial degeneration.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages	1919	2434	37122	45005	94	81	288	414	32809	40309	12100	13089	324	528	20385	26692
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	5	4	4	5	2	1	2	3	—	1	—	—	—	—	—	1
0—	3	5	15	12	2	1	6	7	6	2	—	—	—	—	—	2
5—	7	11	23	23	—	1	7	9	6	8	—	—	—	—	—	—
0—	11	14	21	29	—	1	4	11	15	14	1	3	2	1	12	10
5—	14	27	38	62	2	—	7	14	21	35	3	3	2	5	16	27
0—	35	32	83	112	3	3	7	18	50	75	9	5	7	13	34	57
5—	41	49	183	161	5	3	20	12	126	111	22	17	6	13	98	81
0—	73	117	383	333	8	1	18	32	289	234	69	58	24	20	196	156
5—	145	138	786	690	3	6	19	35	622	533	183	149	29	41	410	343
0—	176	205	1571	1276	6	7	36	40	1244	1002	458	323	27	63	759	616
5—	280	263	2924	2502	15	9	43	52	2390	2010	962	710	60	86	1368	1214
0—	316	358	4976	4479	14	11	39	49	4213	3769	1731	1401	62	93	2420	2275
5—	316	406	7195	7585	9	10	37	44	6318	6692	2532	2380	59	89	3727	4223
0—	287	397	7997	9671	17	2	27	50	7244	8833	2769	3012	30	57	4445	5764
5—	147	270	6726	9669	3	14	11	19	6288	9061	2123	2790	13	31	4152	6240
0—	61	136	4195	8386	5	10	5	13	3977	7927	1238	2238	2	14	2737	5675

TABLE 21—continued.

Causes of Death.	93 (d) Myocarditis not distinguished as acute or chronic.		94 Diseases of the coronary arteries, angina pectoris.		94 (a) Diseases of the coronary arteries.		94 (b) Angina pectoris without mention of coronary disease.		95 Other diseases of the heart.		95 (a) Functional heart disease (without mention of organic lesion).		95 (b) Heart disease specified as rheumatic but otherwise ill-defined.		95 (c) Other diseases included under 95.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3931	4201	16514	8498	15143	7881	1371	617	1739	2420	790	1498	25	42	924	880
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
10—	2	1	—	—	1	—	—	—	1	1	—	—	—	—	1	—
15—	1	2	—	1	—	1	—	—	4	—	—	—	1	—	3	—
20—	10	5	2	2	2	2	—	—	6	2	3	—	1	—	2	2
25—	2	3	4	4	3	4	1	—	9	8	3	3	1	2	5	3
30—	8	13	23	9	22	9	1	—	10	17	4	9	—	2	6	6
35—	23	16	88	24	83	24	5	—	20	27	6	17	3	5	11	5
40—	32	35	347	54	327	54	20	—	30	34	8	22	2	2	20	10
45—	68	66	690	150	641	143	49	7	63	77	25	45	1	3	37	23
50—	142	116	1211	330	1119	309	92	21	82	110	35	73	2	4	45	33
55—	285	227	1974	580	1819	526	155	54	159	152	62	107	—	2	97	43
60—	476	431	2734	1039	2512	969	222	70	208	267	91	189	6	4	111	74
65—	710	650	3139	1635	2867	1507	272	128	305	309	137	187	6	9	162	113
70—	831	839	2933	1875	2675	1735	258	140	306	450	145	276	1	3	160	171
75—	709	786	2087	1478	1887	1380	200	98	304	476	159	288	1	2	144	186
80—	424	575	911	861	840	792	71	69	163	329	80	189	—	4	83	136
85—	208	436	370	456	345	426	25	30	69	160	32	93	—	—	37	67

Causes of Death.	96 Aneurysm (except of heart and aorta).		97 Arterio-sclerosis.*		98 Gangrene.		99 Other diseases of the arteries.		100 Diseases of the veins.		100 (a) Varices.		100 (b) Other diseases of the veins.		101 Diseases of the lymphatic system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	123	146	5497	5518	278	240	199	158	272	525	128	251	144	274	22	15
0—	—	—	—	—	—	—	1	—	1	1	—	—	1	1	5	3
1—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—
5—	—	—	—	—	—	1	2	—	1	—	—	—	1	—	—	—
10—	2	1	—	—	—	—	—	—	1	—	—	—	1	—	—	2
15—	2	1	—	—	—	—	2	1	—	1	—	—	—	1	—	—
20—	2	3	—	—	—	—	1	2	—	2	—	—	—	2	—	—
25—	2	6	—	—	—	—	—	3	—	5	—	1	—	4	—	—
30—	4	5	4	—	—	—	3	2	8	8	4	3	4	5	1	—
35—	12	11	7	2	1	—	8	5	6	13	1	9	5	4	1	—
40—	18	12	20	10	—	1	10	6	20	27	7	11	13	16	—	—
45—	12	21	25	21	3	1	14	7	14	34	7	8	7	26	1	—
50—	18	17	87	42	2	1	25	11	28	50	18	25	10	25	2	1
55—	12	27	189	107	2	6	27	10	29	51	16	26	13	25	1	—
60—	15	11	451	255	12	12	16	22	40	79	9	46	31	33	2	1
65—	2	13	709	543	28	14	28	19	40	99	17	47	23	52	2	2
70—	11	7	1066	905	63	33	28	18	38	72	17	33	21	39	2	1
75—	4	7	1189	1207	67	52	22	29	25	47	20	24	5	23	2	3
80—	3	3	1032	1257	61	61	10	14	19	17	11	7	8	10	2	1
85—	3	1	718	1169	39	58	2	9	2	18	1	11	1	7	—	—

* Excluding coronary or renal sclerosis or cerebral hæmorrhage.

TABLE 21—continued.

Causes of Death.	102 High blood pressure (idiopathic).		103 Other diseases of the circulatory system.		VIII. 104-114 Diseases of the Respiratory System.		104 Diseases of the nasal fossæ and annexa.		105 Diseases of the larynx.		106 Bronchitis.		106 (a) Acute bronchitis.		106 (b) Chronic bronchitis.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1575	1396	12	8	32214	23367	94	70	58	48	17616	12017	3240	3453	11523	6225
0—	—	—	1	—	3761	2880	15	18	16	7	623	454	389	301	11	7
1—	—	—	—	—	696	629	2	1	22	21	101	92	69	56	10	14
5—	—	—	—	—	123	91	2	2	1	3	23	18	5	6	12	9
10—	—	—	—	1	83	64	7	3	1	—	19	9	5	1	12	6
15—	—	2	—	—	118	100	13	3	—	—	28	17	7	1	14	10
20—	—	2	—	—	132	156	3	6	—	—	42	42	5	11	35	29
25—	4	2	—	—	141	180	3	2	—	1	49	41	9	6	40	26
30—	11	11	—	—	261	237	5	4	—	—	79	52	10	5	59	38
35—	20	17	—	—	405	346	8	5	—	2	143	98	22	23	108	62
40—	36	33	1	1	705	381	5	4	2	3	299	116	41	30	220	71
45—	73	68	—	—	1199	541	5	4	—	—	601	201	69	33	464	145
50—	119	80	1	—	1941	760	3	1	1	—	1046	322	142	66	760	215
55—	171	129	2	2	3002	1110	5	5	2	3	1720	584	221	111	1269	371
60—	249	178	—	1	4009	1660	6	2	2	2	2484	899	331	205	1814	532
65—	286	246	4	2	4308	2375	3	4	3	—	2782	1341	407	297	1999	804
70—	293	268	1	—	3990	3156	3	2	5	4	2602	1968	460	518	1719	1084
75—	177	201	2	—	3571	3477	2	1	1	—	2393	2273	458	627	1497	1205
80—	95	102	—	—	2369	2843	2	3	1	1	1614	1867	332	617	967	872
85—	41	57	—	1	1400	2381	2	—	1	1	968	1623	258	539	513	725

Causes of Death.	106 (c) Bronchitis not distinguished as acute or chronic.		Bronchitis with the following as a contributory or secondary cause.														107-109 Pneumonia (all forms).	
			106 (1) Influenza.		106 (2) Chronic endocarditis, etc.		106 (3) Myocardial disease.		106 (4) Arteriosclerosis.		106 (5) Chronic nephritis.		106 (6) Without any of the complications here specified in (1)-(5).					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Ages	2853	2339	40	31	218	242	6532	4329	324	200	50	28	10452	7187	10986	8904		
0—	223	146	1	2	1	—	2	—	—	—	—	—	619	452	3071	2376		
1—	22	22	—	—	—	—	—	1	—	—	—	—	101	91	545	489		
5—	6	3	—	—	—	—	2	—	—	—	—	—	21	18	88	60		
10—	2	2	—	—	—	—	—	—	—	—	1	1	18	8	47	44		
15—	7	6	—	1	—	—	3	1	—	—	—	—	25	15	60	59		
20—	2	2	1	—	1	2	3	6	—	—	1	—	36	34	63	74		
25—	—	9	—	—	—	2	7	6	—	—	—	—	42	33	57	94		
30—	10	9	1	1	2	6	16	10	—	—	1	1	59	34	119	111		
35—	13	13	—	—	3	4	25	21	—	—	1	1	114	72	163	158		
40—	38	15	—	—	6	5	78	25	1	—	—	—	214	86	247	159		
45—	68	23	1	1	6	5	170	61	5	1	1	1	418	132	369	214		
50—	144	41	1	2	14	16	335	119	8	1	3	—	685	184	528	254		
55—	230	102	4	2	17	20	666	222	18	5	4	4	1011	331	781	341		
60—	339	162	7	2	33	16	998	373	31	5	7	3	1408	500	978	536		
65—	376	240	8	2	33	27	1200	583	43	20	10	5	1488	704	1037	752		
70—	423	366	10	7	44	50	1122	842	67	42	5	3	1354	1024	1026	917		
75—	438	441	4	5	32	37	957	917	72	47	10	4	1318	1263	888	939		
80—	315	378	—	5	18	29	632	654	49	39	5	2	910	1138	579	779		
85—	197	359	2	1	8	23	316	488	30	40	1	3	611	1068	340	548		

TABLE 21—continued.

Causes of Death.	107-109 (1) With mention of influenza as a contributory or secondary cause.		107-109 (2) Without mention of influenza.		107 Broncho-pneumonia.		107 (1) With mention of influenza as a contributory or secondary cause.		107 (2) Without mention of influenza.		108 Lobar pneumonia.		108 (1) With mention of influenza as a contributory or secondary cause.		108 (2) Without mention of influenza.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	9	10977	8895	7081	6141	8	5	7073	6136	2937	1979	—	2	2937	1977
0—	—	2	3071	2374	2622	2000	—	1	2622	1999	265	201	—	—	265	201
1—	1	—	544	489	448	380	1	—	447	380	64	70	—	—	64	70
5—	—	—	88	60	63	39	—	—	63	39	18	13	—	—	18	13
10—	—	—	47	44	30	27	—	—	30	27	14	13	—	—	14	13
15—	—	—	60	59	22	25	—	—	22	25	26	29	—	—	26	29
20—	—	—	63	74	28	35	—	—	28	35	27	27	—	—	27	27
25—	—	—	57	94	19	45	—	—	19	45	27	36	—	—	27	36
30—	—	—	119	111	47	45	—	—	47	45	51	51	—	—	51	51
35—	—	—	163	158	61	84	—	—	61	84	83	60	—	—	83	60
40—	1	—	246	159	97	75	1	—	96	75	121	65	—	—	121	65
45—	—	—	369	214	170	95	—	—	170	95	160	103	—	—	160	103
50—	—	—	528	254	227	136	—	—	227	136	236	96	—	—	236	96
55—	1	—	780	341	349	200	1	—	348	200	337	117	—	—	337	117
60—	2	1	976	535	511	296	2	1	509	295	364	186	—	—	364	186
65—	2	1	1035	751	557	448	2	—	555	448	393	226	—	1	393	225
70—	2	1	1024	916	617	597	1	—	616	597	324	239	—	1	324	238
75—	—	1	888	938	581	634	—	1	581	633	230	215	—	—	230	215
80—	—	2	579	777	381	547	—	2	381	545	135	157	—	—	135	157
85—	—	1	340	547	251	433	—	—	251	433	62	75	—	—	62	75

Causes of Death.	109 Pneumonia (unspecified).		109 (1) With mention of influenza as a contributory or secondary cause.		109 (2) Without mention of influenza.		110 Pleurisy.		110 (a) Empyema.		110 (b) Other or unspecified forms of pleurisy.		111 Congestion etc., of the lungs.†		111 (a) Hæmorrhagic infarction of lung.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	968	784	1	2	967	782	357	228	182	77	175	151	419	567	123	43
0—	184	175	—	1	184	174	19	13	12	12	7	1	9	4	1	—
1—	33	39	—	—	33	39	10	8	10	6	—	2	—	3	—	—
5—	7	8	—	—	7	8	—	1	—	1	—	—	2	1	—	—
10—	3	4	—	—	3	4	2	2	2	1	—	1	1	—	—	—
15—	12	5	—	—	12	5	6	5	4	3	2	2	2	1	—	1
20—	8	12	—	—	8	12	5	7	2	3	3	4	2	2	2	1
25—	11	13	—	—	11	13	11	8	6	—	5	8	—	7	—	5
30—	21	15	—	—	21	15	8	5	6	3	2	2	5	6	5	6
35—	19	14	—	—	19	14	10	10	8	5	2	5	2	6	1	6
40—	29	19	—	—	29	19	21	8	16	4	5	4	7	4	6	3
45—	39	16	—	—	39	16	19	9	13	3	6	6	7	18	5	16
50—	65	22	—	—	65	22	33	19	19	10	14	9	18	17	12	14
55—	95	24	—	—	95	24	42	10	18	3	24	7	26	23	18	20
60—	103	54	—	—	103	54	40	21	18	7	22	14	29	21	20	12
65—	87	78	—	—	87	78	42	23	18	6	24	17	41	44	19	24
70—	85	81	1	—	84	81	39	29	16	3	23	26	54	57	16	18
75—	77	90	—	—	77	90	28	22	8	4	20	18	73	92	8	12
80—	63	75	—	—	63	75	12	18	4	1	8	17	81	104	7	2
85—	27	40	—	1	27	39	10	10	2	2	8	8	60	157	3	3

† The full title according to the detailed International List is 111, Congestion, œdema, hæmorrhagic infarction and thrombosis of the lungs.

TABLE 21—continued.

Causes of Death.	111 (b) Acute oedema congestion of lung.		111 (c) Chronic or unspecified congestion of lung.		112 Asthma														
					Total	With contributory or secondary causes													
						(1) Influenza.		(2) Chronic endo- carditis, etc.		(3) Myo- cardial disease.		(4) Arterio- sclerosis.		(5) Chronic nephritis.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Ages	42	45	254	379	1581	1323	8	3	22	16	508	451	19	3	4	2			
0—	2	2	6	2	8	3	—	—	—	—	—	—	—	—	—	—			
1—	—	1	—	2	13	15	—	—	—	—	—	1	—	—	—	—			
5—	—	1	2	—	7	5	—	—	—	—	—	1	—	—	—	—			
10—	1	—	—	—	4	6	1	—	—	—	—	1	—	—	—	—			
15—	1	—	1	—	6	12	—	—	1	—	—	1	—	—	—	—			
20—	—	1	—	—	13	23	—	—	1	—	2	3	—	—	—	—			
25—	—	2	—	—	14	26	—	—	—	—	4	4	—	—	—	—			
30—	—	—	—	—	27	55	1	—	—	—	3	11	—	—	—	—			
35—	1	—	—	—	47	56	—	—	—	1	7	17	—	—	—	—			
40—	—	1	1	—	68	80	1	—	1	—	8	23	—	—	1	—			
45—	2	1	—	1	126	88	1	—	1	1	40	24	—	—	1	—			
50—	3	2	3	1	175	130	—	—	4	3	57	47	1	—	1	—			
55—	4	1	4	2	246	128	1	—	—	2	85	43	3	—	—	1			
60—	2	3	7	6	256	153	—	1	3	1	89	63	1	1	1	—			
65—	6	6	16	14	236	174	—	—	6	2	89	67	7	1	—	—			
70—	5	10	33	29	156	157	1	—	2	1	63	74	3	1	—	—			
75—	9	6	56	74	116	124	1	2	2	3	41	49	3	—	—	—			
80—	5	5	69	97	50	55	—	—	1	2	16	16	1	—	—	—			
85—	1	3	56	151	13	33	1	—	—	—	2	8	—	—	—	—			

Causes of Death.	112 (b) Asthma, without any of the complica- tions here specified in (1)–(5).		113 Pulmonary em- physema.		114 Other diseases of the respiratory system.		114 (a) Silicosis and other occupational pneumo- noses.		114 (b)*		114 (d) Abscess of lung.		114 (e) Other diseases included under 114, not specified as occupational.		114 (e) (1) Chronic interstitial pneumonia not indicated as occupational.	
									114 (c) Gangrene of lung							
									M.	F.						
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1020	848	471	95	632	115	382	4	9	1	69	28	171	82	155	71
0—	8	3	—	—	—	5	—	—	—	—	—	5	—	—	—	—
1—	12	15	1	—	2	—	—	—	—	—	—	—	2	—	—	—
5—	7	4	—	—	—	1	—	—	—	—	—	1	—	—	—	—
10—	2	6	—	—	2	—	—	—	—	—	2	—	—	—	—	—
15—	5	11	—	1	3	2	—	—	—	—	1	1	2	1	1	1
20—	10	20	—	1	4	1	—	—	—	—	4	—	—	1	—	—
25—	10	22	2	—	5	1	1	—	—	—	3	—	1	1	—	1
30—	23	44	2	1	16	3	3	—	2	—	5	2	6	1	4	1
35—	40	38	11	4	21	7	12	1	1	—	1	4	7	2	7	2
40—	57	57	20	2	36	5	17	1	1	—	9	2	9	2	8	2
45—	83	63	25	3	47	4	28	—	—	—	8	1	11	3	11	3
50—	112	79	47	6	90	11	54	—	2	—	7	4	27	7	23	5
55—	157	82	70	6	110	10	72	—	1	—	9	2	27	8	25	5
60—	162	87	90	14	124	12	87	—	—	—	7	2	30	10	30	9
65—	134	104	67	17	97	20	60	1	1	—	8	3	28	16	25	14
70—	87	81	63	6	42	16	30	1	—	—	2	—	10	15	10	15
75—	69	70	44	20	26	6	13	—	1	—	1	—	11	6	11	6
80—	32	37	23	9	7	7	5	—	—	—	2	—	—	7	—	5
85—	10	25	6	5	—	4	—	—	—	1	—	1	—	2	—	2

* 114 (b), Other occupational respiratory disease, 55.

TABLE 21—continued.

Causes of Death.	114 (e) (2) Other Diseases included under 114 (e).		IX. 115-129 Diseases of the Digestive System.		115 Diseases of the buccal cavity, etc.†		115 (a) Diseases of the teeth and gums.		115 (b) Septic sore throat.		115 (b) (1)* 115 (b) (2) Others with mention of tonsils.		115 (b) (3) Other diseases included under 115 (b).		115 (c) Other diseases of the pharynx and tonsils.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	11	11933	8859	330	316	84	62	76	80	44	47	30	31	134	123
0—	—	—	2440	1548	35	13	6	1	8	5	4	3	4	2	13	4
1—	2	—	304	224	32	24	—	—	12	12	9	9	2	2	20	12
5—	—	—	162	119	26	20	—	1	10	6	8	3	2	2	16	13
10—	—	—	101	84	8	11	1	1	2	3	2	2	—	1	5	7
15—	1	—	106	93	15	12	3	1	6	6	4	2	1	4	6	5
20—	—	1	87	104	9	10	3	2	1	3	1	2	—	1	5	4
25—	1	—	103	140	7	15	1	5	2	4	—	2	2	2	3	5
30—	2	—	172	157	13	14	1	6	3	2	3	2	—	—	9	6
35—	—	—	301	220	11	17	7	4	3	3	2	2	1	1	1	6
40—	1	—	542	258	18	21	4	8	4	7	1	3	3	4	9	5
45—	—	—	661	338	23	22	8	4	4	6	3	6	1	—	9	9
50—	4	2	849	466	12	17	5	5	4	3	2	1	2	2	3	7
55—	2	3	1150	600	22	14	9	3	1	1	—	—	1	1	10	7
60—	—	1	1232	775	16	16	6	3	1	2	—	—	1	2	6	8
65—	3	2	1280	940	24	19	6	5	6	5	1	4	5	1	7	7
70—	—	—	1070	973	27	23	8	6	5	7	2	3	3	4	7	7
75—	—	—	759	844	14	15	7	2	3	2	2	1	1	1	1	5
80—	—	2	431	601	11	18	7	2	—	1	—	1	—	—	1	1
85—	—	—	183	375	7	15	2	3	1	2	—	1	1	1	3	5

* 115 (b) (1). With mention of tonsillectomy 1, 15, 1, 5.

† The full title according to the detailed International List is 115. Diseases of the buccal cavity and annexe and of the pharynx and tonsils.

Causes of Death.	115 (c) (1) With mention of tonsillectomy.		115 (c) (2) Others with mention of tonsils.		115 (c) (3) Other diseases included under 115 (c).		115 (d) Other diseases included under 115.		116 Diseases of the œsophagus.		117 Ulcer of the stomach or duodenum.		117 (a) Ulcer of the stomach.		117 (b) Ulcer of the duodenum.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	29	22	61	62	44	39	36	51	26	27	3998	1024	2320	729	1678	295
0—	—	—	7	1	6	3	8	3	—	—	6	—	3	—	3	—
1—	9	4	6	4	5	4	—	—	—	—	1	—	—	—	1	—
5—	9	8	6	4	1	1	—	—	—	—	—	—	—	—	—	—
10—	4	4	1	2	—	1	—	—	—	—	1	2	—	1	1	1
15—	3	1	3	4	—	—	—	—	—	—	9	3	5	1	4	2
20—	—	1	4	3	1	—	—	1	—	—	23	12	7	6	16	6
25—	—	1	1	4	2	—	1	1	1	—	38	6	21	4	17	2
30—	—	—	7	6	2	—	—	—	—	1	81	18	38	8	43	10
35—	1	1	—	3	—	2	—	4	—	—	146	24	65	13	81	11
40—	1	—	5	5	3	—	1	1	—	1	332	35	173	26	159	9
45—	2	—	3	5	4	4	2	3	1	—	374	49	214	31	160	18
50—	—	—	3	6	—	1	—	2	2	3	464	89	266	62	198	27
55—	—	—	3	1	7	6	2	3	4	4	636	107	387	80	249	27
60—	—	—	4	3	2	5	3	3	1	4	642	145	397	108	245	37
65—	—	2	2	1	5	4	5	2	8	6	538	153	327	111	211	42
70—	—	—	5	6	2	1	7	3	4	4	347	178	204	127	143	51
75—	—	—	—	1	1	4	3	6	2	2	237	114	136	86	101	28
80—	—	—	—	—	1	1	3	14	1	2	95	58	62	38	33	20
85—	—	—	1	3	2	2	1	5	2	—	28	31	15	27	13	4

TABLE 21—continued.

Causes of Death.	118 Other diseases of the stomach.		118 (1) Inflammation of the stomach.		118 (2) Other diseases included under 118.		119* & 120 Enteritis and diarrhoea.		119 (a) & 120 (a) Enteritis and diarrhoea without mention of ulceration.		119 (b) & 120 (b) Ulceration of the intestines (except duodenum).		121 Appendicitis.		121 (1) Without mention of intestinal obstruction	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	247	222	166	183	81	39	2908	2406	2741	2133	167	273	952	751	753	647
0—	55	38	49	35	6	3	2182	1410	2173	1408	9	2	2	2	2	2
1—	5	6	5	5	—	1	133	116	132	116	1	—	64	37	55	34
5—	—	1	—	1	—	—	17	14	17	14	—	—	89	60	71	57
10—	2	—	1	—	1	—	4	7	2	7	2	—	67	47	61	44
15—	1	—	—	—	1	—	3	16	3	5	—	11	57	41	48	33
20—	1	—	—	—	1	—	6	19	4	5	2	14	29	29	21	23
25—	4	1	2	1	2	—	12	33	5	8	7	25	20	27	16	23
30—	2	1	2	1	—	—	15	39	5	7	10	32	25	25	20	21
35—	1	3	1	2	—	1	20	34	9	12	11	22	46	40	35	32
40—	9	3	4	1	5	2	36	39	21	17	15	22	46	38	31	30
45—	13	5	5	4	8	1	33	47	15	25	18	22	59	43	42	37
50—	18	6	8	5	10	1	40	50	24	30	16	20	70	53	51	47
55—	16	11	10	6	6	5	49	47	25	26	24	21	97	58	70	53
60—	23	7	15	4	8	3	49	67	38	38	11	29	66	59	50	49
65—	30	21	16	17	14	4	66	82	47	62	19	20	94	76	77	62
70—	25	31	18	24	7	7	90	87	76	79	14	8	56	49	47	40
75—	18	32	11	26	7	6	60	114	55	103	5	11	36	39	31	36
80—	17	34	14	30	3	4	63	95	60	85	3	10	21	21	19	17
85—	7	22	5	21	2	1	30	90	30	86	—	4	8	7	6	7

* 119. Enteritis and diarrhoea under 2 years: Males, 2,284; Females 1,487.

Causes of Death.	121 (2) With mention of intestinal obstruction.		122 Hernia, intestinal obstruction.		122 (a) Hernia.		122 (b) Intestinal obstruction.		122 (b) (1) Intussusception.		122 (b) (2) Paralytic ileus without stated cause.		122 (b) (3) Other or unspecified forms of intestinal obstruction.		123 Other diseases of the intestines.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	199	104	1788	1785	960	1047	828	738	171	90	6	10	651	638	364	402
0—	—	—	121	58	—	1	121	57	114	53	—	—	7	4	7	6
1—	9	3	43	23	13	1	30	22	24	20	—	—	6	2	1	1
5—	18	3	24	10	4	2	20	8	9	4	—	—	11	4	—	—
10—	6	3	13	4	1	1	12	3	4	1	—	—	8	2	—	—
15—	9	8	9	2	—	—	9	2	2	—	1	—	6	2	—	—
20—	8	6	9	10	5	1	4	9	1	—	—	—	3	9	—	2
25—	4	4	9	15	4	2	5	13	—	—	—	—	5	13	2	4
30—	5	4	20	11	9	2	11	9	—	—	—	—	11	9	2	3
35—	11	8	35	37	9	17	26	20	1	1	—	1	25	18	5	5
40—	15	8	46	40	20	14	26	26	2	—	—	1	24	25	8	9
45—	17	6	64	73	27	33	37	40	1	—	1	—	35	40	13	17
50—	19	6	87	91	55	55	32	36	—	1	—	—	32	35	27	25
55—	27	5	138	132	74	86	64	46	2	2	—	—	62	44	38	37
60—	16	10	205	191	129	129	76	62	3	1	—	1	73	60	54	47
65—	17	14	238	242	142	163	96	79	4	4	1	1	91	74	63	65
70—	9	9	273	285	164	193	109	92	—	1	1	3	108	88	54	62
75—	5	3	235	256	155	168	80	88	3	—	1	—	76	88	55	56
80—	2	4	151	189	101	112	50	77	—	1	—	2	50	74	22	39
85—	2	—	68	116	48	67	20	49	1	1	1	1	18	47	13	24

TABLE 21—continued.

Causes of Death.	123 (a) Diverticulitis.		123 (b) Other diseases included under 123.		124 Cirrhosis of the liver.		124 (a) With mention of alcoholism.		124 (b) Without mention of alcoholism.		125 Other diseases of the liver.		125 (a) Acute yellow atrophy (not associated with pregnancy).		125 (b) Other diseases included under 125.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	236	275	128	127	497	274	45	11	452	263	173	242	35	55	138	187
0—	—	—	7	6	—	—	—	—	—	—	11	17	2	—	9	17
1—	—	—	1	1	—	1	—	—	—	1	7	5	3	—	4	5
5—	—	—	—	—	—	—	—	—	—	—	3	6	2	—	1	6
10—	—	—	—	—	2	3	—	—	2	3	2	6	1	2	1	4
15—	—	—	—	—	2	3	—	—	2	3	4	12	—	7	4	5
20—	—	—	—	2	—	2	—	—	—	2	9	13	3	1	6	12
25—	1	—	1	4	2	7	—	—	2	7	6	21	—	6	6	15
30—	—	2	2	1	2	6	—	—	2	6	7	25	2	8	5	17
35—	4	3	1	2	14	8	—	—	14	8	12	21	4	5	8	16
40—	5	6	3	3	16	10	—	—	16	10	12	16	4	3	8	13
45—	7	13	6	4	32	20	2	3	30	21	17	16	3	6	14	10
50—	19	17	8	8	61	24	6	3	55	21	14	13	2	6	12	7
55—	27	31	11	6	70	35	9	2	61	33	14	15	2	1	12	14
60—	35	33	19	14	86	50	9	—	77	50	12	13	1	4	11	9
65—	50	56	13	9	89	44	12	—	77	44	15	16	2	3	13	13
70—	34	44	20	18	73	31	5	3	68	28	16	10	4	2	12	8
75—	37	40	18	16	35	16	1	—	34	16	7	10	—	1	7	9
80—	12	23	10	16	10	10	1	—	9	10	4	2	—	—	4	2
85—	5	7	8	17	3	4	—	—	3	4	1	5	—	—	1	5

Causes of Death.	126 Biliary calculi.		127 Other diseases of the gall-bladder and bile ducts.		127 (a) Cholecystitis without record of biliary calculi.		127 (b) Other diseases included under 127		128 Diseases of the pancreas (other than diabetes).		129 Peritonitis without stated cause.		X. 130-139 Diseases of the Urinary and Genital Systems.†		130-132 Nephritis (all forms).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	207	580	220	581	179	499	41	82	139	173	84	76	12983	7422	6300	6168
0—	—	—	4	1	—	—	4	1	2	1	15	2	75	49	25	17
1—	—	—	5	2	—	—	5	2	1	3	12	6	38	34	25	29
5—	—	—	—	2	—	—	—	2	—	1	3	5	36	31	33	23
10—	—	—	1	1	—	—	1	1	—	—	1	3	33	43	30	42
15—	—	—	1	3	1	—	—	3	—	—	5	1	65	65	59	57
20—	—	2	—	3	—	—	—	3	1	1	—	1	94	133	87	98
25—	—	1	1	5	—	4	1	1	1	3	—	2	114	104	103	83
30—	—	4	3	5	3	2	—	3	2	1	—	4	144	206	124	155
35—	4	11	5	9	3	6	2	3	2	7	—	4	203	212	166	147
40—	2	14	2	21	—	15	2	6	12	7	3	4	240	317	191	231
45—	8	20	8	13	7	9	1	4	11	8	5	5	377	362	315	267
50—	15	38	11	35	10	28	1	7	23	14	5	8	553	474	424	363
55—	27	60	22	49	19	43	3	6	13	27	4	4	804	582	551	483
60—	23	80	25	62	23	59	2	3	20	28	10	6	1258	825	705	687
65—	47	96	43	82	33	70	10	12	19	30	6	8	1910	945	865	806
70—	37	98	42	90	37	83	5	7	16	20	10	5	2380	1015	927	901
75—	25	72	20	105	20	93	—	12	13	10	2	3	2330	903	856	799
80—	15	54	16	64	13	61	3	3	3	10	2	5	1524	700	529	620
85—	4	30	11	29	10	26	1	3	—	2	1	—	805	422	285	360

† Not Venereal or connected with Pregnancy or the Puerperium.

TABLE 21—continued.

Causes of Death.	130 Acute nephritis.		131 Chronic nephritis.		131 (a) Secondary to acute nephritis.		131 (b) Arterio-sclerotic kidney.		131 (c) Chronic nephritis not otherwise specified.		132 Nephritis not stated to be acute or chronic (over 10 years of age).		133 Other diseases of the kidneys and ureters.		133 (a) Pyelitis, pyelo-nephritis, pyelocystitis.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	392	357	5482	5459	176	193	3191	3152	2115	2114	426	352	496	535	418	457
0—	25	17	—	—	—	—	—	—	—	—	—	—	35	29	34	29
1—	19	22	6	7	4	1	—	3	2	3	—	—	9	4	6	3
5—	20	14	13	9	2	—	—	3	11	6	—	—	3	7	2	5
10—	13	20	15	22	5	6	3	—	7	16	2	—	3	1	3	1
15—	16	17	38	40	5	6	5	12	28	22	5	—	4	1	2	1
20—	15	25	65	70	6	7	9	15	50	48	7	3	4	13	3	10
25—	13	16	88	63	9	7	23	17	56	39	2	4	9	9	8	8
30—	21	22	96	125	10	8	26	50	60	67	7	8	7	16	6	14
35—	22	14	137	128	6	9	51	50	80	69	7	5	21	20	16	15
40—	25	23	157	198	9	17	63	87	85	94	9	10	25	32	20	26
45—	30	20	267	233	14	11	124	115	129	107	18	14	16	39	12	31
50—	42	25	355	326	10	17	213	166	132	143	27	12	34	42	27	36
55—	34	28	480	428	24	17	274	209	182	202	37	27	35	39	28	36
60—	26	26	649	612	17	18	398	312	234	282	30	49	61	55	53	45
65—	27	24	774	743	24	23	453	445	297	275	64	39	71	60	58	52
70—	15	22	846	818	17	25	535	526	294	267	66	61	73	61	61	54
75—	16	13	773	738	9	9	505	508	259	221	67	48	55	51	52	42
80—	8	5	477	570	5	9	332	390	140	171	44	45	18	37	15	32
85—	5	4	246	329	—	3	177	244	69	82	34	27	13	19	12	17

Causes of Death.	133 (b) Other diseases included under 133.		134 Calculi of the urinary passages.		134 (a) Calculi of kidneys and ureters.		134 (c)* 134 (b) Calculi of the bladder.		135 Diseases of the bladder.		135 (a) Cystitis.		135 (b) Other diseases of the bladder.		136 Diseases of the urethra, urinary abscess, etc.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	78	78	228	150	154	142	72	6	321	220	231	183	90	37	210	2
0—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
1—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	—	2	2	—	2	2	—	—	—	—	—	—	—	—	—
20—	1	3	2	8	2	8	—	—	1	2	1	2	—	—	—	—
25—	1	1	1	1	1	1	—	—	1	1	—	1	—	—	1	—
30—	1	2	10	5	9	5	1	—	1	5	1	2	—	3	1	—
35—	5	5	13	9	13	9	—	—	2	5	1	4	1	1	1	—
40—	5	6	14	14	11	12	3	2	5	10	3	7	2	3	4	—
45—	4	8	21	12	19	12	2	—	6	5	2	4	4	1	10	—
50—	7	6	30	19	25	19	4	—	10	6	7	3	3	3	10	—
55—	7	3	24	19	16	17	8	2	23	12	14	9	9	3	29	1
60—	8	10	26	20	16	19	10	1	27	23	20	18	7	5	26	—
65—	13	8	30	19	22	17	7	1	48	23	32	18	16	5	48	1
70—	12	7	28	9	10	9	18	—	64	26	46	25	18	1	51	—
75—	3	9	16	5	6	5	10	—	49	35	38	32	11	3	16	—
80—	3	5	7	3	3	3	4	—	46	32	35	28	11	4	8	—
85—	1	2	4	5	1	4	3	—	39	34	31	29	8	5	5	—

* 134 (c), Calculi of unstated site 50, 65, 65, 85.

TABLE 21—*continued.*

Causes of Death.	136 (a) Stricture of the urethra.		136 (b) Other diseases of the urethra, etc.		137 Diseases of the prostate.	137 (a) Hyper-trophy of prostate.	137 (b) Other diseases included under 137.	138 Diseases of other male genital organs.	139 Diseases of the female genital organs.	139 (a) Diseases of the ovaries, Fallopian tubes and parametria.
Ages at Death.	M.	F.	M.	F.	M.	M.	M.	M.	F.	F.
All Ages	195	1	15	1	5384	5195	189	44	347	127
0—	—	—	—	—	—	—	—	15	2	—
1—	—	—	—	—	—	—	—	4	1	—
5—	—	—	—	—	—	—	—	—	1	1
10—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	5	4
20—	—	—	—	—	—	—	—	—	12	12
25—	—	—	1	—	—	—	—	—	10	5
30—	1	—	—	—	1	—	1	—	25	17
35—	1	—	—	—	—	—	—	—	31	21
40—	4	—	—	—	1	1	—	—	30	11
45—	9	—	1	—	8	6	2	1	39	19
50—	9	—	1	—	43	41	2	2	44	11
55—	26	1	3	—	137	127	10	5	28	6
60—	25	—	1	—	411	398	13	2	40	12
65—	43	—	5	1	846	826	20	2	36	3
70—	50	—	1	—	1235	1206	29	2	18	2
75—	15	—	1	—	1332	1260	72	6	13	3
80—	7	—	1	—	911	887	24	5	8	—
85—	5	—	—	—	459	443	16	—	4	—

Causes of Death.	139 (a) (1) Diseases of the ovaries.	139 (a) (2) Diseases of the Fallopian tubes.	139 (a) (3) Diseases of the parametria.	139 (b) Diseases of the uterus.	139 (c) Diseases of the breast.	139 (d) Other diseases included under 139.	XI. 140-150 Diseases of Pregnancy, Childbirth and the Puerperal State.	140 Post-abortive infection.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	13	89	25	192	6	22	1257	173
0—	—	—	—	—	2	—	—	—
1—	—	—	—	—	—	1	—	—
5—	—	1	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	3	1	—	—	1	25	2
20—	1	9	2	—	—	—	192	27
25—	1	2	2	5	—	—	262	45
30—	—	15	2	8	—	—	315	54
35—	—	19	2	10	—	—	311	36
40—	1	6	4	17	—	2	133	9
45—	5	13	1	20	—	—	15	—
50—	2	8	1	29	2	2	—	—
55—	—	2	4	18	—	4	2	—
60—	1	9	2	24	1	3	1	—
65—	1	—	2	28	—	5	1	—
70—	—	2	—	14	—	2	—	—
75—	1	—	2	9	1	—	—	—
80—	—	—	—	7	—	1	—	—
85—	—	—	—	3	—	1	—	—

TABLE 21—continued.

Causes of Death.	140 (a) Spontaneous, therapeutic or of unspecified origin.	140(aa)* 140 (ab) Without mention of pyelitis.	140 (b) Abortion induced for reasons other than therapeutic.	140 (ba) By the woman herself	140 (bb) By other persons.	140 (bc) By persons unstated.	141 Abortion without mention of septic conditions.	141 (a) Spontaneous, therapeutic or of unspecified origin.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	110	108	63	26	21	16	59	50
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	2	2	—	—	—	—	1	—
20—	13	12	14	3	7	4	9	8
25—	28	28	17	6	7	4	15	12
30—	36	35	18	10	2	6	9	8
35—	25	25	11	7	3	1	20	18
40—	6	6	3	—	2	1	5	4
45—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85—	—	—	—	—	—	—	—	—

* 140 (aa), With mention of pyelitis 20, 30.

Causes of Death.	141 (aa) With record of hæmorrhage, trauma or shock.	141 (aa) (1)* 141 (aa) (2) Other conditions included under 141 (aa).	141 (ab) Without record of hæmorrhage, trauma or shock.	141 (ab) (1) With toxæmia of pregnancy preceding abortion.	141 (ab) (2) Other conditions included under 141 (ab)	141 (b) Abortion (non-septic) induced for reasons other than therapeutic.	141 (ba) By the woman herself.	141 (bb) (bc) * 142 Ectopic gestation.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	32	30	18	15	3	9	5	37
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	1	—	—
20—	5	5	3	3	—	1	—	1
25—	8	8	4	4	—	3	3	6
30—	7	6	1	1	—	1	1	12
35—	9	8	9	6	3	2	1	13
40—	3	3	1	1	—	1	—	5
45—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85—	—	—	—	—	—	—	—	—

* 141 (aa) (1), With toxæmia of pregnancy preceding abortion 30, 35; 141 (bb), By other persons 15, 40; 141 (bc), By persons unstated 20, 35.

TABLE 21—*continued.*

Causes of Death.	143 Hæmorrhage of pregnancy.	143 (a) Placenta prævia.	143 (b) Premature separation of placenta and other accidental hæmorrhage.	143 (c) Other and unspecified hæmorrhages of pregnancy.	144 Toxæmias of pregnancy.	144 (a) Eclampsia of pregnancy.	144 (b) Albuminuria and nephritis of pregnancy.	144 (c) Acute yellow atrophy of liver associated with pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	18	6	8	4	84	52	11	7
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	5	3	—	—
20—	1	1	—	—	19	10	4	3
25—	3	1	1	1	16	13	—	3
30—	1	1	—	—	15	10	2	—
35—	6	2	3	1	21	12	4	1
40—	6	1	3	2	8	4	1	—
45—	1	—	1	—	—	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85—	—	—	—	—	—	—	—	—

Causes of Death.	144 (d) Other diseases included under 144.	145 Other diseases and accidents of pregnancy.	146 Hæmorrhage of childbirth and the puerperium.	146 (a) Placenta prævia (with childbirth).	146 (b) Premature separation of placenta (with childbirth.)	146 (c) Other hæmorrhages of childbirth.	146 (d) Other hæmorrhages after childbirth.	147 Infection during childbirth and the puerperium.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	14	34	176	42	8	8	118	167
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	2	—	3	1	—	—	2	5
20—	2	7	30	1	4	—	25	21
25—	—	3	34	6	2	3	23	38
30—	3	13	41	12	1	1	27	46
35—	4	5	49	14	1	4	30	31
40—	3	5	16	7	—	—	9	23
45—	—	1	3	1	—	—	2	3
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85—	—	—	—	—	—	—	—	—

TABLE 21—*continued.*

Causes of Death.	147 (a) General or local puerperal infections with mention of pyelitis.	147 (b) General or local puerperal infections without mention of pyelitis.	147 (c) Puerperal thrombophlebitis.	147 (d) Puerperal embolism and sudden death.	148 Puerperal toxæmias.	148 (a) Puerperal eclampsia.	148 (b) Puerperal albuminuria and nephritis.	148 (c) Acute yellow atrophy of liver (post partum).
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	5	76	47	39	237	104	66	50
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	3	2	—	4	4	—	—
20—	1	10	5	5	47	23	6	12
25—	2	19	5	12	47	19	10	16
30—	—	21	17	8	53	22	18	11
35—	1	12	11	7	52	20	17	10
40—	1	10	6	6	29	15	11	1
45—	—	1	1	1	4	1	3	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	1	—	1	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85—	—	—	—	—	—	—	—	—

Causes of Death.	148 (d) Other puerperal toxæmias.	149 Other accidents of childbirth.	149 (a) Laceration etc. of pelvic organs without hæmorrhage.*	149 (b) Other conditions included under 149.	150 Other or unspecified conditions of childbirth and the puerperal state.	150 (a) Mastitis during the puerperium and lactation.	150 (b) Puerperal psychoses.	150 (c) Other conditions included under 150.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	17	253	159	94	19	5	4	10
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	5	3	2	—	—	—	—
20—	6	26	15	11	4	1	1	2
25—	2	49	30	19	6	2	2	2
30—	2	70	42	28	1	—	—	1
35—	5	72	44	28	6	2	1	3
40—	2	25	19	6	2	—	—	2
45—	—	3	3	—	—	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	1	1	—	—	—	—	—
60—	—	1	1	—	—	—	—	—
65—	—	1	1	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85—	—	—	—	—	—	—	—	—

* * The full title according to the detailed International List 149 (a), Laceration, rupture or other trauma of pelvic organs (without mention of hæmorrhage).

TABLE 21—continued.

Causes of Death.	XII. 151-153 Diseases of the skin and cellular tissue.		151 Carbuncle, boils.		152 Cellulitis, acute abscess.		153 Other diseases of the skin and cellular tissue.		XIII. 154-156 Diseases of the Bones and Organs of Movement.		154 Osteomyelitis and periostitis.		155 Other diseases of the bones.		156 Diseases of the joints and other organs of movement.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	450	440	128	87	111	113	211	240	319	254	136	96	63	56	120	102
0—	80	65	4	4	21	18	55	43	6	10	5	9	—	—	1	1
1—	9	8	1	—	1	2	7	6	6	11	5	9	1	—	—	2
5—	3	1	2	—	1	1	—	—	16	9	14	7	1	1	1	1
10—	4	3	2	—	1	2	1	1	17	8	8	5	1	—	8	3
15—	5	5	3	2	—	—	2	3	20	5	10	4	3	—	7	1
20—	5	9	2	4	3	2	—	3	12	8	8	3	—	—	4	5
25—	4	8	—	4	2	2	2	2	12	8	5	4	1	—	6	4
30—	5	11	3	3	1	2	1	6	9	9	5	4	—	—	4	5
35—	16	9	7	2	3	4	6	3	8	12	4	4	1	—	3	8
40—	16	18	8	5	6	5	2	8	14	13	6	6	—	1	8	6
45—	11	16	8	6	3	2	—	8	14	7	9	3	—	1	5	3
50—	27	28	11	7	6	13	10	8	16	11	6	5	1	2	9	4
55—	30	26	11	10	8	8	11	8	24	17	9	5	5	2	10	10
60—	35	35	11	6	9	9	15	20	32	27	10	8	10	4	12	15
65—	51	38	20	4	12	12	19	22	38	25	9	2	13	13	16	10
70—	51	41	14	11	14	13	23	17	43	20	12	5	18	9	13	6
75—	52	53	13	8	12	11	27	34	13	22	5	4	3	11	5	7
80—	30	39	7	8	4	3	19	28	11	20	5	4	2	8	4	8
85—	16	27	1	3	4	4	11	20	8	12	1	5	3	4	4	3

Causes of Death.	156 (a) Diseases of the joints.		156 (b) Diseases of other organs of movement.		156 (b) (1) Diseases of muscles.		156 (b) (2) Other diseases included under 156 (b).		XIV. 157 Congenital Malformations.		157 (a) Congenital hydrocephalus.		157 (b) Spina bifida and meningocele.		157 (c) Congenital malformation of heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	58	41	62	61	43	47	19	14	2761	2381	171	111	435	676	949	727
0—	1	1	—	—	—	—	—	—	2092	1782	120	77	408	647	740	542
1—	—	2	—	—	—	—	—	—	165	121	27	15	13	20	59	45
5—	1	1	—	—	—	—	—	—	59	56	4	3	3	2	27	28
10—	2	1	6	2	6	2	—	—	49	35	4	—	1	—	21	20
15—	2	—	5	1	5	—	—	1	42	33	4	2	2	—	16	20
20—	—	—	4	5	3	4	1	1	41	36	3	3	3	—	20	16
25—	2	—	4	4	4	4	—	—	30	28	2	—	—	2	12	11
30—	1	1	3	4	2	3	1	1	29	38	1	4	—	2	12	11
35—	—	4	3	4	—	3	3	1	41	30	1	1	2	1	10	8
40—	4	3	4	3	1	3	3	—	44	36	1	2	1	1	12	8
45—	2	—	3	3	1	3	2	—	46	38	2	1	—	—	5	6
50—	6	1	3	3	2	3	1	—	37	33	—	1	1	—	2	5
55—	3	4	7	6	4	4	3	2	25	30	—	1	—	—	3	2
60—	7	6	5	9	4	8	1	1	21	29	—	—	—	—	5	1
65—	11	5	5	5	4	2	1	3	20	26	1	1	—	—	5	2
70—	8	3	5	3	3	2	2	1	12	17	1	—	—	1	—	2
75—	3	4	2	3	2	2	—	1	4	8	—	—	1	—	—	—
80—	3	3	1	5	1	4	—	1	4	5	—	—	—	—	—	—
85—	2	2	2	1	1	—	1	1	—	—	—	—	—	—	—	—

[illegible][illegible]

TABLE 21—continued.

Causes of Death.	160 (a) Intra-cranial or spinal haemorrhage due to in- jury at birth.		160 (b) Other intra- cranial or spinal injuries at birth.		160 (c) Other birth injuries.		161 Other diseases peculiar to the first year of life.		161 (a) Asphyxia during or after birth, atelectasis.		161 (b) Intoxica- tion due to maternal toxæmia.		161 (c) Infections of the newborn.		161 (c) (1) Infections of the umbilicus.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	844	471	50	21	260	176	1907	1228	1154	750	166	113	76	49	20	16
0—	844	471	50	21	260	176	1907	1228	1154	750	166	113	76	49	20	16
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	161 (c) (2) Pemphigus neonatorum.		161 (c) (3) Other or unspecified infections included under 161 (c).		161 (d) Melana neo- natorum.		161 (e)* Other specified diseases included under 161.		XVI. 162 Senility, old age.		162 (a) Old age.		162 (b) Senility with mention of senile dementia.		162 (c) Senility without mention of senile dementia.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	21	18	35	15	163	103	348	213	6635	10347	144	282	224	515	6267	9550
0—	21	18	35	15	163	103	348	213	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
55—	—	—	—	—	—	—	—	—	4	4	—	—	4	4	—	—
60—	—	—	—	—	—	—	—	—	12	29	—	—	10	21	2	8
65—	—	—	—	—	—	—	—	—	152	183	4	1	25	39	123	143
70—	—	—	—	—	—	—	—	—	778	925	9	17	45	102	724	806
75—	—	—	—	—	—	—	—	—	1674	2076	31	33	57	128	1586	1915
80—	—	—	—	—	—	—	—	—	2113	3169	46	68	54	130	2013	2971
85—	—	—	—	—	—	—	—	—	1902	3960	54	163	29	90	1819	3707

* 161 (e) (1), Haemolytic diseases of the newborn: Males 311; Females 185.

161 (e) (2), Other diseases included under 161 (e): Males 37; Females 28.

TABLE 21—continued.

Causes of Death.	XVII. 163-198 Deaths from violence.		Suicide.													
			163-164 Total.		163 By poisoning.		163 (a) By solid or liquid toxic or corrosive substances.		163 (aa) By corrosive substances.		163 (ab) By anal- gesic and narcotic drugs.		163 (ab) (1) By analgesic drugs.		163 (ab) (2) By narcotic drugs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	12401	8278	2238	1432	914	866	170	181	60	67	29	41	23	36	6	5
0—	555	457	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	705	457	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	779	349	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	510	177	6	1	1	—	—	—	—	—	—	—	—	—	—	—
15—	628	199	39	14	17	8	3	2	—	—	—	—	—	—	—	—
20—	369	225	39	40	15	24	4	8	1	2	1	2	1	1	—	1
25—	329	267	66	69	30	46	12	12	1	4	2	4	2	4	—	—
30—	506	293	94	107	46	76	8	15	5	3	1	5	1	5	—	—
35—	637	319	136	127	63	76	16	16	7	7	3	5	2	4	1	1
40—	726	369	166	138	69	81	11	22	4	6	—	7	—	5	—	2
45—	790	409	221	158	104	90	19	17	5	7	6	1	4	1	2	—
50—	858	410	238	174	98	111	19	20	5	5	4	5	4	5	—	—
55—	902	436	265	167	111	98	24	24	10	9	4	5	3	5	1	—
60—	965	518	281	166	101	99	16	21	5	13	1	3	1	2	—	1
65—	931	555	255	118	103	65	17	10	7	3	4	2	4	2	—	—
70—	804	691	213	88	80	58	9	9	3	4	—	1	—	1	—	—
75—	675	788	140	46	53	23	10	4	5	3	3	1	1	1	2	—
80—	445	641	60	10	14	7	2	1	2	1	—	—	—	—	—	—
85—	287	718	19	9	9	4	—	—	—	—	—	—	—	—	—	—

Causes of Death.	Suicide.															
	163 (ac) By soporific drugs.		163 (ad) By other solid or liquid poisons.		163 (b) By poisonous gas.		163 (ba) By coal gas.		163 (bb) By motor exhaust gases.		163 (bc) By other poisonous gas.		164 Other forms of suicide.		164 (a) By hanging or strangulation.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	41	61	32	744	685	732	683	5	1	7	1	1324	566	483	130
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
15—	1	1	2	1	14	6	14	5	—	1	—	—	5	1	3	—
20—	1	—	1	4	11	16	11	16	—	—	—	—	24	16	10	1
25—	2	3	7	1	18	34	17	34	1	—	—	—	36	23	12	4
30—	1	5	1	2	38	61	36	61	1	—	1	—	48	31	20	9
35—	2	4	4	—	47	60	47	60	—	—	—	—	73	51	28	8
40—	—	7	7	2	58	59	58	59	—	—	—	—	97	57	33	16
45—	3	5	5	4	85	73	83	72	—	—	2	1	117	68	41	18
50—	2	3	8	7	79	91	75	91	1	—	3	—	140	63	54	14
55—	4	6	6	4	87	74	86	74	1	—	—	—	154	69	65	18
60—	3	4	7	1	85	78	84	78	1	—	—	—	180	67	69	16
65—	1	1	5	4	86	55	86	55	—	—	—	—	152	53	45	8
70—	—	2	6	2	71	49	70	49	—	—	1	—	133	30	47	10
75—	—	—	2	—	43	19	43	19	—	—	—	—	87	23	29	6
80—	—	—	—	—	12	6	12	6	—	—	—	—	46	3	13	1
85—	—	—	—	—	9	4	9	4	—	—	—	—	10	5	4	1

TABLE 21—continued.

Causes of Death.	Suicide															
	164 (b) By drowning.		164 (c) By firearms and explosives.		164 (d) By cutting or piercing instruments.		164 (e) By jumping from high places.		164 (f) By crushing.		164 (fa) On railways.		164 (fb) Other suicide by crushing.		164 (g) By other or unspecified means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	295	267	184	22	222	41	52	61	85	36	80	32	5	2	3	11
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	3	8	2	—	—	—	—	4	1	4	1	—	—	—	—
20—	5	5	6	2	—	—	2	3	1	4	—	4	1	—	—	1
25—	6	11	13	1	1	—	1	2	3	2	3	2	—	—	—	3
30—	4	11	9	2	6	1	3	3	6	4	5	4	1	—	—	1
35—	15	26	18	2	6	1	1	8	5	4	5	4	—	—	—	2
40—	23	26	24	4	9	1	6	3	2	5	2	5	—	—	—	2
45—	21	31	19	2	19	6	3	8	13	3	13	3	—	—	1	—
50—	44	32	13	1	18	6	3	6	8	4	8	4	—	—	—	—
55—	23	34	24	1	32	5	4	7	6	4	6	2	—	2	—	—
60—	48	32	14	3	28	7	8	7	13	2	11	2	2	—	—	—
65—	37	33	14	1	36	6	6	4	13	1	13	—	—	—	1	1
70—	34	12	7	—	33	6	5	2	6	—	6	—	—	—	1	—
75—	23	9	8	—	18	1	5	5	4	2	3	1	1	—	—	1
80—	8	—	5	—	15	—	4	2	1	—	1	—	—	—	—	—
85—	4	2	—	—	1	1	1	1	—	—	—	—	—	—	—	—

Causes of Death.	Homicide.															
	165-168 Total.		165* 166 By firearms.		167 By cutting or piercing instruments.		168 By other or unspecified means.		169-195† Accidental deaths.		169 Railway accidents.‡		170 Motor vehicle accidents.‡		170 (a) Collisions with trains.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	121	131	15	15	13	16	57	73	8836	5513	438	67	2529	1069	17	1
0—	36	27	—	—	—	—	—	—	503	416	—	—	4	3	—	—
1—	9	14	—	3	—	—	9	11	629	400	16	13	220	116	—	—
5—	5	7	1	1	—	—	4	6	714	284	30	2	348	159	—	—
10—	2	5	—	—	—	—	2	5	418	124	12	2	154	56	1	—
15—	4	6	2	—	1	1	1	5	520	106	21	2	157	49	1	—
20—	7	9	1	1	3	2	3	6	289	101	11	3	101	37	—	1
25—	6	15	3	4	1	4	2	7	219	109	15	7	74	39	1	—
30—	7	8	1	3	3	—	3	5	336	96	10	3	117	33	—	—
35—	5	6	—	—	—	2	5	4	423	103	28	4	116	33	4	—
40—	4	6	1	—	—	2	3	4	468	120	45	7	131	39	2	—
45—	4	6	—	1	1	2	3	3	453	140	35	6	132	44	3	—
50—	9	8	—	—	1	2	8	6	477	134	44	2	124	44	2	—
55—	6	3	1	1	1	—	4	2	531	183	56	3	134	64	1	—
60—	6	2	3	—	—	—	3	2	573	273	56	1	159	72	—	—
65—	5	6	—	—	1	1	4	5	594	358	36	2	167	72	—	—
70—	5	—	1	—	1	—	3	—	544	546	14	5	180	79	2	—
75—	1	2	1	—	—	—	—	2	512	707	7	1	115	69	—	—
80—	—	—	—	—	—	—	—	—	369	612	2	2	65	40	—	—
85—	—	1	—	1	—	—	—	—	264	701	—	2	31	21	—	—

* 165, Infanticide. The deaths classed to this heading were Males 36, Females 27.

† The deaths under these headings include those assigned to the Occupational sub-division (2) thereof details of which will be found on page 280. The full title according to the detailed International List is 169-195, Accidental deaths (or deaths not known to be due to suicide or homicide).

‡ Any cause of death except war.

TABLE 21—continued.

Causes of Death.	170 (b)* 170 (c) Other accidents included under 170.		171 Other road transport accidents.†		171 (a) Tramway accidents on roads.		171 (b) Other accidents included under 171.		172 Water transport accidents.†		173 Air transport accidents.†		174 Accidents in mines and quarries.†		175 Agricultural and forestry accidents (any cause of death).	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2512	1068	287	120	43	29	244	91	151	2	23	1	546	2	152	9
0—	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	220	116	8	4	2	2	6	2	—	—	—	—	3	—	2	3
5—	348	159	11	3	1	—	10	3	4	—	—	—	2	—	10	—
10—	153	56	15	5	—	—	15	5	4	—	—	—	7	—	7	—
15—	156	49	19	9	1	1	18	8	26	—	2	—	35	1	8	1
20—	101	36	13	10	—	—	13	9	11	1	5	—	35	—	9	2
25—	73	39	5	8	1	3	4	5	13	—	4	1	30	—	4	1
30—	117	33	9	5	2	3	7	2	14	—	6	—	47	—	14	—
35—	112	33	16	6	2	1	14	5	13	—	2	—	64	—	11	—
40—	129	39	16	5	3	—	13	5	14	—	—	—	67	—	13	—
45—	129	44	22	6	3	1	19	5	13	—	1	—	65	—	9	1
50—	122	44	20	2	6	1	14	1	16	—	2	—	63	—	6	—
55—	133	64	27	3	4	—	23	3	10	—	—	—	52	—	12	—
60—	159	72	27	7	3	3	24	4	9	—	—	—	51	—	6	1
65—	167	72	36	9	2	4	34	5	2	—	1	—	21	1	18	—
70—	178	79	19	14	4	4	15	10	1	1	—	—	4	—	11	—
75—	115	69	10	13	3	5	7	8	1	—	—	—	—	—	9	—
80—	65	40	13	7	6	—	7	7	—	—	—	—	—	—	2	—
85—	31	21	1	4	—	—	1	4	—	—	—	—	—	—	1	—

* 170 (b), Collisions with trams, —.

† Any cause of death except war.

Causes of Death.	175 (a) Accidents from farm, etc., machinery and vehicles.		175 (b) Injury by animals in farming, etc.		175 (ba) (bb)* 175 (c) Other accidents included under 175.		176 Accidents caused by machinery (any cause of death).		177 Food poisoning.		178 Accidental absorption of poisonous gas.†		179 Other acute accidental poisoning (not by gas).†		180 Conflagration.†	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	92	7	22	1	38	1	151	10	15	11	209	204	75	83	48	46
0—	—	—	—	—	—	—	—	—	—	—	4	3	1	3	4	3
1—	—	2	2	1	—	—	—	2	1	—	5	6	14	11	7	9
5—	9	—	—	—	1	—	—	—	1	—	4	7	—	1	8	3
10—	5	—	—	—	2	—	7	—	—	—	4	3	—	1	1	1
15—	6	1	1	—	1	—	16	2	1	—	4	3	2	—	—	1
20—	8	2	—	—	1	—	7	2	—	—	5	4	5	5	—	2
25—	2	1	—	—	2	—	6	—	—	—	3	5	2	6	1	2
30—	12	—	—	—	2	—	5	1	—	1	6	4	2	7	2	2
35—	8	—	3	—	—	—	21	1	—	—	7	7	9	4	2	1
40—	8	—	2	—	3	—	22	1	2	1	11	8	9	7	—	2
45—	5	—	1	—	3	1	19	1	3	1	8	7	7	7	1	3
50—	4	—	—	—	2	—	15	—	—	—	19	7	9	6	—	1
55—	4	—	2	—	6	—	11	—	1	1	12	13	2	5	2	2
60—	3	1	—	—	3	—	9	—	1	3	13	10	1	7	7	3
65—	9	—	3	—	6	—	8	—	3	—	18	19	1	3	4	1
70—	4	—	4	—	3	—	3	—	1	2	31	26	6	5	5	3
75—	4	—	3	—	2	—	2	—	1	2	32	35	2	2	3	2
80—	—	—	1	—	1	—	—	—	—	—	17	14	2	2	1	3
85—	1	—	—	—	—	—	—	—	—	—	5	23	1	1	—	2

* 175 (ba) By venomous animals —; 175 (bb), By other animals, see 175 (b).

† Except deaths classed under headings Nos. 169-176, 196, 197.

TABLE 21—continued.

Causes of Death.	181 Accidental burns (conflagra- tion excepted).‡		182 Accidental mechanical suffoca- tion.‡		183 Accidental drowning.‡		184 Accidental injury by firearms.‡		185 Accidental injury by cutting or piercing instruments.‡		186 Accidental injury by fall, crushing, landslide, etc.‡		187* 188 Injury by animals.*		189 Hunger or thirst.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages:	344	630	426	304	1030	235	86	16	7	5	1797	2410	17	7	6	2
0—	18	23	349	251	4	5	—	—	—	1	10	5	1	—	1	—
1—	105	134	21	14	156	41	2	1	—	1	36	28	3	1	—	—
5—	25	62	3	2	189	25	1	1	1	1	46	8	5	2	—	—
10—	13	17	4	—	103	21	10	2	—	—	36	9	1	1	—	—
15—	9	9	5	1	116	10	25	2	1	—	40	11	—	—	—	—
20—	—	7	2	1	46	7	7	3	1	—	19	9	—	—	—	—
25—	3	8	2	3	24	9	3	3	—	—	16	5	—	—	—	—
30—	10	6	2	2	25	7	5	2	—	1	39	13	—	—	—	—
35—	8	9	4	1	28	11	7	1	—	1	67	9	—	—	—	—
40—	8	9	2	6	31	8	3	—	—	—	66	20	—	—	1	—
45—	3	17	8	3	32	11	6	—	1	—	65	21	1	—	—	—
50—	7	12	4	5	39	13	7	—	1	—	72	34	—	1	—	—
55—	15	17	3	—	50	10	3	—	—	—	112	56	2	—	—	1
60—	15	30	6	6	46	15	1	—	—	—	134	107	—	—	1	1
65—	18	33	2	2	47	21	3	1	1	—	177	178	2	1	1	—
70—	24	58	4	—	44	13	1	—	—	—	179	331	—	—	1	—
75—	24	77	2	5	27	4	1	—	—	—	269	490	1	—	—	—
80—	24	52	2	1	16	1	1	—	1	—	216	486	—	1	1	—
85—	15	50	1	1	7	3	—	—	—	—	198	590	1	—	—	—

* 187. Cataclysm (any cause of death) —.

‡ Except deaths classed under headings Nos. 169–176, 196, 197.

Causes of Death.	190 Excessive cold.‡		191 Excessive heat.‡		192 Lightning.		193 Other accidents due to electric currents.‡		194 Attack by venomous animals.		195 Other accidents.		195 (a) (1) Vaccinia.		195 (a) (2), (b)* 195 (c) Lack of care of the newborn.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages:	12	3	2	4	6	1	47	20	5	1	428	251	4	2	88	107
0—	—	—	—	1	—	—	1	—	—	—	106	118	4	2	88	107
1—	—	—	—	—	—	—	6	3	1	1	23	13	—	—	—	—
5—	—	—	—	—	—	—	4	2	—	—	22	6	—	—	—	—
10—	—	—	—	—	2	—	8	2	1	—	29	3	—	—	—	—
15—	—	—	—	—	—	—	8	2	—	—	25	3	—	—	—	—
20—	—	—	1	—	—	—	2	1	—	—	9	7	—	—	—	—
25—	—	—	—	—	—	—	5	2	—	—	9	10	—	—	—	—
30—	—	—	1	—	—	1	1	2	—	—	21	6	—	—	—	—
35—	—	1	—	—	—	—	6	1	—	—	14	13	—	—	—	—
40—	1	—	—	—	4	—	1	1	1	—	20	6	—	—	—	—
45—	—	—	—	—	—	—	2	2	—	—	20	10	—	—	—	—
50—	—	—	—	—	—	—	—	1	—	—	29	6	—	—	—	—
55—	1	—	—	—	—	—	2	—	1	—	23	8	—	—	—	—
60—	3	—	—	—	—	—	1	—	—	—	27	10	—	—	—	—
65—	1	—	—	1	—	—	—	—	1	—	26	14	—	—	—	—
70—	3	1	—	1	—	—	—	1	—	—	13	6	—	—	—	—
75—	1	1	—	1	—	—	—	—	—	—	5	5	—	—	—	—
80—	2	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—
85—	—	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—

* 195 (a) (2), Other sequelæ of vaccination against smallpox —; 195 (ba) Anæsthetic accidents —; 195 (bb), Other accidents due to medical or surgical intervention 15, 25, 25, 30, 35, 35.

‡ Except deaths classed under headings Nos. 169–176, 196, 197.

TABLE 21—continued.

Causes of Death.	195 (d) Other and unspecified accidents included under 195.†		196* 197-198 Other violent deaths.		197 Deaths of civilians due to operations of war.†		Deaths included in 197 resulting from previous wars.	198 Legal Executions.			XVIII 199-200 Ill-defined causes of death.	
	M.	F.	M.	F.	M.	F.		M.	F.		M.	F.
All Ages	335	137	1206	1202	1202	1202	107	4	—		327	233
0—	14	9	16	14	16	14	—	—	—		18	4
1—	23	13	67	43	67	43	—	—	—		4	6
5—	22	6	60	58	60	58	—	—	—		—	—
10—	29	3	84	47	84	47	—	—	—		2	—
15—	24	3	65	73	65	73	—	—	—		—	1
20—	9	7	34	75	34	75	—	—	—		1	1
25—	9	8	38	74	37	74	—	1	—		—	—
30—	21	5	69	82	67	82	—	2	—		2	—
35—	14	11	73	83	73	83	—	—	—		4	5
40—	20	6	88	105	87	105	1	1	—		12	4
45—	20	10	112	105	112	105	21	—	—		14	7
50—	29	6	134	94	134	94	31	—	—		13	1
55—	23	8	100	83	100	83	22	—	—		21	8
60—	27	10	105	77	105	77	19	—	—		49	30
65—	26	14	77	73	77	73	10	—	—		49	48
70—	13	6	42	57	42	57	1	—	—		63	42
75—	5	5	22	33	22	33	2	—	—		40	38
80—	4	3	16	19	16	19	—	—	—		24	25
85—	3	4	4	7	4	7	—	—	—		11	13

* 196, see page 281.

† Including wounds, etc. received in previous wars whether then in military service or not. See next column.

‡ Except deaths classed under headings Nos. 169-176, 196, 197.

Causes of Death.	199 Sudden death.		200 Causes of death unstated or ill-defined.		200 (a) Ill-defined causes.		200 (a) (1) Heart failure.		200 (a) (2) Other ill-defined causes.		200 (b) Found dead, cause unknown.		200 (c) Other deaths from unknown or unspecified cause.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	74	55	253	178	214	166	189	128	25	38	29	8	10	4
0—	2	1	16	3	5	—	1	—	4	—	7	3	4	—
1—	—	—	4	6	4	6	—	—	4	6	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	—	1	—	1	—	—	—	1	—	—	—	—	—
15—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	1	1	1	1	1	1	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	2	—	1	—	1	—	—	—	1	—	—	—
35—	1	1	3	4	1	2	1	2	—	—	2	1	—	1
40—	2	1	10	3	4	3	4	1	—	2	6	—	—	—
45—	2	2	12	5	9	4	8	4	1	—	3	1	—	—
50—	3	—	10	1	6	1	6	1	—	—	4	—	—	—
55—	7	2	14	6	13	6	10	6	3	—	1	—	—	—
60—	14	10	35	20	33	20	29	9	4	11	2	—	—	—
65—	14	12	35	36	31	34	29	27	2	7	2	—	2	2
70—	12	9	51	33	48	32	46	29	2	3	1	—	2	1
75—	13	10	27	28	27	28	25	25	2	3	—	—	—	—
80—	2	3	22	22	21	20	20	17	1	3	—	2	1	—
85—	1	3	10	10	9	9	8	6	1	3	—	1	1	—

TABLE 21A.—CAUSES OF DEATH OF NON-CIVILIANS at Different Age
Periods registered in 1945, classified according to (a)
the detailed International List and (b) the Abridged List.

England and Wales

(a) Full detailed List—MALES

International List No.	Cause of Death	All Ages	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65 and over
	All Causes	6642	526	2116	1203	1065	698	535	240	130	79	36	14
1	Typhoid fever	3	—	1	1	—	—	—	—	—	—	—	—
6	Cerebro-spinal (meningococcal) meningitis	26	8	6	—	4	1	4	2	—	—	1	—
8	Scarlet fever	2	1	—	—	—	—	—	—	—	—	—	—
10	Diphtheria	26	2	5	8	8	1	2	—	—	—	—	—
13-22	Tuberculosis (all forms)	452	62	130	81	62	55	38	14	9	1	—	—
13	Respiratory system	322	31	90	57	51	45	27	12	8	1	—	—
14	Meninges and central nervous system	62	20	20	11	4	3	—	—	—	—	—	—
15	Intestines and peritoneum	21	3	4	4	3	3	1	—	—	—	—	—
16	Vertebral column	7	1	1	3	—	1	1	—	—	—	—	—
17	Other bones and joints	1	—	—	1	—	—	—	—	—	—	—	—
19	Lymphatic system	1	—	—	—	—	—	—	—	—	—	—	—
20	Genito-urinary system	8	2	1	1	2	1	1	—	—	—	—	—
21a	Addison's disease specified as tuberculous	2	—	1	—	—	—	—	1	1	—	—	—
21b	Other sites included under 21	1	—	—	—	—	—	—	—	—	—	—	—
22a	Acute generalised miliary	12	3	5	1	1	—	2	—	—	—	—	—
22b	Chronic generalised	1	—	—	1	—	—	—	—	—	—	—	—
22c	Disseminated not distinguished as acute or chronic	14	2	8	1	1	1	1	—	—	—	—	—
24a	Septicæmia	7	—	—	4	1	2	—	—	—	—	—	—
24b	Pyæmia	2	—	1	—	—	—	—	1	—	—	—	—
24d	Generalised infection by bacillus coli	1	—	—	—	—	—	1	—	—	—	—	—
27b	Amæbic dysentery	7	—	—	1	3	—	3	—	—	—	—	—
27d	Other or unspecified dysentery	1	—	—	1	—	—	—	—	—	—	—	—
28	Malaria	12	—	3	4	4	—	—	1	—	—	—	—
29	Other diseases due to parasitic protozoa except spirochaetes	1	—	—	—	—	1	—	—	—	—	—	—
30a	Locomotor ataxia (tabes dorsalis)	2	—	—	—	—	—	—	1	—	1	—	—
30b	General paralysis of the insane	2	—	—	—	1	1	—	—	—	—	—	—
30c	Aneurysm of aorta	4	—	—	—	—	2	—	1	1	—	—	—
30db, dc, dd	Other or unspecified	8	—	1	1	1	1	1	2	—	1	—	—
32a	Spirochaetosis ictero-hæmorrhagica (Weil's disease)	4	—	—	1	2	1	—	—	—	—	—	—
32b	Other diseases included under 32	1	—	—	—	2	—	—	—	—	—	—	—
33a1	Influenza with pneumonic complications	10	—	—	3	2	4	—	1	—	—	—	—
33a2	" " other respiratory "	2	—	—	—	1	—	—	—	1	—	—	—
33b1	" " non-respiratory "	3	—	—	2	—	—	—	—	—	—	—	—
35	Measles	1	—	—	—	—	1	—	—	—	—	—	—
36-1	Acute poliomyelitis	13	—	6	3	3	1	—	—	—	—	—	—
37c	Unspecified encephalitis lethargica	2	2	—	—	—	—	—	—	—	—	—	—
39b, c	Typhus and typhus-like diseases (not louse borne)	2	—	—	1	—	—	1	—	—	—	—	—
41b	Hydatid disease of other or unspecified organs	3	—	—	1	—	1	—	1	—	—	—	—
43	Mycoses	1	—	—	—	—	—	—	—	—	—	—	—
44b	Pernicious lymphogranulomatosis (Hodgkin's dis.)	24	—	7	5	5	5	—	—	—	—	—	1
44d	Other diseases included under 44	2	—	—	2	—	—	—	—	—	—	—	—
45-55	Cancer :	518	3	37	51	78	114	114	57	30	23	8	3
45a	Lips	1	—	—	—	—	—	—	—	—	—	—	—
45b	Tongue	2	—	—	—	—	—	—	—	—	—	—	—
45c	Other or unspecified parts of buccal cavity and pharynx	12	1	2	3	2	1	—	1	1	1	—	—
46a	Oesophagus	13	—	1	1	1	3	—	2	2	1	1	—
46b	Stomach and duodenum	80	—	1	5	11	27	18	8	4	2	4	—
46c	Intestines other than duodenum or rectum	46	—	2	4	8	11	10	8	2	1	—	—
46d	Rectum	33	—	1	3	8	8	6	4	—	2	—	1
46e	Liver and biliary passages	16	—	—	1	2	4	1	3	4	1	—	—
46f	Pancreas	16	—	—	3	1	4	4	1	3	—	—	—
46g	Peritoneum	14	—	1	4	2	3	1	1	1	—	1	—
47a	Larynx and trachea	7	—	1	—	—	—	2	2	—	2	—	—
47b	Lung and pleura	154	—	9	13	20	28	48	21	6	8	1	—
50	Breast	2	—	—	—	—	—	1	—	—	—	—	—
51b	Prostate	4	—	—	—	—	—	1	—	—	—	—	—
51c	Other or unspecified male genital organs	33	—	6	4	11	8	2	2	—	—	—	—
52	Urinary organs	11	1	2	—	1	2	2	1	1	—	—	1
53	Skin (scrotum excepted)	18	—	—	—	1	3	3	1	—	—	—	—
54a	Brain, etc., glioma (not specified as benign)	23	—	3	3	4	6	5	—	1	1	—	—
54c	Other or unspecified forms incl. under 54	12	—	1	2	1	1	4	1	1	1	—	—
55a	Adrenal glands	1	—	1	—	—	—	—	—	—	—	—	—
55b	Bones	9	1	3	1	—	—	2	1	1	—	—	—
55c	Thyroid gland	1	—	—	—	—	—	—	—	1	—	—	—
55d2	Others included under 55d	20	—	3	3	5	4	2	—	1	2	—	—
56d	Non-malignant tumours : Brain and other parts of nervous system	13	—	2	4	4	—	2	1	—	—	—	—
56e	Other and unspecified organs	8	—	1	2	2	1	2	—	—	—	—	—
57d	Tumours of undetermined nature : Brain and other parts of nervous system	39	1	4	8	4	13	5	2	2	—	—	—
57c	Other and unspecified organs	5	—	—	2	2	—	—	—	—	—	—	—
58b	Acute rheumatic endocarditis	3	—	2	1	—	—	1	—	—	—	—	—
58c	" myocarditis	3	—	—	2	—	—	—	1	—	—	—	—
58d	Other diseases included under 58	3	—	2	—	—	1	—	—	—	—	—	—
59b	Other chronic articular rheumatism	1	—	—	1	—	—	—	—	—	—	—	—
59c	Other forms of chronic rheumatism	1	—	—	—	—	—	—	—	—	1	—	—
61	Diabetes mellitus	2	—	1	—	—	—	—	—	—	—	—	—
63b	Exophthalmic goitre	1	—	1	—	—	—	—	—	—	—	—	—
64	Diseases of the thymus (including status lymphaticus)	1	—	—	—	1	—	—	—	—	—	—	—

TABLE 21A—continued.

(a) Males

International List No.	Cause of Death	All Ages	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65 and over
65a	Addison's disease, not specified as tuberculous	1	—	—	—	—	—	—	—	—	1	—	—
65b	Other diseases included under 65	1	—	—	—	—	—	1	—	—	—	—	—
66b2	Idiopathic steatorrhea	1	—	—	1	—	—	—	—	—	—	—	—
66b3	Other diseases included under 66b	3	—	—	—	2	—	—	—	1	—	—	—
72a	Primary purpura	1	—	—	—	—	—	1	—	—	—	—	—
73a	Pernicious anaemia	1	—	—	—	—	1	—	—	—	—	—	—
73d	Other anemias included under 73	7	—	4	2	—	—	1	—	—	—	—	—
74a	Leukæmia	48	5	10	3	16	6	5	1	2	—	—	—
74b	Aleukæmia	8	—	4	1	1	2	—	—	—	—	—	—
75a	Splenic anaemia	1	—	1	—	—	—	—	—	—	—	—	—
75c	Other diseases included under 75	1	—	—	—	—	—	1	—	—	—	—	—
76a	Agranulocytosis	1	—	1	—	—	—	—	—	—	—	—	—
77	Alcoholism (ethylysm)	1	—	—	—	—	—	—	1	—	—	—	—
80a	Intra-cranial abscess	11	1	—	4	2	3	—	1	—	—	—	—
80b	Other diseases included under 80	6	2	1	2	1	—	—	—	—	—	—	—
81	Meningitis (non-meningococcal)	12	1	2	3	3	1	1	1	—	—	—	—
82-1	Motor neurone disease	7	—	—	1	1	—	1	1	2	1	—	—
82-3	Myelitis of unstated origin	5	1	1	1	1	1	—	—	—	—	—	—
82-4	Other diseases included under 82	1	—	—	—	—	—	1	—	—	—	—	—
83a	Cerebral hæmorrhage	72	2	6	7	9	9	12	9	13	4	1	—
83b, c	Cerebral embolism, thrombosis and softening	8	—	1	—	—	—	—	1	3	2	—	—
83e	Other intra-cranial effusions	1	—	—	—	—	1	—	—	—	—	—	—
84b	Schizophrenia (dementia præcox)	3	—	—	2	1	—	—	—	—	—	—	—
84d	Other mental disorders included under 84	2	—	—	—	—	2	—	—	—	—	—	—
85	Epilepsy	7	—	4	—	2	—	1	—	—	—	—	—
87b	Neuritis (non-rheumatic)	4	—	1	1	—	1	—	—	—	—	—	—
87d	Disseminated sclerosis	4	—	—	2	—	—	1	1	—	—	—	—
87e2	Other diseases included under 87e	1	—	—	—	—	—	1	—	—	—	—	—
88	Diseases of the organs of vision	2	—	—	—	1	1	—	—	—	—	—	—
89a	Otitis and other diseases of the ear (without mention of mastoid disease)	14	1	3	5	1	2	1	1	—	—	—	—
89b	Diseases of the mastoid antrum	7	—	1	2	3	—	—	—	—	—	—	—
90-95	Heart diseases:	351	4	20	27	43	63	81	44	26	23	14	6
90b	Other pericarditis included under 90	5	1	1	1	2	—	—	—	—	—	—	—
91ab	Acute or sub-acute bacterial endocarditis	40	1	5	13	11	7	1	2	—	—	—	—
92a	Aortic valvular disease (without mitral disease)	16	—	4	—	2	2	2	—	2	3	—	1
92b1	Mitral valve disease	10	—	4	3	2	1	—	—	—	—	—	—
92b2	Other diseases included under 92b	9	1	—	3	1	3	—	—	1	—	—	—
92c	Unspecified valvular lesions or endocarditis	5	—	1	—	—	1	3	—	—	—	—	—
93a	Acute myocarditis	3	—	2	—	1	—	—	—	—	—	1	—
93b	Chronic myocarditis specified as rheumatic	2	1	1	1	—	—	—	—	—	—	—	—
93c1	Cardiovascular degeneration	13	—	—	—	—	2	—	—	1	5	3	2
93c2	Myocardial degeneration described as fatty	8	—	—	1	—	1	4	1	1	—	—	—
93c3	Other myocardial degeneration	15	—	—	—	4	—	4	1	2	—	4	—
93d	Myocarditis not distinguished as acute or chronic	6	—	1	—	1	—	2	—	—	1	1	—
94a	Diseases of the coronary arteries	209	—	1	4	19	41	66	38	19	13	5	3
94b	Angina pectoris without mention of coronary disease	4	—	—	1	—	1	—	1	—	—	—	—
95c	Other diseases included under 95	6	1	—	—	—	2	2	1	—	—	—	—
96	Aneurysm (except of heart and aorta)	16	—	4	2	3	2	4	1	—	—	—	—
97	Arteriosclerosis (excluding coronary or renal sclerosis or cerebral hæmorrhage)	4	—	—	—	—	1	—	1	2	—	—	—
99	Other diseases of the arteries	16	—	1	2	6	4	1	1	1	—	—	—
100a	Varices	3	—	—	1	1	—	—	—	—	—	—	—
100b	Other diseases of the veins	6	—	—	1	3	1	—	—	—	—	1	—
101	Diseases of the lymphatic system	2	—	—	1	1	—	—	—	—	—	—	—
102	High blood pressure (idiopathic)	24	1	1	1	5	3	1	4	2	5	1	—
104	Diseases of the nasal fossæ and annexa	18	3	4	2	3	4	2	—	—	—	—	—
105	Diseases of the larynx	5	—	2	1	2	—	—	—	—	—	—	—
106a	Acute bronchitis	2	—	—	1	—	—	—	—	—	—	1	—
106b	Chronic bronchitis	26	1	1	5	2	3	4	5	1	2	2	—
106c	Bronchitis not distinguished as acute or chronic	3	—	—	—	1	1	—	—	—	—	—	—
106-3	Bronchitis with myocardial disease (93)	5	—	—	2	—	—	1	1	—	—	—	—
106-6	without any complications specified in (1)-(5)	26	1	1	4	3	4	4	4	1	1	3	—
107-2	Broncho-pneumonia without mention of influenza	32	4	3	6	6	6	4	2	1	—	—	—
108-2	Lobar	41	3	11	5	8	9	2	3	—	—	—	—
109-2	Pneumonia (unspecified)	21	—	4	5	5	4	1	1	—	1	—	—
110a	Empyema	6	—	1	3	—	1	1	—	—	—	—	—
110b	Other or unspecified forms of pleurisy	4	1	3	—	—	—	—	—	—	—	—	—
111a	Hæmorrhagic infarction of lung	4	1	—	1	—	—	—	1	1	—	—	—
111b	Acute oedema of lung	3	—	—	1	1	—	—	—	—	—	—	—
111c	Chronic or unspecified congestion of lung	1	—	—	—	—	—	—	—	—	—	—	—
112-6	Asthma without any complications specified in (1)-(5)	5	—	2	1	—	—	—	—	1	—	1	—
113	Pulmonary emphysema	2	—	1	1	—	—	—	—	—	—	—	—
114c	Gangrene of lung	1	1	—	—	—	—	—	—	—	—	—	—
114d	Abscess of lung	6	—	1	1	—	—	1	2	1	—	—	—
114e1	Chronic interstitial pneumonia not indicated as occupational	2	—	—	—	—	—	1	—	—	—	1	—
115a	Diseases of the teeth and gums	4	—	—	—	3	—	—	—	—	—	—	—
115b2	Septic sore throat with mention of tonsils	2	1	1	—	—	—	—	—	—	—	—	—
115b3	Other diseases included under 115b	1	—	1	—	—	—	—	—	—	—	—	—
115c1	Other diseases of pharynx, and tonsils with mention of tonsillectomy	2	—	—	2	—	—	—	—	—	—	—	—
115c2	Others with mention of tonsils	7	—	5	1	—	1	—	—	—	—	—	—
115c3	Other diseases included under 115c	1	—	—	—	1	—	—	—	—	—	—	—
115d	Other diseases included under 115	2	—	—	2	—	—	—	—	—	—	—	—
117a	Ulcer of the stomach	62	2	5	9	11	7	15	8	3	2	—	—
117b	Ulcer of the duodenum	51	1	8	5	12	8	13	2	2	—	—	—
118-1	Inflammation of the stomach	2	—	—	—	1	1	—	—	—	—	—	—

* Any cause of death except war.

* Any cause of death except war.

TABLE 21A—continued.

(b) Abridged List

Short List No.	Causes of Death	Males							Females						
		All Ages	15-	25-	35-	45-	55-	65-	All Ages	15-	25-	35-	45-	55-	65-
	All Causes	6642	2644	2266	1233	370	115	14	192	114	56	18	3	1	—
1	Typhoid and paratyphoid fevers	3	1	1	1	—	—	—	—	—	—	—	—	—	—
2	Cerebro-spinal fever	26	14	4	5	2	1	—	2	2	—	—	—	—	—
3	Scarlet fever	2	1	1	—	—	—	—	—	—	—	—	—	—	—
5	Diphtheria	26	7	16	3	—	—	—	2	1	1	—	—	—	—
6	Tuberculosis of the respiratory system	322	121	108	72	20	1	—	23	16	5	1	1	—	—
7	Other forms of tuberculosis	130	71	35	21	3	—	—	16	12	4	—	—	—	—
8	Syphilitic disease	16	1	3	5	5	2	—	1	1	—	—	—	—	—
9	Influenza	15	—	8	5	2	—	—	2	2	—	—	—	—	—
10	Measles	1	—	—	1	—	—	—	—	—	—	—	—	—	—
11	Acute poliomyelitis and polioencephalitis	13	6	6	1	—	—	—	—	—	—	—	—	—	—
12	Acute infectious encephalitis (lethargic)	2	2	—	—	—	—	—	1	1	—	—	—	—	—
13M	Cancer of buccal cavity and oesophagus	28	4	8	6	6	4	—	—	—	—	—	—	—	—
13F	Cancer of uterus	—	—	—	—	—	—	—	2	1	—	—	1	—	—
14	Cancer of stomach and duodenum	80	1	16	45	12	6	—	2	1	—	1	—	—	—
15	Cancer of breast	2	—	—	1	—	—	1	3	—	—	3	—	—	—
16	Cancer of all other sites	408	35	105	176	69	21	2	13	3	8	2	—	—	—
17	Diabetes	2	1	—	1	—	—	—	—	—	—	—	—	—	—
18	Intra-cranial vascular lesions	81	9	16	23	26	7	—	3	1	2	—	—	—	—
19	Heart disease	351	24	70	144	70	37	6	3	1	1	1	—	—	—
20	Other diseases of the circulatory system	71	7	27	17	13	7	—	2	—	1	1	—	—	—
21	Bronchitis	31	2	9	9	6	5	—	1	—	1	—	—	—	—
22	Pneumonia	94	25	35	26	7	1	—	—	—	—	—	—	—	—
23	Other respiratory diseases	57	20	17	13	5	2	—	3	3	—	—	—	—	—
24	Ulceration of the stomach or duodenum	113	16	37	43	15	2	—	—	—	—	—	—	—	—
26	Appendicitis	64	26	23	11	4	—	—	7	1	5	1	—	—	—
27	Other digestive diseases	184	46	66	55	15	2	—	9	3	3	2	—	1	—
28	Nephritis	84	29	22	20	9	4	—	6	4	1	—	1	—	—
29	Puerperal and post-abortion sepsis	—	—	—	—	—	—	—	2	1	1	—	—	—	—
30	Other maternal causes	—	—	—	—	—	—	—	3	1	2	—	—	—	—
32	Congenital malformations	—	38	7	20	11	—	—	1	1	—	—	—	—	—
33	Suicide	259	51	119	71	15	2	1	4	2	2	—	—	—	—
34	Road traffic accidents	540	188	235	103	12	1	1	27	18	8	1	—	—	—
35	Other violent causes	3225	1841	1106	246	25	5	2	29	19	7	3	—	—	—
36	All other causes	374	88	153	98	29	5	1	25	19	4	2	—	—	—

TABLE 22.—CAUSES OF DEATH OF CHILDREN UNDER FIVE } { England and Wales.
AT DIFFERENT AGE-PERIODS, 1945.

See Explanatory notes on page v.

Inter- national List Number	Causes of Death	Total under 5 years	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4-5 years
	ALL CAUSES {M F	21918 16482	9736 7174	3346 2324	2795 2136	2510 1938	1555 1310	819 707	633 525	524 368
6	Cerebro-spinal (meningococcal) meningitis {M F	182 124	3 2	22 8	33 30	59 33	32 26	12 9	14 10	7 6
8	Scarlet fever {M F	18 12	— —	— —	1 —	2 1	4 2	6 4	4 2	1 3
9	Whooping cough {M F	286 380	2 5	58 46	59 68	75 99	53 101	25 30	10 23	4 8
10	Diphtheria {M F	139 114	1 —	2 1	— —	9 5	33 28	29 24	31 31	34 25
11	Erysipelas {M F	— 4	— 1	— 1	— —	— 1	— —	— —	— —	— 1
13-22	Tuberculosis:— All forms {M F	700 611	— 1	18 3	30 35	108 112	216 173	158 140	101 78	69 69
13	Respiratory system {M F	104 106	— 1	4 —	8 9	22 22	37 32	17 14	12 16	4 12
14	Meninges and central nervous system {M F	425 376	— —	5 2	17 20	70 67	124 99	99 98	65 45	45 45
15	Intestines and peritoneum {M F	78 38	— —	4 —	3 3	9 9	28 13	15 6	10 5	9 2
16-22	Other organs {M F	93 91	— —	5 1	2 3	7 14	27 29	27 22	14 12	11 10
24	Purulent infection and septi- cæmia {M F	46 29	7 4	11 9	8 7	12 3	3 —	3 3	1 1	1 2
25	Gonococcal infections {M F	2 1	2 1	— —	— —	— —	— —	— —	— —	— —
27	Dysentery {M F	32 15	— —	14 1	8 6	6 1	1 2	1 4	— 1	2 —
30da	Congenital syphilis {M F	53 58	23 15	14 17	11 16	4 6	— 1	1 1	— 1	— 1
33	Influenza {M F	163 102	6 5	32 11	29 16	40 31	38 20	9 12	4 5	5 2
35	Measles {M F	332 300	2 2	7 3	28 22	104 84	121 110	35 41	22 24	13 14
36	Acute poliomyelitis and polio- encephalitis {M F	5 9	— —	— —	— 1	3 2	1 3	1 1	— —	— 2
	1. Acute poliomyelitis {M F	3 3	— —	— —	— —	2 1	1 —	— 1	— —	— 1
	2. Acute polioencephalitis {M F	2 6	— —	— —	— 1	1 1	— 3	1 —	— —	— 1
37	Acute infectious encephalitis (lethargic or epidemic) {M F	7 4	— —	— —	— —	1 —	3 —	2 3	1 —	— 1
38d	German measles {M F	2 3	— —	— 1	— —	2 —	— 2	— —	— —	— —
38e	Varicella {M F	4 3	— —	— —	— 1	2 —	1 2	— —	1 —	— —
45-55	Cancer and other malignant tumours {M F	77 71	3 1	1 3	2 6	6 4	24 10	20 16	15 20	6 11
58	Rheumatic fever {M F	18 10	— —	— 1	— —	— —	1 —	2 2	9 5	6 2
64	Diseases of the thymus includ- ing status lymphaticus {M F	49 27	5 4	15 7	18 8	7 7	1 1	1 —	2 —	— —
66(b) 1	"Pink" disease {M F	23 24	— —	— —	— 1	15 15	8 7	— 1	— —	— —
67	Scurvy {M F	— 3	— —	— —	— —	— 3	— —	— —	— —	— —

TABLE 22—continued.

Inter- national List Number	Causes of Death	Total under 5 years	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4-5 years
70	Rickets {M F	20 6	—	1	7	5 3	6 1	—	—	1
68, 69, 71	Other diseases due to vitamin deficiency {M F	3 1	—	1	1	—	—	1	—	—
72a	Primary purpura {M F	28 25	3 8	— 1	7 3	7 4	4 5	4 1	— 1	3 2
72b	Hæmophilia {M F	10 —	3 —	1 —	1 —	—	—	2 —	3 —	—
73	Anæmias {M F	20 16	1 —	2 1	2 2	8 3	2 4	3 2	2 3	— 1
74	Leukæmias and aleukæmias ... {M F	72 53	1 1	4 2	4 3	4 3	13 9	16 18	17 13	13 4
80	Encephalitis (non-epidemic) ... {M F	40 21	3 —	4 2	3 3	9 4	10 5	5 3	3 1	3 3
81	Meningitis (non-meningococcal) {M F	164 124	8 7	19 16	34 20	49 43	29 24	10 5	11 6	4 3
85	Epilepsy {M F	43 37	4 —	2 1	1 2	4 2	6 8	13 11	7 8	6 5
86	Convulsions {M F	262 186	96 45	51 43	48 48	39 24	21 21	5 4	2 1	— —
87	Other diseases of the nervous system {M F	12 10	— —	— 2	1 —	1 1	4 3	2 1	3 3	1 —
89	Diseases of the ear and of the mastoid antrum {M F	250 173	22 11	42 32	75 47	69 57	26 12	7 6	3 5	6 3
90-95	Heart diseases {M F	19 10	— —	— 2	1 —	3 1	4 2	2 —	5 1	4 4
105	Diseases of the larynx {M F	38 28	3 1	1 3	3 —	9 3	12 10	3 6	3 2	3 3
106	Bronchitis {M F	724 546	61 50	208 163	188 124	166 117	62 49	18 22	14 16	7 5
107-109	Pneumonia (all forms) {M F	3616 2865	485 353	871 666	946 767	769 590	341 302	103 98	48 63	53 26
107	Broncho-pneumonia {M F	3070 2380	401 288	772 587	810 635	639 490	293 253	85 66	35 41	35 20
108	Lobar pneumonia {M F	329 271	45 33	54 39	77 76	89 53	33 30	12 20	9 16	10 4
109	Pneumonia (unspecified) {M F	217 214	39 32	45 40	59 56	41 47	15 19	6 12	4 6	8 2
110	Pleurisy {M F	29 21	6 —	4 8	1 2	8 3	6 7	4 1	— —	— —
	(a) Empyema {M F	22 18	2 —	3 7	1 2	6 3	6 5	4 1	— —	— —
	(b) Other or unspecified forms of pleurisy {M F	7 3	4 —	1 1	— —	2 —	— 2	— —	— —	— —
111	Congestion, œdema, hæmorrhagic infarction and throm- bosis of the lungs {M F	9 7	3 1	2 —	2 1	2 2	— 2	— —	— 1	— —
104, 112- 114	Other respiratory diseases ... {M F	41 42	2 6	8 7	4 7	9 6	7 4	8 4	2 7	1 1
115a	Diseases of the teeth and gums {M F	6 1	— —	2 —	1 —	3 1	— —	— —	— —	— —
115 (b)	Septic sore throat {M F	20 17	2 1	3 2	1 1	2 1	2 3	3 1	5 5	2 3
115 c, d	Other diseases in 115 {M F	41 —	2 —	9 3	4 1	6 3	3 2	4 3	6 2	7 5
118:1	Inflammation of the stomach {M F	54 40	9 3	19 18	13 9	8 10	2 2	1 1	2 2	— —
119, 120	Enteritis and diarrhœa {M F	2315 1526	304 198	720 468	669 437	489 307	102 77	19 17	5 15	7 7

TABLE 22—continued.

International List Number	Causes of Death	Total under 5 years	Under 4 weeks	4 wks-3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4-5 years
121	Appendicitis {M F	66 39	— 1	— —	1 1	1 —	11 8	21 11	16 9	16 9
122	Hernia, Intestinal obstruction... {M F	164 81	3 2	11 7	53 20	54 29	25 13	7 6	7 3	4 1
	(a) Hernia {M F	13 2	— —	— —	— —	— 1	6 —	3 1	3 —	1 —
	(b) Intestinal obstruction ... {M F	151 79	3 2	11 7	53 20	54 28	19 13	4 5	4 3	3 1
124, 125	Cirrhosis and other diseases of the liver {M F	18 23	3 2	4 7	— 3	4 5	3 3	1 2	2 1	1 —
129	Peritonitis without stated cause {M F	27 8	7 —	5 2	1 —	2 —	2 3	2 4	2 —	4 1
130-132	Nephritis {M F	50 46	2 2	6 4	7 3	10 8	4 8	6 6	8 5	7 10
133a	Pyelitis, pyelonephritis pyelocystitis {M F	40 32	3 3	13 6	12 8	6 12	3 2	2 1	1 —	— —
152	Cellulitis, acute abscess ... {M F	22 20	6 5	9 6	3 5	3 2	— 1	— 1	1 —	— —
151, 153	Other skin diseases {M F	67 53	8 11	11 8	22 11	18 17	5 3	2 1	1 2	— —
154	Osteomyelitis and periostitis ... {M F	10 18	— —	2 8	1 —	1 1	— 1	— 1	4 4	1 3
157	Congenital malformations ... {M F	2257 1903	1247 1125	483 303	213 207	149 147	84 74	32 27	33 10	16 10
	(a) Congenital hydro- cephalus {M F	147 92	59 39	14 7	25 17	22 14	19 8	4 4	4 2	— 1
	(b) Spina bifida and meningocele {M F	421 667	295 426	67 123	23 54	23 44	10 10	1 8	1 —	1 2
	(c) Congenital malformation of heart {M F	799 587	473 335	132 80	76 78	59 49	25 30	10 8	13 4	11 3
	d) Monstrosities {M F	29 59	29 58	— —	— —	— —	1 —	— —	— —	— —
	(e) Congenital pyloric stenosis {M F	220 66	24 6	165 41	28 15	2 3	1 1	— —	— —	— —
	(f) Cleft palate, harelip ... {M F	50 31	22 16	17 4	2 5	3 1	4 1	3 1	1 1	— —
	(g) Imperforate anus... {M F	34 12	28 10	3 1	2 —	1 1	— —	— —	— —	— —
	(h) Cystic disease of kidney {M F	14 4	10 3	2 —	1 —	— 1	— —	— —	1 —	— —
	(i) Other stated congenital malformations ... {M F	519 364	285 213	82 47	56 38	40 32	25 21	14 6	13 3	4 4
	(ia) Central nervous system {M F	41 46	19 23	3 5	4 5	3 5	6 5	3 1	2 1	1 1
	(ib) Circulatory system ... {M F	21 23	4 5	1 6	5 6	7 3	2 1	— 1	1 1	1 —
	(ic) Digestive system ... {M F	307 201	189 137	55 30	29 12	16 13	8 7	5 1	5 —	— 1
	(id) Genito-urinary system {M F	72 23	34 9	9 2	8 4	8 5	7 1	3 1	1 1	2 —
	(ie) Other malformations included under 157i ... {M F	78 71	39 39	14 4	10 11	6 6	2 7	3 2	4 —	— 2
	(j) Congenital malformations (unspecified) ... {M F	24 21	22 19	1 —	— —	1 —	— 2	— —	— —	— —
158	Congenital debility {M F	405 244	226 122	119 76	45 38	15 8	— —	— —	— —	— —
159	Premature birth {M F	4206 3324	3971 3145	221 159	11 20	3 —	— —	— —	— —	— —

TABLE 22—continued.

Inter- national List Number	Causes of Death	Total under 5 years	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4-5 years
160	Injury at birth ... {M F	1154 668	1132 653	13 11	9 —	— 4	— —	— —	— —	— —
	(a) Intra-cranial or spinal haemorrhage due to injury at birth {M F	844 471	829 458	8 9	7 —	— 4	— —	— —	— —	— —
	(b) Other intra-cranial or spinal injuries at birth ... {M F	50 21	47 20	1 1	2 —	— —	— —	— —	— —	— —
	(c) Other birth injuries ... {M F	260 176	256 175	4 1	— —	— —	— —	— —	— —	— —
161	Other diseases peculiar to the first year of life ... {M F	1907 1228	1827 1175	71 43	6 7	3 3	— —	— —	— —	— —
	(a) Asphyxia during or after birth, atelectasis ... {M F	1154 750	1131 735	17 14	3 1	3 —	— —	— —	— —	— —
	(b) Intoxication due to maternal toxæmia ... {M F	166 113	157 113	9 —	— —	— —	— —	— —	— —	— —
	(c1) Infections of the umbilicus ... {M F	20 16	15 12	4 4	1 —	— —	— —	— —	— —	— —
	(c2) Pemphigus neonatorum {M F	21 18	17 13	4 3	— 1	— 1	— —	— —	— —	— —
	(c3) Other or unspecified infections included under 161c {M F	35 15	26 14	9 1	— —	— —	— —	— —	— —	— —
	(d) Melæna neonatorum ... {M F	163 103	159 98	4 3	— 2	— —	— —	— —	— —	— —
	(e1) Hæmolytic diseases of the newborn ... {M F	311 185	291 166	18 15	2 3	— 1	— —	— —	— —	— —
	(e2) Other diseases included under 161e ... {M F	37 28	31 24	6 3	— —	— 1	— —	— —	— —	— —
165-168	Homicide ... {M F	45 41	30 23	3 —	1 3	2 1	4 4	1 2	3 6	1 2
170	Motor vehicle accidents ... {M F	224 119	1 1	— —	2 —	1 2	21 20	41 23	73 39	85 34
171	Other road transport accidents {M F	8 4	— —	— —	— —	— —	2 —	2 —	3 4	1 —
181	Accidental burns (conflagration excepted) ... {M F	123 157	1 —	1 3	4 2	12 18	50 40	30 41	12 30	13 23
	By clothing ... {M F	15 42	— —	— —	— —	2 —	3 5	1 12	3 12	6 13
	Otherwise (or not stated how) {M F	24 39	— —	1 3	1 2	4 5	7 8	5 7	3 7	3 7
	Scalds ... {M F	84 76	1 —	— —	3 —	6 13	40 27	24 22	6 11	4 3
182	Accidental mechanical suffocation ... {M F	370 265	43 33	148 96	113 85	45 37	13 11	5 2	1 —	2 1
	In bed or not stated how ... {M F	247 172	36 26	102 69	74 54	26 20	8 3	1 —	— —	— —
	Otherwise ... {M F	123 93	7 7	46 27	39 31	19 17	5 8	4 2	1 —	2 1
183	Accidental drowning ... {M F	160 46	2 —	1 2	— 1	1 2	26 10	48 11	38 8	44 12
186	Accidental injury by fall, crushing, landslide, etc. ... {M F	46 33	— —	5 —	2 1	3 4	11 8	7 11	10 4	8 5
195	(a) Vaccinia and other sequelæ of vaccination against small- pox {M F	4 2	— —	— —	4 2	— —	— —	— —	— —	— —
	(b) Other accidents due to medi- cal or surgical intervention {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(c) Lack of care of the newborn {M F	88 107	86 107	1 —	1 —	— —	— —	— —	— —	— —
	Other deaths due to violence {M F	192 140	5 6	13 4	7 6	17 18	46 30	38 35	36 22	30 19
	Other causes ... {M F	291 204	60 32	38 31	33 19	36 25	42 31	34 29	26 21	22 16

TABLE 23.—DEATHS BY MONTH OF OCCURRENCE AND CAUSE, } { England and Wales.
Jan.-Dec., 1945. (Non-civilian deaths are excluded.)

NOTE.—(a) Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to date of registration.

(b) Some of the cause headings in this table have been abbreviated and some sub-headings of minor significance are omitted. The full titles of the abbreviated headings will be found in Table 21.

See Explanatory notes on page v.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES ... {M F	31743 29899	23690 23161	22106 21894	18960 18070	19462 18324	17299 16440	16888 16145	16303 15675	16221 15723	18104 17148	18954 18358	24528 24018
1-44	I.—Infective & Parasitic Diseases ... {M F	2352 1663	1801 1416	1856 1397	1603 1122	1595 1120	1433 1011	1332 954	1303 930	1178 978	1388 1059	1497 1087	1868 1405
1-26	Diseases due to bacteria ... {M F	1658 1157	1256 964	1391 1023	1284 915	1296 933	1147 843	1095 836	1065 789	972 826	1118 876	1181 887	1403 980
1	Typhoid fever ... {M F	— —	1 4	1 4	1 1	1 —	1 —	1 1	3 —	2 1	1 1	— 2	— 3
2	Paratyphoid fevers ... {M F	— —	— 1	— 2	— 1	1 —	— 1	— 3	— 2	1 —	— 1	1 1	— —
3	Plague ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4	Cholera ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Undulant fever ... {M F	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— 1	— —
6	Cerebro-spinal (meningo- coccal) meningitis ... {M F	52 30	29 29	42 26	28 20	25 25	10 23	21 5	18 14	13 8	17 12	20 9	28 17
7	Malignant pustule and anthrax ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
8	Scarlet fever ... {M F	6 8	4 4	4 5	3 6	— 4	4 3	1 1	— 4	2 5	1 2	1 2	6 5
9	Whooping cough ... {M F	47 74	41 57	29 39	24 29	21 28	12 18	24 16	19 16	22 32	12 19	18 17	22 50
10	Diphtheria ... {M F	33 32	26 33	24 37	29 28	31 32	31 20	18 26	18 19	27 23	34 32	33 29	33 42
11	Erysipelas ... {M F	2 14	6 9	5 10	4 7	3 6	4 4	3 4	3 3	1 8	3 5	2 5	4 3
12	Tetanus ... {M F	3 2	3 3	4 3	9 1	7 2	2 4	7 4	4 6	6 1	6 1	2 1	2 1
13-22	Tuberculosis:— All forms ... {M F	1495 984	1128 814	1267 886	1176 812	1187 820	1071 757	1004 765	991 718	888 742	1038 790	1090 807	1288 844
13	Respiratory system ... {M F	1340 837	967 655	1069 722	987 625	999 643	896 592	810 614	825 590	761 583	922 649	949 665	1168 721
14	Meninges and central nervous system ... {M F	66 65	68 65	89 81	90 110	96 96	89 83	80 82	67 63	49 80	54 66	63 63	39 59
15	Intestines and peritoneum ... {M F	22 21	32 30	27 21	20 23	23 21	18 26	29 20	27 21	18 20	13 25	27 23	20 17
16	Vertebral column ... {M F	10 12	15 13	16 12	15 9	20 10	11 14	23 6	17 9	14 15	7 9	10 9	11 9
17	Other bones and joints ... {M F	9 4	3 7	12 4	14 10	8 7	13 4	10 6	14 5	7 5	9 9	4 4	6 3
18	Skin and subcutaneous tissues ... {M F	3 4	2 9	— 5	2 1	2 3	3 4	4 4	— 1	1 3	— 2	— 4	1 1
19	Lymphatic system ... {M F	3 4	3 2	2 4	2 2	6 6	3 2	10 —	3 1	3 3	3 3	4 3	1 2
20	Genito-urinary system ... {M F	17 16	16 10	19 9	21 10	12 6	16 10	17 13	14 5	20 11	15 14	12 12	21 12
21	Other organs ... {M F	— 2	— 1	— 1	3 3	3 1	1 1	— 3	1 —	1 —	— —	1 —	— 3
	(a) Addison's disease specified as tuberculous {M F	— —	— 1	— —	1 3	2 1	1 —	— 2	1 —	— —	— —	— 1	— 2

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
22	Disseminated tuberculosis ... { F	25 19	22 22	33 27	22 19	18 31	21 21	21 17	23 23	14 22	15 13	20 22	21 17
	(a) Acute generalised miliary tuberculosis ... { F	5 4	4 6	8 7	4 5	4 6	4 4	7 5	3 6	2 7	2 5	5 3	5 3
	(c) Not distinguished as acute or chronic ... { F	20 15	17 16	25 20	18 14	13 25	16 17	14 11	20 17	12 15	13 8	14 19	17 12
23	Leprosy ... { F	—	—	—	—	—	—	—	—	—	—	—	—
24	Purulent infection and septicæmia ... { F	18 13	16 10	13 11	8 10	17 14	11 13	15 14	9 7	8 6	6 13	13 13	8 15
25	Gonococcal infections ... { F	2 —	2 —	1 —	2 —	3 2	1 —	— 1	— —	2 —	— 1	1 —	2 —
26	Other bacterial diseases (dysentery excepted) ... { F	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery ... { F	8 8	8 9	12 7	5 7	12 3	5 10	7 4	8 3	5 9	7 5	4 —	6 —
	(a) Bacillary dysentery ... { F	6 7	3 9	7 6	4 5	7 2	4 9	5 3	7 1	4 6	3 5	3 —	5 3
	(b) Amoebic dysentery ... { F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —
28-29	Diseases due to protozoa ... { F	2 —	1 —	2 —	1 —	— —	3 —	2 —	1 —	— —	2 —	5 —	1 —
28	Malaria ... { F	2 —	1 —	2 —	1 —	— —	2 —	2 —	1 —	— —	2 —	2 —	1 —
29	Other dis. due to parasitic protozoa except spirochaetes { F	—	—	—	—	—	1 —	— —	— —	— —	— —	3 —	— —
30-32	Diseases due to spirochaetes { F	179 92	151 75	137 68	120 50	157 42	148 53	119 36	127 59	116 54	117 68	161 62	154 72
30	Syphilis ... { F	177 90	149 74	135 67	119 50	157 41	146 53	114 36	123 55	114 54	113 67	156 62	152 72
	(a) Locomotor ataxia (tabes dorsalis) ... { F	25 —	26 6	17 4	14 —	27 4	16 6	15 5	15 5	16 2	14 7	17 4	18 5
	(b) General paralysis of the insane ... { F	40 19	25 13	29 10	28 12	29 7	33 6	26 4	21 14	22 13	18 14	28 7	26 14
	(c) Aneurysm of aorta ... { F	59 35	51 18	46 32	35 15	44 9	56 16	42 12	45 18	44 20	46 20	55 32	63 34
	(d) Other forms of syphilis { F	53 32	47 37	43 21	42 22	57 21	41 25	31 15	42 18	32 19	35 26	56 19	45 18
	(da) Congenital syphilis ... { F	6 10	5 11	3 7	5 12	9 4	3 11	3 2	4 6	4 4	6 3	10 1	7 5
	(db, dc, dd) Other or unspeci- fied syphilis ... { F	47 22	42 26	40 14	37 10	48 17	38 14	28 13	38 12	28 15	29 23	46 18	38 14
31	Relapsing fever ... { F	—	—	—	—	—	—	—	—	—	—	—	—
32	Other diseases due to spirochaetes ... { F	2 2	2 1	2 1	1 —	— 1	2 —	5 —	4 4	2 —	4 1	5 —	2 —
	(a) Spirochaetosis ictero- haemorrhagica (Weil's disease) ... { F	—	2 —	1 1	1 —	— —	2 —	4 —	1 1	2 —	3 —	5 —	1 —
33-38	Diseases due or attributed to filterable viruses ... { F	463 375	348 345	276 269	154 126	97 113	94 82	60 60	65 52	50 62	105 85	118 115	256 320
33	Influenza ... { F	368 298	250 253	147 137	70 53	46 44	48 32	27 22	27 14	22 28	72 72	80 76	232 283
	(a) With respiratory com- plications specified ... { F	260 204	158 162	100 92	45 29	26 25	23 13	16 11	17 6	15 17	52 28	58 42	165 202
	(1) With pneumonic complications ... { F	172 114	88 81	66 56	32 16	17 20	17 12	11 9	14 5	14 12	40 21	40 25	121 122
	(2) With other respira- tory complications ... { F	88 90	70 81	34 36	13 13	9 5	6 1	5 2	3 1	1 5	12 7	18 17	44 80

TABLE 23—continued.

International List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
33	(b) Without respiratory complications specified { F	108 94	92 91	47 45	25 24	20 19	25 19	11 11	10 8	7 11	20 24	22 34	67 81
	(1) With non-respiratory complications { F	71 61	66 62	31 31	16 17	19 15	18 15	8 9	10 7	4 10	13 20	17 25	47 58
	(2) Without stated complications { F	37 33	26 29	16 14	9 7	1 4	7 4	3 2	— 1	3 1	7 4	5 9	20 23
34	Smallpox { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
35	Measles { F	65 38	64 70	99 101	61 53	34 37	20 21	13 14	5 5	3 1	1 3	6 4	3 1
36	Acute poliomyelitis and polioencephalitis { F	4 6	2 1	4 3	3 1	4 5	3 4	6 4	11 3	7 8	15 7	11 6	1 7
	(1) Acute poliomyelitis { F	3 6	2 1	2 2	2 1	— 4	1 3	3 3	5 3	6 4	10 6	8 3	1 6
	(2) Acute polioencephalitis { F	1 —	— —	2 1	1 —	4 1	2 1	3 1	6 —	1 4	5 1	3 3	— 1
37	Acute infectious encephalitis (lethargic or epidemic) { F	21 29	25 18	24 25	18 11	13 20	20 19	13 16	20 19	17 23	16 18	17 25	15 23
	(a) Ac. lethargic (or epidemic) encephalitis { F	— 2	— 2	— 1	2 —	1 2	2 3	— 1	2 3	3 1	— 2	2 1	— 1
	(b) Sequelæ of encephalitis lethargica { F	11 14	19 12	12 17	12 9	9 8	14 12	13 10	13 11	9 17	8 13	9 18	12 15
	(c) Unspecified encephalitis lethargica { F	10 13	6 4	12 7	4 2	3 10	4 4	— 5	5 5	5 5	8 3	6 6	3 7
38	Other diseases due to viruses { F	5 4	7 3	2 3	2 8	— 7	3 6	1 4	2 11	1 2	— 5	4 4	5 6
	(c) Herpes zoster { F	4 3	3 1	2 3	1 6	— 7	2 5	1 4	2 10	1 2	1 5	4 4	4 5
	(d) German measles { F	— —	2 2	— —	1 1	— —	1 —	— —	— —	— —	— —	— —	— —
	(e) Varicella { F	— 1	2 —	— —	— 1	— —	1 —	— —	— 1	— —	— —	— —	1 1
39	Typhus and typhus-like diseases (rickettsioses) { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
40-42	Diseases due to helminths { F	2 —	3 —	— —	2 1	1 2	— —	2 1	— 2	— 1	2 1	— 2	1 —
40	Ankylostomiasis { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
41	Hydatid disease { F	2 —	3 —	— —	2 1	— 2	— —	1 1	— 2	— 1	2 1	— 1	1 —
42	Other diseases due to helminths { F	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— 1	— —
43	Mycoses { F	5 1	2 3	2 3	3 6	5 —	2 3	4 —	5 1	5 3	7 2	4 4	2 3
44	Other infective or parasitic diseases { F	35 30	32 20	36 27	34 18	27 27	34 20	43 17	32 24	30 23	30 22	24 17	45 25
	(b) Pernicious lympho-granulomatosis (Hodg-kin's dis.) { F	33 28	30 19	33 27	34 17	27 25	29 17	40 15	31 22	29 21	30 18	24 15	40 25
	(c) Mumps { F	1 2	— —	1 —	— —	— —	— 2	— —	— —	1 —	— —	— —	— —
45-57	II.—Cancer and other Tumours { F	3270 3356	2838 2872	2903 3255	2921 3052	3022 3246	3022 3084	3069 3293	3115 3246	3118 3219	3213 3278	3178 3282	3336 3461
45-55	Cancer and other malignant tumours { F	3206 3249	2766 2763	2825 3140	2844 2964	2967 3127	2957 2986	3002 3184	3037 3155	3041 3109	3132 3157	3110 3178	3241 3339
45	Buccal cavity and pharynx { F	194 43	154 34	160 49	169 44	156 48	173 33	170 40	154 41	139 43	178 51	169 48	178 46
	(a) Lips { F	19 1	14 2	14 3	13 1	12 1	13 1	13 1	14 2	19 1	19 5	12 —	17 —

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
45	(b) Tongue ... {M F	70 11	54 5	48 14	40 11	58 18	54 9	53 8	48 14	42 17	61 12	61 11	59 13
	(c) Other or unspecified parts of buccal cavity, etc. {M F	105 31	86 27	98 32	116 32	86 29	106 23	104 31	92 25	78 25	98 34	96 37	102 33
46	Digestive organs and peri- toneum ... {M F	1802 1504	1564 1344	1660 1489	1608 1428	1692 1504	1637 1410	1697 1554	1738 1575	1746 1494	1723 1511	1731 1514	1739 1561
	(a) Esophagus ... {M F	144 61	103 60	120 59	98 68	123 74	71 104	143 72	135 63	114 57	118 54	132 65	150 75
	(b) Stomach and duodenum {M F	678 515	581 440	660 486	600 467	682 504	625 462	632 493	623 520	652 486	613 489	636 499	609 523
	(c) Intestines other than duodenum or rectum {M F	404 480	356 427	368 487	379 441	394 483	362 440	416 502	412 525	438 516	415 522	405 472	407 504
	(d) Rectum ... {M F	367 206	318 174	270 205	310 216	306 198	320 200	387 212	333 214	320 211	363 206	328 215	363 220
	(e) Liver and biliary passages ... {M F	95 119	104 116	113 127	105 129	90 125	107 126	107 152	103 123	115 108	100 119	114 154	99 132
	(f) Pancreas ... {M F	107 99	94 106	115 102	106 92	84 98	107 85	102 108	120 94	92 85	106 97	102 87	93 89
	(g) Peritoneum ... {M F	7 24	8 21	14 22	10 15	13 21	12 26	10 15	12 10	15 22	8 24	14 22	18 18
47	Respiratory system ... {M F	574 153	508 124	489 149	520 101	575 150	536 143	559 131	596 157	577 162	639 142	613 169	695 164
	(a) Larynx and trachea ... {M F	63 35	65 20	56 29	59 14	71 22	69 29	72 21	73 23	62 26	61 20	74 20	98 19
	(b) Lung and pleura ... {M F	511 118	443 104	433 120	461 87	504 128	467 114	487 110	523 134	515 136	578 122	539 149	597 145
48	Uterus F	376	335	363	355	362	376	358	366	382	350	341	387
	(a) Specified as cervix F	146	143	153	147	161	130	139	151	164	150	152	168
	(b) Other or unspecified F	230	192	210	208	201	246	219	215	218	200	189	219
49	Other female genital organs F	209	180	229	209	195	225	220	209	198	204	210	227
50	Breast ... {M F	7 689	7 533	7 605	3 590	2 587	8 546	8 650	8 551	5 587	2 639	4 646	6 638
51	Male genital organs ... M	247	216	206	224	188	241	216	194	232	232	213	261
	(a) Scrotum ... M	2	2	3	2	1	3	4	1	5	2	4	4
	(b) Prostate ... M	219	188	177	198	173	217	187	173	194	206	195	231
	(c) Other or unspecified male genital organs M	26	26	26	24	14	21	25	20	33	24	14	26
52	Urinary organs ... {M F	180 99	136 69	131 76	127 66	154 85	151 67	147 56	141 72	139 78	140 67	163 73	145 102
53	Skin (scrotum excepted) ... {M F	50 44	40 37	51 44	45 35	53 32	53 39	45 43	42 32	48 34	55 43	57 41	50 54
54	Brain and other parts of the nervous system ... {M F	96 25	31 19	32 25	36 35	27 43	41 28	46 22	35 45	57 30	46 30	48 31	40 29
	(a) Glioma (not specified as benign) ... {M F	29 17	24 14	22 17	27 25	20 30	31 20	30 15	28 32	40 19	29 19	31 21	28 20
	(b, c) Sarcoma and other forms included under 54 {M F	7 8	7 5	10 8	9 10	7 13	10 8	16 7	7 13	17 11	17 11	17 10	12 9
55	Other or unspecified organs ... {M F	116 107	110 88	89 111	112 101	120 121	117 119	114 110	129 107	98 101	117 120	112 105	127 131
	(a) Adrenal glands ... {M F	2 2	3 2	1 2	2 2	4 5	3 1	3 1	3 5	2 4	3 1	4 1	2 1
	(b) Bones ... {M F	43 38	38 34	35 39	43 37	51 43	30 31	38 36	52 27	41 36	47 27	41 32	41 38
	(c) Thyroid gland ... {M F	9 11	3 12	7 15	7 20	6 15	9 25	9 20	4 19	3 16	7 31	7 22	9 21
	(d) Others included under 55 ... {M F	62 56	66 40	46 55	60 42	59 58	73 62	64 53	70 56	52 45	60 61	60 50	75 71

TABLE 23—continued.

Inter- national List No.	Causes of Death...	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
50	Non-malignant tumours ... {M F	26 69	29 61	33 64	28 52	28 72	27 58	26 61	35 56	25 74	32 78	26 62	44 67
	(a, b, c) Female genital organs ... {M F	46 —	41 —	45 —	36 —	43 —	29 —	34 —	31 —	49 —	43 —	40 —	41 —
	(d) Brain and other parts of the nervous system ... {M F	5 7	5 12	8 7	8 7	5 11	14 15	11 10	10 14	9 12	14 20	3 10	9 14
	(e) Other and unspecified organs ... {M F	21 16	24 8	25 12	20 9	23 18	13 14	15 17	25 11	16 13	18 15	23 12	35 12
57	Tumours of undetermined nature ... {M F	38 38	43 48	45 51	49 36	27 47	38 40	41 48	43 35	52 36	49 43	42 42	51 55
	(a, b, c) Female genital organs ... {M F	— —	— —	— —	2 —	— —	1 —	2 —	1 —	— —	1 —	2 —	2 —
	(d) Brain and other parts of the nervous system ... {M F	28 33	35 39	36 40	41 26	17 34	33 33	28 33	29 24	39 27	35 32	27 31	35 38
	(e) Other and unspecified organs ... {M F	10 5	8 9	9 11	8 8	10 13	5 6	13 13	14 10	13 9	14 10	15 9	16 15
58-71	III.—Rheumatism. Diseases of Nutrition and of the Endo- crine Glands. Other General Diseases and Vitamin Defi- ciency Diseases {M F	319 657	272 495	232 472	210 421	231 413	171 418	179 376	154 381	155 369	166 363	193 367	261 521
58	Rheumatic fever ... {M F	26 40	31 21	29 27	22 22	18 23	12 26	21 22	16 18	16 24	16 18	22 20	27 23
	(a) Acute rheumatic peri- carditis ... {M F	1 3	4 2	2 2	5 6	2 2	1 3	2 1	1 1	2 2	2 1	1 2	2 7
	(b) Acute rheumatic endo- carditis ... {M F	16 26	16 17	17 17	11 8	13 15	7 14	17 9	11 13	11 12	7 10	14 10	17 7
	(c) Acute rheumatic myo- carditis ... {M F	2 2	5 2	3 5	3 5	2 3	3 3	— 4	1 1	— 3	3 2	3 3	1 3
	(d) Other diseases included under 58 ... {M F	7 9	6 —	7 3	3 3	1 3	1 6	3 7	3 3	3 7	4 5	4 5	7 6
59	Chronic rheumatism and other rheumatic diseases ... {M F	66 152	44 130	44 104	38 102	38 81	31 102	36 86	26 67	29 76	41 77	38 88	49 106
	(a) Rheumatoid arthritis ... {M F	42 123	27 104	30 84	33 80	27 68	19 88	21 68	18 56	20 63	26 54	22 76	31 80
	(b) Other chronic articular rheumatism ... {M F	15 22	11 22	10 16	4 15	9 12	9 10	11 15	6 7	9 9	13 20	14 11	13 22
	(c) Other forms of chronic rheumatism ... {M F	9 7	6 4	4 4	1 7	2 1	3 4	4 3	2 4	— 4	2 3	2 1	5 4
60	Gout ... {M F	5 —	2 1	4 —	5 —	3 —	1 —	2 —	3 —	1 —	3 —	— 1	4 —
61	Diabetes mellitus ... {M F	174 310	150 241	109 246	112 211	127 211	91 205	94 180	79 212	84 175	88 193	106 173	138 284
62	Diseases of the pituitary gland ... {M F	4 6	5 3	3 2	1 3	— 5	3 —	1 1	— 5	— 4	1 2	1 1	3 3
63	Diseases of the thyroid and parathyroid glands ... {M F	11 124	10 73	12 69	11 56	12 59	14 52	15 62	11 58	8 62	7 54	9 68	15 77
	(a) Simple goitre ... {M F	1 10	2 4	1 4	1 7	2 4	1 4	1 6	1 7	2 9	— 3	2 8	2 7
	(b) Exophthalmic goitre ... {M F	4 68	8 44	8 51	10 40	9 44	7 39	11 47	7 40	5 47	7 36	3 50	11 55
	(c) Myxœdema and cretinism ... {M F	6 45	— 23	2 12	— 9	— 10	5 9	3 9	2 11	— 6	— 13	4 10	1 15
64	Diseases of the thymus (in- cluding status lymphaticus) {M F	6 —	7 4	7 3	3 6	6 3	2 2	1 3	2 3	3 2	2 1	4 1	8 5
65	Diseases of the adrenal glands (not specified as tuberculous) {M F	8 10	6 9	6 9	7 4	7 11	5 13	3 12	1 7	4 9	3 6	4 6	6 10
	(a) Addison's disease, not specified as tuberculous {M F	7 9	5 9	4 8	6 4	7 11	5 13	3 11	1 6	4 9	3 6	2 6	4 7
	(b) Other diseases included under 65 ... {M F	1 1	1 —	2 1	1 —	— —	— —	— 1	— 1	— —	— —	2 —	2 3

TABLE 23—continued.

Inter- national List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
66	Other general diseases ... { F	11 15	13 10	16 11	8 17	16 17	10 14	2 9	14 11	9 17	2 5	9 7	11 13
	(b) Other diseases included under 66 ... { F	11 14	12 8	16 11	8 16	16 15	9 14	2 9	14 11	8 16	2 5	8 7	11 12
	(1) "Pink" disease ... { F	3 3	1 1	— 1	3 5	8 3	2 2	1 —	3 3	2 3	— 1	1 1	1 1
	(2) Idiopathic steator- rhoea ... { F	3 4	5 2	6 1	2 2	3 5	5 6	— 3	4 3	4 8	1 —	3 1	3 2
67-71	Vitamin deficiency diseases { F	8 —	4 3	2 1	3 —	4 3	2 4	4 1	2 —	1 —	3 7	— 2	— —
67	Scurvy ... { F	— —	— —	— —	— —	1 —	2 —	— —	— —	— —	— 1	— —	— —
68	Beri-beri ... { F	1 —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
69	Pellagra ... { F	1 —	— 1	— —	— —	— 1	1 —	— —	1 —	— —	— 1	— —	— —
70	Rickets ... { F	3 —	3 —	— —	3 —	2 2	2 1	2 —	1 —	1 —	3 4	— —	— —
71	Other vitamin deficiency diseases { F	2 —	1 1	2 —	— —	1 —	— —	2 1	— —	— —	— 1	— 2	— —
72-76	IV.—Diseases of the Blood and Blood-Forming Organs ... { F	184 225	145 226	156 217	139 216	147 224	172 182	153 208	157 190	159 217	170 266	138 191	150 234
72	Hæmorrhagic conditions ... { F	7 9	9 6	10 9	10 10	5 8	10 14	7 5	12 6	10 11	9 12	9 3	6 3
	(a) Primary purpura ... { F	6 9	5 6	9 9	8 10	3 8	6 14	4 5	9 6	10 11	7 12	9 3	3 3
	(b) Hæmophilia ... { F	1 —	4 —	1 —	2 —	2 —	4 —	3 —	3 —	— —	2 —	— —	3 —
73	Anæmias ... { F	101 157	90 154	74 134	62 137	72 148	88 119	78 131	81 113	82 147	76 175	79 131	81 142
	(a) Pernicious anæmia ... { F	80 122	77 128	58 101	53 110	59 107	68 97	64 109	68 83	62 115	59 132	58 100	64 119
	(b) Other hyperchromic anæmias ... { F	3 1	1 —	2 1	— 2	2 2	2 —	1 1	1 4	— 1	1 3	1 3	2 2
	(c) Hypochromic anæmias { F	3 8	1 8	4 9	2 5	2 9	3 4	1 6	3 5	2 6	3 14	— 6	1 4
	(d) Other anæmias included under 73 ... { F	15 26	11 18	10 23	7 20	9 30	15 18	12 15	9 21	18 25	13 26	20 22	14 17
74	Leukæmias and aleukæmias { F	55 41	39 47	60 59	52 53	60 55	61 36	53 51	56 62	57 49	70 63	46 42	52 69
75	Diseases of the spleen ... { F	16 13	5 17	9 10	8 13	5 9	8 10	10 15	7 8	9 9	11 13	4 13	5 15
76	Other diseases of the blood and blood-forming organs ... { F	5 5	2 2	3 5	7 3	5 4	5 3	5 6	1 1	1 1	4 3	— 2	2 5
	(a) Agranulocytosis ... { F	3 2	1 1	1 2	3 3	3 2	2 3	3 2	1 1	— 1	1 2	— 2	4 1
77-79	V.—Chronic Poisoning and Intoxication ... { F	4 2	2 —	4 1	3 —	4 1	2 —	2 2	3 4	5 —	7 —	2 1	6 3
77	Alcoholism (Ethylism) ... { F	3 1	1 —	3 1	3 —	4 1	2 —	2 2	3 4	5 —	4 —	1 1	3 3
78	Lead poisoning ... { F	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	2 —
79	Chronic poisoning by other mineral and organic substances { F	1 1	— —	1 —	— —	— —	— —	— —	— —	— —	3 —	— —	— —
80-89	VI.—Diseases of the Nervous System and Sense Organs ... { F	3163 3884	2423 3148	2295 2949	2088 2614	2190 2742	1883 2411	1918 2475	1806 2278	1791 2383	1964 2498	1991 2677	2505 3256

TABLE 23—*contd.*

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
80	Encephalitis (non-epidemic) { M F	13 10	15 8	17 10	14 14	16 13	16 18	11 7	12 10	10 10	19 4	17 7	11 12
	(a) Intra-cranial abscess ... { M F	5 6	8 4	14 5	5 3	7 7	10 4	5 3	4 3	5 1	8 1	5 3	7 7
	(b) Other diseases included { M F	8 4	7 4	3 5	9 11	9 6	6 14	6 4	8 7	5 9	11 3	12 4	4 5
81	Meningitis (non-meningococcal) { M F	40 34	33 23	39 26	29 20	36 31	15 21	23 20	16 16	27 16	22 14	23 20	22 25
82	Diseases of the medulla and spinal cord ... { M F	52 37	33 39	37 36	33 31	44 26	32 20	35 22	32 27	33 27	48 34	36 26	37 35
	(1) Motor neurone disease { M F	35 24	25 23	26 19	22 19	31 16	19 8	27 13	22 19	20 17	33 18	24 15	27 21
	(2) Sub-acute combined degeneration ... { M F	4 2	1 5	2 7	1 4	3 2	5 8	— —	4 2	4 4	2 10	6 4	1 3
	(3) Myelitis of unstated origin ... { M F	5 7	2 4	5 6	4 6	4 6	3 3	4 5	2 2	2 3	7 3	3 1	3 6
	(4) Other diseases included { M F	8 4	5 7	4 4	6 2	5 2	5 1	4 2	4 4	7 3	6 3	3 6	6 5
83	Intra-cranial lesions of vascular origin ... { M F	2729 3480	2056 2759	1944 2619	1790 2306	1843 2425	1625 2140	1652 2231	1536 2022	1531 2133	1688 2263	1715 2382	2157 2873
	(a) Cerebral hemorrhage { M F	1639 2153	1195 1677	1173 1643	1137 1486	1182 1540	1029 1367	1069 1417	928 1264	947 1382	1080 1442	1066 1523	1338 1770
	(b) (c) Cerebral embolism, thrombosis and softening { M F	1010 1207	801 968	711 903	599 759	600 814	548 710	533 732	547 689	529 698	561 759	579 796	745 1031
	(d) Hemiplegia and other paralyzes of unstated origin { M F	78 117	59 112	60 72	53 58	57 68	45 63	49 80	59 69	55 52	47 58	70 62	73 72
	(e) Other intra-cranial effusions ... { M F	2 3	1 2	— 1	1 3	4 3	3 —	1 2	2 —	— 1	— 4	— 1	1 —
84	Mental disorders and deficiency ... { M F	33 54	28 41	30 32	20 22	19 45	19 27	20 24	23 21	19 16	25 28	15 29	24 34
	(a) Mental deficiency ... { M F	9 20	12 12	9 14	8 5	8 14	11 7	8 3	6 8	12 8	12 12	7 4	11 12
	(b) Schizophrenia (dementia præcox) ... { M F	— 4	7 4	6 —	3 3	3 1	2 1	5 1	5 1	2 1	2 1	2 5	2 3
	(c) Manic-depressive psychosis ... { M F	— 2	— —	— —	— —	— 2	1 1	— 2	1 1	— —	— —	— 1	2 —
	(d) Other mental disorders included under 84 ... { M F	24 28	9 25	15 18	9 14	8 26	5 18	7 18	11 11	5 7	11 15	6 19	9 19
85	Epilepsy ... { M F	82 66	55 70	61 52	46 49	59 57	43 50	44 54	57 33	44 46	33 28	45 41	58 52
86	Convulsions in children under 5 years of age ... { M F	27 28	37 24	24 14	29 15	21 11	18 11	16 11	8 11	16 10	12 9	14 18	34 23
87	Other diseases of the nervous system ... { M F	142 140	110 143	87 114	75 120	102 101	78 103	80 82	86 114	73 99	80 99	87 126	109 150
	(a) Chorea ... { M F	3 4	1 2	— 3	2 3	— 2	— 3	— 4	— 2	— 2	1 1	1 3	1 3
	(b) Neuritis (non-rheumatic) { M F	7 1	6 4	5 4	3 1	2 2	2 3	3 3	1 3	— 2	1 1	1 4	— 4
	(c) Paralysis agitans ... { M F	78 77	64 39	41 63	42 58	56 56	44 62	37 49	50 57	40 52	49 51	50 63	63 76
	(d) Disseminated sclerosis { M F	46 46	35 50	31 32	21 50	36 33	23 30	25 32	30 43	26 37	22 38	34 49	32 56
	(e) Other diseases included under 87 ... { M F	8 12	4 8	10 12	7 8	8 5	9 5	3 6	5 9	7 6	7 8	1 7	8 11
88	Diseases of the organs of vision ... { M F	2 1	— 4	3 4	— 2	1 3	2 1	— 2	2 —	2 1	— —	1 4	3 1

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
89	Diseases of the ear and of the mastoid antrum ... {M F	43 34	56 37	53 42	52 35	49 30	35 20	37 22	34 24	36 25	37 19	38 24	50 51
	(a) Otitis and other ear dis. (without mention of mastoid dis.) {M F	24 22	28 22	30 24	29 12	26 15	18 13	16 13	15 8	23 13	19 10	21 12	37 26
	(b) Diseases of the mastoid antrum ... {M F	19 12	28 15	23 18	23 23	23 15	7 17	21 9	19 16	13 12	18 9	17 12	13 25
90-103	VII.—Diseases of the Circula- tory System ... {M F	9446 9759	6838 7305	6426 6865	5487 5657	5672 5688	4891 5032	4699 4724	4426 4699	4465 4528	5086 5217	5564 5752	7343 7780
90-95	Heart diseases ... {M F	8446 8772	6063 6553	5691 6136	4889 4995	5047 5060	4313 4438	4126 4160	3889 4140	3960 4024	4535 4675	4912 5107	6530 6901
90	Pericarditis ... {M F	21 13	16 12	22 3	6 9	18 7	12 5	7 8	9 5	8 3	18 10	17 3	20 11
	(a) Chronic pericarditis specified as rheumatic... {M F	1 —	1 —	— —	1 —	— —	2 —	1 —	1 —	— 1	1 2	— 2	— 2
	(b) Other pericarditis in- cluded under 90 ... {M F	20 13	15 11	22 3	5 9	18 7	12 3	6 8	9 4	8 2	17 8	17 1	20 9
91	Acute endocarditis ... {M F	33 38	32 32	33 28	33 29	33 19	17 29	30 19	30 31	22 23	15 25	27 20	28 21
	(a) Acute or sub-acute bacterial endocarditis {M F	31 38	31 31	33 28	32 29	32 18	17 28	29 19	30 30	22 20	15 23	27 20	27 21
	(c) Other acute and sub- acute endocarditis ... {M F	2 —	1 —	— —	1 —	1 1	— 1	1 —	— 1	— 3	— 2	— —	1 —
92	Chronic affections of valves and endocardium ... {M F	903 1164	640 865	636 846	550 712	570 650	466 627	455 617	449 625	471 545	471 651	506 685	667 914
	(a) Aortic valvular dis. (without mitral dis.) ... {M F	157 75	98 59	85 45	90 50	80 47	64 37	75 37	70 47	85 30	75 34	86 39	115 62
	(b) Other specified valv. dis. (incl. seq. of rheumatic fever) {M F	472 752	335 579	380 581	309 462	317 429	241 421	265 410	249 414	263 376	280 424	276 448	387 612
	(1) Mitral valve disease {M F	386 628	280 484	310 474	261 378	250 334	178 351	196 350	191 330	208 311	227 351	217 388	313 491
	(2) Other diseases in- cluded under 92b ... {M F	86 124	55 95	70 107	48 84	67 95	63 70	69 60	58 84	55 65	53 73	59 60	74 121
	(c) Unspecified valvular lesions or endocarditis... {M F	274 337	207 227	171 220	151 200	173 174	141 169	115 170	130 164	123 139	116 193	144 198	165 240
93	Diseases of the myocardium... {M F	5234 6184	3827 4660	3443 4281	2939 3426	2931 3526	2478 2991	2431 2778	2161 2743	2161 2708	2594 3136	2820 3501	3914 4844
	(a) Acute myocarditis ... {M F	14 6	9 16	7 7	11 8	9 9	6 4	5 2	5 4	8 7	3 3	9 3	8 12
	(b) Chronic myocarditis specified as rheumatic {M F	38 60	26 43	27 33	22 25	22 21	18 28	20 23	31 38	20 35	13 37	20 26	30 41
	(c) Myocardial degenera- tion, etc. and other chr. myocarditis {M F	4608 5551	3412 4153	3031 3852	2593 3067	2589 3180	2199 2661	2122 2480	1907 2428	1901 2419	2308 2817	2490 3153	3493 4349
	(i) Cardio-vascular degeneration {M F	1573 1752	1229 1243	1111 1219	961 1032	986 1038	839 875	806 879	703 772	712 834	860 926	947 1050	1308 1400
	(2) Myocardial degener- ation described as fatty {M F	43 72	21 49	38 48	25 43	25 46	17 32	29 34	26 36	31 30	27 42	21 47	18 42
	(3) Other myocardial degeneration ... {M F	2992 3727	2162 2861	1882 2585	1607 1992	1578 2096	1343 1754	1287 1567	1178 1620	1158 1555	1421 1849	1522 2056	2167 2907
	(d) Myocarditis not distin- guished as ac. or chr. {M F	574 567	380 448	378 389	313 326	311 316	255 298	284 273	218 273	232 247	270 279	301 319	383 442
94	Diseases of the coronary arter- ies, angina pectoris ... {M F	2992 1006	1406 727	1406 769	1224 641	1347 664	1211 619	1082 586	1126 590	1195 589	1321 678	1411 720	1738 882
	(a) Diseases of the coronary arteries ... {M F	1826 933	1276 681	1271 705	1133 584	1235 615	1115 575	1001 546	1039 548	1090 539	1214 639	1297 674	1597 817
	(b) Angina pectoris without Ment. of coronary dis.... {M F	183 73	111 46	135 64	91 57	112 49	96 44	81 40	87 42	105 50	107 39	114 46	141 65

TABLE 23—*contd.*

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
95	Other diseases of the heart ... {M F	246 367	161 239	151 209	137 178	148 194	129 167	121 152	114 146	103 156	116 175	131 178	163 229
	(a) Functional heart dis. (without mention of organic lesion) ... {M F	101 211	77 166	66 131	58 111	64 113	56 103	63 98	54 81	54 91	45 119	66 117	79 155
	(b) Heart dis. specified as rheumatic but otherwise ill-defined ... {M F	1 5	1 3	1 2	3 5	2 2	— 5	3 2	1 1	3 4	2 5	6 3	2 5
	(c) Other diseases included under 95 ... {M F	144 151	83 90	84 76	76 62	82 79	73 59	55 52	59 64	46 61	69 51	59 58	82 69
96	Aneurysm (except of heart and aorta) ... {M F	21 23	5 14	10 9	5 13	6 11	4 11	14 19	13 10	6 10	13 14	7 11	16 12
97	Arteriosclerosis (excluding coronary or renal sclerosis or cerebral hæmorrhage) ... {M F	725 703	557 537	508 499	417 442	422 429	398 404	378 390	359 365	335 331	365 354	441 428	571 621
98	Gangrene ... {M F	29 22	34 20	29 29	24 27	24 25	21 22	27 16	17 12	17 17	18 11	18 13	20 24
99	Other diseases of the arteries ... {M F	23 16	13 7	21 14	17 15	13 17	16 11	18 16	12 10	16 11	17 17	18 6	14 17
100	Diseases of the veins ... {M F	23 52	23 41	19 48	21 35	21 31	17 45	21 46	23 39	11 49	29 36	28 57	34 46
	(a) Varices ... {M F	12 21	7 17	10 27	10 17	10 15	6 21	9 25	7 18	5 17	17 24	15 19	19 23
	(b) Other diseases of the veins ... {M F	11 31	16 24	9 21	11 18	11 16	11 24	12 21	16 21	6 32	12 12	13 33	15 23
101	Diseases of the lymphatic system ... {M F	3 —	1 2	— 2	2 3	5 —	1 1	— —	— 1	1 2	2 3	3 —	2 1
102	High blood pressure (idiopathic) ... {M F	175 162	139 123	146 118	112 118	132 109	119 96	113 81	112 118	119 81	106 106	137 125	161 151
103	Other diseases of the circulatory system ... {M F	1 9	3 6	2 10	— 9	2 6	2 4	— 6	1 4	— 3	1 —	— 5	— 7
104-114	VIII.—Diseases of the Respiratory System ... {M F	6655 5112	4277 3268	3078 2320	2129 1470	1999 1244	1548 982	1389 850	1259 813	1389 937	1903 1248	2273 1593	4056 3343
104	Diseases of the nasal fossæ and annexa ... {M F	12 2	12 —	10 —	5 —	7 —	4 —	8 —	9 —	2 —	13 2	2 —	8 1
105	Diseases of the larynx ... {M F	3 11	7 5	5 5	7 2	6 4	7 1	6 3	1 1	4 2	3 2	2 6	5 6
106	Bronchitis ... {M F	3936 3067	2423 1812	1660 1200	1112 738	1036 559	817 429	682 339	624 323	683 383	982 540	1224 769	2256 1754
	(a) Acute ... {M F	972 1046	506 579	289 348	179 178	134 123	76 85	84 56	61 57	63 64	155 122	194 211	486 554
	(b) Chronic ... {M F	2295 1423	1511 887	1083 614	756 417	736 317	610 269	488 230	471 215	519 248	682 305	838 401	1492 849
	(c) Not distinguished as acute or chronic ... {M F	669 598	406 346	288 238	177 143	166 119	131 75	110 53	92 51	101 71	145 113	192 157	338 351
	(1) With influenza ... {M F	9 11	5 5	3 3	3 —	3 —	2 1	2 —	1 —	— —	2 —	1 3	9 6
	(2) With chronic endocarditis, etc. (92) ... {M F	54 53	29 39	18 25	12 15	11 12	12 7	13 5	8 5	10 7	9 11	17 12	24 46
	(3) With myocardial disease (93) ... {M F	1337 1097	882 629	623 435	418 276	450 249	349 142	258 136	245 125	271 142	367 195	465 272	797 623
	(4) With arteriosclerosis (97) ... {M F	78 44	39 32	22 11	23 9	23 15	19 11	12 10	10 7	11 7	30 10	19 10	30 31
	(5) With chronic nephritis (131) ... {M F	11 7	8 —	4 3	6 6	1 2	4 1	2 —	1 —	1 —	2 2	3 3	5 1
107-109	Pneumonia (all forms) ... {M F	2094 1686	1468 1197	1088 887	777 573	720 524	528 420	504 385	448 346	521 385	688 543	765 654	1346 1300
	(1) With mention of influenza as a contributory or secondary cause ... {M F	5 4	— —	— 1	1 1	— 1	— —	— —	1 —	— —	— 1	1 —	1 1
	(2) Without mention of influenza ... {M F	2089 1682	1468 1197	1088 886	776 572	720 523	528 420	504 385	447 346	521 385	688 542	764 654	1345 1299

* These sub-headings relate to deaths classed to bronchitis with the specified diseases mentioned as a contributory or secondary cause. The deaths are included in the heading and sub-headings for bronchitis above.

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
107	Broncho-pneumonia ... {M F	1428 1179	966 847	707 602	473 399	424 327	309 287	315 260	282 230	320 261	445 375	493 457	889 916
	(1) With mention of in- fluenza as a contribu- tory or secondary cause ... {M F	5 2	— —	— 1	1 —	— —	— —	— —	1 —	— —	— 1	1 —	1 1
108	Lobar pneumonia ... {M F	508 357	378 255	275 207	232 123	222 147	160 90	127 85	124 77	143 92	180 119	207 142	374 290
	(1) With mention of in- fluenza as a contribu- tory or secondary cause ... {M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —
109	Pneumonia (unspecified) ... {M F	158 150	124 95	106 78	72 51	74 50	59 43	62 40	42 39	58 32	63 49	65 55	79 94
	(1) With mention of in- fluenza as a contribu- tory or secondary cause ... {M F	— 1	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —
110	Pleurisy ... {M F	48 28	30 29	21 25	36 18	29 21	25 12	30 12	29 17	22 14	27 12	29 16	27 22
	(a) Empyema ... {M F	22 12	18 12	9 11	21 9	16 5	15 4	14 1	18 3	11 4	16 1	11 4	9 8
	(b) Other or unspecified forms of pleurisy ... {M F	26 16	12 17	12 14	15 9	13 16	10 8	16 11	11 14	11 10	11 11	18 12	18 14
111	Congestion, œdema, hæmorr- hagic infarction and throm- bosis of the lungs {M F	59 78	42 54	41 42	29 48	31 40	26 33	22 32	28 41	24 43	30 45	39 39	43 70
	(a) Hæmorrhagic infarction of lung ... {M F	10 12	8 9	5 7	14 12	14 11	11 11	10 10	11 12	7 17	8 10	15 9	20 10
	(b) Acute œdema of lung {M F	8 8	3 6	9 5	3 2	1 2	3 2	1 5	5 3	4 1	1 3	4 2	— 6
	(c) Chronic or unspecified congestion of lung ... {M F	41 58	31 39	27 30	12 34	26 16	12 20	11 17	12 26	13 25	21 32	20 28	33 44
112	Asthma ... {M F	342 210	178 151	145 139	96 81	98 81	80 73	73 71	72 70	69 95	83 95	121 88	206 160
	{ (1) With influenza ... {M F	3 2	1 —	— —	— —	1 —	— —	— —	— —	— 1	— —	1 —	1 —
	{ (2) With chronic endo- carditis, etc. (92) ... {M F	4 1	1 1	1 3	3 1	1 1	2 —	— —	2 1	2 1	— 2	4 1	2 2
	{ (3) With myocardial dis- ease (93) ... {M F	122 86	48 56	51 49	29 25	31 33	26 24	25 17	27 19	24 24	21 24	37 35	61 59
	{ (4) With arteriosclerosis (97) ... {M F	2 —	1 1	2 —	1 —	2 —	3 —	1 —	1 —	— 1	2 —	2 —	2 2
	{ (5) With chronic nephri- tis (131) ... {M F	— —	1 1	— —	— —	— 1	— —	— —	— —	1 —	— —	— —	1 —
113	Pulmonary emphysema ... {M F	82 14	59 9	44 15	29 4	18 3	18 6	20 4	15 6	25 6	35 5	37 6	81 16
114	Other diseases of the respira- tory system ... {M F	79 16	58 10	64 7	38 6	50 12	43 8	46 2	33 9	39 9	42 4	54 15	84 19
	(a) Silicosis and other occu- pational pneumoconioses {M F	48 —	35 —	37 —	25 —	31 —	26 —	32 1	26 1	22 —	23 —	25 1	49 1
	(c) Gangrene of lung ... {M F	— —	1 —	2 —	— —	— —	1 —	2 —	1 —	— —	— —	— —	3 —
	(d) Abscess of lung ... {M F	7 —	8 3	7 2	5 —	6 4	7 4	3 —	3 2	4 3	6 3	9 4	4 3
	(e) Other diseases included under 114 not specified as occupational {M F	23 16	14 7	18 5	8 6	13 8	9 4	9 1	3 6	13 6	13 8	20 10	28 14
	(1) Chronic interstitial pneumonia not indi- cated as occupational {M F	20 15	7 4	18 4	8 5	12 8	8 2	8 1	3 5	12 6	— —	19 7	25 13
115-129	IX.—Diseases of the Digestive System ... {M F	1296 800	977 763	1019 806	932 739	992 732	910 677	941 722	955 717	934 696	961 683	894 670	1087 820
115	Diseases of the buccal cav., etc., pharynx and tonsils {M F	31 34	36 26	26 39	30 30	30 22	30 20	30 30	22 24	23 22	19 19	18 19	32 27
	(a) Diseases of the teeth and gums ... {M F	8 5	8 6	7 5	6 8	9 6	9 4	11 7	2 4	5 5	6 2	4 5	8 5

** These sub-headings relate to deaths classed to asthma with the specified diseases mentioned as a contributory of secondary cause. The deaths are included in the heading for asthma above.

TABLE 23—*contd.*

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
115	(b) Septic sore throat ... { F	8 11	12 7	6 12	6 7	4 6	4 3	5 8	5 3	9 3	6 9	7 2	5 7
	(1) With mention of ton- sillectomy ... { F	— —	1 —	— —	1 —	— 1	— —	— —	— —	— —	— 1	— —	— —
	(2) Others with mention of tonsils ... { F	5 7	5 4	3 7	3 5	2 2	3 2	3 4	3 2	6 2	3 5	5 —	4 5
	(c) Other diseases of the pharynx and tonsils { F	12 14	14 8	7 14	13 11	13 7	14 7	10 11	14 13	4 10	5 4	6 9	19 13
	(1) With mention of ton- sillectomy ... { F	1 3	5 —	3 2	— 3	3 —	3 1	2 3	4 3	1 2	2 —	2 2	2 2
	(2) Others with mention of tonsils ... { F	8 5	4 7	2 7	8 6	5 4	7 6	4 6	7 7	1 2	2 1	2 5	9 6
	(d) Other diseases included under 115 ... { F	3 4	2 5	6 8	5 4	4 3	3 6	4 4	1 4	5 4	2 4	1 3	— 2
116	Diseases of the oesophagus ... { F	5 2	5 4	— 1	1 2	2 —	1 2	3 2	1 2	2 —	1 —	4 3	1 9
117	Ulcer of the stomach or duodenum ... { F	494 127	324 107	372 99	320 89	325 84	302 68	293 80	271 64	280 56	294 66	330 75	387 103
	(a) Ulcer of the stomach { F	301 90	194 69	208 72	178 68	183 57	159 53	174 62	160 49	164 45	174 49	199 46	223 68
	(b) Ulcer of the duodenum { F	193 37	130 38	164 27	142 21	142 27	143 15	119 18	111 15	116 11	120 17	131 29	164 35
118	Other diseases of the stomach { F	33 27	30 17	18 24	12 22	21 17	17 13	24 16	13 13	21 15	15 20	22 13	21 23
	(1) Inflammation of the stomach ... { F	23 25	25 12	11 20	8 20	15 14	11 10	15 14	7 12	13 11	11 16	13 12	14 14
	(2) Other diseases included under 118 ... { F	10 2	5 5	7 4	4 2	6 3	6 3	9 2	6 1	8 4	4 4	9 1	7 9
119-120	Enteritis and diarrhoea ... { F	281 176	213 200	230 207	214 211	238 216	222 204	257 185	257 230	292 243	257 168	180 161	253 202
	(a) Enteritis and diarrhoea without mention of ulceration { F	260 153	200 174	222 193	199 198	225 191	212 177	247 157	242 209	279 220	242 151	165 136	235 175
	(b) Ulceration of the intes- tines (except duodenum) { F	21 23	13 26	8 14	15 13	13 25	10 27	10 28	15 21	13 23	15 17	15 25	18 27
121	Appendicitis ... { F	103 56	80 71	77 63	84 55	72 55	83 70	78 83	94 38	62 66	87 67	65 60	65 67
122	Hernia, intestinal obstruction { F	184 178	153 159	152 171	142 153	155 122	113 129	119 123	159 147	137 130	144 152	142 133	187 176
	(a) Hernia ... { F	106 117	73 87	82 99	80 81	94 75	73 75	54 72	80 84	71 76	79 87	69 81	100 108
	(b) Intestinal obstruction... { F	78 61	80 72	70 72	62 72	61 47	40 54	65 51	79 63	66 54	65 65	73 52	87 68
	(1) Intussusception ... { F	20 7	18 10	17 6	12 11	11 8	6 12	18 4	17 8	16 7	12 5	7 7	19 5
	(2) Paralytic ileus with- out stated cause ... { F	— 1	1 2	2 1	1 1	— 2	— —	— 1	— —	— —	1 —	1 —	— 2
	(3) Other or unspecified forms of intestinal obstruction { F	58 53	61 60	51 65	49 60	50 37	34 42	47 46	62 55	50 47	52 60	65 45	68 61
123	Other diseases of the intes- tines ... { F	33 39	33 35	36 33	26 31	32 46	36 33	23 33	36 41	18 25	37 25	24 25	25 36
	(a) Diverticulitis ... { F	19 22	16 26	21 20	18 19	23 32	24 23	17 22	23 30	11 16	30 60	18 20	15 25
	(b) Other diseases included under 123 ... { F	14 17	9 13	15 13	8 12	9 14	12 10	6 11	13 21	7 9	7 6	6 5	10 11
124	Cirrhosis of liver ... { F	41 29	32 29	38 25	34 18	59 21	44 15	41 21	29 21	31 21	49 20	45 26	50 27
	(a) With mention of alcohol- ism ... { F	2 1	3 2	4 2	5 —	5 1	5 —	2 1	3 2	3 —	5 1	5 1	3 —
	(b) Without mention of alcoholism ... { F	39 28	29 27	34 23	29 18	54 20	39 15	39 20	26 19	28 21	44 19	40 25	47 27

TABLE 23—continued.

Inter national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
125	Other diseases of the liver ... { F	20 17	11 18	18 20	11 22	10 20	10 20	18 14	18 10	12 20	12 24	16 34	18 22
	(a) Ac. yellow atrophy (not associated with preg- nancy) ... { F	6 6	2 6	4 5	3 5	3 4	4 4	5 1	1 2	1 6	1 6	3 5	3 7
	(b) Other diseases included under 125. ... { F	14 11	9 12	14 15	8 17	7 19	6 16	13 10	17 8	11 14	11 18	13 29	15 15
126	Biliary calculi ... { F	21 51	18 36	17 46	19 38	19 56	20 39	15 61	25 54	15 40	13 59	15 46	10 53
127	Other diseases of the gall bladder and bile ducts ... { F	20 48	22 35	18 62	17 47	16 49	17 45	20 57	16 52	24 46	16 45	17 47	15 44
	(a) Cholecystitis without record of biliary calculi ... { F	15 43	15 33	15 50	13 38	13 37	12 40	18 45	13 46	20 41	13 41	16 42	14 40
	(b) Other diseases included under 127 ... { F	5 5	7 2	3 12	4 9	3 12	5 5	2 12	3 6	4 5	3 4	1 5	1 4
128	Diseases of the pancreas (other than diabetes) ... { F	15 11	11 16	12 14	14 14	10 16	10 14	12 12	9 12	12 8	11 12	11 16	12 26
129	Peritonitis without stated cause ... { F	15 5	9 10	5 2	8 7	3 8	5 5	8 5	5 9	5 4	6 6	5 12	11 5
130-139	X.—Diseases of the Urinary and Genital Systems* ... { F	1499 869	1182 715	1111 661	1024 590	1130 635	982 586	903 516	922 485	900 509	993 561	1041 590	1239 662
130-132	Nephritis ... { F	770 749	605 612	566 555	520 488	546 524	457 481	434 428	448 384	391 409	461 458	472 479	597 559
130	Acute nephritis ... { F	59 40	38 38	50 38	31 31	30 27	27 26	21 33	22 18	16 24	28 30	36 25	31 27
131	Chronic nephritis ... { F	658 667	523 533	479 485	458 434	477 464	395 426	383 369	390 352	350 361	411 400	400 420	529 509
	(a) Secondary to acute nephritis ... { F	26 33	11 18	19 24	16 16	16 11	11 14	13 14	9 11	12 15	3 7	19 12	16 14
	(b) Arteriosclerotic kidney ... { F	375 358	316 305	252 272	272 237	293 253	238 262	221 216	218 215	193 214	247 252	226 240	325 305
	(c) Chronic nephritis, not otherwise specified ... { F	257 276	196 210	208 189	170 179	168 200	146 150	148 140	163 126	145 132	161 141	155 168	188 190
132	Nephritis not stated to be acute or chronic (over 10 years of age) ... { F	53 42	44 41	37 32	31 23	39 33	35 29	30 26	36 14	25 24	22 28	36 34	37 23
133	Other diseases of the kidneys and ureters ... { F	62 58	39 49	29 43	35 49	38 38	41 36	35 30	40 41	30 51	49 36	40 62	53 42
	(a) Pyelitis, pyelonephritis, pyelocystitis ... { F	56 47	32 42	20 38	30 45	36 30	35 27	29 26	33 34	23 46	40 34	35 51	46 38
	(b) Other diseases included under 133 ... { F	6 11	7 7	9 5	5 4	2 8	6 9	6 4	7 7	7 5	9 2	5 11	7 4
134	Calculi of the urinary passages { F	25 12	19 8	17 17	15 11	25 16	18 15	20 7	20 10	21 13	17 15	19 11	12 14
	(a) Calculi of kidneys and ureters ... { F	21 12	11 8	10 13	12 10	18 15	12 15	15 7	12 9	11 12	10 15	15 11	7 14
	(b) Calculi of the bladder { F	4 —	8 —	7 3	3 1	7 —	6 —	5 —	8 1	9 1	6 —	4 —	5 —
135	Diseases of the bladder ... { F	29 19	30 20	29 18	23 16	30 22	19 16	29 20	27 20	27 16	18 19	27 25	37 20
	(a) Cystitis ... { F	19 15	22 13	19 15	17 13	20 19	14 14	21 16	19 20	22 14	15 17	21 11	25 17
	(b) Other diseases of the bladder ... { F	10 4	8 7	10 3	6 3	10 3	5 2	8 4	8 —	5 2	3 2	6 4	12 3
136	Diseases of the urethra, urin- ary abscess, etc. ... { F	21 —	24 —	21 —	17 —	12 —	20 —	12 —	17 1	12 —	22 —	17 —	15 1
	(a) Stricture of the urethra { F	17 —	23 —	21 —	16 —	10 —	17 —	12 —	16 —	12 —	22 —	15 —	14 1
	(b) Other diseases of the urethra, etc. ... { F	4 —	1 —	— —	1 —	2 —	3 —	— —	1 1	— —	— —	2 —	1 —

* Not venereal or connected with pregnancy or the puerperium.

TABLE 23—*contd.*

Inter- national List No.	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
137	Diseases of the prostate ... M		589	459	445	410	479	421	372	364	412	423	463	525
	(a) Hypertrophy of pros- tate ... M		557	447	432	395	466	409	356	347	403	411	453	499
	(b) Other dis. inc. under 137 ... M		32	12	13	15	13	12	16	17	9	12	10	26
138	Diseases of other male genital organs ... M		3	6	4	4	—	6	1	6	7	3	3	—
139	Diseases of the female genital organs ... F		31	26	28	26	35	38	31	29	20	33	23	26
	(a) Dis. of the ovaries, Fallo- pian tubes and paramet- ria ... F		11	13	8	15	10	14	13	9	6	15	3	9
	(b) Diseases of the uterus ... F		17	13	15	9	19	20	15	19	12	17	19	17
140-150	XI.—Diseases of Pregnancy, Childbirth and the Puerperal State ...		97	113	121	99	113	103	114	114	105	80	106	81
140	Post-abortive infection ... F		17	21	15	8	10	17	10	11	11	12	19	13
	(a) Spontaneous, therapeutic or of unspecified origin ... F		12	8	11	5	7	11	5	6	7	8	18	9
	(b) Induced for reasons other than therapeutic ... F		5	13	4	3	3	6	5	5	4	4	1	4
141	Abortion without mention of septic conditions ... F		3	4	8	2	8	3	4	9	6	7	5	—
	(a) Spontaneous, therapeutic or of unspecified origin ... F		3	2	7	2	7	3	3	7	5	6	5	—
	(b) Abortion (non-septic) in- duced for reasons other than therapeutic ... F		—	2	1	—	1	—	1	2	1	1	—	—
142	Ectopic gestation ... F		3	—	4	2	3	5	5	3	—	4	3	6
143	Hamorrhage of pregnancy ... F		2	1	2	2	3	—	2	1	3	2	—	1
	(a) Placenta prævia ... F		2	1	—	—	—	—	1	1	1	—	—	—
144	Toxæmias of pregnancy ... F		6	8	9	7	9	6	6	12	8	5	5	3
	(a) Eclampsia of pregnancy ... F		4	6	5	2	7	4	2	8	4	4	4	2
	(b) Albuminuria and nephri- tis of pregnancy ... F		—	2	3	1	1	—	2	1	1	—	—	—
	(c) Ac. yellow atrophy of liver associated with pregnancy ... F		—	—	—	—	1	2	1	1	2	—	—	—
	(d) Other dis. inc. under 144 ... F		2	—	1	4	—	—	1	2	1	1	1	1
145	Other diseases and accidents of pregnancy ... F		2	4	5	2	3	5	2	2	4	1	4	1
146	Hamorrhage of childbirth and the puerperium ... F		11	8	20	15	24	13	20	14	15	14	16	3
	(a) Placenta prævia (with childbirth) ... F		1	1	4	7	6	4	5	4	5	1	3	1
147	Infection during childbirth and the puerperium ... F		16	19	13	14	10	18	13	13	17	6	12	15
	(a) General or local puer- peral infection with mention of pyelitis ... F		1	—	1	1	—	—	1	—	1	—	—	—
	(b) General or local puer- peral infections, without mention of pyelitis ... F		5	10	4	9	6	7	6	5	12	2	1	10
	(c) Puerperal thrombo- phlebitis ... F		8	6	1	2	2	4	5	3	3	1	8	2
	(d) Puerperal embolism and sudden death ... F		2	3	7	2	2	7	1	5	1	3	3	3
148	Puerperal toxæmias ... F		14	27	23	20	16	15	29	19	21	13	20	19
	(a) Puerperal eclampsia ... F		9	9	10	11	5	10	9	9	13	7	5	7
	(b) Puerperal albuminuria and nephritis ... F		5	14	6	3	3	1	9	6	4	4	6	4
	(c) Acute yellow atrophy of liver (post-partum) ... F		—	4	4	3	5	3	10	2	4	2	6	7
	(d) Other puerperal toxæmias ... F		—	—	3	3	3	1	1	2	—	—	3	1
149	Other accidents of childbirth ... F		21	20	18	25	26	20	22	28	19	16	20	18
150	Other or unspecified condi- tions of childbirth, and the puerperal state ... F		2	1	4	2	1	1	1	2	1	—	2	2
	(a) Mastitis during the puerperium and lacta- tion ... F		1	—	2	1	—	—	—	1	—	—	—	—
	(b) Puerperal psychoses ... F		1	—	1	—	—	—	—	1	—	—	—	1

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
151-153	XII.—Diseases of the Skin and Cellular Tissue ... {M F	66 49	44 38	57 41	32 39	35 35	35 27	26 39	31 33	29 30	37 27	31 35	24 44
151	Carbuncle, boils ... {M F	17 8	12 11	13 9	10 4	11 8	12 3	6 12	13 5	6 9	10 6	10 7	7 4
152	Cellulitis, acute abscess ... {M F	24 13	9 9	17 13	8 11	5 8	10 9	5 10	5 8	7 7	10 9	8 9	3 7
153	Other diseases of the skin and cellular tissue ... {M F	25 28	23 18	27 19	14 24	19 19	13 15	15 17	13 20	16 14	17 12	13 19	14 33
154-156	XIII.—Diseases of the Bones and Organs of Movement ... {M F	39 30	24 24	33 27	33 28	21 28	21 14	23 17	23 12	31 17	27 13	25 23	26 17
154	Osteomyelitis and periostitis ... {M F	20 8	6 9	15 16	16 7	9 15	8 6	5 7	15 4	11 6	14 3	9 9	10 6
155	Other diseases of the bones... {M F	8 5	9 8	4 4	7 3	4 4	6 5	2 9	3 1	11 4	3 5	2 4	4 4
156	Diseases of joints and other organs of movement ... {M F	11 17	9 7	14 7	10 13	8 9	7 3	10 7	5 7	9 7	10 5	14 10	12 7
	(a) Diseases of the joints ... {M F	5 4	1 2	6 3	6 6	2 3	4 1	6 1	1 4	7 4	5 3	8 4	8 4
	(b) Diseases of the organs of movement ... {M F	6 13	8 5	8 4	4 7	6 6	3 2	4 6	4 3	2 3	5 2	6 6	4 3
157	XIV.—Congenital Malforma- tions ... {M F	323 227	216 205	225 212	206 186	234 213	215 189	210 193	205 158	217 183	212 184	220 201	266 212
	(a) Congenital hydrocephalus ... {M F	23 14	11 9	14 15	16 8	17 9	16 7	11 9	9 4	16 9	11 8	18 8	8 9
	(b) Spina bifida and meningocele ... {M F	60 66	29 49	30 62	37 59	35 59	30 58	38 53	28 53	36 31	32 49	31 47	48 60
	(c) Congenital malforma- tion of heart ... {M F	119 72	87 69	75 57	66 57	78 69	68 49	56 51	75 51	67 51	80 59	76 72	103 65
	(d) Monstrosities ... {M F	1 3	4 5	1 6	5 4	1 4	3 5	3 5	3 1	1 5	3 7	2 1	— 7
	(e) Congenital pyloric stenosis ... {M F	26 4	17 10	30 10	13 6	24 5	19 5	14 4	12 2	15 9	13 3	13 8	22 1
	(f) Cleft palate, harelip ... {M F	6 2	3 4	5 1	5 2	3 —	4 3	5 —	1 —	3 3	5 4	4 2	5 5
	(g) Imperforate anus ... {M F	2 1	1 1	3 —	3 —	— 4	4 1	3 1	4 —	3 —	4 3	3 —	3 1
	(h) Cystic disease of kidney {M F	9 13	6 7	13 7	7 4	7 7	4 8	7 5	5 9	8 4	4 3	6 9	12 9
	(i) Other stated congenital malformations ... {M F	76 51	58 48	51 54	53 44	68 53	67 49	66 56	68 37	65 47	54 47	67 48	65 53
	(ia) Central nervous system ... {M F	8 4	3 9	3 5	3 6	3 3	7 2	4 8	6 2	8 9	5 3	1 4	5 4
	(ib) Circulatory system {M F	12 18	17 10	7 16	5 11	11 13	5 13	17 17	12 12	11 12	3 16	15 12	22 12
	(ic) Digestive system {M F	33 16	29 16	32 17	33 17	38 30	38 23	29 32	33 16	32 17	31 20	29 21	24 23
	(id) Genito-urinary system ... {M F	9 7	8 3	3 4	5 2	8 —	10 4	8 4	9 2	6 4	5 3	15 4	8 6
	(ie) Other malforma- tions included under 157 (i) {M F	14 6	1 10	6 12	7 8	8 7	7 7	8 5	8 5	8 5	10 5	7 7	6 8
	(j) Congenital malforma- tions (unspecified) ... {M F	1 1	— 3	3 —	1 2	1 3	— 3	7 1	— 1	3 4	6 —	— —	— 2
158-161	XV.—Diseases Peculiar to the First Year of Life ... {M F	788 622	639 457	719 474	628 439	677 475	593 427	624 398	566 440	557 372	612 416	569 426	684 497
158	Congenital debility ... {M F	58 42	37 26	39 30	32 15	27 20	33 14	26 8	18 16	28 15	32 15	33 18	37 23
159	Premature birth ... {M F	442 395	364 279	401 285	339 266	349 283	337 267	324 237	295 246	299 214	335 247	319 278	388 312

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
160	Injury at birth ... {M F	93 61	103 54	107 55	90 62	113 63	81 47	102 51	102 65	89 49	94 51	83 53	96 55
	(a) Intra-cranial or spinal hemorrhage due to in- jury at birth {M F	69 50	66 38	70 40	66 41	80 35	62 27	66 41	76 44	73 34	77 38	62 41	74 39
	(b) Other intra-cranial or spinal injuries at birth {M F	4 —	10 3	8 2	1 2	2 3	4 1	5 —	4 6	3 2	4 1	3 1	3 —
	(c) Other birth injuries ... {M F	20 11	27 13	29 13	23 19	31 25	15 19	31 10	22 15	13 13	13 12	18 11	19 16
161	Other diseases peculiar to the first year of life ... {M F	195 124	135 98	172 104	167 96	188 109	142 99	172 102	151 113	141 94	151 103	134 77	163 107
	(a) Asphyxia during or after birth atelectasis ... {M F	103 68	77 53	122 65	97 58	120 56	87 61	107 60	85 67	82 62	93 67	83 49	110 80
	(b) Intoxication due to maternal toxæmia ... {M F	18 12	11 12	15 11	13 8	19 11	9 9	13 9	15 8	9 4	12 9	12 7	17 11
	(c) Infections of the new- born ... {M F	11 4	10 9	5 1	8 4	6 4	7 3	8 3	6 5	8 6	— 5	3 3	2 1
	(2) Pemphigus neonatorum ... {M F	3 2	6 3	1 —	3 2	— 2	— —	4 1	1 2	1 —	— 4	1 1	1 —
	(d) Melæna neonatorum ... {M F	19 17	8 5	15 12	18 12	15 8	14 13	12 7	10 8	10 4	18 5	11 5	8 7
	(e) Other specified diseases included under 161 ... {M F	44 23	29 19	15 15	31 14	28 30	25 13	32 23	35 25	32 13	28 17	25 13	26 8
	(1) Hemolytic disease of the newborn ... {M F	37 19	26 12	13 13	26 14	23 25	22 12	30 22	33 22	30 11	26 17	24 11	23 7
162	XVI.—Senility, Old Age ... {M F	971 1420	790 1143	627 1007	527 837	540 813	471 695	415 670	399 631	404 639	415 670	429 742	606 1024
	(a) Old age and senility without s. dementia ... {M F	938 32	768 15	603 8	508 11	486 52	466 52	407 47	385 47	403 48	412 48	550 18	550 24
	(b) Senility with mention of senile dementia ... {M F	1383 33	1086 22	959 24	750 19	660 20	633 15	661 14	607 16	637 16	707 31	975 35	975 49
163-198	XVII.—Deaths from Violence {M F	1319 1092	1198 957	1337 1051	968 551	944 580	929 586	990 569	967 520	864 518	931 573	885 594	1028 633
163-164	Suicide ... {M F	157 94	189 105	196 116	194 115	188 118	214 141	190 142	182 112	171 106	182 119	191 132	193 133
163	Suicide by poisoning... {M F	61 63	70 71	93 58	80 74	75 70	89 92	75 88	68 71	80 56	63 68	78 72	84 81
	(a) Suicide by solid or liquid toxic or corrosive substances {M F	10 14	15 14	15 12	17 19	14 15	14 18	13 21	10 15	13 16	15 10	19 9	15 14
	(aa) By corrosive sub- stances ... {M F	2 5	6 6	6 7	10 5	7 10	4 6	5 8	2 3	5 4	3 4	5 3	4 4
	(ab) By analgesic and narcotic drugs ... {M F	6 1	1 6	2 2	2 5	1 4	3 6	4 5	3 2	— 2	1 2	3 1	2 5
	(ac) By soporific drugs {M F	1 7	3 —	2 2	— 6	— 1	4 3	1 2	— 4	2 5	2 3	3 3	2 3
	(ad) By other solid or liquid poisons ... {M F	1 1	5 2	5 1	5 3	6 —	3 3	3 6	5 6	6 5	9 1	8 2	7 2
	(b) Suicide by poisonous gas {M F	51 49	55 57	78 46	63 55	61 55	74 75	62 67	58 56	67 40	48 58	59 63	69 67
	(ba) By coal gas ... {M F	51 49	53 57	77 46	59 53	61 55	75 74	60 67	57 56	67 40	48 58	55 63	69 67
164	Other forms of suicide ... {M F	96 31	119 34	103 58	114 41	113 48	125 49	115 54	114 41	91 50	119 51	113 60	109 52
	(a) By hanging or strangu- lation ... {M F	42 10	31 4	38 9	50 9	45 12	40 11	43 16	46 9	23 14	41 11	44 16	41 8
	(b) By drowning ... {M F	16 15	33 21	22 31	28 20	18 24	28 22	26 22	29 21	26 18	23 23	21 25	23 25
	(c) By firearms and explosives ... {M F	9 1	11 —	19 2	15 1	24 2	23 2	13 4	14 1	13 2	17 2	13 3	16 2
	(d) By cutting or piercing instruments ... {M F	16 1	28 1	14 2	9 4	18 3	22 7	22 4	16 2	20 2	24 5	19 7	17 3

M
 938 768 603 508 520 456 407 385 386 403 412 550
 6133 1086 959 790 750 660 633 601 617 637 707 975
 #See Corrigenda Page viii Tables Part I Medical 1946

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
164	(e) By jumping from high places ... {M F	3 1	5 5	6 8	4 6	3 7	6 3	3 4	3 4	3 9	5 5	5 6	7 5
	(f) By crushing ... {M F	10 3	11 3	4 5	8 —	5 —	5 3	8 2	5 4	6 3	8 4	11 2	5 6
	(fa) On railways ... {M F	10 3	11 3	4 5	7 —	5 —	5 3	7 2	5 3	5 3	6 4	11 2	5 6
165-168	Homicide ... {M F	13 12	7 16	8 10	7 9	4 10	13 18	14 11	15 12	10 8	11 6	10 9	11 9
165	Infanticide (infants under 1 year) ... {M F	5 4	1 7	2 2	3 2	— 2	6 4	6 4	3 —	1 2	2 —	1 4	2 2
166	Homicide by firearms ... {M F	4 3	1 —	1 1	— —	— 1	1 4	1 —	2 2	1 2	1 —	2 2	1 1
167	By cutting or piercing instruments ... {M F	— 1	1 1	1 2	1 1	— 1	— 2	2 1	1 3	2 1	3 2	1 —	1 —
168	By other or unspecified means {M F	4 7	4 8	4 5	3 6	4 6	6 8	5 6	9 7	4 5	5 4	6 3	7 6
169-195	Accidental deaths (or deaths not known to be due to suicide or homicide) {M F	838 620	765 519	730 500	733 422	730 445	680 420	773 413	751 401	674 402	716 434	671 452	798 490
169	Railway accidents* ... {M F	48 4	41 3	38 2	48 7	24 7	43 5	38 6	24 3	49 9	30 9	29 8	33 5
170	Motor vehicle accidents* ... {M F	175 72	205 78	182 75	174 76	199 86	174 94	216 92	224 100	201 101	275 106	239 94	288 111
171	Other road transport accidents* ... {M F	24 5	21 6	27 14	22 12	33 6	20 16	25 10	28 9	22 14	18 13	14 5	38 7
	(a) Tramway accidents on roads ... {M F	8 2	4 1	6 2	3 2	5 3	2 1	4 4	1 3	1 2	1 1	2 3	4 4
	(b) Other accidents included under 171 ... {M F	16 3	17 5	21 12	19 10	28 3	18 15	21 6	27 6	21 12	17 12	12 2	34 3
172	Water transport accidents* {M F	15 —	15 —	8 —	20 —	9 —	17 —	16 2	11 —	12 —	12 —	3 —	17 —
173	Air Transport accidents* ... {M F	2 —	4 —	3 —	7 1	— —	1 —	— —	3 —	— —	— —	2 —	4 —
174	Accidents in mines and quarries* ... {M F	53 —	55 —	53 —	40 —	50 —	42 —	51 —	33 —	49 —	43 —	38 1	42 1
175	Agricultural and forestry accidents* ... {M F	13 1	6 —	16 —	20 1	8 —	11 1	15 1	21 2	11 2	13 —	9 1	7 —
	(a) Accidents from farm, etc., machinery and vehicles {M F	9 1	3 —	12 —	12 1	5 —	8 1	8 —	13 1	5 2	8 —	4 1	4 —
	(b) Injury by animals in farming, etc. ... {M F	— —	— —	1 —	4 —	2 —	1 —	2 —	5 1	2 —	1 —	1 —	1 —
	(c) Other accidents included under 175 ... {M F	4 —	3 —	3 —	4 —	1 —	2 —	5 1	3 —	4 —	4 —	4 —	2 —
176	Accidents caused by machinery (any cause of death) {M F	18 2	7 1	18 —	5 1	10 2	14 —	12 1	14 —	14 —	11 2	18 —	11 1
177	Food poisoning ... {M F	1 —	— 1	1 —	2 —	1 —	2 1	4 1	2 2	3 2	— —	— —	1 —
178	Accidental absorption of poisonous gas ... {M F	34 51	21 23	19 15	15 6	13 13	6 6	9 9	12 7	12 11	14 19	28 19	18 31
179	Other acute accidental poisoning ... {M F	5 7	6 3	5 5	8 8	7 15	4 5	6 9	6 8	4 7	7 4	6 8	7 7
180	Conflagration ... {M F	7 12	4 7	5 4	3 4	3 4	3 4	3 1	3 2	6 2	1 —	5 5	4 6
181	Accidental burns (conflagration excepted) ... {M F	53 112	37 85	38 61	32 45	30 41	24 40	13 24	20 32	23 28	21 24	24 50	21 64
182	Accidental mechanical suffocation ... {M F	55 38	52 43	42 28	28 29	38 19	28 19	13 14	29 17	35 17	25 20	43 28	42 26
183	Accidental drowning... {M F	51 12	63 19	70 26	112 101	19 23	106 22	176 93	133 27	75 20	54 14	40 10	44 9
184	Accidental injury by firearms {M F	4 —	7 —	5 2	5 1	10 5	8 2	9 2	7 2	5 —	13 —	5 —	7 —

*Any cause of death except war.

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
185	Accidental injury by cutting or piercing instruments ... {M F	— 2	1 —	— —	— —	1 1	1 —	— 1	2 —	— —	1 —	— 1	— —
186	Accidental injury by fall, crushing, landslide, etc. ... {M F	222 270	179 230	160 237	140 189	152 200	134 171	117 178	142 168	122 165	139 185	125 203	162 203
187	Cataclysm (any cause of death) ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
188	Injury by animals ... {M F	— —	— —	1 1	1 —	2 —	3 2	1 2	1 —	2 1	4 —	2 1	2 —
189	Hunger or thirst ... {M F	2 1	1 —	— —	— 1	— —	— —	— —	3 —	— —	— —	— —	— —
190	Excessive cold ... {M F	9 2	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
191	Excessive heat ... {M F	— —	— —	— —	— —	— —	1 —	1 4	— —	— —	— —	— —	— —
192	Lightning ... {M F	— —	— —	— —	1 —	1 —	— —	2 2	1 1	— —	— —	— —	— —
193	Other accidents due to electric currents ... {M F	2 2	5 1	3 2	3 1	3 2	3 3	6 4	3 1	3 2	7 2	4 —	6 1
194	Attack by venomous animals {M F	— —	— —	— —	— —	— —	3 —	— —	1 —	— —	— 1	1 —	— —
195	Other accidents ... {M F	46 26	34 18	36 28	47 21	35 21	32 29	40 16	27 21	26 21	28 15	36 18	44 17
	(a) Vaccinia and other sequelæ of vaccination against smallpox {M F	— —	— 1	— —	— 1	1 —	1 —	1 —	1 —	— —	— —	— —	— —
	(b) Other accidents due to medical or surgical intervention {M F	— —	— 1	— 1	— —	— —	— —	— —	— —	1 —	— —	1 2	— —
	(c) Lack of care of the new-born ... {M F	15 6	12 10	8 19	6 9	5 6	4 12	7 6	7 6	5 7	6 7	6 5	12 11
	(d) Other and unspecified accidents included under 195 {M F	31 20	22 6	28 8	41 11	29 15	27 17	32 10	19 15	21 13	22 8	29 11	32 6
197-198	Other violent deaths... {M F	311 366	237 317	403 425	34 5	22 7	22 7	13 3	12 2	11 —	22 14	13 1	26 1
197	Deaths of civilians due to operations of war* :— {M F	311 366	237 317	403 425	34 5	22 7	22 7	13 3	12 2	10 —	21 14	13 1	23 1
198	Legal executions ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	3 —
199-200	XVIII.—Ill-defined causes of Death ... {M F	49 35	24 16	28 18	30 15	29 22	20 16	21 19	19 17	25 23	19 12	24 21	38 20
199	Sudden death... {M F	9 7	5 4	12 8	7 2	4 4	5 4	4 6	3 4	6 6	4 1	7 5	9 4
200	Causes of death unstated or ill-defined ... {M F	40 28	19 12	16 10	23 13	25 18	15 12	17 13	16 13	19 17	15 11	17 16	29 16
	(a) Ill-defined causes {M F	40 28	16 12	15 10	19 11	22 16	12 10	13 11	12 11	11 17	12 9	14 14	24 15
	(1) Heart failure {M F	36 20	14 8	12 8	16 11	22 13	10 8	13 9	10 7	10 12	9 8	11 11	22 12
	(2) Other ill-defined causes {M F	4 8	2 4	3 2	3 —	— 3	2 2	— 2	2 4	1 5	3 1	3 3	2 3
	(b) Found dead, cause unknown ... {M F	— —	3 —	1 —	4 —	2 2	3 2	4 2	1 1	4 —	3 1	1 2	2 1
	(c) Other deaths from unknown or unspecified cause {M F	— —	— —	— —	— 2	1 —	— —	— —	3 1	4 —	— 1	2 —	3 —

*Including deaths from wounds, etc., incurred in previous wars. See Table 21, page 145.

TABLE 24.—CAUSES OF DEATH,
1945, classified in accordance
with the Abridged List (*see*
statement below) AT DIFF-
FERENT PERIODS OF LIFE.

{ England and Wales, Geographical
Regions. London and Metropolitan
Boroughs, County Boroughs. Aggre-
gates of other Urban and of Rural
Districts in each Administrative
County.

(Non-civilian deaths are excluded.)

See Explanatory notes on page v.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar-General
in consultation with the Ministry of Health, and its relation to the detailed
International List.

No.	Registrar-General's Abridged List.	Corresponding number in the Detailed International List.
1.	Typhoid and paratyphoid fevers	1 and 2.
2.	Cerebro-spinal fever	6.
3.	Scarlet fever	8.
4.	Whooping cough	9.
5.	Diphtheria	10.
6.	Tuberculosis of respiratory system	13.
7.	Other forms of tuberculosis	14-22.
8.	Syphilitic disease	30.
9.	Influenza	33.
10.	Measles	35.
11.	Acute poliomyelitis and polioencephalitis	36.
12.	Acute infectious encephalitis	37.
13M.	Cancer of buccal cavity and œsophagus (males only)	45, 46a.
13F.	Cancer of uterus	48.
14.	Cancer of stomach and duodenum	46b.
15.	Cancer of breast	50.
16.	Cancer of all other sites	45, 46a (females), 46c-h, 47, 49, 51-55.
17.	Diabetes	61.
18.	Intra-cranial vascular lesions	83.
19.	Heart disease	90-95.
20.	Other diseases of the circulatory system	96-103.
21.	Bronchitis	106.
22.	Pneumonia	107-109.
23.	Other respiratory diseases	104, 105, 110-114.
24.	Ulceration of the stomach or duodenum	117.
25.	Diarrhoea (under 2 years of age)	119.
26.	Appendicitis	121.
27.	Other digestive diseases	115, 116, 118, 120, 122- 129.
28.	Nephritis... ..	130-132.
29.	Puerperal and post-abortive sepsis	140, 147.
30.	Other maternal causes	141-146, 148-150.
31.	Premature birth	159.
32.	Congenital malformations, birth injury, infantile disease	157, 158, 160, 161.
33.	Suicide	163, 164.
34.	Road traffic accidents	170, 171.
35.	Other violent causes†	165-169, 172-198.
36.	All other causes	All numbers not included in other headings.

† Deaths of civilians due to operations of war are shown in a footnote to this line.

TABLE 24—*contd.* Civilian Deaths Registered in England and Wales.

Causes of Death <i>See first page of Table.</i>		All Ages	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M F	245436 235838	18387 13572	1555 1310	1976 1600	3407 2491	4305 5120	5581 6838	10898 9916	22133 17348	44759 32622	66932 58604	6550 8641
1 Typhoid and para-typhoid fevers	M F	15 29	— —	— —	— 1	1 —	1 2	1 7	4 4	1 8	3 4	4 1	— 1
2 Cerebro-spinal fever	M F	306 221	117 73	32 26	33 25	29 27	25 16	12 11	17 11	13 13	17 11	9 7	— —
3 Scarlet fever	M F	33 49	3 1	4 2	11 9	11 20	— 5	— 8	2 2	— —	1 1	— —	— —
4 Whooping cough	M F	293 396	194 218	53 101	39 61	7 15	— —	— —	— —	— —	— —	— —	— —
5 Diphtheria	M F	343 351	12 6	33 28	94 80	165 166	17 20	8 17	4 14	5 6	4 7	1 4	— —
Tuberculosis :—													
6 Respiratory system	M F	11755 7913	34 32	37 32	33 42	80 132	1213 2211	1939 2160	2342 1423	2565 844	2324 564	1040 369	14 10
7 Other forms	M F	1942 1854	122 119	179 141	295 245	341 344	284 353	167 183	212 141	145 109	116 103	61 84	2 3
8 Syphilitic disease	M F	1659 719	52 54	— 1	1 3	3 4	19 22	25 22	100 63	375 194	547 194	427 140	11 8
9 Influenza	M F	1390 1279	107 63	38 20	18 19	16 12	33 24	44 32	79 57	146 103	317 185	309 302	28 46
10 Measles	M F	376 352	141 111	121 110	70 33	36 6	2 5	1 1	2 —	1 —	— 2	2 2	— —
11 Ac: poliomyel: and polioenceph:	M F	71 55	3 3	1 3	1 3	12 11	16 11	15 10	10 7	6 3	2 3	4 1	— —
12 Ac: infectious encephalitis	M F	220 238	1 —	3 —	3 4	7 4	8 4	39 38	49 50	27 46	41 39	37 39	— 1
Cancer of													
13M Mouth & oesoph:	M	3492	—	—	—	4	7	9	68	233	710	1532	92
13F Uterus	F	4370	—	—	2	2	5	6	332	996	1333	1065	56
14 Stomach and duodenum	M F	7631 5896	— —	— —	— —	— —	6 2	56 51	322 217	969 533	2186 1333	2789 2150	130 161
15 Breast	M F	68 7291	— 1	— —	— —	1 —	— 4	1 101	1 672	8 1465	12 1931	21 1807	2 131
16 All other sites	M F	25067 19938	12 13	24 10	41 85	81 72	116 108	306 315	1103 1049	3227 2574	6777 4629	8572 6234	480 488
17 Diabetes	M F	1364 2662	— —	3 1	3 2	15 27	35 51	49 66	69 94	119 172	219 529	509 1123	34 59
18 Intra-cranial vasc: lesions	M F	22363 29722	23 16	2 —	3 4	8 8	14 17	48 77	284 361	1213 1674	4026 4656	8551 10047	819 1286
19 Heart disease	M F	62696 65273	4 3	4 2	11 5	131 141	309 390	482 726	1378 1311	4192 2918	11178 7500	20836 18673	2417 3360
20 Other circulatory diseases	M F	7978 8006	8 4	1 1	1 5	6 14	7 14	37 42	160 138	424 354	1218 891	2601 2242	351 431
21 Bronchitis	M F	17616 12017	623 454	62 49	39 43	42 27	70 59	128 93	442 214	1647 523	4204 1483	5384 3309	497 576
22 Pneumonia	M F	10986 8904	3071 2376	341 302	204 187	135 104	173 133	176 205	410 317	897 468	1759 877	2063 1669	1807 226
23 Other respiratory diseases	M F	3612 2446	67 50	26 23	24 25	29 24	57 64	98 119	258 196	596 310	1048 410	851 553	558 672
24 Ulcer of stomach or duodenum	M F	3998 1024	6 —	— —	1 —	1 2	32 15	119 24	478 59	838 138	1278 252	885 331	360 203
25 Diarrhoea under 2 years	M F	2284 1487	2182 1410	102 77	— —	— —	— —	— —	— —	— —	— —	— —	— —
26 Appendicitis	M F	952 751	2 2	11 8	53 29	156 107	86 70	45 52	92 78	129 96	163 117	150 125	65 67
27 Other digestive diseases	M F	4699 5597	250 136	37 19	100 79	106 94	75 112	111 221	273 341	543 570	941 1006	1315 1457	948 1550
28 Nephritis	M F	6300 6168	25 17	4 8	21 21	63 65	146 155	227 238	357 378	739 630	1256 1170	1792 1707	1670 1779
29 Maternal sepsis	F	340	—	—	—	—	55	183	99	3	—	—	—
30 Other maternal	F	917	—	—	—	—	162	394	345	12	3	1	—
31 Premature birth	M F	4206 3324	4206 3324	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
32 Cong: mal, birth inj, infant: dis:	M F	6227 4521	5558 3922	84 74	81 47	108 91	83 69	59 66	85 66	83 71	46 59	32 43	8 19
33 Suicide	M F	2238 1432	— —	— —	— —	6 1	78 54	160 176	302 265	459 332	546 333	468 206	65 219
34 Road traffic accidents	M F	2816 1189	4 3	23 20	205 100	528 223	290 105	205 85	279 83	298 96	347 146	402 174	235 154
35 Other violent causes†	M F	7347 5657	551 454	150 103	327 234	755 302	629 265	470 299	782 340	891 391	974 475	865 866	953 1928
36 All other causes	M F	23093 23450	1009 707	180 137	264 205	524 428	523 536	544 744	934 1188	1344 1756	2499 2376	5420 3873	9852 11500
† Including deaths due to war operations	M F	1202 1202	16 14	22 11	45 32	144 105	99 148	104 156	160 188	246 199	205 160	119 130	42 69

TABLE 24—*contd.* Civilian Deaths Registered in England and Wales.

Causes of Death see first page of Table.		South East (including London).							Greater London.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	77344	4953	966	1007	6287	20994	43137	42064	2688	492	552	3823	12595	21914
	F	76015	3633	756	699	6668	15537	48722	39927	1946	383	404	4030	8767	24397
Typhoid and para- typhoid fevers	M	4	—	—	—	2	—	2	1	—	—	—	1	—	—
	F	7	—	—	—	3	3	1	3	—	—	—	1	1	1
Cerebro-spinal fever	M	80	33	18	7	10	8	4	47	20	11	2	6	6	2
	F	82	30	16	7	15	11	3	56	22	12	5	10	6	1
Scarlet fever	M	6	1	3	2	—	—	—	3	1	2	—	—	—	—
	F	12	1	4	4	3	—	—	4	—	2	2	—	—	—
Whooping cough	M	60	47	12	1	—	—	—	33	27	6	—	—	—	—
	F	82	55	24	2	1	—	—	40	29	9	2	—	—	—
Diphtheria	M	54	2	18	26	3	4	1	23	1	12	13	1	1	—
	F	64	1	20	31	7	3	2	36	—	13	16	4	2	1
Tuberculosis:— Respiratory system	M	3954	13	20	24	1756	1658	483	2521	7	12	16	1080	1083	323
	F	2470	7	27	32	1743	466	195	1482	3	15	16	1075	267	106
Other forms	M	555	27	124	90	197	87	30	282	9	60	35	108	49	21
	F	471	27	99	70	171	63	41	254	14	41	34	103	36	26
Syphilitic disease	M	637	9	—	—	51	328	249	429	7	—	—	27	224	171
	F	292	10	1	—	27	121	132	205	7	1	—	22	86	89
Influenza	M	383	32	17	3	31	123	177	192	15	9	2	17	67	82
	F	398	22	9	1	32	92	242	200	12	5	1	18	53	111
Measles	M	80	26	38	14	1	—	1	44	14	22	8	—	—	—
	F	87	23	49	10	3	—	2	40	10	23	4	2	—	1
Ac: poliomyel: & polioenceph:	M	18	—	—	2	13	3	—	10	—	—	2	6	2	—
	F	19	—	3	—	14	2	—	9	—	2	—	6	1	—
Ac: infectious encephalitis	M	44	—	1	4	20	14	5	29	—	—	—	14	11	4
	F	55	—	—	—	19	21	15	34	—	—	—	14	13	7
Cancer of Mouth & oesoph: Uterus	M	1149	—	—	1	33	319	796	623	—	—	1	19	183	420
	F	1412	—	—	1	109	727	575	739	—	—	—	57	401	281
Stomach and duodenum	M	2307	—	—	—	116	901	1290	1264	—	—	—	74	545	645
	F	1817	—	—	—	78	543	1196	955	—	—	—	44	299	612
Breast	M	28	—	—	1	1	6	20	15	—	—	—	—	6	9
	F	2664	—	—	—	250	1263	1151	1406	—	—	—	142	704	560
All other sites	M	9119	7	24	26	518	3672	4872	5127	1	9	13	325	2245	2534
	F	7076	2	18	26	492	2464	4074	3738	1	6	14	283	1374	2060
Diabetes	M	369	—	1	4	33	85	246	165	—	—	3	15	40	107
	F	691	—	2	13	44	154	478	371	—	2	4	29	85	251
Intra-cranial vasc: lesions	M	6366	6	1	3	89	1457	4810	3038	4	1	2	43	790	2198
	F	9251	4	—	1	109	1854	7283	4371	1	—	1	54	988	3327
Heart disease	M	19751	1	—	23	577	4541	14609	10052	—	—	9	365	2537	7141
	F	21181	1	3	23	600	2808	17746	10774	1	—	11	377	1501	8884
Other circulatory diseases	M	2693	2	1	2	70	594	2024	1549	1	1	1	53	385	1108
	F	2952	2	—	1	77	511	2361	1586	1	—	—	46	334	1205
Bronchitis	M	5283	131	21	14	156	1618	3343	3358	74	10	2	111	1139	2022
	F	3548	106	29	5	84	481	2843	2043	56	13	2	51	319	1602
Pneumonia	M	3707	772	126	32	212	890	1675	2193	431	73	19	115	558	997
	F	3196	577	105	31	196	497	1790	1833	299	47	15	95	289	1088
Other respiratory diseases	M	1048	17	12	7	118	448	446	567	11	5	3	69	250	229
	F	826	14	13	7	114	218	460	387	10	7	5	56	105	204
Ulcer of stomach or duodenum	M	1533	3	—	—	205	758	567	888	2	—	—	126	435	325
	F	400	—	—	1	27	134	238	218	—	—	1	17	71	129
Diarrhoea under 2 years	M	599	570	29	—	—	—	—	351	340	11	—	—	—	—
	F	429	408	21	—	—	—	—	218	205	13	—	—	—	—
Appendicitis	M	291	2	22	47	44	97	79	157	2	11	22	23	52	47
	F	240	1	10	31	59	65	74	132	1	7	14	34	36	40
Other digestive diseases	M	1486	70	52	29	150	443	742	757	31	18	16	88	232	372
	F	1767	36	32	24	199	477	1029	939	18	17	11	112	259	522
Nephritis	M	1767	3	7	23	202	549	983	847	1	5	11	117	290	423
	F	1633	1	8	10	180	443	981	775	1	6	4	93	235	436
Maternal sepsis	M	91	—	—	—	90	1	—	56	—	—	—	55	1	—
Other maternal	F	225	—	—	—	222	2	1	118	—	—	—	118	—	—
Premature birth	M	1186	1186	—	—	—	—	—	620	620	—	—	—	—	—
	F	872	872	—	—	—	—	—	460	460	—	—	—	—	—
Cong: mal, birth inj., infant: dis:	M	1849	1598	59	24	85	65	18	995	854	29	11	51	39	11
	F	1374	1146	25	30	72	68	33	767	626	16	13	43	47	22
Suicide	M	689	—	—	—	159	310	220	371	—	—	—	87	181	103
	F	487	—	—	—	181	218	88	279	—	—	—	102	122	55
Road traffic accidents	M	925	1	55	157	215	235	262	486	—	25	88	90	131	152
	F	418	1	35	70	89	90	133	234	1	15	42	42	47	87
Other violent causes†	M	2677	180	184	297	630	641	745	1761	103	103	190	427	463	475
	F	2673	135	113	155	603	503	1164	1998	84	66	122	521	421	784
All other causes	M	6647	214	121	144	590	1140	4438	3261	112	57	83	365	651	1993
	F	6723	151	90	112	745	1234	4391	3167	84	45	65	404	664	1905
Including deaths due to war operations	M	920	16	63	113	262	322	144	792	15	55	93	223	278	128
	F	1153	14	41	97	469	347	185	1083	11	40	93	434	330	175

TABLE 24—*contd.* Geographical Regions.

Causes of Death <i>See first page of Table.</i>		South East (excluding Greater London).							North.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	35280	2265	474	455	2464	8399	21223	82622	6829	1262	1173	7236	23883	42
	F	36088	1687	373	295	2638	6770	24325	78728	5056	1085	923	7754	17843	46
1 Typhoid and para-typhoid fevers	M	3	—	—	—	1	—	2	5	—	—	—	3	2	—
	F	4	—	—	—	2	2	—	13	—	1	—	5	7	—
2 Cerebro-spinal fever	M	33	13	7	5	4	2	2	115	46	24	13	24	7	—
	F	26	8	4	2	5	5	2	77	24	20	12	13	5	—
3 Scarlet fever	M	3	—	1	2	—	—	—	10	1	4	3	2	—	—
	F	8	1	2	2	3	—	—	14	—	3	9	2	—	—
4 Whooping cough	M	27	20	6	1	—	—	—	103	62	38	3	—	—	—
	F	42	26	15	—	—	—	—	143	74	63	6	—	—	—
5 Diphtheria	M	26	1	6	13	2	3	1	167	4	64	85	14	—	—
	F	28	1	7	15	3	1	1	162	1	55	83	16	5	—
Tuberculosis :—															
6 Respiratory system	M	1433	6	8	8	676	575	160	3851	8	20	21	1838	1620	—
	F	988	4	12	16	668	199	89	2694	8	21	55	2040	441	—
7 Other forms	M	273	18	64	55	89	38	9	709	47	194	134	227	85	—
	F	217	13	58	36	68	27	15	708	40	160	137	264	80	—
8 Syphilitic disease	M	208	2	—	—	24	104	78	523	26	—	1	46	313	—
	F	87	3	—	1	5	35	43	232	24	—	1	53	121	—
9 Influenza	M	191	17	8	1	14	56	95	468	42	19	4	65	155	—
	F	198	10	4	—	14	39	131	423	22	17	4	51	100	—
10 Measles	M	36	12	16	6	1	—	1	129	59	63	6	—	—	—
	F	47	13	26	6	1	—	1	124	42	74	6	1	—	—
11 Ac: poliomyel: & polioenceph:	M	8	—	—	—	7	1	—	26	3	1	5	11	3	—
	F	10	—	1	—	8	1	—	17	3	2	4	5	2	—
12 Ac: infectious encephalitis	M	15	—	1	4	6	3	1	112	1	2	—	52	36	—
	F	21	—	—	—	5	8	8	115	—	2	3	44	44	—
Cancer of															
13M Mouth & oesoph:	M	526	—	—	—	14	136	376	1113	—	—	3	21	294	—
13F Uterus	F	673	—	—	1	52	326	294	1475	—	1	1	139	825	—
14 Stomach and duodenum	M	1043	—	—	—	42	356	645	2578	—	—	—	136	1155	—
	F	862	—	—	—	34	244	584	2023	—	—	—	109	694	—
15 Breast	M	13	—	—	1	1	—	11	19	—	—	—	1	9	—
	F	1258	—	—	—	108	559	591	2112	1	—	—	265	973	—
16 All other sites	M	3992	6	15	13	193	1427	2338	7790	2	20	20	480	3297	—
	F	3358	1	12	12	209	1090	2014	6107	3	18	22	490	2348	—
17 Diabetes	M	204	—	1	1	18	45	139	450	—	2	2	55	133	—
	F	320	—	—	9	15	69	227	939	—	—	6	88	272	—
18 Intra-cranial vasc: lesions	M	3328	2	—	1	46	667	2612	7868	11	2	—	127	1954	—
	F	4880	3	—	—	55	866	3956	10051	7	3	2	182	2345	—
19 Heart disease	M	9699	1	—	14	212	2004	7468	20963	1	10	55	845	5813	—
	F	10407	—	3	12	223	1307	8862	21708	—	3	74	1027	4149	—
20 Other circulatory diseases	M	1144	1	—	1	17	209	916	2810	4	—	1	65	578	—
	F	1366	1	—	1	31	177	1156	2673	—	2	1	48	393	—
21 Bronchitis	M	1925	57	11	12	45	479	1321	6740	259	35	12	315	2526	—
	F	1505	50	16	3	33	162	1241	4572	168	32	11	156	928	—
22 Pneumonia	M	1514	341	53	13	97	332	678	3710	1232	222	47	274	932	—
	F	1363	278	58	16	101	208	702	2832	962	185	44	231	466	—
23 Other respiratory diseases	M	481	6	7	4	49	198	217	1129	25	13	13	146	547	—
	F	439	4	6	2	58	113	256	742	18	13	8	125	240	—
24 Ulcer of stomach or duodenum	M	645	1	—	—	79	323	242	1138	2	—	—	210	614	—
	F	182	—	—	—	10	63	109	277	—	—	—	41	112	—
25 Diarrhoea under 2 years	M	248	230	18	—	—	—	—	917	880	37	—	—	—	—
	F	211	203	8	—	—	—	—	604	576	28	—	—	—	—
26 Appendicitis	M	134	—	11	25	21	45	32	285	—	13	49	80	93	—
	F	108	—	3	17	25	29	34	234	—	12	37	69	67	—
27 Other digestive diseases	M	729	39	34	13	62	211	370	1536	96	46	37	157	509	—
	F	858	18	15	13	87	218	507	1872	48	43	35	242	557	—
28 Nephritis	M	920	2	2	12	85	259	560	2060	8	9	23	268	720	—
	F	858	—	2	6	97	208	545	2197	4	11	27	295	689	—
29 Maternal sepsis	F	35	—	—	—	35	—	—	130	—	—	—	129	1	—
30 Other maternal	F	107	—	—	—	104	2	1	316	—	—	—	311	5	—
31 Premature birth	M	566	566	—	—	—	—	—	1542	1542	—	—	—	—	—
	F	412	412	—	—	—	—	—	1217	1217	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	854	744	30	13	34	26	7	2054	1873	47	36	62	28	—
	F	607	520	9	17	29	21	11	1525	1356	49	16	65	26	—
33 Suicide	M	318	—	—	—	72	129	117	747	—	—	3	180	336	—
	F	208	—	—	—	79	96	33	453	—	—	1	154	209	—
34 Road traffic accidents	M	439	1	30	69	125	104	110	852	1	93	186	220	173	—
	F	184	—	20	28	47	43	46	360	—	41	85	72	59	—
35 Other violent causes†	M	916	77	81	107	203	178	270	2308	185	138	223	604	636	—
	F	675	51	47	33	82	82	380	1449	150	109	68	148	189	—
36 All other causes	M	3386	102	64	61	225	489	2445	7795	409	146	188	708	1315	—
	F	3556	67	45	47	341	570	2486	8138	308	117	165	874	1491	—

† Including deaths due to war operations

M	128	1	8	20	39	44	16	114	—	—	11	35	59	—	—
F	70	3	1	4	35	17	10	13	—	1	1	5	4	—	—

TABLE 24—*contd.* Geographical Regions.

Causes of Death <i>See first page of Table.</i>		North I.							North II.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	13481	1156	245	222	1390	3776	6692	8088	714	124	117	736	2081	4316
	F	12159	872	206	189	1503	2732	6657	7598	518	124	98	739	1559	4560
Typhoid and para-typhoid fevers	M	3	—	—	—	2	1	—	—	—	—	—	—	—	—
	F	5	—	1	—	2	2	—	1	—	—	—	—	1	—
Cerebro-spinal fever	M	25	11	4	3	6	1	—	10	1	1	—	4	1	—
	F	13	4	2	1	5	1	—	7	1	3	1	—	1	1
Scarlet fever	M	1	—	1	—	—	—	—	1	1	—	—	—	—	—
	F	3	—	1	2	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	9	4	4	1	—	—	—	12	8	4	—	—	—	—
	F	18	10	7	1	—	—	—	12	6	5	1	—	—	—
Diphtheria	M	48	—	24	20	4	—	—	9	1	3	4	1	—	—
	F	48	—	18	24	4	1	1	15	—	8	7	—	—	—
Tuberculosis:—															
Respiratory system	M	718	2	2	5	413	254	42	364	1	1	1	196	137	28
	F	576	2	2	11	469	73	19	306	—	4	8	230	52	12
Other forms	M	156	10	36	33	51	22	4	88	6	23	22	29	5	3
	F	164	4	34	38	72	15	1	81	6	20	19	24	8	4
Syphilitic disease	M	92	7	—	—	6	57	22	55	1	—	—	6	36	12
	F	29	—	—	—	7	19	3	29	4	—	1	3	17	4
Influenza	M	70	8	4	—	11	23	24	45	3	2	—	6	10	24
	F	55	5	3	—	8	10	29	36	—	2	—	3	8	23
Measles	M	21	12	7	2	—	—	—	11	2	7	1	—	—	1
	F	22	8	13	1	—	—	—	12	4	7	—	—	—	1
Ac: poliomyel: & polioenceph:	M	3	—	—	2	1	—	—	5	1	—	—	2	1	1
	F	6	1	—	—	4	1	—	—	—	—	—	—	—	—
Ac: infectious encephalitis	M	20	—	2	—	9	6	3	6	—	—	—	2	1	3
	F	18	—	1	—	10	5	2	10	—	1	1	2	4	2
Cancer of															
Mouth & oesoph:	M	188	—	—	1	5	49	133	123	—	—	1	3	29	90
Uterus	F	251	—	—	—	23	159	69	270	—	1	—	17	84	68
Stomach and duodenum	M	470	—	—	—	24	211	235	120	—	—	—	16	87	117
	F	350	—	—	—	17	130	203	186	—	—	—	7	52	127
Breast	M	4	—	—	—	—	1	3	1	—	—	—	—	1	—
	F	269	—	—	—	44	123	102	183	—	—	—	20	85	78
All other sites	M	1186	—	6	3	83	462	632	768	1	2	—	40	329	396
	F	941	—	1	8	78	361	493	632	—	4	1	31	221	375
Diabetes	M	66	—	—	1	11	23	31	60	—	—	1	11	14	34
	F	164	—	—	—	17	45	102	86	—	—	1	8	27	50
Intra-cranial vasc: lesions	M	1386	3	1	—	20	330	1032	753	1	1	—	17	162	572
	F	1589	—	2	1	33	368	1185	985	3	—	—	15	203	764
Heart disease	M	3381	1	3	9	151	986	2231	2155	—	2	4	43	493	1613
	F	3151	—	—	9	176	682	2284	2151	—	5	—	86	309	1751
Other circulatory diseases	M	480	1	—	—	14	103	362	299	—	—	—	6	39	254
	F	390	—	2	—	5	62	321	276	—	—	1	3	39	233
Bronchitis	M	875	61	9	2	35	317	451	429	30	3	—	24	152	220
	F	568	47	4	4	23	105	385	306	18	3	—	13	55	217
Pneumonia	M	537	195	32	11	45	127	127	375	110	28	6	32	96	103
	F	377	133	27	7	36	55	119	310	112	23	7	25	41	102
Other respiratory diseases	M	217	1	6	1	34	104	71	100	2	—	1	12	45	40
	F	143	6	3	2	31	47	54	77	—	2	—	11	26	36
Ulcer of stomach or duodenum	M	172	—	—	—	38	93	41	113	—	—	—	28	52	33
	F	34	—	—	—	5	13	16	29	—	—	—	4	13	12
Diarrhoea under 2 years	M	138	130	8	—	—	—	—	119	116	3	—	—	—	—
	F	92	82	10	—	—	—	—	63	61	2	—	—	—	—
Appendicitis	M	37	—	2	6	10	18	1	29	—	2	4	8	7	8
	F	30	—	1	6	12	4	7	25	—	—	5	7	7	6
Other digestive diseases	M	242	26	9	8	24	71	104	181	4	4	1	16	66	90
	F	267	9	9	4	40	77	128	198	5	5	5	24	56	103
Nephritis	M	311	—	1	3	45	106	156	206	—	1	5	29	58	113
	F	321	2	2	6	50	97	164	202	—	2	—	24	68	108
Maternal sepsis	F	25	—	—	—	25	—	—	13	—	—	—	12	1	—
Other maternal	F	57	—	—	—	56	1	—	40	—	—	—	40	—	—
Premature birth	M	277	277	—	—	—	—	—	136	136	—	—	—	—	—
	F	216	216	—	—	—	—	—	128	128	—	—	—	—	—
Cong: mal; birth inj.; infant: dis:	M	325	299	5	4	13	3	1	250	223	7	4	10	5	1
	F	287	259	8	4	12	4	—	147	133	4	1	6	2	1
Suicide	M	111	—	—	—	29	48	34	78	—	—	1	23	40	14
	F	62	—	—	—	24	21	17	41	—	—	—	16	21	4
Road traffic accidents	M	142	—	23	38	34	19	28	90	—	6	15	30	17	22
	F	57	—	6	17	12	7	15	37	—	4	10	9	4	10
Other violent causes†	M	468	25	24	39	157	132	91	254	22	14	28	69	59	62
	F	230	31	24	12	27	23	113	149	10	16	13	20	16	74
All other causes	M	1302	83	32	30	115	209	833	743	41	10	18	73	139	462
	F	1331	53	25	31	176	221	825	655	25	8	11	79	138	394
Including deaths due to war operations	M	24	—	—	3	7	12	2	18	—	—	4	4	6	4
	F	—	—	—	—	—	—	—	7	—	1	—	5	1	—

TABLE 24—*contd.* Geographical Regions.

Causes of Death <i>See first page of Table.</i>		North III.							North IV.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	21874	1743	328	280	1807	6238	11478	39179	3216	565	554	3303	11788	1975
	F	20660	1264	271	220	1841	4734	12330	38311	2402	484	416	3671	8818	2252
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	2	—	—	—	1	1	—
	F	4	—	—	—	2	2	—	3	—	—	—	1	2	—
2 Cerebro-spinal fever	M	31	10	10	3	7	1	—	49	21	9	7	7	4	—
	F	20	6	4	5	2	2	1	37	13	11	5	6	1	—
3 Scarlet fever	M	2	—	—	1	1	—	—	6	—	3	2	1	—	—
	F	—	—	—	—	—	—	—	11	—	2	7	2	—	—
4 Whooping cough	M	21	15	6	—	—	—	—	61	35	24	2	—	—	—
	F	42	24	18	—	—	—	—	71	34	33	4	—	—	—
5 Diphtheria	M	47	1	14	30	2	—	—	63	2	23	31	7	—	—
	F	30	1	8	17	2	2	—	69	—	21	35	10	2	—
6 Tuberculosis:—	M	894	1	9	5	396	395	88	1875	4	8	10	833	834	18
Respiratory system	F	573	1	5	8	419	102	38	1239	5	10	28	922	214	6
7 Other forms	M	169	14	40	26	63	22	4	296	17	95	53	84	36	1
	F	164	11	31	25	65	21	11	299	19	75	55	103	36	1
8 Syphilitic disease	M	138	4	—	—	11	82	41	238	14	—	1	23	138	6
	F	70	7	—	—	22	27	14	104	13	—	—	21	58	1
9 Influenza	M	125	17	4	1	11	39	53	228	14	9	3	37	83	8
	F	121	10	7	1	6	31	66	211	7	5	3	34	51	11
10 Measles	M	46	23	22	1	—	—	—	51	22	27	2	—	—	—
	F	49	20	26	2	1	—	—	41	10	28	3	—	—	—
11 Ac: poliomyel: & polioenceph:	M	8	1	1	2	3	—	1	10	1	—	1	5	2	—
	F	1	—	—	1	—	—	—	10	2	2	3	1	1	—
12 Ac: infectious: encephalitis	M	15	—	—	—	8	5	2	71	1	—	—	33	24	1
	F	17	—	—	—	4	10	3	70	—	—	2	28	25	1
13M Cancer of	M	239	—	—	—	6	62	171	563	—	—	1	7	154	40
13F Mouth & oesoph:	F	408	—	—	—	38	232	138	646	—	—	1	61	350	23
14 Uterus	M	656	—	—	—	31	287	338	1232	—	—	—	65	570	59
Stomach and duodenum	F	532	—	—	—	31	170	331	955	—	—	—	54	342	55
15 Breast	M	4	—	—	—	1	2	1	10	—	—	—	—	5	—
	F	568	—	—	—	67	273	228	1092	1	—	—	134	492	46
16 All other sites	M	2183	1	3	5	116	941	1117	3653	—	—	12	241	1565	182
	F	1605	—	6	5	142	623	829	2929	3	7	8	239	1143	152
17 Diabetes	M	126	—	—	—	15	33	78	198	—	2	—	18	63	11
	F	234	—	—	1	19	77	137	455	—	—	4	44	123	28
18 Intra-cranial vasc: lesions	M	2146	4	—	—	29	519	1594	3583	3	—	—	61	943	257
	F	2769	—	1	—	41	635	2092	4708	4	—	1	93	1139	347
19 Heart disease	M	5742	—	2	10	241	1545	3944	9685	—	3	32	410	2789	645
	F	5770	—	1	21	243	1100	4405	10636	—	2	39	522	2058	801
20 Other circulatory diseases	M	912	1	—	1	17	148	745	1119	2	—	—	28	288	80
	F	911	—	—	—	14	105	792	1096	—	—	—	26	187	88
21 Bronchitis	M	1694	71	9	2	92	605	915	3742	97	14	8	164	1452	200
	F	1098	33	9	4	35	228	789	2600	70	16	3	85	540	188
22 Pneumonia	M	1029	354	61	16	65	254	279	1769	573	101	14	132	455	49
	F	734	267	51	9	65	118	224	1411	450	84	21	105	252	49
23 Other respiratory diseases	M	271	4	5	3	34	124	101	541	18	2	8	66	274	17
	F	179	3	2	5	31	50	88	343	7	6	1	52	117	16
24 Ulcer of stomach or duodenum	M	309	—	—	—	56	162	91	544	2	—	—	88	307	14
	F	69	—	—	—	9	30	30	145	—	—	—	23	56	—
25 Diarrhoea under 2 years	M	235	224	11	—	—	—	—	425	410	15	—	—	—	—
	F	155	151	4	—	—	—	—	294	282	12	—	—	—	—
26 Appendicitis	M	71	—	4	14	17	20	16	148	—	5	25	45	48	2
	F	75	—	2	13	21	24	15	104	—	9	13	29	32	2
27 Other digestive diseases	M	418	26	12	8	50	145	177	695	40	21	20	67	227	32
	F	520	8	14	10	60	162	266	887	26	15	16	118	262	45
28 Nephritis	M	565	3	3	5	86	203	265	978	5	4	10	108	353	49
	F	581	—	4	9	71	180	317	1093	2	3	12	150	344	58
29 Maternal sepsis	F	36	—	—	—	36	—	—	56	—	—	—	56	—	—
30 Other maternal	F	68	—	—	—	67	1	—	151	—	—	—	148	3	—
31 Premature birth	M	358	358	—	—	—	—	—	771	771	—	—	—	—	—
	F	279	279	—	—	—	—	—	594	594	—	—	—	—	—
32 Cong: mal: birth inj: infant: dis:	M	538	487	14	13	13	8	3	941	864	21	15	26	12	9
	F	388	334	10	3	22	11	8	703	630	27	8	25	9	—
33 Suicide	M	196	—	—	—	46	86	64	362	—	—	2	82	162	11
	F	118	—	—	—	44	51	23	232	—	—	1	70	116	4
34 Road traffic accidents	M	213	—	20	42	61	42	48	407	1	44	91	95	95	8
	F	94	—	15	22	17	20	20	172	—	16	36	34	28	5
35 Other violent causes†	M	619	54	36	51	163	175	140	967	84	64	105	215	270	22
	F	425	34	26	16	33	56	260	645	75	43	27	68	94	33
36 All other causes	M	1854	70	42	41	166	333	1202	3896	215	62	99	354	634	253
	F	1953	75	27	43	212	391	1205	4199	155	57	80	407	741	275
† Including deaths due to war operations	M	22	—	—	3	6	12	1	50	—	—	1	18	29	—
	F	2	—	—	—	—	—	2	4	—	—	1	—	3	—

TABLE 24—*contd.* Geographical Regions

Causes of Death on first page of Table.		Midland.							Midland I.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M F	43141 40701	3647 2697	709 571	661 454	3912 4018	11518 8514	22694 24447	28519 27102	2462 1814	498 397	422 300	2696 2705	7808 5717	14633 16169
Typhoid and para- typhoid fevers	M F	1 4	—	—	—	3 —	1 1	—	1 —	—	—	—	—	1 1	—
Cerebro-spinal fever	M F	58 37	23 12	16 8	3 2	7 9	6 5	3 1	39 32	15 10	11 7	2 2	6 9	3 3	2 1
Scarlet fever	M F	10 14	—	5 3	3 4	1 5	1 1	—	4 11	—	2 3	2 3	—	—	—
Whooping cough	M F	77 96	50 52	26 40	1 4	— —	— —	—	63 71	41 38	21 31	1 2	—	—	1
Diphtheria	M F	74 71	2 3	30 17	33 29	8 18	1 3	—	51 48	2 1	20 12	21 20	7 12	1 2	—
Tuberculosis:— Respiratory system	M F	2264 1508	5 11	21 17	28 22	1073 1123	936 264	201 71	1654 1042	5 6	19 11	20 15	795 762	675 194	140 54
Other forms	M F	357 340	25 26	84 65	63 68	121 122	47 36	17 23	247 237	18 19	59 43	40 41	81 91	36 28	13 15
Syphilitic disease	M F	262 105	6 8	— 1	2 —	25 19	154 50	75 27	196 70	4 5	— —	1 —	15 14	116 35	60 16
Influenza	M F	279 212	19 11	10 7	3 3	35 17	98 46	114 128	187 140	15 8	8 2	2 2	21 11	72 33	69 80
Measles	M F	109 88	40 29	55 41	12 11	2 5	— 1	— 1	74 62	28 16	39 31	7 8	— 5	— 1	1
Ac: poliomyel: & polioenceph:	M F	13 9	— —	— —	4 4	7 5	1 —	1 —	11 6	— —	— —	4 3	5 3	— —	1
Ac: infectious encephalitis	M F	36 31	— —	2 —	1 —	19 11	7 10	7 10	26 19	— —	2 —	— —	14 5	4 7	6 7
Cancer of Mouth & oesoph: Uterus	M F	631 714	— —	— —	— —	16 79	169 375	446 260	435 423	— —	— —	— —	9 53	118 216	308 154
Stomach and duodenum	M F	1316 1016	— —	— —	— —	81 56	543 333	692 627	877 701	— —	— —	— —	56 39	366 224	455 438
Breast	M F	10 1342	— —	— —	— —	— 159	4 646	6 537	6 894	— —	— —	— —	— 112	— 424	5 358
All other sites	M F	4328 3405	2 3	15 10	19 7	300 276	1621 1250	2371 1859	2862 2312	1 —	14 6	11 2	201 192	1086 846	1549 1266
Diabetes	M F	256 504	— —	1 —	3 5	28 35	59 117	165 347	169 343	— —	1 —	3 3	23 23	36 71	106 246
Intra-cranial vasc: lesions	M F	3955 5061	3 4	1 —	— 3	78 95	958 1057	2915 3902	2539 3324	3 —	1 —	— 1	50 50	636 691	1849 2580
Heart disease	M F	10714 11036	2 1	3 1	23 24	408 459	2534 1733	7744 8818	6917 7224	2 —	1 —	16 15	273 302	1686 1159	4939 5748
Other circulatory diseases	M F	1211 1193	2 1	— —	3 1	37 35	285 189	934 967	763 796	— 1	— —	— 1	22 24	146 129	592 641
Bronchitis	M F	3028 2092	109 86	22 16	13 7	113 55	970 332	1801 1596	2052 1430	67 63	16 9	6 3	80 39	704 241	1179 1072
Pneumonia	M F	1943 1575	603 494	102 114	31 16	122 126	492 225	593 600	1327 1053	387 318	65 75	21 9	80 75	353 154	421 422
Other respiratory diseases	M F	608 440	17 14	13 13	4 5	67 70	264 138	243 200	398 301	10 11	7 11	4 3	46 39	171 98	160 139
Ulcer of stomach or duodenum	M F	747 187	— —	1 —	1 1	115 18	416 82	214 86	487 137	— —	1 —	1 1	75 11	271 60	139 65
Diarrhoea under 2 years	M F	460 274	442 258	18 16	— —	— —	— —	— —	335 197	322 188	13 9	— —	— —	— —	—
Appendicitis	M F	191 147	— 1	17 12	33 23	46 36	48 35	47 40	133 109	— 1	12 12	26 16	30 26	32 24	33 30
Other digestive diseases	M F	854 985	46 25	17 19	25 23	81 118	281 287	404 513	559 656	31 18	11 14	11 18	60 82	197 178	249 346
Nephritis	M F	1127 1074	12 6	6 3	6 13	150 158	357 324	596 572	734 735	9 4	4 2	2 9	95 117	247 231	377 372
Maternal sepsis	M F	63 173	— —	— —	— —	62 168	1 5	— —	42 128	— —	— —	— —	41 125	1 3	—
Other maternal	M F	803 646	803 646	— —	— —	— —	— —	— —	523 419	523 419	— —	— —	— —	— —	—
Premature birth	M F	1232 882	1098 782	37 22	25 21	38 31	26 20	8 6	843 596	749 531	27 14	17 15	28 17	16 15	6 4
Cong: mal; birth inj; infant: dis:	M F	422 269	— —	— —	1 —	99 94	188 130	134 45	276 186	— —	— —	1 —	67 63	131 91	77 32
Road traffic accidents	M F	550 239	1 1	42 23	104 47	183 66	119 52	101 50	358 163	— 1	27 15	62 35	129 46	77 35	63 31
Other violent causes†	M F	1168 775	102 87	74 49	116 33	292 73	296 88	288 445	775 528	63 53	54 35	73 25	192 50	196 60	197 305
All other causes	M F	4047 4094	235 136	91 74	101 78	360 414	686 678	2574 2714	2598 2663	167 101	63 51	65 45	236 261	429 461	1638 1744
Including deaths due to war operations	M F	83 14	— —	1 —	2 2	30 9	45 3	5 —	76 12	— —	1 —	2 2	28 7	40 3	5 —

TABLE 24—*contd.* Geographical Regions

Causes of Death <i>See first page of Table.</i>		Midland II.							East.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	14622	1185	211	239	1216	3710	8061	11181	757	158	146	781	2509	6170
	F	13599	883	174	154	1313	2797	8278	10692	555	128	94	822	2006	7070
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—
2 Cerebro-spinal fever	M	19	8	5	1	1	3	1	12	3	1	1	6	1	—
	F	5	2	1	—	—	2	—	9	2	2	2	1	2	—
3 Scarlet fever	M	6	—	3	1	1	1	—	—	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	1	—	—	—	1	—	—
4 Whooping cough	M	14	9	5	—	—	—	—	12	9	2	1	—	—	—
	F	25	14	9	2	—	—	—	28	17	10	1	—	—	—
5 Diphtheria	M	23	—	10	12	1	—	—	9	1	3	5	—	—	—
	F	23	2	5	9	6	1	—	13	—	5	3	—	3	1
6 Tuberculosis — Respiratory system	M	610	—	2	8	278	261	61	367	4	3	1	165	153	—
	F	466	5	6	7	361	70	17	244	2	1	4	189	47	—
7 Other forms	M	110	7	25	23	40	11	4	84	5	21	15	26	15	—
	F	103	7	22	27	31	8	8	70	7	14	11	26	5	—
8 Syphilitic disease	M	66	2	—	1	10	38	15	72	5	1	—	5	36	—
	F	35	3	1	—	5	15	11	25	3	—	—	3	11	—
9 Influenza	M	92	4	2	1	14	26	45	59	1	3	—	7	19	—
	F	72	3	1	1	6	13	48	62	—	2	1	4	13	—
10 Measles	M	35	12	16	5	2	—	—	19	1	16	1	1	—	—
	F	26	13	10	3	—	—	—	10	2	6	1	—	1	—
11 Ac. poliomyel. & polioenceph.	M	2	—	—	—	2	—	—	3	—	—	—	2	1	—
	F	3	—	—	1	2	—	—	1	—	—	—	—	1	—
12 Ac. infectious encephalitis	M	10	—	—	1	5	3	1	7	—	—	—	—	5	—
	F	12	—	—	—	6	3	3	13	—	1	1	5	4	—
13M Cancer of Mouth & œsoph.	M	196	—	—	—	7	51	138	155	—	—	—	2	42	—
13F Uterus	F	291	—	—	—	26	159	106	222	—	—	—	23	106	—
14 Stomach and duodenum	M	439	—	—	—	25	177	237	322	—	—	—	13	117	—
	F	315	—	—	—	17	109	189	253	—	—	—	6	68	—
15 Breast	M	4	—	—	—	—	3	1	3	—	—	—	—	—	—
	F	448	—	—	—	47	222	179	328	—	—	—	30	149	—
16 All other sites	M	1466	1	1	8	99	535	822	1164	—	4	9	70	375	—
	F	1093	3	4	5	84	404	593	917	1	1	7	60	300	—
17 Diabetes	M	87	—	—	—	5	23	59	83	—	—	—	11	14	—
	F	161	—	—	2	12	46	101	143	—	—	—	12	38	—
18 Intra-cranial vasc. lesions	M	1416	—	—	—	28	322	1066	1144	—	1	2	10	231	—
	F	1737	2	—	2	45	366	1322	1439	—	—	—	20	264	—
19 Heart disease	M	3797	—	2	7	135	848	2805	2985	—	—	5	58	567	—
	F	3812	1	1	9	157	574	3070	2966	1	—	4	59	422	—
20 Other circulatory diseases	M	448	2	—	—	15	89	342	389	—	1	—	10	60	—
	F	397	—	—	—	11	60	326	334	—	—	1	10	36	—
21 Bronchitis	M	976	42	6	7	33	266	622	561	24	2	1	12	145	—
	F	662	23	7	1	16	91	524	471	23	3	1	18	53	—
22 Pneumonia	M	616	216	37	10	42	139	172	426	121	27	7	15	78	—
	F	522	176	39	7	51	71	178	349	86	25	3	30	40	—
23 Other respiratory diseases	M	210	7	6	—	21	93	83	134	1	2	1	22	52	—
	F	139	3	2	2	31	40	61	128	1	4	1	18	38	—
24 Ulcer of stomach or duodenum	M	260	—	—	—	40	145	75	165	—	—	—	30	92	—
	F	50	—	—	—	7	22	21	48	—	—	—	3	14	—
25 Diarrhoea under 2 years	M	125	120	5	—	—	—	—	69	66	3	—	—	—	—
	F	77	70	7	—	—	—	—	32	29	3	—	—	—	—
26 Appendicitis	M	58	—	5	7	16	16	14	52	—	2	4	18	18	—
	F	38	—	—	7	10	11	10	30	—	2	4	5	11	—
27 Other digestive diseases	M	295	15	6	14	21	84	155	234	10	3	4	26	55	—
	F	329	7	5	5	36	109	167	244	4	3	6	24	64	—
28 Nephritis	M	393	3	2	4	55	110	219	284	—	1	3	21	87	—
	F	399	2	1	4	39	93	200	253	2	1	2	26	72	—
29 Maternal sepsis	M	21	—	—	—	21	—	—	14	—	—	—	14	—	—
30 Other maternal	F	45	—	—	—	43	2	—	45	—	—	—	45	—	—
31 Premature birth	M	280	280	—	—	—	—	—	196	196	—	—	—	—	—
	F	227	227	—	—	—	—	—	139	139	—	—	—	—	—
32 Cong. mal., birth inj., infant: dis.	M	389	349	10	8	10	10	2	276	252	5	7	11	1	—
	F	286	251	8	6	14	5	2	216	190	6	8	8	3	—
33 Suicide	M	146	—	—	—	32	57	57	112	—	—	1	30	46	—
	F	83	—	—	—	31	39	13	84	—	—	—	29	37	—
34 Road traffic accidents	M	192	1	15	42	54	42	38	162	1	11	22	44	45	—
	F	76	—	8	12	20	17	19	49	—	3	8	14	12	—
35 Other violent causes†	M	393	39	20	43	100	100	91	291	27	24	37	70	67	—
	F	247	34	14	8	23	28	140	236	23	24	14	29	20	—
36 All other causes	M	1449	68	28	36	124	257	936	1329	30	22	18	96	187	—
	F	1431	35	23	33	153	217	970	1275	23	11	11	127	173	—
† Including deaths due to war operations	M	7	—	—	—	2	5	—	32	—	1	7	19	10	—
	F	2	—	—	—	2	—	—	15	—	1	5	7	1	—

TABLE 24—*contd.* Geographical Regions.

Causes of Death <i>see</i> first page of Table.		South West.							Wales.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	14163	880	161	162	990	3272	8698	16985	1321	275	258	1578	4716	8837
	F	14795	656	146	120	1013	2747	10113	14907	975	224	201	1599	3323	8585
Typoid and para- typhoid fevers	M	—	—	—	—	—	—	—	4	—	—	—	1	1	2
	F	1	—	—	—	—	—	1	3	—	—	—	2	—	1
Cerebro-spinal fever	M	18	3	2	3	4	5	1	23	9	4	2	3	3	2
	F	9	2	3	2	—	1	1	7	3	2	2	—	—	—
Scarlet fever	M	3	—	2	1	—	—	—	4	1	1	2	—	—	—
	F	3	—	1	—	2	—	—	5	—	—	3	2	—	—
Whooping cough	M	15	10	4	1	—	—	—	26	16	10	—	—	—	—
	F	21	7	13	1	—	—	—	26	13	12	1	—	—	—
Diphtheria	M	11	—	2	5	3	1	—	28	3	10	11	1	3	—
	F	12	1	1	6	3	—	1	29	—	10	14	4	1	—
Tuberculosis:—															
Respiratory system	M	505	—	2	2	240	212	49	814	4	4	4	422	310	70
	F	371	1	1	5	260	75	29	626	3	7	14	459	115	28
Other forms	M	101	9	17	19	42	13	1	136	9	34	20	50	14	9
	F	103	6	20	23	26	14	14	162	13	28	35	68	14	4
Syphilitic disease	M	77	5	—	—	7	35	30	88	1	—	—	10	56	21
	F	33	3	1	1	1	15	12	32	6	—	1	4	10	11
Influenza	M	66	4	4	1	3	19	35	135	9	3	5	15	49	54
	F	69	3	2	2	4	9	49	115	5	2	1	5	28	74
Measles	M	8	1	5	1	1	—	—	31	14	14	2	—	1	—
	F	8	—	5	1	1	—	1	35	15	14	4	2	—	—
Ac: poliomyel: & polioenceph:	M	9	—	1	—	7	—	1	2	—	—	1	1	—	—
	F	6	—	—	2	4	—	—	3	—	1	1	—	1	—
Ac: infectious encephalitis	M	8	—	—	—	2	2	4	13	—	1	2	3	4	—
	F	8	—	—	—	4	3	1	16	—	1	—	9	3	3
Cancer of															
Mouth & œsoph:	M	216	—	—	—	5	62	149	228	—	—	—	7	57	164
Uterus	F	263	—	—	—	25	131	107	284	—	1	—	30	165	88
Stomach and duodenum	M	471	—	—	—	8	165	298	637	—	—	—	30	274	333
	F	344	—	—	—	8	85	251	443	—	—	—	13	143	287
Breast	M	5	—	—	—	—	—	5	3	—	—	—	—	1	2
	F	474	—	—	—	36	191	247	371	—	—	—	37	174	160
All other sites	M	1292	1	1	2	82	450	756	1374	—	1	5	75	589	704
	F	1230	2	4	3	69	376	776	1203	2	4	7	85	465	640
Diabetes	M	104	—	2	2	15	28	57	102	—	—	4	11	19	68
	F	189	—	1	1	10	53	124	196	—	—	2	22	67	105
Intra-cranial vasc: lesions	M	1438	1	—	1	23	269	1144	1592	2	—	2	19	370	1199
	F	2038	1	1	1	21	373	1641	1882	—	—	1	28	437	1416
Heart disease	M	4015	—	2	5	102	807	3099	4268	—	—	20	179	1108	2961
	F	4403	—	7	84	567	3745	3979	5379	—	9	9	198	739	3033
Other circulatory diseases	M	441	—	—	—	10	81	350	434	—	—	—	12	94	328
	F	482	—	—	1	11	63	407	372	1	—	—	13	53	305
Bronchitis	M	729	36	9	—	10	166	508	1275	64	12	2	34	426	737
	F	612	22	4	—	15	81	490	722	49	8	3	38	131	493
Pneumonia	M	518	135	21	8	29	107	218	682	208	47	10	57	157	203
	F	447	89	21	5	27	61	244	505	168	39	5	45	56	192
Other respiratory diseases	M	236	2	4	2	15	92	121	457	5	6	2	45	241	158
	F	152	1	2	1	18	41	89	158	2	3	2	34	45	72
Ulcer of stomach or duodenum	M	225	—	—	—	30	118	77	190	1	—	—	39	118	32
	F	59	—	—	—	5	20	34	53	—	—	—	4	28	21
Diarrhoea under 2 years	M	104	95	9	—	—	—	—	135	129	6	—	—	—	—
	F	66	62	4	—	—	—	—	82	77	5	—	—	—	—
Appendicitis	M	50	—	3	10	11	14	12	83	—	7	13	24	22	17
	F	43	—	—	2	15	13	13	57	—	1	10	16	22	8
Other digestive diseases	M	294	7	8	2	22	93	162	295	21	11	9	23	103	128
	F	354	5	4	3	44	81	217	345	18	9	3	47	110	158
Nephritis	M	519	—	1	3	34	122	359	543	2	1	5	55	160	320
	F	467	2	5	4	34	109	313	544	2	1	9	70	163	299
Maternal sepsis	M	16	—	—	—	16	—	—	26	—	—	—	26	—	—
Other maternal	F	64	—	—	—	61	3	—	94	—	—	—	94	—	—
Premature birth	M	195	195	—	—	—	—	—	284	284	—	—	—	—	—
	F	214	214	—	—	—	—	—	236	236	—	—	—	—	—
Cong: mal:, birth inj., infant: dis:	M	351	316	8	6	11	6	4	465	421	9	10	20	3	2
	F	214	177	7	7	13	7	3	310	271	12	9	12	6	—
Suicide	M	132	—	—	1	33	64	34	136	—	—	—	39	61	36
	F	90	—	—	—	22	50	18	49	—	—	—	15	21	13
Road traffic accidents	M	138	—	11	20	45	35	27	189	—	16	39	67	38	29
	F	64	—	6	3	16	20	19	59	1	12	10	16	9	11
Other violent causes†	M	369	31	18	35	109	83	93	534	26	39	47	176	142	104
	F	279	26	17	8	27	42	159	245	33	25	24	24	24	115
All other causes	M	1500	29	25	32	87	223	1104	1775	92	39	41	160	292	1151
	F	1587	32	23	31	131	263	1107	1693	57	27	31	177	293	1048
Including deaths due to war operations	M	25	—	—	1	16	8	—	28	—	2	10	7	7	2
	F	4	—	—	—	2	2	—	3	—	—	—	—	2	1

TABLE 24—*contd.* Geographical Regions.

Causes of Death See first page of Table.		Wales I.							Wales II.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes.	M	12207	984	205	183	1208	3565	6062	4778	337	70	75	370	1151	370
	F	9985	733	170	164	1181	2317	5420	4922	242	54	37	418	1006	418
1 Typhoid and paratyphoid fevers	M	2	—	—	—	1	—	1	2	—	—	—	—	—	1
	F	1	—	—	—	1	—	—	2	—	—	—	—	—	—
2 Cerebro-spinal fever	M	15	5	3	1	2	2	2	8	4	1	1	—	—	1
	F	6	2	2	2	—	—	—	1	1	—	—	—	—	—
3 Scarlet fever	M	2	—	—	2	—	—	—	2	1	1	—	—	—	—
	F	4	—	—	2	2	—	—	1	—	—	1	—	—	—
4 Whooping cough	M	20	13	7	—	—	—	—	6	3	3	—	—	—	—
	F	19	8	10	1	—	—	—	7	5	2	—	—	—	—
5 Diphtheria	M	20	1	7	9	1	2	—	8	2	3	2	—	—	—
	F	19	—	9	9	—	1	—	10	—	1	5	4	—	1
6 Tuberculosis:— Respiratory system	M	599	4	4	3	327	212	49	215	—	—	1	95	98	—
	F	485	3	2	14	363	86	17	141	—	5	—	96	29	—
7 Other forms	M	94	4	25	16	33	10	6	42	5	9	4	17	4	—
	F	125	13	19	31	49	9	4	37	—	9	4	19	5	—
8 Syphilitic disease	M	73	1	—	—	7	55	10	15	—	—	—	3	1	—
	F	27	5	—	1	2	9	10	5	1	—	—	2	1	—
9 Influenza	M	101	8	3	4	12	35	39	34	1	—	1	3	14	—
	F	70	5	—	1	4	20	40	45	—	2	—	1	8	—
10 Measles	M	28	13	13	1	—	1	—	3	1	1	1	—	—	—
	F	32	14	14	3	1	—	—	3	1	—	1	1	—	—
11 Ac: poliomyel: & polioenceph:	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	1	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	8	—	—	2	2	2	2	5	—	1	—	1	2	—
	F	10	—	1	—	5	2	2	6	—	—	—	4	1	—
13M Mouth & cesoph:	M	151	—	—	—	3	40	108	77	—	—	—	4	17	—
13F Uterus	F	202	—	1	—	18	120	63	82	—	—	—	12	45	—
14 Stomach and duodenum	M	425	—	—	—	17	206	202	212	—	—	—	13	68	—
	F	275	—	—	—	9	87	179	168	—	—	—	4	56	—
15 Breast	M	1	—	—	—	—	1	—	2	—	—	—	—	—	—
	F	225	—	—	—	25	111	89	146	—	—	—	12	63	—
16 All other sites	M	959	—	1	3	55	436	464	415	—	—	2	20	153	—
	F	772	2	3	6	59	311	391	431	—	1	1	26	154	—
17 Diabetes	M	69	—	—	2	9	11	47	33	—	—	2	2	8	—
	F	152	—	—	1	16	58	77	44	—	—	—	1	9	—
18 Intra-cranial vasc: lesions	M	1082	1	—	1	15	268	797	510	1	—	1	4	102	—
	F	1122	—	—	1	12	304	805	760	—	—	—	16	133	—
19 Heart disease	M	3073	—	—	13	145	848	2067	1195	—	—	7	34	260	—
	F	2689	—	—	7	152	535	1995	1290	—	—	2	46	204	—
20 Other circulatory diseases	M	322	—	—	—	11	74	237	112	—	—	—	1	20	—
	F	225	1	—	—	11	35	178	147	—	—	—	2	18	—
21 Bronchitis	M	1016	49	10	2	24	367	564	259	15	2	—	10	59	—
	F	519	40	5	2	27	98	347	203	9	3	1	11	33	—
22 Pneumonia	M	529	161	32	9	52	124	151	153	47	15	1	5	33	—
	F	357	127	29	4	32	40	125	148	41	10	1	13	16	—
23 Other respiratory diseases	M	388	4	5	1	39	215	124	69	1	1	1	6	26	—
	F	107	2	3	2	27	24	49	51	—	—	—	7	21	—
24 Ulcer of stomach or duodenum	M	135	1	—	—	32	81	21	55	—	—	—	7	37	—
	F	34	—	—	—	4	17	13	19	—	—	—	—	11	—
25 Diarrhoea under 2 years	M	106	100	6	—	—	—	—	29	29	—	—	—	—	—
	F	64	59	5	—	—	—	—	18	18	—	—	—	—	—
26 Appendicitis	M	61	—	5	8	21	14	13	22	—	2	5	3	8	—
	F	41	—	—	7	10	20	4	16	—	1	3	6	2	—
27 Other digestive diseases	M	193	16	6	5	15	64	87	102	5	5	4	8	39	—
	F	239	12	7	2	35	80	103	106	6	2	1	12	30	—
28 Nephritis	M	322	—	1	5	43	110	163	221	2	—	—	12	50	—
	F	327	2	1	7	48	106	163	217	—	—	2	22	57	—
29 Maternal sepsis	M	21	—	—	—	21	—	—	5	—	—	—	5	—	—
30 Other maternal	F	73	—	—	—	73	—	—	21	—	—	—	21	—	—
31 Premature birth	M	210	210	—	—	—	—	—	74	74	—	—	—	—	—
	F	176	176	—	—	—	—	—	60	60	—	—	—	—	—
32 Cong: mal:, birth inj., infant: dis:	M	340	313	7	7	10	1	2	125	108	2	3	10	2	—
	F	225	195	9	8	7	6	—	85	76	3	1	5	—	—
33 Suicide	M	91	—	—	—	30	37	24	45	—	—	—	9	24	—
	F	24	—	—	—	7	13	4	25	—	—	—	8	8	—
34 Road traffic accidents	M	131	—	14	27	45	28	17	58	—	2	12	22	10	—
	F	40	1	9	7	8	5	10	19	—	3	3	8	4	—
35 Other violent causes†	M	400	15	29	30	140	117	69	134	11	10	17	36	25	—
	F	167	22	24	18	15	18	70	78	11	1	6	9	6	—
36 All other causes	M	1239	65	27	31	116	204	796	536	27	12	10	44	88	—
	F	1109	44	16	27	138	202	682	524	13	11	4	39	91	—
† Including deaths due to war operations	M	20	—	2	5	5	7	1	8	—	—	5	2	—	—
	F	2	—	—	—	—	2	—	1	—	—	—	—	—	—

TABLE 24—*contd.* Density Summary of Areas Outside Greater London.

Causes of Death <i>See first page of Table.</i>		County Boroughs.							Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M F	79465 75157	6842 5088	1216 991	1115 848	7067 7578	23365 16489	39860 44163	78982 77757	5837 4307	1158 992	1115 827	6499 8769	20983 16318	43390 48544
1 Typhoid and para-typhoid fevers	M F	6 10	— —	— —	— —	3 2	2 7	1 1	4 9	— —	— —	— —	— 6	2 3	2 —
2 Cerebro-spinal fever	M F	110 65	48 22	22 20	10 8	16 8	10 5	4 2	104 65	29 22	21 14	13 6	24 14	13 6	4 3
3 Scarlet fever	M F	9 19	1 —	5 6	2 7	— —	5 —	1 —	12 15	1 —	4 2	4 7	3 6	— —	— —
4 Whooping cough	M F	116 137	70 81	45 52	1 4	— —	— —	— —	97 133	67 61	27 67	3 5	— —	— —	— —
Diphtheria	M F	142 136	5 1	55 47	63 72	13 12	6 2	2 —	131 129	51 4	45 38	70 64	9 17	1 4	1 2
Tuberculosis:—															
6 Respiratory system	M F	4480 3045	13 17	33 23	28 61	2109 2267	1895 525	402 152	3349 2294	8 8	23 22	25 38	1627 1676	1355 405	311 145
7 Other forms	M F	691 674	48 41	176 149	138 133	232 253	79 69	18 29	634 589	43 39	149 121	118 125	216 203	79 69	29 32
8 Syphilitic disease	M F	570 263	19 20	— —	2 —	47 50	338 139	164 53	449 171	17 19	1 —	— 2	44 26	266 71	121 52
9 Influenza	M F	428 376	46 20	15 14	5 7	43 38	150 89	169 208	504 416	31 20	21 10	6 3	66 33	164 87	216 263
0 Measles	M F	137 134	56 46	70 78	11 6	— 2	— 1	— 1	128 108	49 39	68 54	9 12	1 2	— —	1 1
1 Ac: poliomyel: & polioenceph:	M F	18 12	3 —	1 —	2 5	8 4	2 1	2 1	22 22	— —	— —	6 5	15 10	2 4	1 —
2 Ac: infectious encephalitis	M F	81 90	— —	1 1	— 2	43 40	22 29	15 18	79 73	1 —	2 2	5 5	27 24	27 29	17 18
Cancer of:															
3M Mouth & œsoph:	M	1169	—	—	—	29	303	837	1058	—	—	1	15	288	754
4F Uterus	F	1440	—	—	—	128	793	518	1479	—	—	2	155	782	539
3F Stomach and duodenum	M F	2403 1861	— —	1 —	— —	130 103	1081 634	1192 1124	2519 1982	— —	— —	— —	122 84	1021 632	1376 1266
5 Breast	M F	21 2145	— —	— —	1 —	2 269	6 1037	12 839	20 2399	— —	— —	— —	— —	7 1043	13 1108
6 All other sites	M F	7826 5963	6 5	22 18	20 20	516 482	3283 2247	3979 3191	7733 6541	5 4	23 25	25 24	433 472	3042 2327	4205 3689
Diabetes	M F	387 820	— —	1 —	2 8	43 77	98 224	243 511	508 947	— —	3 1	6 8	55 72	134 259	310 607
8 Intra-cranial vasc: lesions	M F	6943 9217	8 8	1 1	— 2	126 155	1840 2061	4968 6990	7867 10326	8 3	1 2	4 3	126 151	1760 2150	5968 8017
9 Heart disease	M F	19365 20514	3 4	7 1	46 57	788 946	5317 3572	13204 15937	20872 21755	— —	5 3	49 54	700 779	5162 3580	14956 17339
0 Other circulatory diseases	M F	2650 2699	1 1	— —	2 —	68 60	585 395	1991 2242	2401 2375	2 1	1 —	3 4	55 57	484 346	1856 1967
1 Bronchitis	M F	6774 4385	240 170	39 24	16 8	268 137	2520 850	3691 3196	5144 3815	203 153	36 35	16 13	198 124	1633 623	3058 2867
2 Pneumonia	M F	3902 3051	1267 986	192 185	50 39	236 243	1023 469	1134 1129	3265 2586	967 740	185 170	40 30	253 185	762 398	1058 1063
3 Other respiratory diseases	M F	1119 737	30 14	13 13	9 12	137 123	523 235	407 339	1231 849	16 18	22 18	6 5	136 127	572 238	479 443
4 Ulcer of stomach or duodenum	M F	1299 285	1 —	— —	1 1	195 36	744 109	358 139	1203 333	1 —	1 —	— —	216 35	635 130	350 168
5 Diarrhoea under 2 years	M F	1032 682	990 647	42 35	— —	— —	— —	— —	649 431	618 408	31 23	— —	— —	— —	— —
6 Appendicitis	M F	297 236	— 1	19 14	37 45	71 62	102 74	58 50	324 239	— —	22 6	62 38	85 65	89 62	66 68
7 Other digestive diseases	M F	1491 1720	80 47	44 36	30 35	146 219	496 507	695 876	1485 1884	100 44	45 36	42 29	135 230	465 545	698 1000
8 Nephritis	M F	1932 1969	13 3	5 4	18 25	258 289	687 611	2186 1037	2186 2165	6 8	11 12	23 24	247 251	672 621	1227 1249
9 Maternal sepsis	M F	119 282	— —	— —	— —	119 278	— 4	— —	112 303	— —	— —	— —	111 295	1 7	— 1
0 Other maternal	M F	1485 1205	1485 1205	— —	— —	— —	— —	— —	1346 1084	1346 1084	— —	— —	— —	— —	— —
1 Premature birth	M F	1205 2032	1818 1309	56 41	45 23	67 47	34 30	12 18	2000 1462	1814 1271	45 38	32 32	64 77	33 35	12 9
2 Cong: mal:, birth inj:, infant: dis:	M F	1468 742	— —	— —	4 —	162 177	342 206	234 82	710 489	— —	— —	— —	166 143	306 238	238 167
3 Suicide	M F	465 850	— 2	— 91	— 179	— 204	— 174	— 200	— 812	— —	— 67	— 165	— 247	— 171	— 162
4 Road traffic accidents	M F	376 —	1 —	39 —	75 —	79 —	66 —	116 —	357 —	1 —	48 —	67 —	76 —	80 —	85 —
5 Other violent causes†	M F	1956 1443	183 155	119 90	201 68	467 135	495 182	491 813	2271 1416	183 140	155 116	220 71	584 162	587 173	542 754
6 All other causes	M F	7002 7114	403 286	142 96	182 135	640 733	1207 1316	4428 4548	7863 8404	317 218	144 125	162 155	630 854	1251 1370	5359 5682
Including deaths due to war operations	M F	113 26	— —	1 1	9 5	45 9	53 8	5 3	175 62	— 2	9 1	28 4	48 30	75 16	15 9

TABLE 24—*contd.* Density Summary of Areas
Outside Greater London.

London

Causes of Death <i>See first page of Table.</i>		Rural Districts.							Administrative County.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	44925	3020	665	625	3395	9949	27271	19303	1173	215	230	1777	5869	10000
	F	42997	2231	544	412	3497	8396	27917	17445	838	162	141	1763	3949	10000
1 Typhoid and para-typhoid fevers	M	4	—	—	1	2	—	1	—	—	—	—	—	—	—
	F	7	—	1	—	4	1	1	3	—	—	—	1	1	—
2 Cerebro-spinal fever	M	45	20	11	4	8	1	1	20	9	6	—	2	2	—
	F	35	7	5	8	6	7	2	25	10	6	2	4	2	—
3 Scarlet fever	M	9	—	4	5	—	—	—	1	1	—	—	—	—	—
	F	11	1	1	4	—	1	—	—	—	—	—	—	—	—
4 Whooping cough	M	47	30	14	3	—	—	—	18	13	5	—	—	—	—
	F	86	47	34	4	1	—	—	29	22	6	1	—	—	—
5 Diphtheria	M	42	1	15	19	6	1	—	7	1	3	2	1	—	—
	F	50	1	10	14	18	5	2	17	—	6	7	2	2	—
Tuberculosis:—															
6 Respiratory system	M	1405	6	2	11	678	556	152	1338	5	7	4	563	589	—
	F	1092	4	14	17	776	211	70	695	—	6	4	504	130	—
7 Other forms	M	335	22	89	50	107	54	13	118	4	21	12	50	21	—
	F	337	25	75	52	118	38	29	106	6	18	12	36	22	—
8 Syphilitic disease	M	211	9	—	1	26	94	81	216	4	—	—	16	105	—
	F	80	8	1	2	9	32	28	114	4	—	—	13	49	—
9 Influenza	M	266	15	11	3	30	82	125	90	5	2	1	12	39	—
	F	287	11	10	1	24	59	182	81	3	1	—	4	22	—
10 Measles	M	67	22	31	8	4	1	1	19	5	12	2	—	—	—
	F	70	16	34	11	6	1	2	12	3	6	1	2	—	—
11 Ac: poliomyel: & polioenceph:	M	19	—	1	2	12	2	2	2	—	—	—	2	—	—
	F	12	1	2	1	8	—	—	4	—	—	—	3	1	—
12 Ac: infectious encephalitis	M	31	—	3	2	12	8	6	11	—	—	—	4	5	—
	F	41	—	1	2	14	14	10	16	—	—	—	5	7	—
Cancer of															
13M Mouth & œsoph:	M	642	—	—	2	21	169	450	314	—	—	1	6	84	—
13F Uterus	F	712	—	—	—	65	353	294	326	—	—	—	24	177	—
14 Stomach and duodenum	M	1445	—	—	—	58	508	879	567	—	—	—	36	242	—
	F	1098	—	—	—	39	301	758	420	—	—	—	20	133	—
15 Breast	M	12	—	—	—	—	1	11	7	—	—	—	—	4	—
	F	1341	—	—	—	119	612	610	571	—	—	—	50	282	—
16 All other sites	M	4381	—	11	23	251	1434	2662	2314	1	3	6	137	1021	—
	F	3696	3	6	14	235	1255	2183	1536	1	1	7	101	570	—
17 Diabetes	M	304	—	2	4	40	66	192	65	—	—	—	4	17	—
	F	524	—	—	7	33	133	351	156	—	—	—	11	43	—
18 Intra-cranial vasc: lesions	M	4515	3	2	2	51	849	3608	1266	2	—	1	17	344	—
	F	5808	4	1	2	95	1131	4575	1667	—	—	—	23	409	—
19 Heart disease	M	12407	1	3	27	316	2354	9706	4542	—	—	5	148	1086	—
	F	12230	1	3	19	325	1765	10117	4902	—	—	5	171	656	—
20 Other circulatory diseases	M	1378	1	—	—	28	188	1161	732	1	—	—	17	181	—
	F	1346	1	1	1	31	170	1142	701	1	—	—	19	164	—
21 Bronchitis	M	2340	106	16	8	63	559	1588	1758	36	6	2	59	620	—
	F	1774	75	20	4	54	214	1407	1051	30	4	—	24	186	—
22 Pneumonia	M	1626	406	95	26	105	313	681	1030	173	32	7	61	274	—
	F	1434	351	87	20	132	189	655	817	118	18	4	42	142	—
23 Other respiratory diseases	M	695	10	10	11	71	299	294	228	4	2	—	27	107	—
	F	473	8	9	2	73	142	239	140	3	3	—	24	52	—
24 Ulcer of stomach or duodenum	M	608	2	—	—	92	302	212	424	1	—	—	58	194	—
	F	188	—	—	—	10	80	98	106	—	—	—	5	34	—
25 Diarrhoea under 2 years	M	252	234	18	—	—	—	—	188	181	7	—	—	—	—
	F	156	150	6	—	—	—	—	130	123	7	—	—	—	—
26 Appendicitis	M	174	—	12	25	44	49	44	68	1	5	6	10	26	—
	F	144	—	10	20	39	41	34	52	—	4	5	11	17	—
27 Other digestive diseases	M	966	39	30	18	90	291	498	347	14	9	7	32	108	—
	F	1054	27	21	19	113	265	609	424	8	7	4	44	124	—
28 Nephritis	M	1335	5	4	11	108	346	861	379	—	1	3	56	133	—
	F	1259	5	7	12	138	333	764	356	—	3	2	39	123	—
29 Maternal sepsis	F	53	—	—	—	52	1	—	32	—	—	—	31	1	—
30 Other maternal	F	214	—	—	—	210	4	—	56	—	—	—	56	—	—
31 Premature birth	M	755	755	—	—	—	—	—	239	239	—	—	—	—	—
	F	575	575	—	—	—	—	—	184	184	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	1200	1072	35	20	45	23	5	427	366	7	3	25	21	—
	F	824	716	26	23	34	18	7	309	248	7	3	20	20	—
33 Suicide	M	415	—	—	2	125	176	112	164	—	—	—	43	80	—
	F	199	—	—	—	73	99	27	128	—	—	—	47	61	—
34 Road traffic accidents	M	668	2	45	96	233	169	123	225	—	15	34	40	47	—
	F	222	—	18	39	76	49	40	92	—	9	17	11	22	—
35 Other violent causes†	M	1359	82	100	144	403	320	310	889	64	47	98	195	219	—
	F	800	75	65	41	86	90	443	1000	49	36	50	256	204	—
36 All other causes	M	4967	177	101	97	366	734	3492	1290	43	25	36	156	300	—
	F	4765	119	76	73	477	782	3238	1187	25	14	17	160	293	—

† Including deaths due to war operations

TABLE 24—contd.

Causes of Death See first page of Table.		CITY OF LONDON.							THE INNER AND MIDDLE TEMPLES.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	34	—	—	—	1	20	13	—	—	—	—	—	—	—
	F	25	—	—	—	4	9	12	1	—	—	—	1	—	—
Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—															
Respiratory system	M	3	—	—	—	—	3	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other forms	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilitic disease	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Ac: poliomyel: & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of															
Mouth & œsoph:	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Uterus	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Stomach and duodenum	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All other sites	M	3	—	—	—	1	2	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Diabetes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intra-cranial vasc: lesions	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Heart disease	M	10	—	—	—	—	4	6	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	—	—	—	—
Other circulatory diseases	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—
Bronchitis	M	4	—	—	—	1	1	2	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—
Pneumonia	M	1	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Ulcer of stomach or duodenum	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa under 2 years	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Appendicitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other digestive diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	M	3	—	—	—	—	2	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other maternal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature birth	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cong: mal:, birth inj., infant: dis:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Road traffic accidents	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other violent causes†	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—
	F	3	—	—	—	2	—	1	—	—	—	—	—	—	—
All other causes	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	6	—	—	—	1	3	2	—	—	—	—	—	—	—
Including deaths due to war operations	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	3	—	—	—	2	—	1	—	—	—	—	—	—	—

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death <i>See first page of Table.</i>		BATTERSEA.							BERMONDSEY.							BETHNAL GREEN.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes		M F	660 592	37 28	11 4	10 4	50 56	186 135	366 365	374 309	22 22	7 7	8 3	43 31	103 63	191 183	386 318	11 15	3 2	6 3	26 37	140 83
1	Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Cerebro-spinal fever	M F	— 1	— 1	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Whooping cough	M F	3 2	— 1	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	
5	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— 2	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	
6	Tuberculosis :— Respiratory system	M F	36 26	— —	— —	14 21	16 5	6 —	27 17	— —	— —	— 1	13 16	10 —	4 —	26 17	— —	— —	— 1	8 10	13 3	
7	Other forms	M F	4 1	1 —	— —	— 1	— —	3 —	— 2	— —	— 1	— 1	— —	2 —	— —	— —	1 —	— 1	1 —	— —	— —	
8	Syphilitic disease	M F	5 4	— —	— —	— —	4 3	1 —	— 2	— —	— —	— —	— —	— 1	— 1	6 2	— —	— —	— —	1 —	1 —	
9	Influenza	M F	2 5	1 —	— —	— —	— —	1 5	— —	3 —	1 —	— —	— —	— —	1 —	1 —	2 1	— —	— —	— —	2 1	
10	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
11	Ac: poliomyel: & polioenceph:	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
12	Ac: infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
13M	Mouth & œsoph:	M	12	—	—	—	—	5	7	10	—	—	—	—	1	9	8	—	—	—	1	
13F	Uterus	F	15	—	—	—	2	9	4	4	—	—	—	—	—	4	7	—	—	—	6	
14	Stomach and duodenum	M F	21 13	— —	— —	— —	2 —	5 7	14 6	7 11	— —	— —	— 1	— 2	2 8	5 8	12 —	— —	— —	— —	5 4	
15	Breast	M F	— 22	— —	— —	— —	— 3	— 11	— 8	— 4	— —	— —	— —	— —	— 1	— 3	1 12	— —	— —	— 1	1 4	
16	All other sites	M F	74 57	— —	— —	— —	6 2	28 17	40 38	42 23	— —	1 —	— —	2 1	20 7	19 15	52 34	— —	— —	1 3	27 15	
17	Diabetes	M F	5 5	— —	— —	— —	— 2	1 3	4 3	1 3	— —	— —	— —	1 2	— 1	3 6	— —	— —	— —	— —	2 —	
18	Intra-cranial vasc: lesions	M F	50 49	— —	— —	— —	— 2	14 11	36 36	17 34	— —	— —	— —	— 4	13 9	24 25	— 20	— —	— —	— —	8 4	
19	Heart disease	M F	143 177	— —	— —	3 8	36 22	104 147	94 84	— —	— —	— —	2 2	26 14	66 68	97 97	— —	— —	1 8	2 8	23 16	
20	Other circulatory diseases	M F	31 23	— —	— —	— —	7 5	24 18	21 20	— —	— —	— —	— —	4 10	17 10	11 10	— —	— —	— —	— —	1 5	
21	Bronchitis	M F	73 36	1 —	— —	— —	26 6	46 30	36 23	1 —	— —	— —	— —	11 1	24 21	32 16	1 —	— —	— —	1 —	19 4	
22	Pneumonia	M F	22 24	4 3	2 1	— 1	5 6	10 13	13 13	2 5	2 1	— —	— —	1 3	3 5	28 13	1 5	2 —	— 1	1 2	10 6	
23	Other respiratory diseases	M F	1 4	— —	— —	— —	— 2	— 2	1 2	2 1	— —	1 —	— —	— —	1 —	6 5	— —	— —	— —	— 2	5 2	
24	Ulcer of stomach or duodenum	M F	17 3	— —	— —	— 2	— 10	— 5	— 3	— 1	— —	— —	— —	— 2	— 7	— 1	8 1	— —	— —	— —	4 2	
25	Diarrhœa under 2 years	M F	3 3	3 3	— —	— —	— —	— —	— 6	— 6	— —	— —	— —	— —	— —	4 2	2 —	— —	— —	— —	— —	
26	Appendicitis	M F	3 4	— —	— 1	1 —	— 3	— —	— 1	4 1	— —	— —	1 —	2 —	1 —	— 1	— 2	— —	— —	— —	— 1	
27	Other digestive diseases	M F	25 10	2 —	1 —	1 —	3 1	6 3	12 6	8 4	— —	1 —	— —	2 2	2 2	3 8	— —	— —	— —	— —	3 3	
28	Nephritis	M F	12 24	— —	— —	— 4	3 6	3 14	6 8	4 —	— —	— 1	— —	2 4	2 3	5 6	— —	— —	— —	1 1	3 3	
29	Maternal sepsis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 4	— 3	— —	— —	— —	— —	— —	
30	Other maternal	M F	— 2	— —	— —	— 2	— —	— —	— —	— 2	— —	— —	— 2	— —	— —	— —	1 —	— —	— —	— 1	— —	
31	Premature birth	M F	12 11	12 11	— —	— —	— —	— —	— —	4 2	— —	— —	— —	— —	— —	— —	— 1	— 1	— —	— —	— —	
32	Cong: mal:, birth inj:, infant: dis:	M F	14 11	10 9	— —	— —	3 1	— 1	— 1	8 7	6 —	— —	— —	1 —	1 —	— —	5 5	3 2	— —	— —	1 1	
33	Suicide	M F	6 2	— —	— —	— —	1 1	2 1	3 1	— 3	— —	— —	— —	— —	— 3	— —	5 2	— —	— —	1 —	3 1	
34	Road traffic accidents	M F	5 3	— —	— 1	— 1	1 —	— 1	3 1	7 —	— —	1 —	2 —	1 —	1 —	2 4	6 —	— 1	2 —	— —	1 1	
35	Other violent causes†	M F	28 24	1 2	4 1	4 4	2 6	4 10	13 6	19 14	— 1	1 1	3 1	6 3	3 7	6 10	12 10	— 2	— —	— —	1 4	
36	All other causes	M F	52 32	1 —	1 1	4 1	8 4	9 9	29 18	25 17	1 —	— 1	2 —	5 2	4 5	13 9	27 26	1 —	— —	2 6	4 5	
† Including deaths due to war operations		M F	8 11	— 1	— 1	2 4	1 4	3 3	2 1	4 1	— —	— —	— —	2 1	2 —	— —	4 2	— 1	— —	— —	3 1	

TABLE 24—contd. Metropolitan Boroughs.

Causes of Death See first page of Table.		CAMBERWELL.							CHELSEA.							DEPTFORD.							
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	
All Causes		M F	1027 941	61 30	12 10	7 8	86 103	298 215	563 575	264 272	10 15	8 3	7 —	19 29	73 55	147 170	526 427	30 23	12 6	9 8	65 59	143 90	267 241
1	Typhoid and para- typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Cerebro-spinal fever	M F	— 1	— —	— —	1 —	— —	— —	— —	1 1	— —	1 —	— —	— 1	— —	— —	1 —	— —	1 —	— —	— —	— —	
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Whooping cough	M F	1 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	
5	Diphtheria	M F	1 1	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	1 2	— —	1 1	— —	— —	— —	
6	Tuberculosis:— Respiratory system	M F	65 53	— —	— —	— —	30 39	30 9	5 5	14 13	— —	— —	— —	4 10	7 3	3 —	26 13	— —	— —	11 6	13 6	2 —	
7	Other forms	M F	4 4	1 —	— 3	1 —	1 —	1 —	— 1	— 1	— —	— —	— —	— 1	— 1	— —	— 2	— —	— 1	— —	1 1	— —	
8	Syphilitic disease	M F	4 4	— —	— —	— —	— —	3 3	1 1	3 —	— —	— —	— —	— —	— 3	4 2	— —	— —	— —	— —	3 —	1 —	
9	Influenza	M F	6 5	— —	— —	— —	— —	4 2	2 2	1 —	— —	— —	— —	— —	— 1	3 2	— —	— —	1 —	— —	2 —	— —	
10	Measles	M F	2 1	2 —	— 1	— —	— —	— —	— —	3 —	1 —	2 —	— —	— —	2 —	— —	3 —	— —	2 —	1 —	— —	— —	
11	Ac: poliomyel: & polioenceph:	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
12	Ac: infectious encephalitis	M F	3 1	— —	— —	— —	1 —	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	
13	Cancer of Mouth & œsoph:	M F	19 15	— —	— —	— —	4 1	15 7	9 7	— —	— —	— —	— —	3 2	6 1	6 4	— —	— —	— —	— —	1 1	5 3	
14	Uterus	M F	30 20	— —	— —	— —	1 1	13 16	3 3	— —	— —	— —	— —	2 1	4 1	1 12	— —	— —	— —	— —	— —	— —	
15	Stomach and duodenum	M F	30 20	— —	— —	— —	1 6	13 14	3 5	— —	— —	— —	— —	1 —	1 4	12 12	— —	— —	3 —	5 2	4 10	— —	
16	Breast	M F	1 20	— —	— —	— —	— 2	1 8	— 10	— 6	— —	— —	— —	— —	— 2	— 4	— 9	— —	— —	— 1	— 6	— 2	
17	All other sites	M F	120 83	— —	1 —	1 —	9 6	48 33	61 43	32 30	— —	— —	— —	4 2	10 12	18 16	47 22	— —	— —	2 2	22 5	23 15	
18	Diabetes	M F	3 2	— —	— —	— —	— 1	— 1	3 —	1 —	— —	— —	— —	— —	— 1	3 3	— —	— —	— —	— —	1 —	2 3	
19	Intra-cranial vasc: lesions	M F	77 87	— —	— —	— —	1 1	24 22	52 64	21 30	— —	— —	— —	— —	4 6	17 24	30 36	— —	— —	— —	8 11	21 25	
20	Heart disease	M F	248 292	— —	— —	— —	8 12	54 41	186 239	66 74	— —	— —	1 —	1 1	18 7	46 66	127 125	— —	— —	4 8	23 17	100 100	
21	Other circulatory diseases	M F	35 45	— —	— —	— —	— —	8 9	27 36	4 14	— 1	— —	— —	— 1	— 1	4 11	20 9	— —	— —	1 —	3 3	16 9	
22	Bronchitis	M F	97 55	3 1	— —	— —	4 5	33 11	57 38	16 18	— 1	— —	— —	— —	4 5	12 12	49 28	1 2	1 —	4 —	17 3	26 22	
23	Pneumonia	M F	68 41	8 9	3 —	— —	2 2	17 7	38 23	14 15	— 3	— —	1 —	— —	4 2	8 10	24 18	3 4	— —	1 —	5 2	15 12	
24	Other respiratory diseases	M F	10 12	— 1	— 1	— —	1 1	5 6	4 3	4 2	— —	— —	— —	1 2	1 —	2 —	2 1	— —	— —	— —	— —	— —	
25	Ulcer of stomach or duodenum	M F	25 6	— —	— —	— —	4 1	12 2	9 3	5 —	— —	— —	— —	— —	3 —	2 —	16 2	— —	— —	5 —	6 —	5 2	
26	Diarrhœa	M F	9 2	9 2	— —	— —	— —	— —	— —	1 1	— 1	— —	— —	— —	— —	— —	2 2	2 2	— —	— —	— —	— —	
27	Appendicitis	M F	2 3	— —	— —	— —	— —	1 1	— 1	4 —	— —	— —	— —	— —	— 4	— —	1 2	— —	— —	— —	— —	— 1	
28	Other digestive diseases	M F	14 32	1 —	— —	— —	2 4	4 13	7 15	5 5	— 1	— —	— —	— —	1 4	3 9	8 12	1 —	— —	2 1	4 3	1 5	
29	Nephritis	M F	12 12	— —	— —	— —	2 1	4 4	6 7	8 3	— —	— —	— —	— —	1 1	6 2	9 2	— —	— —	2 —	4 —	6 1	
30	Maternal sepsis	M F	2 4	— —	— —	— —	2 4	— —	— —	1 3	— —	— —	— —	1 3	— —	— —	— 1	— —	— —	— —	— —	— —	
31	Other maternal	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	
32	Premature birth	M F	13 5	13 5	— —	— —	— —	— —	— —	2 2	2 2	— —	— —	— —	— —	— —	5 4	5 4	— —	— —	— —	— —	
33	Cong: mal; birth inj; infant: dis:	M F	22 10	21 7	— —	— —	1 2	— —	— —	6 5	4 4	— 1	— —	— —	— 2	— —	13 8	13 8	— —	— —	— —	— —	
34	Suicide	M F	9 6	— —	— —	— —	1 3	3 3	5 —	— 4	— —	— —	— —	— —	— —	— —	4 3	— —	— —	— —	1 2	2 —	
35	Road traffic accidents	M F	14 7	— —	2 1	— —	2 1	4 2	6 3	5 2	— —	1 —	1 —	2 —	— —	— —	3 2	— —	— —	— —	— —	— —	
36	Other violent causes†	M F	36 45	2 —	1 —	3 —	8 6	11 12	13 21	17 15	— 2	3 2	— —	1 4	5 1	6 6	56 81	4 2	4 4	5 5	17 31	14 20	
37	All other causes	M F	77 64	— 1	6 2	2 2	8 7	12 13	49 39	17 13	— —	— —	— —	— —	— 1	— 2	— 10	— —	— —	— 3	— 8	— 9	
Including deaths due to war operations		M F	15 22	— —	— —	— 2	4 5	7 10	3 5	5 7	— —	— —	— —	— —	— 1	— —	41 74	2 1	4 4	5 5	14 31	10 20	

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death See first page of Table.		FINSBURY.							FULHAM.							GREENWICH.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	247	11	2	5	24	81	124	662	38	5	3	56	203	357	455	31	3	8	45	144	202
	F	233	15	3	2	18	61	134	639	36	7	3	58	136	399	358	20	4	3	38	77	202
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Tuberculosis:—	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Respiratory system	M	25	—	1	—	9	12	3	47	—	—	—	22	24	1	34	—	—	1	15	14	—
	F	3	—	—	—	1	2	—	27	—	—	—	22	4	1	17	—	—	—	12	4	—
7 Other forms	M	2	—	—	2	—	—	—	7	—	1	—	2	4	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	8	—	1	1	1	—	—
8 Syphilitic disease	M	2	—	—	—	—	—	2	14	—	—	—	1	5	8	9	—	—	—	—	3	—
	F	—	—	—	—	—	—	—	4	—	—	—	1	1	2	3	—	—	—	1	—	—
9 Influenza	M	1	—	—	—	1	—	—	6	—	—	—	1	4	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	5	—	1	—	—	2	2	—	—	—	—	—	—	—
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac. poliomyel. & polioenceph.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac. infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13M Mouth & œsoph:	M	9	—	—	—	—	1	8	9	—	—	—	—	5	4	4	—	—	—	—	1	—
13F Uterus	F	5	—	—	—	—	3	2	17	—	—	—	1	7	9	7	—	—	—	1	3	—
14 Stomach and duodenum	M	7	—	—	—	—	1	6	19	—	—	—	2	5	12	18	—	—	—	—	8	—
	F	4	—	—	—	—	1	3	14	—	—	—	—	6	8	2	—	—	—	—	—	—
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	1	3	1	22	—	—	—	2	10	10	15	—	—	—	1	7	—
16 All other sites	M	32	—	—	—	2	15	15	79	—	—	—	5	32	42	52	—	—	—	3	23	—
	F	17	—	1	1	6	9	9	53	—	1	—	5	24	23	19	—	1	2	—	5	—
17 Diabetes	M	—	—	—	—	—	—	—	2	—	—	—	—	2	—	2	—	—	—	—	1	—
	F	1	—	—	—	—	—	1	4	—	—	—	1	1	2	2	—	—	—	—	1	—
18 Intra-cranial vasc. lesions	M	14	—	—	—	—	5	9	45	—	—	—	1	5	39	27	—	—	—	—	7	—
	F	24	—	—	1	8	15	15	71	—	—	—	—	21	50	33	—	—	—	—	7	—
19 Heart disease	M	59	—	—	1	4	10	44	152	—	—	—	5	41	106	118	—	—	—	4	33	—
	F	62	—	—	—	—	9	53	166	—	—	—	5	17	144	107	—	—	—	1	14	—
20 Other circulatory diseases	M	13	—	—	—	—	5	8	23	—	—	—	1	3	19	10	—	—	—	1	—	—
	F	9	—	—	—	—	4	5	29	—	—	—	1	4	24	12	—	—	—	2	5	—
21 Bronchitis	M	23	—	—	—	1	12	10	67	3	—	—	3	20	41	30	—	—	—	1	14	—
	F	24	2	—	—	—	5	17	42	2	2	—	1	3	34	23	1	—	—	1	3	—
22 Pneumonia	M	13	4	1	—	1	2	5	44	8	—	—	2	15	19	21	3	1	—	1	6	—
	F	10	2	1	—	—	3	4	40	8	1	—	1	6	24	11	2	—	—	1	2	—
23 Other respiratory diseases	M	2	—	—	—	—	2	—	11	—	—	—	1	3	7	9	1	—	—	—	8	—
	F	1	—	—	—	1	—	—	4	—	—	—	1	1	6	6	—	—	—	—	2	—
24 Ulcer of stomach or duodenum	M	6	—	—	—	1	5	—	11	—	—	—	—	4	7	12	—	—	—	2	3	—
	F	2	—	—	—	—	—	2	4	—	—	—	—	2	2	1	—	—	—	—	—	—
25 Diarrhœa under 2 years	M	1	1	—	—	—	—	—	7	6	1	—	—	—	—	6	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	5	5	—	—	—	—	—	4	—	—	—	—	—	—
26 Appendicitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	—	1	—	—	—	1	2	—	—	—	1	—	—
27 Other digestive diseases	M	3	—	—	—	—	—	3	7	—	—	—	1	2	4	2	—	—	—	—	—	—
	F	4	—	—	—	2	2	—	18	—	1	—	1	5	11	10	—	—	—	—	3	—
28 Nephritis	M	4	—	—	—	—	3	1	18	—	—	—	—	2	6	10	8	—	—	2	1	—
	F	7	—	—	—	1	3	3	16	—	1	—	—	6	9	5	—	—	—	—	2	—
29 Maternal sepsis	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
30 Other maternal	F	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	—	1	—	—
31 Premature birth	M	2	2	—	—	—	—	—	6	6	—	—	—	—	—	7	7	—	—	—	—	—
	F	4	4	—	—	—	—	—	5	5	—	—	—	—	—	1	1	—	—	—	—	—
32 Cong. mal.; birth inj., infant: dis:	M	3	3	—	—	—	—	—	14	11	—	—	—	2	1	16	11	2	—	1	1	—
	F	6	5	—	—	1	—	—	18	14	—	—	3	1	—	9	5	—	—	1	2	—
33 Suicide	M	—	—	—	—	—	—	—	5	—	—	—	1	3	1	3	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	6	—	—	—	4	—	2	1	—	—	—	—	1	—
34 Road traffic accidents	M	2	—	—	—	—	1	1	3	—	—	1	—	—	1	7	—	—	1	4	1	—
	F	2	—	—	—	—	—	2	2	—	1	—	—	1	—	1	—	—	—	—	—	—
35 Other violent causes†	M	7	—	—	1	1	2	3	21	2	2	—	2	3	10	23	2	—	4	6	7	—
	F	24	1	1	—	5	9	8	16	1	—	—	—	2	13	30	4	1	1	7	6	—
36 All other causes	M	17	1	—	1	4	5	6	44	1	1	—	4	14	24	34	—	—	2	4	11	—
	F	15	—	1	—	2	3	9	44	—	—	1	6	12	25	31	2	1	—	4	9	—
† Including deaths due to war operations	M	4	—	—	—	1	2	1	1	—	—	—	—	1	—	11	—	—	3	2	5	—
	F	19	—	1	—	5	9	4	1	—	—	—	—	—	1	15	—	1	1	5	6	—

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death <i>See first page of Table.</i>		HACKNEY.							HAMMERSMITH.							HAMPSTEAD.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	989	65	11	14	104	316	479	702	46	13	7	65	205	366	476	36	3	8	39	151	239
	F	889	40	6	11	85	229	518	606	32	13	6	63	131	361	522	15	2	1	44	111	349
Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	5	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	—	3	2	1	—	—	—	—	1	—	—	1	—	—	—
Diphtheria	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
Respiratory system	M	55	—	—	1	28	16	10	55	1	1	—	15	26	12	31	1	1	—	15	7	7
	F	27	—	—	—	20	5	2	27	—	1	—	19	5	2	18	—	—	—	14	3	1
Other forms	M	3	—	1	—	1	—	1	6	—	2	—	4	—	—	4	—	—	1	2	—	—
	F	1	—	—	—	1	—	—	5	—	—	1	2	2	—	4	1	—	—	—	2	1
Syphilitic disease	M	15	1	—	—	2	7	5	6	—	—	—	1	3	2	5	—	—	—	—	3	2
	F	6	—	—	—	—	4	5	—	—	—	—	1	4	2	3	—	—	—	1	2	—
Influenza	M	5	—	1	—	2	2	2	7	—	1	—	1	2	2	3	—	—	—	—	1	—
	F	6	—	—	—	—	6	3	3	—	—	—	—	2	1	1	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ac: poliomyel: & polioenceph:	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Ac: infectious encephalitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—
Cancer of																						
Mouth & œsoph:	M	14	—	—	—	—	3	11	8	—	—	—	—	3	5	6	—	—	—	—	4	2
	F	11	—	—	—	—	6	5	12	—	—	—	1	7	4	8	—	—	—	—	3	5
Uterus	M	35	—	—	—	2	16	17	17	—	—	—	—	9	7	13	—	—	—	—	10	3
	F	20	—	—	—	5	15	16	16	—	—	—	—	3	13	12	—	—	—	—	2	10
Breast	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	29	—	—	—	4	13	12	20	—	—	—	1	12	7	20	—	—	—	—	10	10
All other sites	M	130	—	1	9	54	66	85	85	—	—	—	2	36	47	59	—	—	—	4	20	35
	F	70	—	—	3	30	37	49	49	—	—	—	3	11	35	59	—	—	—	4	24	31
Diabetes	M	4	—	—	—	1	3	3	—	—	—	1	—	2	5	—	—	—	—	—	1	4
	F	22	—	—	—	3	5	14	1	—	—	—	—	—	—	3	—	—	—	—	1	2
Intra-cranial	M	63	—	—	—	3	20	40	49	—	—	—	1	12	36	27	—	—	—	—	8	19
	F	92	—	—	—	1	27	64	59	—	—	—	3	17	39	53	—	—	—	—	7	46
Heart disease	M	236	—	—	13	76	147	156	—	—	—	—	5	34	117	119	—	—	—	4	41	74
	F	245	—	—	14	47	184	139	—	—	—	—	5	17	117	135	—	—	—	3	12	120
Other circulatory diseases	M	37	—	—	2	7	28	22	—	—	—	—	1	8	13	18	—	—	—	—	4	14
	F	45	—	—	2	12	31	26	—	—	—	—	3	23	15	15	—	—	—	1	3	11
Bronchitis	M	120	3	1	—	8	47	61	52	—	1	—	2	18	31	28	—	—	—	1	9	18
	F	55	4	—	—	1	7	43	42	2	—	—	3	12	25	42	—	—	—	—	7	35
Pneumonia	M	40	10	2	—	4	12	12	52	9	1	—	2	15	25	30	8	—	—	—	9	13
	F	37	4	1	—	2	8	22	40	7	1	1	2	5	24	19	—	—	—	1	2	16
Other respiratory diseases	M	16	—	—	—	3	7	6	12	—	1	—	1	5	5	7	—	—	—	—	4	3
	F	10	—	1	—	2	3	4	4	—	—	—	2	2	7	7	—	—	—	3	1	3
Ulcer of stomach or duodenum	M	14	—	—	—	4	8	2	15	—	—	—	2	5	8	13	1	—	—	—	4	9
	F	7	—	—	—	2	5	—	4	—	—	—	5	2	2	1	—	—	—	—	1	1
Diarrhoea under 2 years	M	7	7	—	—	—	—	—	10	8	2	—	—	—	—	6	6	—	—	—	—	—
	F	4	4	—	—	—	—	—	5	4	1	—	—	—	—	1	—	—	—	—	—	—
Appendicitis	M	3	—	—	—	2	1	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—
	F	4	—	1	—	—	—	2	3	—	—	—	—	—	2	1	—	—	1	—	2	—
Other digestive diseases	M	13	1	1	—	1	2	8	13	—	—	—	2	4	7	6	—	—	—	—	3	3
	F	29	1	1	—	5	12	10	11	—	—	—	—	5	6	20	—	—	—	—	3	8
Nephritis	M	15	—	—	—	3	6	6	14	—	—	—	—	2	3	9	—	—	—	—	1	8
	F	23	—	—	—	6	10	7	10	—	—	—	—	3	5	13	—	—	—	—	2	3
Maternal sepsis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	5	—	—	—	5	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—
Premature birth	M	16	16	—	—	—	—	—	5	5	—	—	—	—	—	10	10	—	—	—	—	—
	F	7	7	—	—	—	—	—	1	1	—	—	—	—	—	8	8	—	—	—	—	—
Cong: mal.; birth inj.; infant: dis:	M	20	19	—	—	1	—	—	18	18	—	—	—	—	—	7	7	—	—	—	—	—
	F	21	17	1	—	—	2	1	19	15	1	—	1	1	1	5	4	—	—	—	—	1
Suicide	M	6	—	—	—	1	3	2	6	—	—	—	1	4	1	7	—	—	—	4	2	1
	F	9	—	—	—	1	8	—	4	—	—	—	3	1	—	12	—	—	—	4	6	2
Road traffic accidents	M	5	—	3	1	—	1	—	8	—	—	1	5	1	1	3	—	—	1	—	1	1
	F	5	—	2	—	2	1	—	5	—	1	1	1	—	2	2	—	—	—	—	—	2
Other violent causes†	M	34	3	—	7	7	10	39	5	3	6	11	8	6	20	2	1	2	5	4	6	13
	F	31	—	1	7	6	4	13	35	1	6	3	10	3	12	18	—	—	—	3	2	6
All other causes	M	75	2	3	1	9	20	40	42	—	—	—	4	8	30	36	2	—	2	4	11	17
	F	64	2	1	—	7	18	36	51	—	—	—	5	9	37	38	1	—	1	3	10	23
Including deaths due to war operations	M	18	2	—	7	1	4	4	12	—	1	2	5	3	1	3	—	—	1	—	2	—
	F	18	—	1	6	5	2	4	19	—	4	3	8	3	1	3	—	—	—	2	1	—

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death <i>See first page of Table.</i>		HOLBORN.							ISLINGTON.							KENSINGTON.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	177	13	1	1	18	65	79	1521	100	18	21	139	457	786	759	51	4	3	70	218	41
	F	119	4	1	1	6	33	74	1335	72	9	15	129	291	819	827	41	3	3	67	180	53
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	2	1	—	—	—	1	—
	F	1	—	1	—	—	—	—	1	—	—	—	—	—	1	3	2	—	1	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	2	—	—	2	—	—	—	1	—	—	—	—	1	—
Tuberculosis:—																						
6 Respiratory system	M	14	—	—	—	6	6	2	107	1	—	1	47	45	13	55	—	—	—	20	29	—
	F	1	—	—	—	1	—	—	50	—	—	—	38	7	4	27	—	—	—	18	6	—
7 Other forms	M	1	—	—	—	—	—	1	12	1	2	1	5	1	2	5	—	1	—	4	—	—
	F	—	—	—	—	—	—	—	8	1	—	1	4	1	1	11	—	1	1	6	3	—
8 Syphilitic disease	M	3	—	—	—	—	2	1	10	—	—	—	1	6	3	13	—	—	—	—	8	—
	F	2	—	—	—	—	1	1	5	1	—	—	—	3	5	5	—	—	—	—	2	—
9 Influenza	M	—	—	—	—	—	—	—	8	1	—	—	—	3	4	5	1	—	—	1	1	—
	F	1	—	—	—	—	—	1	2	—	—	—	—	1	1	5	—	—	—	—	1	—
10 Measles	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
11 Ac. poliomyel. & polioenceph.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac. infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
13M Mouth & œsoph:	M	5	—	—	—	—	—	5	22	—	—	—	1	5	16	18	—	—	—	—	7	—
13F Uterus	F	2	—	—	—	—	1	1	24	—	—	—	—	16	8	14	—	—	—	3	7	—
14 Stomach and duodenum	M	5	—	—	—	—	3	2	46	—	—	—	2	20	24	23	—	—	—	1	10	—
	F	4	—	—	—	—	2	2	37	—	—	—	2	11	24	12	—	—	—	—	3	—
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16 All other sites	M	22	—	—	—	4	13	1	44	—	—	—	3	20	21	34	—	—	—	1	14	—
	F	8	—	—	—	—	3	5	113	—	—	1	9	43	60	80	—	—	—	3	39	—
17 Diabetes	M	—	—	—	—	—	—	—	3	—	—	—	—	2	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	11	—	—	—	—	1	10	8	—	—	—	1	3	—
18 Intra-cranial vasc. lesions	M	12	—	—	—	—	5	7	87	—	—	—	1	24	62	55	—	—	—	1	10	—
	F	17	—	—	—	—	3	14	121	—	—	—	—	28	93	68	—	—	—	1	12	—
19 Heart disease	M	41	—	—	—	1	14	26	342	—	—	—	10	80	252	175	—	—	—	8	35	13
	F	32	—	—	—	2	4	26	372	—	—	1	17	52	302	240	—	—	—	4	28	20
20 Other circulatory diseases	M	4	—	—	—	—	1	3	58	—	—	—	—	14	44	29	—	—	—	—	8	—
	F	4	—	—	—	—	1	3	41	—	—	—	2	9	30	39	—	—	—	—	12	—
21 Bronchitis	M	17	—	—	—	—	7	10	157	2	2	1	5	62	85	42	—	—	—	1	13	—
	F	5	—	—	—	—	2	3	85	1	—	—	—	1	14	69	40	—	—	1	3	—
22 Pneumonia	M	7	1	—	—	—	2	4	99	22	1	1	6	23	46	42	8	—	—	5	9	—
	F	5	—	—	—	—	2	3	79	3	1	—	4	13	58	46	7	1	—	2	9	—
23 Other respiratory diseases	M	1	—	—	—	—	1	—	17	—	—	—	1	10	6	10	—	—	—	1	5	—
	F	—	—	—	—	—	—	—	6	1	—	—	—	3	2	7	—	—	—	2	2	—
24 Ulcer of stomach or duodenum	M	5	—	—	—	—	2	3	30	—	—	—	4	15	11	18	—	—	—	4	8	—
	F	—	—	—	—	—	—	—	11	—	—	—	—	3	8	2	—	—	—	1	—	—
25 Diarrhoea under 2 years	M	1	1	—	—	—	—	—	12	12	—	—	—	—	—	4	3	1	—	—	—	—
	F	—	—	—	—	—	—	—	16	16	—	—	—	—	—	8	8	—	—	—	—	—
26 Appendicitis	M	—	—	—	—	—	—	—	5	—	1	—	—	1	3	—	—	—	—	—	2	—
	F	2	—	—	—	—	2	—	4	—	—	—	2	1	1	2	—	—	—	—	2	—
27 Other digestive diseases	M	4	—	—	—	—	3	1	32	1	2	1	3	9	16	20	1	—	—	2	9	—
	F	2	—	—	—	—	2	—	32	—	1	2	—	8	21	21	—	1	—	2	1	—
28 Nephritis	M	4	—	—	—	1	2	2	24	—	—	—	5	10	9	24	—	—	—	4	4	—
	F	3	—	—	—	—	1	2	21	—	—	—	2	6	13	21	—	—	—	2	10	—
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—
30 Other maternal	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—
31 Premature birth	M	3	3	—	—	—	—	—	20	20	—	—	—	—	—	16	16	—	—	—	—	—
	F	2	2	—	—	—	—	—	12	12	—	—	—	—	—	12	12	—	—	—	—	—
32 Cong. mal.; birth inj.; infant: dis:	M	8	6	1	—	1	—	—	37	28	1	2	—	4	1	1	18	16	—	2	—	—
	F	2	2	—	—	—	—	—	29	24	—	—	—	3	1	1	13	10	—	—	2	—
33 Suicide	M	5	—	—	—	2	1	2	6	—	—	—	2	1	3	6	—	—	—	4	2	—
	F	1	—	—	—	1	—	—	5	—	—	—	2	3	—	10	—	—	—	4	5	—
34 Road traffic accidents	M	3	—	—	1	—	2	—	13	—	1	1	2	4	5	8	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	5	—	—	—	—	4	—
35 Other violent causes†	M	8	—	—	—	3	2	3	98	8	5	12	16	21	36	23	3	—	3	3	4	—
	F	10	—	—	—	2	4	4	108	6	5	7	28	28	34	31	2	—	—	3	4	—
36 All other causes	M	4	2	—	—	—	—	2	101	3	2	1	11	19	65	52	1	—	—	5	13	—
	F	11	—	—	1	—	2	8	87	2	—	1	9	22	53	56	—	—	1	9	16	—
† Including deaths due to war operations	M	1	—	—	—	—	1	—	47	—	4	7	10	16	10	1	—	—	—	1	—	—
	F	8	—	—	—	2	4	2	68	2	3	5	26	22	10	1	—	—	—	—	1	—

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death See first page of Table.		LAMBETH.							LEWISHAM.							PADDINGTON.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	1372	88	11	22	130	401	720	1052	65	10	4	83	361	529	638	49	12	7	60	192	318
	F	1215	62	11	6	119	265	752	1016	37	12	6	107	222	632	729	55	7	7	68	166	426
Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	M	3	2	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	4	3	—	—	1	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—
Scarlet fever	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	4	3	1	—	—	—	—	3	2	1	—	—	—	—	—	1	—	—	—	—	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	1	—	1	—	—	—	—	2	—	—	—	1	1	—
Tuberculosis :—																						
Respiratory system	M	109	—	1	—	48	48	12	76	—	—	—	34	36	6	36	—	—	—	16	16	4
	F	49	—	—	—	40	3	6	46	—	—	1	34	7	4	23	—	—	—	14	9	—
Other forms	M	8	1	3	2	1	1	—	10	—	3	—	7	—	—	6	—	2	—	3	—	1
	F	5	—	1	—	3	1	—	6	—	3	—	3	—	—	3	—	1	—	1	—	—
Syphilitic disease	M	9	—	—	—	—	8	1	9	1	—	—	2	3	3	6	1	—	—	—	3	2
	F	4	—	—	—	—	3	1	8	—	—	—	2	3	3	7	—	—	—	—	5	2
Influenza	M	10	—	—	—	4	3	3	8	—	—	—	2	3	3	—	—	—	—	—	—	—
	F	6	1	—	—	—	1	4	3	—	—	—	—	1	2	2	—	—	—	—	—	2
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	3	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ac: poliomyel: & polioenceph:	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ac: infectious encephalitis	M	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Cancer of																						
Mouth & oesoph:	M	19	—	—	—	1	5	13	12	—	—	—	—	5	7	9	—	—	1	1	3	4
Uterus	M	25	—	—	—	4	12	9	18	—	—	—	—	10	8	16	—	—	—	3	6	7
Stomach and duodenum	M	28	—	—	—	2	13	13	30	—	—	—	3	15	12	20	—	—	—	1	10	9
	F	31	—	—	—	3	8	20	26	—	—	—	—	9	17	11	—	—	—	1	2	8
Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	39	—	—	—	3	18	18	42	—	—	—	5	28	9	22	—	—	—	—	12	10
All other sites	M	156	—	—	—	10	76	70	146	—	1	—	2	75	68	71	—	1	—	8	24	38
	F	99	—	—	—	1	38	60	116	—	—	—	11	42	63	54	—	1	—	4	17	32
Diabetes	M	3	—	—	—	—	3	4	—	—	—	—	—	1	3	—	—	—	—	—	—	—
	F	7	—	—	—	1	2	4	7	—	—	—	—	1	6	4	—	—	—	—	4	—
Intra-cranial	M	100	—	—	—	1	26	73	76	—	—	—	1	26	49	41	—	—	—	—	14	27
vasc: lesions	M	128	—	—	—	2	34	92	113	—	—	—	2	24	87	83	—	—	—	2	24	57
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart disease	M	353	—	—	1	12	54	286	286	—	—	—	5	73	208	115	—	—	—	6	37	72
	F	370	—	—	—	11	45	314	300	—	—	—	9	36	255	169	—	—	—	3	30	136
Other circulatory diseases	M	40	—	—	—	2	16	22	23	—	—	—	1	4	18	36	—	—	—	—	13	23
	F	47	—	—	—	—	14	33	28	—	—	—	1	6	21	47	—	—	—	—	6	41
Bronchitis	M	116	5	1	—	3	44	63	103	1	—	—	2	45	55	52	1	—	—	1	16	34
	F	71	3	—	—	4	14	50	50	1	—	—	—	6	43	34	—	—	—	2	5	27
Pneumonia	M	66	12	1	—	3	15	35	42	9	3	—	3	15	12	49	8	1	—	3	9	28
	F	43	8	2	—	3	7	23	34	6	2	—	1	6	19	46	7	1	—	1	10	27
Other respiratory diseases	M	24	1	—	—	1	12	10	8	—	—	—	2	2	4	10	1	—	—	2	3	4
	F	5	—	—	—	—	2	3	8	—	—	—	3	3	2	9	—	—	—	3	2	4
Ulcer of stomach or duodenum	M	30	—	—	—	4	12	14	20	—	—	—	2	7	11	14	—	—	—	3	5	6
	F	7	—	—	—	—	2	5	8	—	—	—	2	3	3	4	—	—	—	—	2	2
Diarrhoea under 2 years	M	13	12	1	—	—	—	—	17	17	—	—	—	—	—	3	3	—	—	—	—	—
	F	9	8	1	—	—	—	—	8	7	1	—	—	—	—	10	10	—	—	—	—	—
Appendicitis	M	6	—	1	1	—	3	—	1	—	—	—	1	—	—	4	—	—	1	—	2	1
	F	3	—	—	—	1	1	1	2	—	1	1	—	—	—	—	—	—	—	—	—	—
Other digestive diseases	M	22	—	—	—	—	6	16	16	1	2	—	—	4	9	14	—	—	—	1	3	10
	F	29	1	—	—	2	7	19	30	2	1	1	4	7	15	13	—	—	—	1	4	8
Nephritis	M	31	—	—	2	5	10	14	18	—	—	—	3	7	8	12	—	—	—	1	4	7
	F	25	—	—	—	3	10	12	17	—	—	—	1	2	14	13	—	—	—	—	5	8
Maternal sepsis	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—
Other maternal	F	4	—	—	—	4	—	—	6	—	—	—	6	—	—	3	—	—	—	3	—	—
Premature birth	M	11	11	—	—	—	—	—	8	8	—	—	—	—	—	12	12	—	—	—	—	—
	F	9	9	—	—	—	—	—	8	8	—	—	—	—	—	23	23	—	—	—	—	—
Cong: mal:, birth inj:, infant: dis:	M	40	35	—	—	1	3	1	24	23	—	—	—	1	—	19	17	1	—	—	1	—
	F	21	18	—	—	—	3	—	9	7	—	1	1	—	—	14	12	—	—	—	1	1
Suicide	M	9	—	—	—	4	2	3	5	—	—	—	1	3	1	7	—	—	—	4	3	—
	F	6	—	—	—	1	2	3	3	—	—	—	1	1	1	13	—	—	—	8	3	2
Road traffic accidents	M	20	—	—	5	4	3	8	9	—	—	1	2	4	2	12	—	2	3	2	1	4
	F	6	—	1	1	—	2	2	6	—	—	—	1	1	4	6	—	—	3	—	1	2
Other violent causes†	M	63	5	1	9	9	22	17	32	3	—	1	6	13	9	28	3	2	2	4	9	8
	F	72	3	1	4	20	17	27	43	2	1	1	11	11	7	30	3	—	2	7	4	14
All other causes	M	80	3	1	2	13	18	43	69	2	2	1	4	19	41	60	2	2	—	4	16	36
	F	83	4	3	1	10	19	46	65	1	1	1	8	15	39	58	—	1	1	9	11	36
Including deaths due to war operations	M	28	2	—	1	3	16	6	16	—	—	—	4	7	5	5	—	—	1	1	3	—
	F	35	—	—	2	14	9	10	27	—	1	—	10	9	7	8	—	—	—	4	2	1

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death See first page of Table.		POPLAR.							ST. MARYLEBONE							ST. PANCRAS.							
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	
All Causes		M F	500 344	32 26	4 3	13 1	47 45	147 91	257 178	397 392	24 13	3 —	2 3	42 41	123 91	203 244	1020 786	57 29	11 9	4 6	100 77	315 186	5 4
1	Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Cerebro-spinal fever	M F	2 1	2 —	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	1 —	— —	1 —	— —	— —	— —	
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2	1 2	— —	— —	— —	— —	
5	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
6	Tuberculosis :— Respiratory system	M F	24 21	1 —	— —	— —	9 17	11 3	3 1	28 8	— —	1 —	— —	10 7	12 2	5 1	87 30	— —	— —	— 1	35 20	45 8	
7	Other forms	M F	2 3	— 1	— 1	— —	2 —	— 1	— —	5 5	— —	— —	1 1	2 1	— 1	— 2	3 7	— —	— 1	— —	2 3	1 1	
8	Syphilitic disease	M F	9 4	— —	— —	— —	1 —	5 —	3 3	6 4	— —	— —	— —	— 1	5 2	1 1	8 3	— —	— —	— —	1 2	5 1	
9	Influenza	M F	1 —	1 —	— —	— —	— —	— —	— 1	1 3	— —	— —	— —	— 1	— 1	— 1	2 4	— —	— —	— —	1 —	3 —	
10	Measles	M F	— 1	— 1	— —	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	— —	
11	Ac: poliomyel: & polioenceph:	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
12	Ac: infectious encephalitis	M F	1 1	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 2	— —	— —	— —	1 —	— 1	
13M	Mouth & œsoph:	M	7	—	—	—	—	1	6	10	—	—	—	—	4	6	15	—	—	—	—	1	
13F	Uterus	F	7	—	—	—	—	5	2	8	—	—	—	—	5	3	21	—	—	—	—	13	
14	Stomach and duodenum	M F	19 14	— —	— —	— —	1 1	9 8	9 5	10 11	— —	— —	— —	— —	5 1	5 10	29 22	— —	— —	— —	3 —	13 7	
15	Breast	M F	1 6	— —	— —	— —	— 2	1 1	1 3	19 32	— —	— —	— —	— 1	1 12	1 6	1 28	— —	— —	— —	3 6	14 55	
16	All other sites	M F	66 36	— —	— —	1 —	3 5	30 15	32 16	57 42	— —	— —	1 —	2 3	24 14	30 25	129 78	— 1	— —	1 6	— 32	— —	
17	Diabetes	M F	1 3	— —	— —	— —	— 2	1 1	— 1	— —	— —	— —	— —	— —	— —	— 1	4 5	— —	— —	1 —	— 1	— —	
18	Intra-cranial vasc: lesions	M F	30 25	— —	— —	1 —	— —	8 9	21 16	24 40	— —	— —	— —	— —	12 11	12 29	81 72	1 —	— —	1 —	24 14	— —	
19	Heart disease	M F	110 90	— —	— —	— —	3 5	19 13	88 72	85 108	— —	— —	— 1	4 2	18 13	63 92	207 192	— —	— —	— —	6 7	53 29	
20	Other circulatory diseases	M F	24 21	1 —	— —	— —	3 2	6 4	14 15	20 13	— —	— —	— —	— —	6 2	14 11	28 30	— —	— —	— —	6 6	— —	
21	Bronchitis	M F	59 10	— —	— —	— —	— —	24 4	35 5	30 18	— —	— —	— —	5 9	16 13	93 52	— —	1 —	— —	— —	3 4	20 22	
22	Pneumonia	M F	25 16	4 5	— —	1 —	3 —	5 1	12 10	15 25	1 —	1 —	— —	— 3	2 4	10 17	65 48	7 5	3 1	— —	4 3	22 6	
23	Other respiratory diseases	M F	4 2	— —	— —	— —	— —	— 2	4 —	4 5	— —	— —	— —	1 1	2 3	1 1	10 9	— 1	— —	— —	1 2	5 2	
24	Ulcer of stomach or duodenum	M F	15 2	— —	— —	— —	3 —	— 6	6 2	9 3	— —	— —	— —	— 1	— 1	7 2	21 4	— —	— —	— —	3 —	11 3	
25	Diarrhoea under 2 years	M F	6 3	6 3	— —	— —	— —	— —	— —	7 2	6 2	1 —	— —	— —	— —	— —	21 5	20 4	1 1	— —	— —	— —	
26	Appendicitis	M F	1 —	— —	— —	— —	— —	— —	1 —	2 3	— —	— —	— —	— —	— —	1 2	6 2	— —	— —	— —	— —	2 1	
27	Other digestive diseases	M F	10 13	— —	— —	1 —	2 1	3 8	4 4	11 12	1 —	— —	— —	1 2	4 5	5 5	19 27	1 1	1 —	1 —	7 3	— —	
28	Nephritis	M F	2 3	— —	— —	— —	— 1	— 1	— 1	7 9	— —	— —	— —	— 1	2 2	3 6	22 20	— —	— —	— —	6 8	7 —	
29	Maternal sepsis	M F	1 —	— —	— —	— —	— 1	— —	— —	1 —	— —	— —	— —	— 1	— —	— —	3 —	— —	— —	— —	— —	— —	
30	Other maternal	M F	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— 2	— —	— —	2 —	— —	— —	— —	— —	— —	
31	Premature birth	M F	8 5	8 5	— —	— —	— —	— —	— —	8 5	8 5	— —	— —	— —	— —	— —	3 4	3 4	— —	— —	— —	— —	
32	Cong: mal: birth inj: infant: dis:	M F	9 9	7 8	— —	— —	2 —	— 1	— —	6 1	6 1	— —	— —	— —	— —	— —	21 10	18 7	1 1	— —	2 —	— —	
33	Suicide	M F	3 2	— —	— —	— —	— —	3 2	— —	8 5	— —	— —	— —	1 2	6 2	1 1	15 4	— —	— —	— —	2 1	10 3	
34	Road traffic accidents	M F	6 3	— —	2 1	2 1	— —	1 —	1 7	4 4	— —	— —	— —	— 1	— 2	3 2	12 7	— —	1 1	1 3	2 1	— —	
35	Other violent causes†	M F	28 21	1 —	2 —	5 —	8 4	5 4	7 13	17 14	1 2	— —	— —	6 5	4 3	6 4	39 48	1 3	1 3	2 2	11 9	8 7	
36	All other causes	M F	27 21	1 2	— 1	2 —	5 4	9 4	10 10	22 19	— —	— —	— —	— 7	3 3	14 9	75 54	4 1	1 1	— —	9 9	18 11	
† Including deaths due to war operations		M F	8 9	— —	1 —	2 —	1 4	— 3	— 2	1 2	— —	— —	— —	1 1	— 1	— —	12 20	— —	1 1	— 2	4 6	5 5	

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death <i>See first page of Table.</i>		SHOREDITCH.							SOUTHWARK.							STEPNEY.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	326	16	5	4	30	112	159	645	30	12	6	68	179	350	811	47	9	13	94	255	393
	F	277	11	2	4	26	74	160	502	21	4	8	52	119	298	658	34	10	12	107	160	335
Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tuberculosis:—																						
Respiratory system	M	25	—	—	—	11	11	3	59	—	—	—	24	27	8	74	—	—	—	33	31	10
	F	10	—	—	—	8	—	2	30	—	—	—	19	10	1	29	—	—	—	18	7	2
Other forms	M	2	—	—	—	—	2	—	2	—	—	—	2	—	—	3	—	—	1	2	—	—
	F	3	—	—	—	1	1	1	6	—	1	3	—	2	—	4	—	2	1	—	1	—
Syphilitic disease	M	4	—	—	—	—	3	1	9	—	—	—	1	3	5	12	1	—	—	2	2	7
	F	1	—	—	—	1	—	—	4	1	—	—	2	1	1	9	1	—	—	1	3	4
Influenza	M	—	—	—	—	—	—	—	4	—	—	—	1	—	2	1	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	3	—	—	—	—	1	2	1	—	—	—	—	—	—
Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Ac: poliomyel: & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	1	—	—
Cancer of																						
Mouth & oesoph:	M	5	—	—	—	—	2	3	13	—	—	—	—	2	11	9	—	—	—	—	—	9
Uterus	F	5	—	—	—	—	5	—	6	—	—	—	1	2	3	7	—	—	—	—	4	3
Stomach and duodenum	M	13	—	—	—	1	6	6	17	—	—	—	2	7	8	31	—	—	—	1	13	17
	F	8	—	—	2	3	3	12	—	—	—	1	5	6	22	—	—	—	2	11	9	—
Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	5	3	13	—	—	—	1	7	5	12	—	—	—	2	7	3
All other sites	M	40	—	—	—	3	20	17	90	—	—	—	6	39	45	74	—	—	—	5	34	35
	F	13	—	1	1	3	8	43	—	—	—	3	15	25	46	—	—	—	3	19	24	—
Diabetes	M	2	—	—	—	—	1	1	2	—	—	—	—	1	1	2	—	—	—	1	—	1
	F	1	—	—	—	—	1	1	5	—	—	—	—	3	2	10	—	—	—	—	4	5
Intra-cranial vasc: lesions	M	25	—	—	2	6	17	39	—	—	—	1	5	33	38	—	—	—	—	1	12	25
	F	23	—	—	1	9	13	50	—	—	—	1	8	41	49	—	—	—	2	9	38	—
Heart disease	M	60	—	—	—	3	17	40	127	—	—	—	5	22	100	179	—	—	—	2	40	137
	F	62	—	—	1	3	9	49	133	—	—	1	5	19	108	172	—	—	—	4	28	140
Other circulatory diseases	M	19	—	—	2	4	13	32	—	—	—	—	1	11	20	32	—	—	—	1	12	19
	F	9	—	—	—	2	7	23	—	—	—	2	3	18	28	—	—	—	1	11	16	—
Bronchitis	M	47	—	—	—	1	14	32	82	—	—	—	2	30	50	74	—	—	—	1	28	45
	F	26	—	—	—	—	7	19	27	—	—	—	—	7	20	37	2	—	—	—	8	27
Pneumonia	M	18	5	1	—	—	5	7	36	2	3	—	4	9	18	34	5	—	—	3	8	17
	F	13	—	—	—	—	6	7	35	5	1	1	1	7	21	28	4	1	—	2	4	17
Other respiratory diseases	M	—	—	—	—	—	—	9	—	—	—	—	3	3	3	13	—	—	—	3	8	2
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—
Ulcer of stomach or duodenum	M	6	—	—	—	—	2	—	11	—	—	—	—	5	6	17	—	—	—	4	7	6
	F	5	—	—	—	2	3	6	—	—	—	—	—	4	2	5	—	—	—	1	2	2
Diarrhoea under 2 years	M	3	3	—	—	—	—	—	6	6	—	—	—	—	—	10	10	—	—	—	—	—
	F	3	3	—	—	—	—	—	4	2	2	—	—	—	—	5	5	—	—	—	—	—
Appendicitis	M	—	—	—	—	—	—	—	2	—	1	—	—	—	—	4	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	1	3	—	—
Other digestive diseases	M	4	—	—	1	—	2	1	6	—	—	—	1	—	5	19	2	—	—	4	7	6
	F	8	—	—	—	—	2	5	14	—	—	—	—	4	10	6	—	—	—	1	3	2
Nephritis	M	9	—	—	—	1	5	3	6	—	1	—	—	1	4	18	—	—	—	1	8	9
	F	8	—	—	—	—	3	5	9	—	—	—	2	2	5	9	—	—	—	3	1	5
Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	1	—	—	1	—	—	2	2	—	—	—	1	—	—
Premature birth	M	4	4	—	—	—	—	—	10	10	—	—	—	—	—	6	6	—	—	—	—	—
	F	4	4	—	—	—	—	—	7	7	—	—	—	—	—	5	5	—	—	—	—	—
Cong: mal:, birth inj:, infant: dis:	M	1	1	—	—	—	—	—	9	8	—	—	1	—	—	15	14	—	—	—	—	—
	F	6	4	1	—	1	—	—	5	5	—	—	—	—	—	17	14	1	—	2	1	—
Suicide	M	1	—	—	—	—	—	1	5	—	—	—	3	1	1	5	—	—	—	1	3	1
	F	—	—	—	—	—	—	—	2	—	—	—	—	1	1	2	—	—	—	1	—	—
Road traffic accidents	M	4	—	—	1	1	1	1	10	—	3	1	2	3	1	14	—	—	—	2	2	7
	F	2	—	—	1	—	1	—	1	—	—	—	—	—	—	4	—	2	1	1	—	—
Other violent causes†	M	20	1	3	2	4	5	5	21	3	—	1	5	4	8	72	4	7	9	19	21	12
	F	20	—	—	1	4	6	9	29	1	1	—	7	9	11	102	—	2	8	48	23	21
All other causes	M	13	2	—	—	1	3	7	37	1	3	4	3	5	21	51	3	—	—	8	12	27
	F	33	—	—	—	2	8	23	32	—	—	2	6	9	15	35	—	—	1	8	9	15
Including deaths due to war operations	M	10	—	1	1	3	2	3	9	—	—	—	3	4	2	55	3	5	9	16	17	5
	F	15	—	—	—	3	5	7	12	—	—	—	5	5	2	88	—	2	7	47	23	9

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death <i>See first page of Table.</i>		STOKE NEWINGTON.							WANDSWORTH.							WESTMINSTER.					
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-
All Causes	M	235	15	2	3	22	60	133	1687	103	16	18	139	465	946	571	38	2	6	50	215
	F	240	12	2	2	21	56	147	1710	65	9	10	151	341	1134	475	29	2	2	48	131
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	1	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																					
6 Respiratory system	M	13	—	1	—	7	4	1	92	—	—	1	43	32	16	43	—	—	—	12	25
	F	8	—	—	—	6	1	1	64	—	1	—	47	12	4	14	—	—	—	7	2
7 Other forms	M	—	—	—	—	—	—	—	13	—	1	1	4	3	4	3	—	—	1	1	1
	F	—	—	—	—	—	—	—	9	1	1	1	4	2	—	3	—	—	2	—	—
8 Syphilitic disease	M	3	—	—	—	1	1	1	21	—	—	—	1	9	11	9	—	—	—	1	2
	F	2	—	—	—	—	1	1	8	—	—	—	1	1	6	7	—	—	—	—	3
9 Influenza	M	—	—	—	—	—	—	—	9	—	—	—	1	4	4	1	—	—	—	—	1
	F	1	—	—	—	—	1	—	10	—	—	—	—	2	8	3	—	—	2	—	—
10 Measles	M	—	—	—	—	—	—	—	4	1	3	—	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyel: & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Cancer of																					
13M Mouth & œsoph:	M	4	—	—	—	—	—	4	26	—	—	—	1	9	16	10	—	—	—	—	2
13F Uterus	F	4	—	—	—	—	4	—	31	—	—	—	4	16	11	7	—	—	—	—	9
14 Stomach and duodenum	M	8	—	—	—	—	5	3	45	—	—	—	6	10	29	23	—	—	—	1	10
	F	6	—	—	—	1	1	4	39	—	—	—	3	13	23	17	—	—	—	1	7
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
	F	6	—	—	—	2	2	2	61	—	—	—	5	31	25	22	—	—	—	3	9
16 All other sites	M	30	—	—	—	2	11	17	199	—	—	1	11	92	95	71	—	—	—	4	32
	F	26	—	—	—	—	13	13	152	—	—	—	10	53	89	35	—	—	—	2	14
17 Diabetes	M	2	—	—	—	—	1	1	2	—	—	—	—	—	2	1	—	—	—	—	—
	F	3	—	—	—	—	—	3	26	—	—	—	1	4	21	3	—	—	—	—	1
18 Intra-cranial vasc: lesions	M	18	—	—	—	—	5	13	97	—	—	—	1	21	75	33	1	—	—	—	10
	F	23	—	—	—	—	3	20	162	—	—	—	2	42	118	42	—	—	—	—	12
19 Heart disease	M	50	—	—	—	4	12	34	448	—	—	1	15	90	342	127	—	—	—	5	48
	F	68	—	—	1	5	13	49	558	—	—	—	16	49	493	125	—	—	—	4	28
20 Other circulatory diseases	M	8	—	—	—	—	1	7	74	—	—	—	1	18	55	31	—	—	—	—	8
	F	10	—	—	—	1	2	7	69	—	—	—	2	18	49	20	—	—	—	1	4
21 Bronchitis	M	36	2	—	—	1	9	24	151	6	—	—	4	49	92	26	2	—	—	3	8
	F	24	1	1	—	—	6	16	104	2	—	—	2	13	87	26	1	—	—	—	6
22 Pneumonia	M	15	2	1	—	3	3	6	77	15	2	3	4	18	35	31	4	—	—	1	15
	F	15	—	1	—	2	1	11	59	11	—	—	5	7	36	18	3	—	—	1	6
23 Other respiratory diseases	M	6	—	—	—	1	—	5	13	—	1	—	—	7	5	8	—	—	—	1	3
	F	1	—	—	—	—	—	1	13	—	—	—	—	9	4	8	—	—	—	—	—
24 Ulcer of stomach or duodenum	M	4	—	—	—	—	3	1	39	1	—	—	2	16	20	11	—	—	—	4	6
	F	—	—	—	—	—	—	—	39	—	—	—	—	1	6	5	—	—	—	—	—
25 Diarrhœa under 2 years	M	2	2	—	—	—	—	—	9	9	—	—	—	—	—	6	5	—	—	—	—
	F	2	2	—	—	—	—	—	10	9	1	—	—	—	—	5	—	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	—	1	8	—	1	—	—	3	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	3	—	1	—	—	—	2	1	—	—	1	—	—
27 Other digestive diseases	M	1	—	—	1	—	—	—	39	2	1	1	1	11	23	16	—	—	—	—	7
	F	4	—	—	—	—	—	4	31	—	—	1	2	8	20	10	—	—	—	4	3
28 Nephritis	M	3	—	—	—	—	—	3	37	—	—	—	1	3	15	13	—	—	—	—	9
	F	1	—	—	—	—	—	1	44	—	—	—	—	6	16	22	12	—	1	1	5
29 Maternal sepsis	M	—	—	—	—	—	—	—	4	—	—	—	—	4	—	1	—	—	—	—	—
30 Other maternal	F	1	—	—	—	1	—	—	3	—	—	—	—	3	—	3	—	—	—	3	—
31 Premature birth	M	6	6	—	—	—	—	—	28	28	—	—	—	—	—	6	6	—	—	—	—
	F	5	5	—	—	—	—	—	20	20	—	—	—	—	—	6	—	—	—	—	—
32 Cong: mal: birth inj., infant: dis:	M	2	1	—	—	1	—	—	34	27	1	1	3	1	1	20	15	—	—	—	5
	F	3	3	—	—	—	—	—	28	19	—	1	3	4	1	5	5	—	—	—	—
33 Suicide	M	1	—	—	—	—	1	—	19	—	—	—	5	9	5	11	—	—	—	2	5
	F	2	—	—	—	1	—	1	9	—	—	—	5	3	1	8	—	—	—	3	4
34 Road traffic accidents	M	2	—	—	1	—	1	—	23	—	1	2	4	5	11	5	—	—	—	—	2
	F	2	—	—	—	1	1	1	7	—	1	2	1	2	1	3	1	—	1	—	—
35 Other violent causes†	M	6	1	—	1	1	1	2	54	6	4	5	15	13	11	31	3	2	3	9	7
	F	6	—	—	1	—	—	5	50	2	2	1	8	8	29	24	3	—	—	5	1
36 All other causes	M	14	1	—	—	1	2	10	123	7	1	1	13	30	71	31	—	—	1	5	8
	F	14	—	—	—	1	6	7	122	1	1	2	15	27	76	38	2	1	—	7	17
† Including deaths due to war operations	M	3	—	—	1	1	1	—	12	—	1	—	6	5	—	1	—	—	—	—	—
	F	2	—	—	1	—	—	1	11	—	2	1	4	3	1	1	—	—	—	1	—

TABLE 24—contd. Metropolitan Borough.

County Boroughs.

Causes of Death See first page of Table.		WOOLWICH							BARNSELEY.							BARROW-IN-FURNESS.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	790	47	5	11	62	241	424	449	46	9	8	54	145	187	472	42	8	9	42	147	224
	F	688	36	11	3	73	148	417	396	32	9	6	39	100	210	361	28	4	2	42	74	211
Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cerebro-spinal fever	M	1	—	—	—	1	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet fever	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tuberculosis:—																						
Respiratory system	M	52	1	1	—	24	20	6	27	—	1	—	8	14	4	20	—	—	—	11	8	
	F	27	—	—	—	20	6	1	18	—	—	—	15	2	1	18	—	—	—	14	4	
Other forms	M	3	—	1	—	1	1	—	3	—	1	—	—	—	—	9	1	4	2	2	—	
	F	8	1	1	1	2	1	2	3	—	—	3	2	—	—	7	1	2	1	2	1	
Syphilitic disease	M	12	—	—	—	—	8	4	3	—	—	—	—	3	—	4	—	—	—	3	1	
	F	4	—	—	—	—	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	M	3	—	—	—	—	3	—	3	—	—	—	—	2	—	1	—	—	—	1	—	
	F	4	—	—	—	—	—	4	2	—	—	—	—	—	1	3	—	1	—	—	2	
Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—	—	—	—	
Ac: poliomyel. & polioenceph.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	
	F	1	—	—	—	1	—	—	2	—	—	—	1	—	1	—	—	—	—	1	—	
Cancer of																						
Mouth & œsoph.	M	15	—	—	—	2	5	8	1	—	—	—	—	—	1	9	—	—	—	4	5	
Uterus	F	18	—	—	—	—	9	8	11	—	—	—	1	7	3	6	—	—	—	—	—	
Stomach and duodenum	M	24	—	—	—	—	12	12	11	—	—	—	1	7	3	13	—	—	—	3	3	
	F	11	—	—	—	2	3	6	12	—	—	—	—	7	5	12	—	—	2	7	8	
Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	26	—	—	—	2	12	12	9	—	—	—	—	6	8	—	—	—	—	—	—	
All other sites	M	95	—	—	—	5	41	49	37	—	—	1	—	22	14	40	—	—	—	3	4	
	F	78	—	—	—	6	30	42	22	—	—	—	5	12	5	21	—	—	3	22	15	
Diabetes	M	6	—	—	—	—	1	5	2	—	—	—	—	—	2	4	—	—	—	—	3	
	F	10	—	—	—	—	4	6	10	—	—	—	—	2	8	8	—	—	—	—	5	
Intra-cranial vasc. lesions	M	65	—	—	—	—	17	48	35	—	—	—	1	6	28	46	—	—	—	2	27	
	F	62	—	—	—	1	17	44	42	—	—	—	—	7	35	46	—	—	2	17	38	
Heart disease	M	212	—	—	—	4	55	153	104	—	—	—	7	36	61	153	—	—	—	7	47	
	F	202	—	—	—	7	25	170	103	—	—	—	—	5	29	69	116	—	—	6	99	
Other circulatory diseases	M	28	—	—	—	—	3	25	18	—	—	—	—	—	1	17	12	—	—	20	90	
	F	13	—	—	—	—	2	11	14	—	—	—	—	4	10	12	—	—	—	6	6	
Bronchitis	M	46	3	—	1	1	11	30	34	3	1	—	3	15	12	34	2	1	—	1	21	
	F	36	2	1	—	1	7	25	24	1	—	—	1	3	19	23	1	—	—	2	3	
Pneumonia	M	39	7	—	1	2	10	19	30	13	2	—	1	10	4	16	4	—	—	3	17	
	F	26	1	2	—	2	5	16	22	11	1	—	2	5	3	9	5	—	—	4	4	
Other respiratory diseases	M	9	1	—	—	2	6	—	8	—	—	—	2	4	2	5	—	—	1	2	—	
	F	4	—	—	—	—	4	—	6	—	—	—	—	3	2	2	—	—	—	—	2	
Ulcer of stomach or duodenum	M	21	—	—	—	2	11	8	6	—	1	—	2	3	2	6	—	—	—	3	—	
	F	5	—	—	—	—	3	2	1	—	—	—	—	—	1	1	—	—	3	1	—	
Diarrhoea under 2 years	M	6	6	—	—	—	—	—	5	5	—	—	—	—	—	7	6	1	—	—	—	
	F	5	5	—	—	—	—	—	2	2	—	—	—	—	—	3	3	—	—	—	—	
Appendicitis	M	4	—	—	—	1	—	3	1	—	—	—	—	1	—	2	—	—	—	1	1	
	F	2	—	—	—	—	2	—	2	—	—	1	1	—	—	1	—	—	—	—	—	
Other digestive diseases	M	7	—	—	—	2	2	3	15	2	—	—	4	3	6	4	—	—	—	1	3	
	F	22	1	2	—	4	2	13	5	—	2	—	—	—	3	7	—	—	—	2	4	
Nephritis	M	19	—	—	—	2	6	11	8	—	—	2	3	2	1	8	—	—	—	1	5	
	F	13	—	1	—	2	3	7	10	—	1	—	1	2	6	5	—	—	—	1	4	
Maternal sepsis	M	2	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	2	—	—	1	—	—	—	—	—	—	3	—	—	3	—	—	
Premature birth	M	8	8	—	—	—	—	—	11	11	—	—	—	—	—	15	15	—	—	—	—	
	F	6	6	—	—	—	—	—	6	6	—	—	—	—	—	7	7	—	—	—	—	
Cong. mal.; birth inj.; infant: dis.	M	18	18	—	—	—	—	—	13	10	1	1	—	—	—	10	10	—	—	—	—	
	F	13	12	1	—	—	—	—	9	9	—	—	—	—	—	10	9	1	—	—	—	
Suicide	M	7	—	—	—	1	6	—	4	—	—	—	1	2	1	2	—	—	—	1	1	
	F	4	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Road traffic accidents	M	9	—	—	—	2	1	6	3	—	—	—	3	—	—	2	—	—	—	1	1	
	F	2	—	1	—	—	—	1	4	—	1	1	1	1	—	—	—	—	—	—	—	
Other violent causes†	M	35	—	2	5	6	9	13	18	—	1	—	7	5	4	16	2	1	3	2	5	
	F	46	5	2	2	13	8	16	10	2	—	1	—	7	7	1	—	—	—	—	—	
All other causes	M	43	1	—	4	4	13	21	47	2	1	2	8	9	25	29	2	—	2	6	17	
	F	36	3	—	—	5	6	22	39	—	—	—	3	12	24	33	2	1	—	7	15	
Infant deaths due to war operations	M	18	—	2	4	2	5	5	—	—	—	—	—	—	—	1	—	—	—	—	—	
	F	25	—	2	2	11	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 24—contd. County Boroughs.

Causes of Death See first page of Table.		BATH							BIRKENHEAD.							BIRMINGHAM.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes		M F	455 542	34 29	5 1	4 5	32 33	111 94	269 380	874 801	111 83	17 15	16 11	83 83	242 149	405 460	5877 5326	581 415	89 83	77 56	585 544	1685 1179
1	Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	10 4	4 1	2 1	1 —	— —	1 2
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	
4	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	1 3	— 2	1 —	— —	— —	— —	— —	16 16	11 10	5 5	— 1	— —	
5	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	6 2	— —	4 1	2 —	— —	— 1	— —	10 10	— —	3 3	3 4	1 1	
6	Tuberculosis:— Respiratory system	M F	18 13	— —	1 —	— 10	9 3	7 —	1 —	58 42	1 —	— 1	— 34	28 5	24 1	5 —	441 219	1 3	10 2	6 4	195 151	178 42
7	Other forms	M F	1 4	— —	— 3	— —	— —	— 1	— 1	5 6	— 1	— 3	1 2	— —	— 3	— —	42 42	2 3	4 10	7 6	20 16	7 6
8	Syphilitic disease	M F	1 2	— —	— —	— —	— —	1 —	— —	4 —	— —	— —	— —	— —	2 2	2 —	55 16	— 2	— —	— —	3 2	37 11
9	Influenza	M F	2 2	— —	— —	1 —	1 —	— —	— —	5 7	1 —	— 1	— —	1 —	2 —	— 3	34 24	8 1	3 1	— 1	— —	11 5
10	Measles	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— 1	— —	— —	— —	— —	— —	13 11	6 5	6 5	1 —	— —	— —
11	Ac: poliomyel: & polioenceph:	M F	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	2 —	— —	— —	1 —	— —	— —
12	Ac: infectious encephalitis	M F	— 1	— —	— —	— 1	— —	— —	— —	3 1	— —	— —	— —	3 1	— —	— —	3 3	— —	— —	2 —	— 3	
13M	Mouth & oesoph:	M	8	—	—	—	—	8	14	—	—	—	—	—	4	10	102	—	—	—	1	35
13F	Uterus	F	12	—	—	—	1	3	8	12	—	—	—	—	10	2	97	—	—	—	8	54
14	Stomach and duodenum	M F	9 11	— —	— —	— —	— 6	3 7	32 22	— —	— —	— —	— —	1 7	13 15	18 148	180 148	— —	— —	— —	12 6	83 43
15	Breast	M F	2 22	— —	— —	— —	— 12	2 9	— 15	— —	— —	— —	— —	— 4	— 7	— 189	1 —	— —	— —	— 26	— 91	
16	All other sites	M F	42 33	— —	1 —	1 —	4 2	18 5	18 26	76 78	— 1	— —	— —	3 5	36 26	36 46	647 478	— —	3 2	— —	48 49	263 169
17	Diabetes	M F	3 1	— —	— —	— 1	— 1	1 1	3 8	— —	— —	— —	— —	— 1	— 1	3 6	36 61	— —	— —	— 1	8 9	8 12
18	Intra-cranial vasc: lesions	M F	39 71	1 —	— —	— —	— 3	35 66	66 78	— —	— —	— —	— 2	21 20	43 56	487 603	— —	— —	— —	— 9	6 121	
19	Heart disease	M F	146 182	— —	— —	— 1	5 23	29 158	231 217	— —	— —	1 1	13 7	61 33	156 176	1357 1468	— —	— —	4 3	66 82	339 243	
20	Other circulatory diseases	M F	15 17	— —	— —	— —	2 2	13 15	18 15	— —	— —	— —	— —	2 3	5 12	11 186	150 186	— —	— —	— 7	5 32	27 32
21	Bronchitis	M F	28 20	3 —	— —	— —	— 1	9 3	16 16	58 40	3 —	2 —	— —	1 9	21 31	31 324	481 17	15 1	2 1	2 7	25 7	176 55
22	Pneumonia	M F	25 34	6 10	— —	— —	— 1	5 3	13 21	57 38	24 12	4 2	1 1	3 2	11 3	14 18	272 200	93 71	10 12	3 1	9 12	61 26
23	Other respiratory diseases	M F	10 5	— —	— —	— 1	— 1	6 4	3 3	8 5	2 —	— —	— —	— —	3 2	3 2	71 54	3 1	2 4	1 —	7 6	25 25
24	Ulcer of stomach or duodenum	M F	7 4	— —	— —	— —	— —	1 1	3 3	19 2	— —	— —	— —	— 5	— 8	6 2	127 29	— —	— —	1 1	18 2	72 15
25	Diarrhoea under 2 years	M F	9 8	8 —	1 —	— —	— —	— —	— —	20 18	19 17	1 —	— —	— —	— —	— —	108 53	103 51	5 —	— —	— —	— —
26	Appendicitis	M F	— 1	— —	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— 1	— —	— 2	27 21	— —	4 4	4 2	3 13	6 6
27	Other digestive diseases	M F	12 13	— —	— —	— 1	— 2	6 3	5 8	16 21	— —	1 2	2 1	— 2	2 14	10 125	110 4	9 4	— 4	— 18	36 32	
28	Nephritis	M F	7 10	— —	— —	— —	— 2	— 4	5 4	19 19	2 —	— —	— —	— 2	6 3	11 14	134 116	1 —	1 —	— 2	17 20	53 37
29	Maternal sepsis	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 —	— —	— —	— —	— —	— —
30	Other maternal	M F	— —	— —	— —	— —	— —	— —	— —	6 —	— —	— —	— —	— 6	— —	— —	24 —	— —	— —	— —	— —	— —
31	Premature birth	M F	2 4	2 4	— —	— —	— —	— —	— —	27 28	— 28	— —	— —	— —	— —	— —	96 72	96 72	— —	— —	— —	— —
32	Cong: mal; birth inj; infant: dis:	M F	16 9	13 5	— —	— —	— 1	— 2	— 1	28 28	25 17	2 —	— —	— —	— 1	— —	191 146	165 127	3 3	5 4	10 5	5 5
33	Suicide	M F	6 8	— —	— —	— —	— 3	— 2	— 2	2 6	— —	— —	— —	— 5	— 1	— —	57 45	— —	— —	— —	— —	— —
34	Road traffic accidents	M F	6 8	— —	1 —	1 —	— 2	— 2	— 4	14 3	— —	1 1	4 1	6 —	1 —	2 1	67 27	— 1	3 3	14 8	20 7	12 3
35	Other violent causes†	M F	16 17	1 —	1 —	— 1	4 1	1 3	8 11	15 16	— 2	— —	2 2	5 3	5 9	2 2	104 87	12 14	8 8	11 5	23 8	16 6
36	All other causes	M F	25 29	— —	— —	— —	1 3	4 5	20 21	64 73	6 4	— 1	2 3	5 4	13 16	38 45	446 423	52 32	15 12	12 8	57 51	75 105

† Including deaths due to war operations

Causes of Death <i>See first page of Table.</i>		BLACKBURN.							BLACKPOOL.							BOLTON.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	750	56	3	8	59	218	406	1046	39	8	8	70	331	590	1126	53	16	18	96	324	619
	F	825	35	5	10	60	194	521	1089	28	8	4	77	238	734	1060	63	18	11	100	227	641
Typhoid and para-typhoid fevers.	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping cough	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	
Tuberculosis:—	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Respiratory system	F	27	—	—	—	14	11	2	48	—	—	—	21	24	3	43	—	—	1	20	17	
Other forms	M	20	—	—	—	13	5	2	28	—	—	—	19	6	2	28	—	—	—	16	11	
	F	4	—	—	2	2	—	—	4	—	—	—	2	—	—	5	—	—	1	2	1	
	F	4	—	1	1	1	1	—	6	—	2	—	2	1	1	9	—	5	1	2	—	
Syphilitic disease	M	5	—	—	—	—	4	1	3	—	—	—	—	2	1	7	—	—	1	—	3	
	F	1	—	—	—	—	1	—	2	—	—	—	—	—	—	6	—	—	—	4	3	
Influenza	M	5	—	—	—	2	2	1	4	—	—	1	—	—	—	4	—	—	—	—	—	
	F	3	—	—	—	—	1	—	1	—	—	—	—	—	3	4	—	—	—	1	3	
Measles	M	2	1	1	—	—	—	—	—	—	—	—	—	—	1	5	—	—	—	1	3	
	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4	2	3	1	—	—	
Ac: poliomyel: & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ac: infectious encephalitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer of	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	1	1	—	
	F	1	—	—	1	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	
Mouth & œsoph:	M	14	—	—	—	—	3	11	17	—	—	—	—	6	11	17	—	—	—	4	13	
Uterus	F	13	—	—	—	—	8	5	25	—	—	—	1	17	7	15	—	—	—	9	4	
Stomach and duodenum	M	27	—	—	—	1	11	15	34	—	—	—	2	16	16	37	—	—	2	16	21	
	F	27	—	—	—	1	10	16	33	—	—	—	—	11	22	19	—	—	—	11	8	
Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
	F	16	—	—	—	—	8	7	36	—	—	—	8	14	14	33	—	—	—	6	9	
All other sites	M	89	—	—	—	7	31	51	101	—	—	—	8	45	43	104	—	—	—	54	44	
	F	62	—	—	—	5	28	29	91	1	—	1	5	35	49	70	—	1	—	16	46	
Diabetes	M	5	—	—	—	1	—	4	8	—	—	—	1	3	4	3	—	—	—	1	2	
	F	10	—	—	—	—	3	7	15	—	—	—	2	3	10	16	—	—	—	1	15	
Intra-cranial vasc: lesions	M	67	—	—	—	3	23	41	164	—	—	—	—	51	113	105	—	—	—	3	26	
	F	88	—	—	—	—	25	63	197	—	—	—	6	38	153	134	—	—	5	26	76	
Heart disease	M	154	—	—	—	2	40	112	286	—	—	—	10	79	197	291	—	—	1	11	87	
	F	226	—	—	—	1	36	189	333	—	—	—	11	57	265	288	—	—	1	27	203	
Other circulatory diseases	M	41	—	—	—	1	7	33	19	—	—	—	2	5	12	43	—	—	—	1	31	
	F	36	—	—	—	1	3	32	21	—	—	—	—	4	17	32	—	—	—	4	28	
Bronchitis	M	58	2	—	—	4	22	30	70	1	—	—	—	28	41	119	—	1	—	12	35	
	F	65	—	—	—	—	17	48	44	—	—	—	1	6	37	77	4	—	—	4	53	
Pneumonia	M	43	12	—	—	3	15	12	25	4	1	—	3	6	11	42	13	4	—	2	14	
	F	49	9	—	3	4	4	29	23	4	1	1	1	2	14	28	10	1	1	3	8	
Other respiratory diseases	M	4	—	—	—	—	2	2	20	1	1	—	1	8	9	16	—	—	—	2	7	
	F	13	—	—	—	—	3	6	15	—	—	—	4	3	8	5	—	—	—	2	3	
Ulcer of stomach or duodenum	M	13	—	—	—	4	7	2	16	—	—	—	2	11	3	17	—	—	—	3	10	
	F	5	—	—	—	1	1	3	4	—	—	—	—	1	3	1	—	—	—	1	4	
Diarrhœa under 2 years	M	11	11	—	—	—	—	—	8	7	1	—	—	—	—	4	3	1	—	—	—	
	F	6	6	—	—	—	—	—	1	1	—	—	—	—	—	4	4	—	—	—	—	
Appendicitis	M	4	—	—	—	1	—	—	4	—	—	1	—	—	—	—	—	—	—	—	—	
	F	2	—	—	2	—	—	—	1	—	—	—	—	2	1	5	—	—	1	3	1	
Other digestive diseases	M	19	4	—	1	2	4	8	23	—	—	—	1	10	12	9	—	—	—	6	3	
	F	24	—	—	—	6	6	12	27	—	—	—	2	4	21	27	2	1	2	1	11	
Nephritis	M	27	—	—	—	2	12	13	32	—	—	—	2	11	19	30	—	—	1	6	9	
	F	36	—	—	—	3	15	18	24	—	—	—	—	8	14	37	—	—	—	5	11	
Maternal sepsis	M	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Other maternal	F	2	—	—	—	2	—	—	4	—	—	—	4	—	—	6	—	—	6	—	—	
Premature birth	M	11	11	—	—	—	—	—	7	7	—	—	—	—	—	13	13	—	—	—	—	
	F	6	6	—	—	—	—	—	11	11	—	—	—	—	—	25	25	—	—	—	—	
Cong: mal:, birth inj:, infant: dis:	M	14	13	—	1	—	—	—	22	19	1	1	—	1	—	21	19	—	1	1	—	
	F	13	13	—	—	—	—	—	10	9	—	—	—	—	—	14	13	1	—	—	—	
Suicide	M	7	—	—	—	1	3	3	9	—	—	—	2	3	4	11	—	—	—	6	5	
	F	4	—	—	—	3	1	—	4	—	—	—	1	—	3	3	—	—	—	1	2	
Road traffic accidents	M	3	—	—	—	1	2	—	10	—	—	—	1	—	4	8	—	—	1	3	2	
	F	3	—	—	1	1	1	—	4	—	—	—	1	1	3	5	—	1	2	1	1	
Other violent causes†	M	12	—	2	—	4	4	2	13	—	—	1	7	2	3	33	—	1	6	9	6	
	F	15	—	3	—	1	2	9	19	1	1	—	—	4	13	13	1	1	1	1	8	
All other causes	M	82	2	—	2	4	11	63	98	—	1	3	5	14	75	125	1	3	2	11	97	
	F	71	1	1	—	10	15	44	106	1	2	—	7	20	76	146	—	3	2	9	112	
Including deaths due to war operations	M	2	—	—	—	1	1	—	1	—	—	—	—	—	—	4	—	—	—	3	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

† Including deaths due to war operations

TABLE 24—*contd.* County Boroughs.

Causes of Death See first page of Table.		BURTON-ON-TRENT.							BURY.							CANTERBURY.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	315 298	23 16	2 —	4 1	27 27	90 66	169 188	401 422	15 22	7 4	4 5	23 33	140 98	212 260	134 155	8 5	1 2	1 —	5 8	35 32	
1 Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4 Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
6 Tuberculosis:— Respiratory system	M F	21 6	— —	— —	1 —	5 3	14 2	1 1	8 6	— —	— —	— —	5 4	3 1	— 1	1 7	— —	— —	— —	1 4	— 3	
7 Other forms	M F	1 —	— —	— —	1 —	— —	— —	— —	2 —	— —	1 —	— —	1 —	— —	— —	1 —	— —	1 —	— —	— —	— —	
8 Syphilitic disease	M F	3 2	— —	— —	— —	— —	2 1	1 —	3 2	— —	— —	— —	— 2	1 —	2 —	3 —	— —	— —	— —	— —	2 —	
9 Influenza	M F	2 1	— —	— —	— —	1 —	— —	2 1	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
10 Measles	M F	1 —	1 —	— —	— —	— —	— —	— —	3 2	— —	— 2	— —	1 —	— —	2 —	— —	— —	— —	— —	— —	— —	
11 Ac: poliomyel: & polioenceph:	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
12 Ac: infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
13M Cancer of Mouth & œsoph:	M F	7 3	— —	— —	— —	— —	1 2	6 1	1 9	— —	— —	— —	— —	— —	1 5	3 4	— —	— —	— —	— —	— —	
14 Uterus	M F	7 8	— —	— —	— —	— —	2 4	5 3	19 9	— —	— —	— —	1 1	10 3	8 5	1 4	— —	— —	— —	— —	— —	
15 Stomach and duodenum	M F	1 7	— —	— —	— —	— —	— —	1 3	— 12	— —	— —	— —	— —	10 2	2 16	8 15	— —	— 1	— 2	— 1	— 4	
16 Breast	M F	27 27	— —	— —	— —	1 2	3 13	3 12	12 27	— —	— —	— —	— 2	17 13	19 12	8 15	— —	— 1	— —	2 1	1 4	
17 All other sites	M F	4 —	— —	— —	— —	— —	— —	1 —	5 6	— —	— —	— —	— —	3 2	2 4	— 2	— —	— —	— —	— —	— —	
18 Diabetes	M F	26 31	— —	— —	— —	— —	4 9	21 22	46 68	— —	— —	— —	1 2	12 54	33 17	11 —	— —	— —	— —	— —	— —	
19 Intra-cranial vasc: lesions	M F	80 78	— —	— —	— —	3 1	27 5	50 72	107 104	— —	— —	1 —	3 5	35 25	68 74	34 47	— —	— —	— —	— —	— —	
20 Heart disease	M F	12 14	— —	— —	— —	— —	3 4	9 10	7 27	— —	— —	— —	— —	2 3	4 25	2 2	— —	— —	— —	— —	— —	
21 Other circulatory diseases	M F	16 19	1 5	— —	— —	1 2	5 6	9 7	53 32	1 —	— —	— —	1 1	25 9	26 22	13 4	2 5	— —	— —	— —	— —	
22 Pneumonia	M F	80 78	— —	— —	— —	3 1	27 5	50 72	107 104	— —	— —	1 —	3 5	35 25	68 74	34 47	— —	— —	— —	— —	— —	
23 Other respiratory diseases	M F	12 14	— —	— —	— —	— —	3 4	9 10	7 27	— —	— —	— —	— —	2 3	4 25	2 2	— —	— —	— —	— —	— —	
24 Bronchitis	M F	16 19	1 5	— —	— —	1 2	5 6	9 7	53 32	1 —	— —	— —	1 1	25 9	26 22	13 4	2 5	— —	— —	— —	— —	
25 Pneumonia	M F	80 78	— —	— —	— —	3 1	27 5	50 72	107 104	— —	— —	1 —	3 5	35 25	68 74	34 47	— —	— —	— —	— —	— —	
26 Ulcer of stomach or duodenum	M F	12 14	— —	— —	— —	— —	3 4	9 10	7 27	— —	— —	— —	— —	2 3	4 25	2 2	— —	— —	— —	— —	— —	
27 Diarrhoea under 2 years	M F	16 19	1 5	— —	— —	1 2	5 6	9 7	53 32	1 —	— —	— —	1 1	25 9	26 22	13 4	2 5	— —	— —	— —	— —	
28 Appendicitis	M F	80 78	— —	— —	— —	3 1	27 5	50 72	107 104	— —	— —	1 —	3 5	35 25	68 74	34 47	— —	— —	— —	— —	— —	
29 Other digestive diseases	M F	12 14	— —	— —	— —	— —	3 4	9 10	7 27	— —	— —	— —	— —	2 3	4 25	2 2	— —	— —	— —	— —	— —	
30 Nephritis	M F	16 19	1 5	— —	— —	1 2	5 6	9 7	53 32	1 —	— —	— —	1 1	25 9	26 22	13 4	2 5	— —	— —	— —	— —	
31 Maternal sepsis	M F	80 78	— —	— —	— —	3 1	27 5	50 72	107 104	— —	— —	1 —	3 5	35 25	68 74	34 47	— —	— —	— —	— —	— —	
32 Other maternal	M F	12 14	— —	— —	— —	— —	3 4	9 10	7 27	— —	— —	— —	— —	2 3	4 25	2 2	— —	— —	— —	— —	— —	
33 Premature birth	M F	16 19	1 5	— —	— —	1 2	5 6	9 7	53 32	1 —	— —	— —	1 1	25 9	26 22	13 4	2 5	— —	— —	— —	— —	
34 Cong: mal; birth inj.; infant: dis:	M F	80 78	— —	— —	— —	3 1	27 5	50 72	107 104	— —	— —	1 —	3 5	35 25	68 74	34 47	— —	— —	— —	— —	— —	
35 Suicide	M F	12 14	— —	— —	— —	— —	3 4	9 10	7 27	— —	— —	— —	— —	2 3	4 25	2 2	— —	— —	— —	— —	— —	
36 Road traffic accidents	M F	16 19	1 5	— —	— —	1 2	5 6	9 7	53 32	1 —	— —	— —	1 1	25 9	26 22	13 4	2 5	— —	— —	— —	— —	
37 Other violent causes†	M F	80 78	— —	— —	— —	3 1	27 5	50 72	107 104	— —	— —	1 —	3 5	35 25	68 74	34 47	— —	— —	— —	— —	— —	
38 All other causes	M F	12 14	— —	— —	— —	— —	3 4	9 10	7 27	— —	— —	— —	— —	2 3	4 25	2 2	— —	— —	— —	— —	— —	
† Including deaths due to war operations	M F	3 4	— —	1 —	— —	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

TABLE 24—*contd.* County Boroughs.

Causes of Death See first page of Table.		CARLISLE.						CHESTER.						COVENTRY.									
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	
All Causes		M F	392 415	39 25	7 4	8 4	38 47	121 85	179 250	322 282	42 22	1 3	6 1	32 32	90 59	151 165	1313 1035	201 137	34 15	16 16	170 137	392 238	500 492
1	Typhoid and para- typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Cerebro-spinal fever	M F	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 1	2 2	2 —	— —	1 1	— —	
3	Scarlet fever	M F	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Whooping cough	M F	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 8	3 5	2 3	— —	— —	— —	
5	Diphtheria	M F	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 3	— —	1 1	2 1	— —	— —	
6	Tuberculosis:— Respiratory system	M F	15 17	— —	— —	— —	11 15	4 2	— —	14 6	— —	— —	— —	6 6	7 —	1 —	121 52	— —	1 —	— —	73 44	43 7	
7	Other forms	M F	6 3	— —	3 1	2 2	1 2	— —	— —	2 3	— 1	— —	— —	— 2	— —	— —	17 11	1 —	6 5	1 5	5 5	3 1	
8	Syphilitic disease	M F	3 1	— —	— —	— —	1 —	2 —	— —	2 —	— —	— —	— —	— —	2 —	— —	4 4	— —	— —	— —	2 2	2 2	
9	Influenza	M F	3 1	1 —	1 —	— —	— —	1 —	1 —	1 —	— —	— —	— —	1 —	— —	— —	8 5	— 1	— 1	— —	3 3	2 2	
0	Measles	M F	1 —	— —	— —	— —	— —	— —	— —	— 2	— —	1 —	1 —	— —	— —	— —	1 2	1 —	— —	— —	1 —	— —	
1	Ac: poliomyel: & polioenceph:	M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Ac: infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	1 —	
3	Cancer of																						
4	Mouth & œsoph:	M F	7 9	— —	— —	— —	— 1	6 5	9 3	8 9	— —	— —	— —	— —	3 6	6 2	13 18	— —	— —	— —	1 1	3 4	
5	Uterus	M F	10 9	— —	— —	— —	1 —	4 5	5 4	9 3	— —	— —	— —	1 1	4 1	4 1	36 24	— —	— —	— —	1 2	14 11	
6	Stomach and duodenum	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
7	Breast	M F	12 46	— 1	— —	— —	2 2	5 23	5 20	8 23	— —	— —	— —	1 9	3 13	4 116	40 116	— —	— —	1 1	16 8	21 40	
8	All other sites	M F	44 —	1 —	1 —	— —	4 13	23 26	20 26	23 18	— —	— —	— —	— 1	9 8	13 9	96 96	— —	— —	— —	— —	— —	
9	Diabetes	M F	1 3	— —	— —	— —	— 1	— 2	1 1	— —	— —	— —	— —	— —	1 1	7 15	— —	— —	1 —	— —	1 5	10 5	
0	Intra-cranial vasc: lesions	M F	39 54	— —	— —	— —	1 1	8 13	30 40	25 39	— —	— —	— —	— —	9 30	16 92	92 111	— 2	— —	1 5	31 34	57 70	
1	Heart disease	M F	112 154	— —	— —	— —	5 8	34 20	73 126	82 94	— —	— —	— —	3 6	19 15	60 73	296 231	— —	— —	1 13	9 41	107 175	
2	Other circulatory diseases	M F	11 21	— —	— —	— —	— —	1 3	10 18	10 11	— —	— —	— —	— —	1 2	9 9	27 17	— —	— —	— —	1 3	1 14	
3	Bronchitis	M F	24 12	1 —	— —	— —	— —	15 3	8 8	18 9	— —	— —	— —	— —	5 8	13 45	81 3	1 —	— —	— —	1 1	35 43	
4	Pneumonia	M F	19 9	11 6	2 —	— —	— —	3 2	3 2	13 12	8 5	— 1	— —	2 3	1 1	1 2	83 72	42 35	7 6	1 4	17 4	12 3	
5	Other respiratory diseases	M F	— 1	— —	— —	— —	— —	— —	1 1	4 1	— —	— —	— —	— —	1 —	2 5	1 20	2 5	— —	— —	2 3	9 2	
6	Ulcer of stomach or duodenum	M F	4 —	— —	— —	— —	— —	3 1	— —	8 2	— —	— —	— —	2 1	4 1	2 —	25 2	— —	— —	1 —	18 1	6 —	
7	Diarrhoea under 2 years	M F	7 3	— 3	— —	— —	— —	— —	— —	3 2	— 2	— —	— —	— —	— —	— —	38 22	37 21	1 1	— —	— —	— —	
8	Appendicitis	M F	5 3	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	5 8	— —	— —	— —	— —	— —	
9	Other digestive diseases	M F	7 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	18 25	1 3	1 —	— —	4 5	9 7	
0	Nephritis	M F	9 8	— —	— —	— —	— —	2 1	3 4	3 6	— —	— —	— —	— —	— —	— —	25 29	1 1	— —	— —	5 7	12 14	
1	Maternal sepsis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	29 2	— —	— —	— —	10 2	8 —	
2	Other maternal	M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 4	— —	— —	— —	— —	— —	
3	Premature birth	M F	8 7	8 7	— —	— —	— —	— —	— —	14 5	14 5	— —	— —	— —	— —	— —	39 28	39 28	— —	— —	— —	— —	
4	Cong: mal; birth inj.; infant: dis:	M F	7 8	7 6	— 1	— —	— —	— —	— —	14 7	13 7	— —	— —	— —	— —	— —	1 31	71 35	— 1	— —	2 3	— —	
5	Suicide	M F	5 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	19 6	— —	— —	— —	5 2	9 3	
6	Road traffic accidents	M F	6 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	19 8	— —	— —	— —	8 3	5 1	
7	Other violent causes†	M F	9 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	29 24	3 2	5 1	3 —	10 1	4 15	
8	All other causes	M F	23 16	— 1	— —	— —	— —	— —	— —	28 23	— —	— —	— —	— —	— —	— —	85 81	6 4	— 1	— 5	10 13	20 18	
Including deaths due to war operations		M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

[illegible]

Causes of Death See first page of Table.		DEWSBURY.							DONCASTER.							DUDLEY.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	364 363	23 18	6 3	8 1	40 26	99 84	188 231	437 403	52 36	5 4	11 8	28 40	114 91	227 224	367 325	32 31	12 4	6 7	41 41	109 70	167 172
1 Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	1 1	1 —	— —	— —	— —	— —	— —	2 —	— —	1 —	— —	1 —	— —	
3 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4 Whooping cough	M F	1 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	
5 Diphtheria	M F	1 —	— —	— —	1 —	— —	— —	— —	2 1	— —	1 1	1 —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	
Tuberculosis.— Respiratory system	M F	8 12	— 5	1 3	— —	4 10	2 2	1 —	11 16	— —	— —	— —	4 13	5 2	2 1	22 17	— —	— —	— —	10 12	11 3	
7 Other forms	M F	5 3	— —	— 1	— —	— 2	— 1	— 1	— 5	— 1	— 1	— 2	— 1	— 1	— —	— 5	— —	— 1	— 1	— 3	— 1	
8 Syphilitic disease	M F	4 2	— —	— —	— —	1 2	2 2	1 —	2 1	— —	— —	— —	— —	1 —	2 —	— —	— —	— —	— —	2 —	— —	
9 Influenza	M F	3 3	— —	— —	— —	— 1	— 2	— 2	— 1	— —	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	— 1	
0 Measles	M F	1 1	1 1	— —	— —	— —	— —	— —	1 1	— —	1 1	— —	— —	— —	— —	3 —	— —	2 —	1 —	— —	— —	
1 Ac: poliomyel: & polioenceph:	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Ac: infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
Cancer of															1						1	
3M Mouth & oesoph:	M	5	—	—	—	1	1	3	5	—	—	—	—	—	5	9	—	—	—	—	3	
4 Uterus	F	9	—	—	—	7	2	6	—	—	—	2	4	—	—	4	—	—	—	—	2	
4 Stomach and duodenum	M F	12 9	— —	— —	— —	6 1	6 4	12 4	— 3	— —	— —	— 1	6 1	5 1	13 11	— —	— —	— —	— —	— —	8 4	
5 Breast	M F	— 9	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
6 All other sites	M F	34 26	— —	— —	— —	3 2	5 9	13 15	47 23	— —	— —	— —	2 5	5 7	6 10	11 20	— —	— —	— —	3 5	5 3	
7 Diabetes	M F	1 5	— —	— —	— 1	— 1	— 3	4 3	— —	— —	— —	— —	1 —	— 1	3 6	1 —	— —	— —	— —	1 2	— 3	
8 Intra-cranial vasc: lesions	M F	40 52	— —	— —	— —	14 6	26 46	54 54	— —	— —	— —	— —	1 1	11 13	42 40	40 48	— —	— —	— —	10 30	37 30	
9 Heart disease	M F	109 98	— —	1 —	1 —	11 23	25 74	71 88	82 78	— —	— —	— —	4 5	23 20	55 63	71 100	— —	— —	— —	10 9	15 19	
0 Other circulatory diseases	M F	15 12	— —	— —	— —	3 1	12 11	14 18	— —	— —	1 —	— —	— —	3 2	10 16	13 5	— —	— —	— —	4 1	7 4	
1 Bronchitis	M F	20 26	— 1	— —	— —	8 9	11 16	36 24	6 —	— —	— —	— —	1 6	8 18	21 7	34 22	2 6	— 1	— —	13 8	19 4	
2 Pneumonia	M F	16 16	7 6	1 —	— —	1 4	4 3	32 5	16 22	2 10	— 1	— —	1 4	6 6	7 6	22 12	6 8	1 1	— —	2 1	8 2	
3 Other respiratory diseases	M F	4 1	— —	— —	— —	1 1	2 —	1 3	— —	— —	— —	— —	1 1	— —	— —	6 1	— —	— —	— —	4 5	2 —	
4 Ulcer of stomach or duodenum	M F	3 —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5 Diarrhoea under 2 years	M F	2 4	2 3	— 1	— —	— —	— —	— —	3 2	— 2	— —	— —	— —	— —	— —	4 3	3 3	1 —	— —	— —	— —	
6 Appendicitis	M F	1 1	— —	— —	— —	— —	— —	— —	1 3	— —	— —	— —	— —	— —	— —	3 —	— —	— —	— —	— —	— —	
7 Other digestive diseases	M F	5 7	— —	— —	— —	— —	3 2	2 13	6 —	— —	— —	1 —	1 —	1 5	3 7	1 14	— —	— —	— —	1 2	— 7	
8 Nephritis	M F	15 13	— —	— —	— —	2 1	3 12	10 13	19 —	— —	— —	— —	1 1	7 2	11 9	10 9	— —	— —	— —	1 4	8 5	
9 Maternal sepsis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
0 Other maternal	M F	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	
1 Premature birth	M F	3 2	3 2	— —	— —	— —	— —	— —	5 7	— 7	— —	— —	— —	— —	— —	4 6	4 6	— —	— —	— —	— —	
2 Cong: mal; birth inj; infant: dis:	M F	7 5	3 2	2 1	— —	1 —	1 —	— 2	18 18	17 14	— —	— —	— —	1 —	— 2	14 9	11 8	2 —	1 —	— —	— —	
3 Suicide	M F	4 3	— —	— —	— —	1 —	— —	3 —	4 1	— —	— —	— —	— —	3 —	1 —	4 —	— —	— —	— —	1 —	3 —	
4 Road traffic accidents	M F	3 —	— —	— —	2 —	— —	— —	2 —	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5 Other violent causes†	M F	17 6	2 1	1 —	3 —	7 —	3 1	4 13	16 —	— 2	— —	— —	4 1	5 2	7 7	10 1	1 —	— —	— —	4 1	3 —	
6 All other causes	M F	24 37	1 1	— —	— —	3 3	4 6	15 27	52 49	2 —	— —	6 2	3 11	9 35	32 18	26 1	4 1	1 —	— —	3 3	5 5	
Including deaths due to war operations	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

TABLE 24—*contd.* County Boroughs.

Causes of Death <i>See first page of Table.</i>		EASTBOURNE.							EAST HAM.							EXETER.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	308	14	1	1	13	75	204	644	38	7	10	58	181	350	444	36	4	9	41	125	22
	F	372	10	1	1	17	63	280	591	23	9	3	62	128	366	506	34	4	1	52	98	31
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	10	—	—	—	3	4	3	26	1	—	—	8	11	6	19	—	—	—	13	5	—
	F	8	—	—	—	5	2	1	26	—	—	—	20	4	2	23	—	—	—	18	4	—
7 Other forms	M	—	—	—	—	—	—	—	7	—	1	—	2	2	2	4	—	—	3	—	1	—
	F	—	—	—	—	—	—	—	2	—	2	—	—	—	—	6	—	—	4	—	2	—
8 Syphilitic disease	M	—	—	—	—	—	—	—	4	—	—	—	—	2	2	4	—	—	—	—	3	—
	F	1	—	—	—	—	—	1	1	—	—	—	—	1	1	1	—	—	—	1	—	—
9 Influenza	M	2	—	—	—	1	1	1	3	1	—	1	—	1	—	2	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—
11 Ac: poliomyel. & polioenceph.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph.	M	4	—	—	—	1	3	10	—	—	—	—	—	10	7	—	—	—	—	—	1	—
13F Uterus	F	10	—	—	—	2	4	4	6	—	—	—	1	4	1	9	—	—	—	—	4	—
14 Stomach and duodenum	M	13	—	—	—	6	7	29	—	—	—	—	3	13	13	6	—	—	—	—	2	—
	F	6	—	—	—	1	5	15	—	—	—	—	1	3	11	7	—	—	—	—	1	—
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	1	6	4	17	—	—	—	—	12	5	11	—	—	—	—	8	—
16 All other sites	M	44	—	1	—	1	14	28	71	—	—	—	6	28	37	32	—	—	—	5	11	10
	F	41	—	—	—	1	12	23	58	—	1	—	7	22	28	42	—	—	—	3	10	2
17 Diabetes	M	4	—	—	—	—	4	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	2	—	—	—	—	2	3	—	—	—	—	—	1	—
18 Intra-cranial vasc: lesions	M	47	—	—	—	1	13	33	49	—	—	—	1	13	35	38	—	—	—	—	11	2
	F	65	—	—	—	—	12	53	61	—	—	—	2	18	41	72	—	—	—	—	19	5
19 Heart disease	M	100	—	—	—	1	21	78	134	—	—	—	4	32	98	128	—	—	—	—	36	9
	F	131	—	—	—	2	11	118	152	—	—	—	6	19	127	159	—	—	—	1	20	13
20 Other circulatory diseases	M	4	—	—	—	3	26	3	26	—	—	—	4	8	14	12	—	—	—	1	5	—
	F	10	—	—	—	—	10	32	—	—	—	—	4	8	24	14	—	—	—	1	2	1
21 Bronchitis	M	6	—	—	—	1	5	53	—	1	—	—	3	16	33	27	—	—	—	1	7	1
	F	9	—	—	—	1	7	22	—	1	—	—	1	2	18	22	1	1	—	1	3	1
22 Pneumonia	M	6	3	—	—	1	1	34	8	1	—	—	3	9	13	22	9	—	—	2	4	—
	F	5	3	—	—	—	2	34	6	1	1	—	9	13	19	20	6	1	—	2	2	—
23 Other respiratory diseases	M	5	—	—	—	4	1	13	—	—	—	—	1	6	6	8	—	—	—	1	3	—
	F	2	—	—	—	2	—	7	—	—	—	—	2	5	4	—	—	—	—	2	—	—
24 Ulcer of stomach or duodenum	M	3	—	—	—	1	2	15	—	—	—	—	1	10	4	11	—	—	—	2	8	—
	F	2	—	—	—	1	1	2	—	—	—	—	—	2	—	1	—	—	—	1	—	—
25 Diarrhoea under 2 years	M	—	—	—	—	—	—	6	—	6	—	—	—	—	—	6	—	—	—	—	—	—
	F	1	1	—	—	—	—	1	1	1	—	—	—	—	—	8	8	—	—	—	—	—
26 Appendicitis	M	—	—	—	—	—	—	5	—	—	—	1	2	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	1	—	—	—	2	1	—	1	—	—	—	—	1	—
27 Other digestive diseases	M	5	—	—	—	—	1	4	16	1	—	—	2	4	9	9	—	—	—	—	1	3
	F	7	—	—	—	—	2	5	14	—	—	—	—	1	13	12	—	—	—	4	1	—
28 Nephritis	M	9	—	—	—	1	1	7	8	—	—	—	1	1	3	14	—	—	—	—	1	10
	F	9	—	—	—	1	1	7	8	—	—	—	1	1	6	12	—	—	—	1	3	—
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
30 Other maternal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	5	5	—	—	—	—	—	6	6	—	—	—	—	—	9	9	—	—	—	—	—
	F	2	2	—	—	—	—	—	7	7	—	—	—	—	—	8	8	—	—	—	—	—
32 Cong: mal; birth inj.; infant: dis:	M	6	6	—	—	—	—	—	15	12	1	—	1	—	—	7	7	—	—	—	—	—
	F	4	3	—	—	—	—	1	6	4	—	—	—	2	—	9	7	—	—	1	1	—
33 Suicide	M	—	—	—	—	—	—	—	5	—	—	—	—	3	2	11	—	—	—	—	9	—
	F	—	—	—	—	—	—	—	3	—	—	—	2	1	—	5	—	—	—	2	3	—
34 Road traffic accidents	M	1	—	—	—	1	—	1	9	—	—	2	2	4	1	4	—	—	1	1	2	—
	F	2	—	—	—	—	1	1	7	—	—	—	2	2	3	—	—	—	—	—	—	—
35 Other violent causes†	M	5	—	—	1	2	1	1	27	1	3	4	9	3	7	14	3	—	1	7	2	—
	F	7	1	—	1	1	—	4	39	2	1	1	12	12	11	9	3	—	—	1	1	—
36 All other causes	M	29	—	—	—	2	4	23	71	1	1	1	4	10	54	45	2	2	4	5	7	25
	F	29	—	—	—	2	4	23	62	1	1	—	6	5	49	41	1	2	1	5	9	21
† Including deaths due to war operations	M	—	—	—	—	—	—	—	18	1	3	3	4	1	6	2	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	31	—	—	1	12	12	6	—	—	—	—	—	—	—

TABLE 24—contd. County Boroughs.

Causes of Death See first page of Table.		GATESHEAD.							GLOUCESTER.							GREAT YARMOUTH.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	698	63	12	8	81	219	315	371	17	6	7	38	109	194	268	18	2	3	18	70	157
	F	664	53	10	11	93	154	343	415	26	9	3	59	73	245	269	11	6	5	25	59	163
1 Typhoid and para-typhoid fevers	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	—	1	—	—	—	—	2	2	—	—	—	—	—	3	2	1	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	1	—	1	—	—	—	—	2	—	1	1	—	—	—	1	1	—	—	—	—	—
	F	4	—	3	1	—	—	—	2	—	1	—	1	—	—	2	—	2	—	—	—	—
6 Tuberculosis — Respiratory system	M	52	1	—	1	31	18	1	26	1	—	—	10	13	2	8	—	—	—	3	5	—
	F	48	1	—	1	39	6	1	33	1	—	1	24	5	2	9	—	—	1	5	3	—
7 Other forms	M	10	—	3	3	2	2	—	3	1	—	2	—	—	—	2	—	—	1	—	1	—
	F	13	1	4	3	5	—	—	5	1	—	1	2	1	—	3	1	—	—	—	—	1
8 Syphilitic disease	M	5	—	—	—	—	4	1	5	—	—	—	2	—	3	1	—	—	—	—	—	1
	F	2	—	—	—	1	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2
9 Influenza	M	10	3	—	—	—	4	3	1	—	—	—	—	1	—	1	—	—	—	—	1	—
	F	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—
0 Measles	M	2	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
1 Ac: poliomyel. & polioenceph.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Ac: infectious encephalitis	M	2	—	—	—	—	1	1	2	—	—	—	1	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—
Cancer of																						
3M Mouth & oesoph:	M	10	—	—	—	—	3	7	2	—	—	—	—	1	1	6	—	—	—	—	2	4
3F Uterus	F	16	—	—	—	1	12	3	5	—	—	—	1	1	3	10	—	—	—	2	6	2
4 Stomach and duodenum	M	30	—	—	—	2	16	12	17	—	—	—	2	5	10	9	—	—	—	—	5	4
	F	21	—	—	—	1	8	12	8	—	—	—	1	3	4	6	—	—	—	—	3	3
5 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	2	7	5	17	—	—	—	4	6	7	9	—	—	—	2	6	1
6 All other sites	M	60	—	—	—	6	21	33	27	—	1	—	4	5	17	23	—	—	—	3	7	13
	F	47	—	—	—	4	21	22	26	—	—	—	5	9	12	26	—	—	—	1	11	14
7 Diabetes	M	3	—	—	—	—	1	2	1	—	—	—	—	—	1	2	—	—	—	—	—	2
	F	8	—	—	—	1	4	3	4	—	—	—	—	—	4	1	—	—	—	—	—	1
8 Intra-cranial vasc. lesions	M	66	—	—	—	2	21	43	38	—	—	—	1	9	28	20	—	—	—	1	2	17
	F	75	—	—	—	19	56	55	55	—	—	—	—	11	44	27	—	—	—	2	2	25
9 Heart disease	M	162	—	—	—	12	61	89	101	—	—	—	2	25	74	71	—	—	—	2	21	48
	F	163	—	—	—	11	36	116	120	—	—	—	2	15	103	70	—	—	—	1	9	60
0 Other circulatory diseases	M	20	—	—	—	1	4	15	11	—	—	—	—	2	9	15	—	—	—	1	4	10
	F	14	—	—	—	—	14	10	10	—	—	—	—	1	9	2	—	—	—	—	—	2
1 Bronchitis	M	40	1	1	—	2	19	17	11	—	—	—	—	7	4	15	—	—	—	—	4	11
	F	29	—	—	—	1	7	19	10	2	—	—	1	1	6	16	2	1	—	—	5	8
2 Pneumonia	M	36	11	2	1	2	8	12	18	3	1	—	3	5	6	7	3	—	—	—	2	2
	F	25	8	—	—	4	3	10	14	1	2	—	—	3	8	16	2	1	—	2	2	9
3 Other respiratory	M	16	—	—	—	2	8	6	9	—	—	—	1	7	1	5	—	—	—	2	1	2
	F	9	—	1	—	2	2	4	7	—	1	—	—	2	4	5	—	2	—	—	1	2
4 Ulcer of stomach or duodenum	M	6	—	—	—	3	3	—	5	—	—	—	—	4	1	2	—	—	—	1	—	1
	F	2	—	—	—	—	1	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—
5 Diarrhoea under 2 years	M	8	8	—	—	—	—	—	1	1	—	—	—	—	—	4	4	—	—	—	—	—
	F	1	1	—	—	—	—	—	5	4	1	—	—	—	—	2	2	—	—	—	—	—
6 Appendicitis	M	2	—	1	—	—	1	—	3	—	—	1	—	—	1	—	—	—	—	—	—	1
	F	1	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
7 Other digestive diseases	M	17	—	1	—	1	7	8	8	—	—	—	1	3	4	11	1	—	—	2	2	6
	F	20	—	—	—	2	5	13	8	1	—	—	—	2	5	3	—	—	—	—	—	3
8 Nephritis	M	13	—	—	—	2	3	8	15	—	—	—	2	8	5	13	—	—	—	1	3	9
	F	19	—	—	1	4	5	9	18	—	—	—	2	4	12	8	—	—	—	—	—	5
9 Maternal sepsis	M	1	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—	—	2	—	—
	F	2	—	—	—	2	—	—	1	—	—	—	1	—	—	2	—	—	—	2	—	—
0 Other maternal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1 Premature birth	M	8	8	—	—	—	—	—	3	3	—	—	—	—	—	4	4	—	—	—	—	—
	F	12	12	—	—	—	—	—	5	5	—	—	—	—	—	1	1	—	—	—	—	—
2 Cong: mal.; birth inj.; infant: dis:	M	24	22	—	—	2	—	—	5	5	—	—	—	—	—	3	3	—	—	—	—	—
	F	21	20	—	—	1	—	—	10	9	—	1	—	—	—	4	2	—	1	—	—	—
3 Suicide	M	8	—	—	—	2	2	4	7	—	—	—	1	1	5	3	—	—	—	—	1	1
	F	3	—	—	—	1	1	1	6	—	—	—	2	1	3	2	—	—	—	2	—	—
4 Road traffic accidents	M	8	—	1	1	1	—	5	6	—	—	2	2	2	—	4	—	—	1	—	—	3
	F	2	—	—	—	1	—	1	4	—	2	—	1	1	—	2	—	—	—	—	—	2
5 Other violent causes†	M	14	2	—	1	2	5	4	9	—	—	1	2	3	3	5	—	—	—	2	1	2
	F	16	3	1	1	—	1	10	2	—	—	—	1	—	1	8	—	—	2	1	2	3
6 All other causes	M	64	5	1	1	6	7	44	31	1	1	—	3	7	19	29	—	1	1	1	6	20
	F	70	2	—	4	9	14	41	29	1	—	—	7	5	16	29	1	—	—	2	6	19
Including deaths due to war operations	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—

TABLE 24—*contd.* County Boroughs.

Causes of Death <i>See first page of Table.</i>		HUDDERSFIELD.							IPSWICH.							KINGSTON-UPON-HULL.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	868	52	9	10	60	260	477	572	40	7	6	51	168	300	1750	182	40	36	146	540	806
	F	901	45	3	8	79	208	558	536	18	5	3	43	112	355	1563	129	36	25	192	343	838
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	1	—	—	1	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—	M	31	—	—	—	15	14	2	28	1	—	—	10	13	4	95	—	—	1	48	37	9
6 Respiratory system	F	18	—	—	1	13	2	2	19	—	—	—	15	3	1	91	—	3	3	65	16	4
7 Other forms	M	6	—	2	2	2	—	—	5	—	1	—	4	—	—	19	4	6	5	4	—	—
	F	12	—	2	2	6	3	1	—	—	—	—	—	—	—	23	5	5	6	2	1	—
8 Syphilitic disease	M	4	—	—	—	—	3	1	7	—	—	—	—	4	3	19	1	—	—	—	17	4
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	15	2	—	—	2	9	2
9 Influenza	M	2	—	—	—	—	2	—	2	—	—	—	—	1	—	4	—	—	—	—	—	—
	F	5	—	—	1	1	—	2	1	—	—	—	—	—	1	7	1	5	1	—	—	—
10 Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	6	1	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	6	1	5	—	—	—	—
11 Ac: poliomyel: & polioenceph:	M	2	—	1	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	1	—	—	2	—	—	—	—	1	1	2	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Cancer of	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13M Mouth & œsoph:	M	23	—	—	—	—	7	16	7	—	—	—	—	3	4	21	—	—	—	—	7	14
13F Uterus	F	8	—	—	—	—	7	1	8	—	—	—	1	3	4	38	—	—	—	4	25	9
14 Stomach and duodenum	M	31	—	—	—	5	11	15	18	—	—	—	1	6	11	46	—	—	—	—	27	19
	F	21	—	—	—	8	13	14	14	—	—	—	—	4	10	40	—	—	—	1	9	30
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	25	—	—	—	3	15	7	20	—	—	—	3	6	11	36	—	—	—	8	20	8
16 All other sites	M	80	—	—	—	6	36	38	68	—	1	—	3	22	42	185	—	2	—	11	87	85
	F	64	—	—	—	7	21	36	47	—	—	—	2	22	23	130	—	1	1	8	47	73
17 Diabetes	M	6	—	—	—	—	—	6	3	—	—	—	—	1	2	9	—	—	—	3	2	4
	F	6	—	—	—	—	1	5	8	—	—	—	—	8	21	—	—	—	—	1	7	13
18 Intra-cranial vasc: lesions	M	74	1	—	—	1	20	52	41	—	—	—	3	14	24	123	—	—	—	3	37	83
	F	129	—	—	—	3	44	82	69	—	—	—	—	11	58	160	—	—	—	5	37	118
19 Heart disease	M	228	—	—	—	5	80	143	150	—	—	—	6	30	114	445	—	—	—	8	123	313
	F	263	—	—	—	14	50	197	178	—	—	—	3	24	151	446	—	—	2	21	60	363
20 Other circulatory diseases	M	11	—	—	2	1	3	7	27	—	—	—	2	3	22	49	—	—	—	—	12	37
	F	17	—	—	—	5	12	14	14	—	—	—	1	2	11	37	—	—	—	1	8	28
21 Bronchitis	M	54	3	—	—	2	17	32	32	—	—	—	—	9	23	104	8	—	—	8	42	46
	F	36	1	—	—	1	5	29	29	—	—	—	1	2	26	64	—	—	—	5	15	44
22 Pneumonia	M	37	16	—	2	1	9	9	32	9	3	—	—	10	10	144	35	13	4	10	39	43
	F	14	2	2	—	2	4	4	23	4	3	1	3	1	11	108	38	8	3	9	13	37
23 Other respiratory diseases	M	9	—	—	—	1	4	4	5	—	—	—	1	3	1	8	1	—	—	—	2	5
	F	5	—	—	—	3	1	1	9	—	—	—	—	4	4	13	1	2	—	2	6	2
24 Ulcer of stomach or duodenum	M	11	—	—	—	3	6	2	11	—	—	—	1	9	1	25	—	—	—	4	14	7
	F	3	—	—	—	1	2	3	3	—	—	—	1	1	1	8	—	—	—	2	3	3
25 Diarrhœa under 2 years	M	7	7	—	—	—	—	—	3	3	—	—	—	—	—	41	41	—	—	—	—	—
	F	6	6	—	—	—	—	—	—	—	—	—	—	—	—	19	18	—	—	—	—	—
26 Appendicitis	M	2	—	1	—	—	1	—	5	—	—	—	—	2	3	7	—	1	2	—	4	—
	F	2	—	—	1	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1	1	—
27 Other digestive diseases	M	19	—	—	—	5	6	12	9	—	—	—	—	2	1	6	37	1	—	3	12	21
	F	22	—	—	—	1	6	11	11	—	—	1	3	4	3	33	—	2	1	3	12	15
28 Nephritis	M	32	—	—	—	4	16	12	13	—	—	—	—	9	4	49	—	1	3	5	16	24
	F	29	—	—	—	2	9	18	11	—	—	—	2	5	4	40	—	—	—	3	21	16
29 Maternal sepsis	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—
30 Other maternal	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	6	—	—	—	6	—	—
31 Premature birth	M	5	5	—	—	—	—	—	10	10	—	—	—	—	—	32	32	—	—	—	—	—
	F	13	13	—	—	—	—	—	6	6	—	—	—	—	—	28	28	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	19	18	—	1	—	—	—	18	16	—	—	2	—	—	57	47	2	2	3	2	1
	F	18	18	—	—	—	—	—	6	6	—	—	—	—	—	37	31	—	1	3	1	1
33 Suicide	M	5	—	—	—	3	2	—	10	—	—	—	2	4	4	18	—	—	—	4	11	3
	F	8	—	—	—	4	3	1	3	—	—	—	1	2	—	12	—	—	—	7	3	2
34 Road traffic accidents	M	11	—	1	2	1	3	4	5	—	1	—	1	1	2	11	—	—	—	3	2	3
	F	2	—	—	—	—	1	1	—	—	—	—	—	1	1	7	—	—	—	2	1	2
35 Other violent causes†	M	15	—	1	2	3	3	6	19	1	1	2	6	9	—	65	5	4	10	9	18	19
	F	13	—	—	—	1	2	10	13	1	1	1	3	3	4	45	3	4	5	6	5	22
36 All other causes	M	140	—	3	—	5	17	115	40	—	—	—	2	5	12	21	115	3	2	4	14	27
	F	153	3	—	1	8	18	123	41	1	1	—	3	13	23	90	6	2	—	17	20	45
Including deaths due to war operations	M	2	—	—	—	1	1	—	8	—	—	1	5	2	—	9	—	—	2	2	3	2
	F	—	—	—	—	—	—	—	3	—	—	—	2	—	1	4	—	—	1	—	—	—

Causes of Death <i>See first page of Table.</i>		LIVERPOOL.							MANCHESTER.							MIDDLESBROUGH.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	5011	640	105	100	532	1511	2123	4625	360	65	62	396	1522	2220	888	121	21	16	88	288	354
	F	4562	438	82	78	580	1000	2384	4360	274	46	53	461	1069	2457	746	94	16	13	105	141	377
Typhoid and para-typhoid fevers	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cerebro-spinal fever	M	8	5	1	—	1	1	—	8	3	2	1	1	—	1	1	1	—	—	—	—	
	F	3	—	2	—	1	—	—	3	2	1	—	—	—	3	—	1	1	—	1	—	
Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping cough	M	22	16	5	1	—	—	—	9	3	6	—	—	—	—	1	1	—	—	—	—	
	F	15	9	6	—	—	—	—	16	9	6	1	—	—	—	—	—	—	—	—	—	
Diphtheria	M	8	1	4	3	—	—	—	—	—	1	5	—	—	—	—	—	2	2	—	—	
	F	20	—	9	9	2	—	—	8	—	1	6	1	—	—	4	—	3	3	—	—	
Tuberculosis :—																						
Respiratory system	M	368	—	4	1	174	157	32	293	1	1	1	110	140	40	69	—	—	—	29	37	3
	F	237	2	2	8	191	28	6	203	2	1	6	147	37	10	48	—	1	3	40	4	—
Other forms	M	47	2	16	10	17	—	2	48	2	15	6	16	7	2	8	—	3	3	1	1	—
	F	50	4	10	11	20	5	—	33	2	7	8	12	1	3	9	1	3	1	3	1	—
Syphilitic disease	M	40	2	—	—	8	21	9	25	3	—	—	3	11	8	4	—	—	—	4	—	—
	F	16	2	—	—	8	2	13	3	—	—	—	3	5	2	4	1	—	—	—	—	—
Influenza	M	33	2	2	—	4	16	9	23	1	—	—	3	6	13	7	—	—	—	1	3	3
	F	30	1	1	2	6	6	14	21	1	—	—	4	7	9	8	—	—	—	1	1	6
Measles	M	8	5	3	—	—	—	—	5	3	2	—	—	—	—	1	1	—	—	—	—	—
	F	3	1	2	—	—	—	—	3	—	3	—	—	—	—	—	—	—	—	—	—	—
Ac. poliomyel. & polioenceph.	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ac. infectious encephalitis	M	8	—	—	—	4	2	2	6	—	—	—	4	1	1	1	—	—	1	—	—	—
	F	10	—	—	—	6	3	1	12	—	—	1	4	6	1	—	—	—	—	—	—	—
Cancer of																						
Mouth & œsoph.	M	61	—	—	—	—	13	48	61	—	—	—	1	16	44	18	—	—	—	6	12	9
Uterus	F	73	—	—	—	15	32	26	74	—	—	—	6	40	28	26	1	—	—	4	12	9
Stomach and duodenum	M	133	—	—	—	14	68	51	141	—	—	—	8	71	62	24	—	—	—	1	13	10
	F	108	—	—	—	8	51	49	101	—	—	—	4	46	51	13	—	—	—	1	9	3
Breast	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	119	—	—	—	17	56	46	116	—	—	—	14	55	47	11	—	—	—	5	6	—
All other sites	M	415	—	1	3	31	205	175	468	—	1	2	25	205	235	76	—	—	—	2	37	37
	F	335	—	4	—	30	127	174	336	—	—	2	26	133	175	48	—	—	—	3	19	26
Diabetes	M	14	—	—	—	1	6	7	15	—	—	—	1	7	7	8	—	—	—	2	2	4
	F	49	—	—	2	9	9	29	29	—	—	1	2	8	18	9	—	—	—	—	4	5
Intra-cranial	M	391	—	—	—	13	116	262	353	2	—	—	6	101	244	71	—	—	—	3	24	44
vasc. lesions	F	438	1	—	—	12	122	303	521	1	—	—	11	143	366	85	1	—	—	2	16	66
Heart disease	M	1148	—	—	7	63	323	755	874	—	1	4	49	290	530	183	—	2	1	2	57	121
	F	1374	—	—	10	91	236	1037	950	—	3	—	69	212	666	196	—	—	—	16	33	147
Other circulatory diseases	M	79	1	—	—	1	32	45	164	—	—	—	2	53	109	40	—	—	—	2	8	30
	F	91	—	—	—	6	27	58	143	—	—	—	1	24	118	25	—	—	—	2	2	23
Bronchitis	M	541	23	2	2	14	194	306	598	18	1	—	32	265	282	62	9	—	—	5	24	24
	F	319	11	2	1	9	64	232	386	11	3	—	10	102	260	31	3	—	—	1	8	19
Pneumonia	M	325	141	25	1	20	78	60	210	58	7	—	17	66	62	54	24	3	1	1	13	12
	F	264	115	19	4	19	45	62	155	39	5	—	16	36	59	39	18	5	—	4	4	8
Other respiratory diseases	M	74	4	—	2	8	32	28	60	4	—	2	8	29	17	13	—	—	—	2	7	4
	F	30	2	—	—	6	10	12	41	1	—	—	7	16	17	6	—	—	—	1	3	2
Ulcer of stomach or duodenum	M	82	—	—	—	7	49	26	56	1	—	—	9	33	13	13	—	—	—	6	4	3
	F	21	—	—	—	5	9	7	17	—	—	—	—	5	12	3	—	—	—	1	—	2
Diarrhœa under 2 years	M	83	77	6	—	—	—	—	50	50	—	—	—	—	—	31	29	2	—	—	—	—
	F	63	61	2	—	—	—	—	35	33	2	—	—	—	—	21	21	—	—	—	—	—
Appendicitis	M	16	—	1	2	9	2	2	16	—	—	1	4	8	3	3	—	—	—	2	1	—
	F	13	—	1	3	5	3	1	11	—	2	2	3	1	3	2	—	—	—	1	1	—
Other digestive diseases	M	72	6	3	3	7	18	35	83	4	4	2	7	31	35	12	—	1	—	—	9	2
	F	83	1	2	2	10	28	40	108	1	3	2	22	34	46	16	2	1	—	1	—	12
Nephritis	M	104	2	—	2	18	32	50	102	—	—	1	13	45	43	17	—	—	—	3	6	8
	F	112	—	—	1	22	35	54	112	—	1	2	17	32	60	15	—	—	—	5	3	7
Maternal sepsis	M	7	—	—	—	7	—	—	3	—	—	—	3	—	—	1	—	—	—	1	—	—
Other maternal	F	16	—	—	—	16	—	—	9	—	—	—	8	1	—	5	—	—	—	5	—	—
Premature birth	M	152	—	—	—	—	—	—	64	64	—	—	—	—	—	16	16	—	—	—	—	—
	F	96	96	—	—	—	—	—	65	65	—	—	—	—	—	27	27	—	—	—	—	—
Cong. mal., birth inj., infant: dis:	M	116	106	2	3	2	3	—	124	115	3	1	3	2	—	36	33	2	1	—	—	—
	F	78	71	4	—	1	2	—	79	74	1	1	2	—	1	18	18	—	—	—	—	—
Suicide	M	36	—	—	1	10	21	4	47	—	—	1	9	25	12	11	—	—	—	3	7	1
	F	20	—	—	—	8	7	5	27	—	—	—	6	16	5	5	—	—	—	3	1	1
Road traffic accidents	M	65	—	9	23	12	9	12	52	—	9	7	10	12	14	14	—	2	1	5	3	3
	F	26	—	3	8	5	4	6	28	—	2	8	4	5	9	7	—	—	3	1	1	2
Other violent causes†	M	135	9	8	15	31	46	26	82	6	6	14	13	25	18	28	—	1	3	9	9	6
	F	68	10	5	4	6	6	37	71	10	2	4	6	15	34	9	—	1	2	1	—	5
All other causes	M	422	86	13	20	60	66	177	582	22	6	14	42	73	425	62	8	2	4	8	13	27
	F	372	51	8	13	44	76	180	630	20	6	6	53	88	457	50	2	—	—	11	9	28
Including deaths due to war operations	M	5	—	—	—	2	3	—	8	—	—	—	1	5	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—*contd.* County Boroughs.

Causes of Death See first page of Table.		NEWCASTLE-UPON-TYNE.							NORTHAMPTON.							NORWICH.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	1900	122	38	29	198	591	922	621	40	8	10	45	155	363	653	51	9	9	37	159	3
	F	1554	70	20	29	216	336	883	631	31	4	1	51	107	437	656	29	7	5	52	128	4
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever,	M	4	1	1	—	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	3	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	2	2	—	—	—	—	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	8	—	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	123	—	—	—	74	36	13	39	—	—	—	17	16	6	33	—	—	—	12	16	—
	F	97	—	1	1	76	15	4	24	—	—	—	22	1	1	23	—	—	—	15	4	—
7 Other forms	M	28	2	6	6	10	4	—	5	1	3	1	—	—	—	4	2	—	2	—	—	—
	F	25	1	4	9	9	1	1	2	—	—	—	2	—	—	6	—	2	1	1	—	—
8 Syphilitic disease	M	13	1	—	—	—	9	3	2	—	—	—	1	1	—	3	—	—	—	—	1	—
	F	5	—	—	—	—	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Influenza	M	3	—	—	—	1	1	1	3	—	—	—	—	1	2	2	1	—	—	—	—	—
	F	3	—	—	—	—	1	2	3	—	—	—	1	—	—	2	—	—	—	—	—	—
10 Measles	M	1	—	1	—	—	—	—	2	1	1	—	—	—	—	1	—	1	—	—	—	—
	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyel: & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	4	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer of																						
13M Mouth & oesoph:	M	34	—	—	—	3	7	24	6	—	—	—	—	3	3	13	—	—	—	1	4	—
13F Uterus	F	32	—	—	—	3	19	10	13	—	—	—	—	6	7	12	—	—	—	2	5	—
14 Stomach and duodenum	M	56	—	—	—	1	28	27	22	—	—	—	2	5	15	17	—	—	—	1	6	—
	F	35	—	—	—	1	12	22	10	—	—	—	1	2	7	15	—	—	—	1	1	—
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	34	—	—	—	6	18	10	19	—	—	—	2	10	7	20	—	—	—	2	9	—
16 All other sites	M	189	—	—	—	9	72	108	59	—	—	—	7	14	38	76	—	—	—	1	29	4
	F	126	—	—	—	12	49	65	59	—	—	—	3	16	40	49	—	—	—	5	22	—
17 Diabetes	M	9	—	—	—	2	2	5	2	—	—	—	—	1	1	8	—	—	—	—	—	—
	F	23	—	—	—	2	7	14	3	—	—	—	—	—	3	9	—	—	—	1	2	—
18 Intra-cranial vasc: lesions	M	207	—	—	—	3	58	146	52	—	—	—	—	14	38	64	—	—	—	1	16	—
	F	227	—	—	1	7	48	171	67	—	—	—	1	6	60	92	—	—	—	1	17	—
19 Heart disease	M	424	—	—	1	24	143	256	223	—	—	—	6	57	160	153	—	—	—	2	31	12
	F	352	—	—	—	25	68	259	218	—	—	—	3	27	188	163	—	—	—	5	26	13
20 Other circulatory diseases	M	106	—	—	—	3	28	75	13	—	—	—	—	3	10	16	—	—	—	1	5	—
	F	104	—	1	—	1	17	85	8	—	—	—	—	2	6	21	—	—	—	—	3	—
21 Bronchitis	M	153	2	1	—	4	60	86	41	2	—	—	1	9	29	32	1	1	—	—	12	—
	F	71	1	1	—	1	11	57	40	—	—	—	1	6	33	24	1	—	—	—	1	—
22 Pneumonia	M	73	20	5	2	3	20	23	17	9	2	—	1	1	4	30	6	2	2	—	5	—
	F	65	7	2	2	10	9	35	16	7	1	—	1	2	5	32	9	3	—	—	3	—
23 Other respiratory diseases	M	41	—	1	—	7	20	13	11	—	1	—	—	4	6	6	—	—	—	3	2	—
	F	19	—	—	1	2	7	9	6	—	—	—	2	2	2	10	—	—	—	4	2	—
24 Ulcer of stomach or duodenum	M	28	—	—	—	2	18	8	7	—	—	—	1	4	2	13	—	—	—	2	7	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—
25 Diarrhoea under 2 years	M	11	10	1	—	—	—	—	3	3	—	—	—	—	—	5	5	—	—	—	—	—
	F	6	4	2	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—
26 Appendicitis	M	6	—	1	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	1	1	1	1	2	—	—	1	—	1	—	1	—	—	—	—	1	—
27 Other digestive diseases	M	34	3	1	1	3	12	14	10	1	1	—	1	5	2	12	—	1	—	1	2	—
	F	29	2	—	—	1	8	18	5	—	—	—	—	2	3	7	—	—	—	1	3	—
28 Nephritis	M	51	—	—	—	6	17	28	9	—	—	1	1	5	2	17	—	—	—	1	5	—
	F	46	—	—	3	8	8	27	14	—	—	—	3	1	10	17	—	—	—	1	6	—
29 Maternal sepsis	M	7	—	—	—	7	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
30 Other maternal	F	5	—	—	—	5	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—
31 Premature birth	M	34	—	—	—	—	—	—	6	6	—	—	—	—	—	12	12	—	—	—	—	—
	F	19	—	—	—	—	—	—	11	11	—	—	—	—	—	5	5	—	—	—	—	—
32 Cong: mal; birth inj; infant: dis:	M	34	32	—	—	1	1	—	13	12	—	1	—	—	—	19	18	—	1	—	—	—
	F	26	22	—	—	2	2	—	10	9	—	—	—	—	1	9	8	—	—	1	—	—
33 Suicide	M	24	—	—	—	4	11	9	6	—	—	—	—	2	4	5	—	—	—	—	2	—
	F	11	—	—	—	8	2	1	5	—	—	—	2	2	1	4	—	—	—	3	—	—
34 Road traffic accidents	M	22	—	6	6	2	4	4	5	1	—	2	2	—	—	7	—	2	1	2	—	—
	F	13	—	1	3	1	8	—	—	—	—	—	—	—	—	4	—	—	1	—	2	—
35 Other violent causes†	M	54	7	3	5	14	10	15	11	3	1	2	2	1	2	16	3	1	1	3	—	—
	F	36	1	2	1	6	4	22	10	1	—	—	2	1	6	16	1	2	1	2	—	—
36 All other causes	M	124	9	5	5	16	25	64	54	1	2	1	2	9	39	98	2	—	2	4	12	7
	F	120	9	5	4	18	22	62	82	1	2	—	5	17	57	95	1	—	2	7	14	—
† Including deaths due to war operations	M	—	1	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—

TABLE 24—*contd.* County Boroughs.

Causes of Death see first page of Table.		NOTTINGHAM.							OLDHAM.							OXFORD.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	1744	158	32	33	162	485	874	848	53	6	8	64	281	436	486	31	8	4	43	128	272
	F	1680	121	18	17	174	364	986	880	44	8	11	82	233	502	570	28	6	4	43	99	390
Typhoid and para- typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	4	2	2	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	2	1	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Tuberculosis —																						
Respiratory system	M	98	—	—	2	41	46	9	40	—	—	1	20	18	1	20	1	—	—	9	8	2
	F	81	1	—	2	62	12	4	23	—	—	1	16	4	2	17	—	—	—	13	1	3
Other forms	M	16	—	6	1	8	1	—	9	2	—	2	1	3	1	4	—	—	—	3	1	—
	F	12	—	3	4	3	1	1	3	—	1	—	2	—	—	2	—	—	1	1	—	—
Syphilitic disease	M	12	—	—	—	1	8	3	10	—	—	—	2	4	4	8	—	—	—	—	5	3
	F	5	—	—	—	—	2	3	11	3	—	—	2	6	—	2	—	—	—	—	1	—
Influenza	M	5	—	—	—	1	1	3	2	—	—	—	—	2	—	2	—	—	—	—	2	1
	F	5	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Measles	M	3	1	—	2	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—
	F	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ac: poliomyel: & polioenceph:	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ac: infectious encephalitis	M	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	3	—	2	2	—	—	—	—	1	1	—	—	—	—	—	—	—
Cancer of																						
Mouth & œsoph:	M	28	—	—	—	1	7	20	15	—	—	—	—	4	11	6	—	—	—	2	—	4
Uterus	F	44	—	—	—	6	23	15	18	—	—	—	2	8	8	13	—	—	—	6	7	7
Stomach and duodenum	M	48	—	—	—	3	26	19	29	—	—	—	—	17	12	7	—	—	—	1	6	6
	F	23	—	—	—	1	10	12	25	—	—	—	—	6	19	11	—	—	—	4	7	9
Breast	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—	—	—	—	—	2
	F	63	—	—	—	8	28	27	20	—	—	—	2	14	4	24	—	—	—	3	14	7
All other sites	M	182	—	—	1	14	68	99	69	—	—	—	5	35	29	57	—	—	—	4	20	33
	F	121	—	—	—	7	52	62	61	—	—	—	5	27	29	53	—	—	—	3	17	33
Diabetes	M	7	—	—	—	1	2	4	5	—	—	—	—	1	4	2	—	—	—	—	2	—
	F	16	—	—	1	—	4	11	10	—	—	—	2	1	7	5	—	—	—	—	—	5
Intra-cranial vasc: lesions	M	143	—	—	—	2	43	98	80	—	—	—	—	19	61	50	—	—	—	9	41	41
	F	173	—	—	—	2	48	123	113	—	—	—	3	37	73	76	—	—	—	13	63	63
Heart disease	M	405	—	—	1	15	90	299	208	—	—	—	6	66	136	123	—	—	—	5	37	81
	F	502	—	—	1	22	73	406	235	—	—	—	12	58	165	143	—	—	1	3	17	122
Other circulatory diseases	M	60	—	—	—	2	18	40	23	—	—	—	—	7	16	17	—	—	—	—	4	13
	F	57	—	—	—	—	11	46	24	—	—	—	—	4	20	35	—	—	—	2	—	33
Bronchitis	M	184	14	4	3	8	41	114	108	1	—	—	2	47	58	24	—	—	—	1	8	15
	F	99	4	—	—	2	16	77	78	1	—	—	3	20	54	11	—	—	—	—	—	11
Pneumonia	M	97	39	5	2	6	24	21	32	10	1	—	5	8	8	30	7	2	1	1	9	10
	F	89	34	3	—	6	12	34	28	11	4	2	1	3	7	29	7	1	—	—	8	13
Other respiratory diseases	M	19	—	—	—	3	10	6	17	1	—	—	1	8	7	11	—	—	—	3	4	4
	F	21	—	—	—	4	7	10	8	—	—	—	2	3	3	8	—	—	—	2	—	6
Ulcer of stomach or duodenum	M	37	—	—	—	7	18	12	14	—	—	—	—	11	3	7	—	—	—	3	4	4
	F	6	—	—	—	1	3	2	2	—	—	—	—	1	1	4	—	—	—	—	—	4
Diarrhoea under 2 years	M	17	15	2	—	—	—	—	4	4	—	—	—	—	—	1	1	—	—	—	—	—
	F	18	18	—	—	—	—	—	2	2	—	—	—	—	—	3	3	—	—	—	—	—
Appendicitis	M	4	—	—	1	—	3	—	3	—	—	—	2	1	—	4	—	—	1	1	—	1
	F	6	—	—	1	1	3	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Other digestive diseases	M	41	1	—	3	1	13	23	8	—	—	—	3	1	4	7	1	—	—	—	3	3
	F	40	1	1	—	5	12	21	29	—	—	—	2	9	18	17	—	—	—	2	5	9
Nephritis	M	40	1	—	—	7	19	13	19	—	—	—	1	10	8	6	—	—	—	1	2	3
	F	34	—	—	—	5	12	17	30	—	—	—	1	6	11	12	—	—	—	—	2	15
Maternal sepsis	M	3	—	—	—	3	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
Other maternal	F	4	—	—	—	3	1	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
Premature birth	M	36	36	—	—	—	—	—	16	16	—	—	—	—	—	12	12	—	—	—	—	—
	F	21	21	—	—	—	—	—	9	9	—	—	—	—	—	9	9	—	—	—	—	—
Cong: mal.; birth inj.; infant: dis:	M	42	35	2	1	3	1	—	13	10	1	—	2	—	—	9	7	—	—	2	—	—
	F	35	35	—	—	—	—	—	11	9	1	—	—	1	—	6	5	—	—	1	—	—
Suicide	M	10	—	—	—	2	4	4	10	—	—	—	3	2	5	4	—	—	—	3	—	1
	F	10	—	—	—	5	4	1	8	—	—	—	3	4	1	7	—	—	—	6	—	1
Road traffic accidents	M	19	—	3	5	2	4	5	9	—	2	1	3	1	2	13	—	—	2	3	2	6
	F	13	—	2	2	4	2	3	3	—	—	—	1	1	1	5	—	—	—	2	1	2
Other violent causes†	M	38	5	1	5	17	6	4	14	4	—	1	3	4	2	18	1	3	—	3	—	11
	F	26	2	2	—	6	2	14	12	1	—	2	1	2	6	22	2	3	1	1	3	12
All other causes	M	141	6	4	6	16	31	78	87	5	2	2	4	11	63	40	1	1	—	2	7	29
	F	138	2	2	5	14	25	90	99	5	—	3	9	12	70	51	2	1	2	4	6	36
Including deaths due to war operations	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—

TABLE 24—*contd.* County Boroughs.

Causes of Death See first page of Table.		PLYMOUTH.							PORTSMOUTH.							PRESTON.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	1265 1185	119 95	21 20	15 12	110 114	359 255	641 689	1308 1166	101 78	21 17	22 13	99 112	380 253	685 693	755 759	53 46	14 9	9 8	69 74	264 171	304 404
1 Typhoid and para- typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Cerebro-spinal fever	M F	4 1	— —	1 1	1 —	1 —	1 —	— —	1 1	1 1	— —	— —	— —	— —	— —	2 —	— —	1 —	— —	— —	— —	
3 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4 Whooping cough	M F	2 2	1 1	1 —	— —	— —	— —	— —	1 2	1 2	1 —	— —	— —	— —	— —	2 —	— —	— —	2 —	— —	— —	
5 Diphtheria	M F	2 4	— —	— —	1 3	— —	1 —	— —	2 —	— —	— —	1 —	— —	1 —	— —	1 —	— —	1 —	— —	— —	— —	
6 Tuberculosis:— Respiratory system	M F	63 62	— —	— —	— —	36 46	25 13	2 2	74 43	— 1	1 6	1 1	41 29	27 8	4 1	30 24	— —	— —	— —	12 18	15 5	
7 Other forms	M F	9 7	3 5	2 1	2 —	2 —	— —	— —	17 13	2 2	6 5	6 1	1 5	1 —	1 —	9 12	1 —	3 4	1 2	2 6	2 —	
8 Syphilitic disease	M F	11 3	— —	— —	— —	1 —	8 —	2 —	8 3	1 —	— —	— —	1 —	4 1	2 —	3 —	— —	— —	— —	— —	2 3	
9 Influenza	M F	2 2	— —	— —	— —	— —	— —	— —	4 1	1 —	— —	— —	— —	— —	3 —	2 —	— —	— —	— —	— —	1 —	
10 Measles	M F	— 1	— —	1 —	— —	— —	— —	— —	3 2	1 —	2 2	— —	— —	1 —	3 —	5 —	— —	1 —	— —	— —	— —	
11 Ac. poliomyel: & polioenceph:	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —		
12 Ac. infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
Cancer of	M F	1 1	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	2 1	— —	— —	— —	2 —	1 —	
13M Mouth & oesoph: 13F Uterus	M F	25 23	— —	— —	— —	— —	8 12	17 36	36 29	— —	— —	— —	2 2	5 14	29 13	8 17	— —	— —	— —	2 4	6 6	
14 Stomach and duodenum	M F	39 22	— —	— —	— —	2 6	14 16	23 24	39 24	— —	— —	— —	2 1	15 8	22 15	24 15	— —	— —	— —	2 1	11 5	
15 Breast	M F	16 112	— —	— —	— —	— —	8 44	8 38	38 141	— —	— —	— —	3 9	20 63	15 67	25 79	— —	1 —	1 —	4 6	12 34	
16 All other sites	M F	106 106	— —	2 —	1 —	4 —	47 52	52 111	— —	1 —	1 —	— —	10 37	37 63	63 —	45 —	— —	— —	— —	5 14	— —	
17 Diabetes	M F	8 20	— —	— —	— —	— —	4 7	8 11	8 11	— —	— —	— —	2 1	5 2	1 8	1 8	— —	— —	— —	— —	2 —	
18 Intra-cranial vasc. lesions	M F	116 122	— 1	— —	— —	3 5	32 29	81 87	100 119	— —	— —	— —	1 1	29 27	70 91	80 99	— —	— —	— —	1 —	25 23	
19 Heart disease	M F	320 348	— —	1 —	1 —	15 9	88 47	215 291	282 297	— —	— —	— —	10 12	81 53	191 230	211 245	— —	— —	— —	9 11	69 35	
20 Other circulatory diseases	M F	39 17	— —	— —	— —	2 6	12 11	25 34	46 34	— —	— —	— —	— 2	16 10	30 22	20 15	— —	— —	— —	1 1	4 4	
21 Bronchitis	M F	90 84	4 3	1 —	— —	3 2	31 20	51 28	99 58	4 5	— 1	— —	1 4	42 14	52 44	67 51	1 3	— —	— —	3 1	32 7	
22 Pneumonia	M F	73 35	30 11	2 3	2 1	— —	18 5	21 13	58 56	18 11	2 2	1 13	4 14	12 14	23 26	29 8	7 —	1 —	2 —	4 2	10 6	
23 Other respiratory diseases	M F	14 11	— —	1 —	— —	1 —	5 4	7 5	19 10	— —	— —	— —	1 1	7 5	11 4	16 10	— —	— —	— —	2 —	6 3	
24 Ulcer of stomach or duodenum	M F	20 1	— —	— —	— —	1 —	11 —	8 1	31 4	— —	— —	— —	2 1	17 3	12 —	5 —	— —	— —	— —	— —	4 —	
25 Diarrhoea under 2 years	M F	14 11	12 —	2 —	— —	— —	— —	— —	14 5	13 5	1 —	— —	— —	— —	— —	6 7	5 —	1 —	— —	— —	— —	
26 Appendicitis	M F	4 4	— —	1 —	— —	1 —	1 2	1 1	6 1	— —	1 —	3 —	— —	— —	2 —	2 —	— —	— —	— —	1 —	— —	
27 Other digestive diseases	M F	29 25	2 2	4 —	1 —	4 5	7 12	11 6	21 14	— 1	— 1	— 1	4 1	11 4	6 6	12 20	— 2	— —	— —	1 5	4 6	
28 Nephritis	M F	41 33	— —	— —	— —	5 2	15 11	23 19	43 33	— —	— —	— —	3 6	17 11	23 16	19 24	20 1	— —	— —	3 7	9 8	
29 Maternal sepsis	M F	3 —	— —	— —	— —	3 —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
30 Other maternal	M F	14 —	— —	— —	— —	13 —	1 —	— —	2 —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	
31 Premature birth	M F	33 38	33 —	— —	— —	— —	— —	— —	33 21	33 21	— —	— —	— —	— —	— —	21 10	— —	— —	— —	— —	— —	
32 Cong. mal.; birth inj.; infant: dis:	M F	28 22	28 20	— 1	— —	— —	— 1	— —	20 27	18 24	1 —	1 —	— —	— —	— —	11 13	9 11	— —	1 —	— —	— —	
33 Suicide	M F	16 10	— —	— —	— —	5 1	2 7	9 2	10 8	— —	— —	— —	— —	1 4	4 1	5 1	9 —	— —	— —	4 2	4 3	
34 Road traffic accidents	M F	9 4	— —	1 —	2 —	1 2	4 1	1 —	12 6	— —	1 —	2 1	— —	— —	7 3	2 1	11 2	3 —	3 —	2 —	2 —	
35 Other violent causes†	M F	44 35	3 3	1 —	2 2	19 8	11 14	9 20	37 20	3 2	5 —	4 1	5 —	8 1	12 15	26 14	5 1	4 —	1 —	7 1	5 4	
36 All other causes	M F	97 99	3 5	4 3	3 2	3 6	16 11	68 72	143 161	4 4	3 2	2 3	9 13	10 16	115 123	49 57	4 2	1 —	2 —	5 4	19 24	
† Including deaths due to war operations	M F	11 3	— —	— —	— —	7 1	4 2	— —	1 —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	1 —	— —	

Causes of Death See first page of Table.		READING.							ROCHDALE.							ROTHERHAM.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	681 719	62 36	5 11	13 6	51 64	185 140	365 462	623 640	31 25	6 5	3 7	56 44	177 156	350 403	476 416	48 38	7 7	6 13	43 39	139 87	233 232
Typhoid and para- typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Cerebro-spinal fever	M F	1 2	— 2	— —	— —	1 —	— —	— —	2 —	— —	1 —	— —	— —	1 —	— —	2 —	1 —	— —	— —	1 —	— —	— —
Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —
Diphtheria	M F	1 1	— —	— —	1 —	— —	— —	— —	2 —	— —	— —	2 —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —
Tuberculosis — Respiratory system	M F	33 27	— —	— —	— —	20 20	8 6	5 1	22 10	— —	— —	— —	9 8	12 1	1 1	28 13	— —	— —	— —	9 8	13 2	6 3
Other forms	M F	4 8	— —	— 4	2 —	2 3	— 1	— —	4 2	1 —	1 —	— —	1 1	1 1	— —	3 —	— —	— —	1 1	1 —	— —	— —
Syphilitic disease	M F	7 4	— —	— —	— —	2 2	2 2	3 3	4 3	1 —	— —	— —	— —	3 3	— —	1 —	— —	— —	— —	1 —	— —	— —
Influenza	M F	8 6	— —	2 1	— —	— —	2 2	3 3	3 6	— 1	— —	— —	— —	1 1	1 —	3 4	1 —	— —	— —	— —	— —	2 3
Measles	M F	1 1	— —	1 —	— —	— —	— —	— —	1 1	— —	1 —	— —	— —	— —	3 —	4 —	— —	1 —	— —	— —	— —	— —
Ac. poliomyel. & polioenceph.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —
Ac. infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Cancer of Mouth & œsoph.	M F	11 17	— —	— —	— —	1 9	3 8	7 8	13 12	— —	— —	— —	— —	— —	9 6	6 12	— —	— —	— —	— —	1 8	5 4
Uterus	M F	21 11	— —	— —	— —	1 1	7 2	13 8	15 18	— —	— —	— —	— —	1 8	6 10	8 9	— —	— —	— —	1 2	7 4	6 3
Stomach and duodenum	M F	11 —	— —	— —	— —	1 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Breast	M F	1 25	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
All other sites	M F	69 55	1 —	— —	— —	3 4	14 20	8 31	16 43	— —	— —	— —	1 2	9 20	6 20	13 25	— —	— —	— —	1 13	8 11	4 —
Diabetes	M F	5 4	— —	— —	— —	— —	1 2	4 4	2 4	— —	— —	— —	1 —	1 2	1 —	5 7	— —	— —	— —	1 1	2 2	2 4
Intra-cranial vasc. lesions	M F	69 92	— —	— —	— —	1 —	17 21	51 71	68 85	— —	— —	— —	— —	2 1	17 65	49 51	40 —	— —	— —	1 1	8 16	31 34
Heart disease	M F	168 166	— —	— —	— —	6 3	51 27	111 135	177 195	— —	— —	— —	13 11	48 33	116 151	80 68	— —	— —	— —	4 9	29 10	47 43
Other circulatory diseases	M F	53 106	— —	— —	— —	1 5	6 100	46 28	28 42	— —	— —	— —	— —	5 6	23 36	18 17	— —	— —	— —	1 1	4 2	19 14
Bronchitis	M F	28 19	1 —	— —	— —	1 —	5 1	21 17	68 62	1 —	— —	— —	1 —	22 18	44 43	57 34	5 2	1 —	2 3	21 3	28 23	— —
Pneumonia	M F	36 33	6 3	1 2	— 1	2 4	15 3	12 20	22 20	6 7	1 2	— —	2 —	2 4	11 6	21 24	6 13	2 1	— —	1 2	5 1	7 —
Other respiratory diseases	M F	2 7	— —	— —	— —	— —	1 2	1 3	9 7	— —	— —	— —	2 1	7 3	— 3	— 3	— —	— —	— —	1 1	— —	— —
Ulcer of stomach or duodenum	M F	12 4	— —	— —	— —	— —	9 2	3 2	7 4	— —	— —	— —	2 1	3 2	3 1	— —	— —	— —	— —	3 1	7 —	— —
Diarrhoea under 2 years	M F	11 7	11 6	— 1	— —	— —	— —	— —	1 1	1 —	— —	— —	— —	— —	— —	7 5	6 5	1 —	— —	— —	— —	— —
Appendicitis	M F	3 3	— —	— —	2 1	— 1	1 —	— —	3 1	— —	— —	— —	— —	1 —	2 —	1 6	— —	— —	1 2	— —	— —	— —
Other digestive diseases	M F	11 14	1 —	1 —	— —	— —	4 3	5 7	5 10	— —	— —	— —	1 1	2 2	2 6	7 15	— —	— —	— —	2 1	2 12	3 —
Nephritis	M F	13 14	— —	— —	1 —	— —	4 3	8 5	23 23	— —	— —	— —	2 1	6 6	15 15	9 11	— —	— —	— —	4 1	3 7	— —
Maternal sepsis	M F	1 —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	1 —	1 —	— —	1 —	— —	— —	— —	1 —	— —	— —
Other maternal	M F	3 —	— —	— —	— —	3 —	— —	— —	3 —	— —	— —	— —	3 —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —
Premature birth	M F	13 11	13 11	— —	— —	— —	— —	— —	14 10	— —	— —	— —	— —	— —	— —	8 6	8 6	— —	— —	— —	— —	— —
Cong. mal., birth inj., infant: dis:	M F	23 12	20 9	— —	— —	2 1	1 —	— —	6 3	5 —	— —	— —	— —	1 —	— —	14 11	13 10	— —	1 —	— —	— —	— —
Suicide	M F	7 5	— —	— —	— —	1 3	5 1	1 1	9 2	— —	— —	— —	— —	1 2	1 —	7 —	4 —	— —	— —	— —	2 —	2 —
Road traffic accidents	M F	5 7	— —	1 —	2 1	1 3	1 1	— 2	5 1	— —	1 —	2 —	— —	1 —	— —	1 3	6 —	— —	2 1	3 —	1 —	— —
Other violent causes†	M F	20 14	2 2	1 2	— —	4 1	6 1	8 6	8 14	2 —	— —	— —	— —	5 14	1 —	18 5	3 —	2 1	1 —	3 —	5 1	4 3
All other causes	M F	45 39	4 1	— —	2 —	4 4	9 8	26 26	38 39	— 2	1 1	1 2	10 5	6 10	20 19	60 66	3 —	— 1	1 5	2 —	8 9	46 49
Including deaths due to war operations	M F	3 —	— —	— —	— —	1 —	2 —	— —	2 —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 24—*contd.* County Boroughs.

Causes of Death See first page of Table.		ST. HELENS.							SALFORD.							SHEFFIELD.							
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	
All Causes		M F	595 521	70 51	9 9	12 4	64 70	185 119	255 268	1301 1158	101 83	24 13	24 12	125 134	453 268	574 648	3188 2775	221 177	41 32	43 23	273 306	962 648	161 15
1	Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	— —	1 —	— —	— —	— —	6 4	2 1	3 2	1 —	1 —	— —	
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Whooping cough	M F	— —	— —	— —	— —	— —	— —	3 3	— 2	3 1	— —	— —	1 —	— —	— —	4 3	3 2	1 1	— —	— —	— —	
5	Diphtheria	M F	— —	— —	— —	— —	— —	— —	3 3	— —	— —	2 1	— —	1 —	— —	— —	4 4	— —	1 1	2 3	1 —	— —	
6	Tuberculosis:— Respiratory system	M F	28 30	— —	— —	1 1	15 29	11 2	89 57	— 1	1 —	1 —	38 44	39 12	10 —	168 95	— —	1 6	3 —	88 77	65 11	— —	
7	Other forms	M F	8 5	1 2	3 —	— —	2 2	1 —	13 16	— —	6 4	3 5	2 5	1 2	1 —	28 25	— 2	6 5	6 2	11 12	5 3	— —	
8	Syphilitic disease	M F	3 —	— —	— —	— —	— —	2 —	11 1	— —	— —	— —	1 —	8 —	2 —	14 4	— 1	— —	— —	1 1	8 —	— —	
9	Influenza	M F	5 5	— 2	— —	— —	— 2	2 —	6 5	— —	1 —	— —	1 —	2 —	2 —	12 2	2 2	3 3	— —	3 1	4 4	— —	
10	Measles	M F	— —	— —	— —	— —	— —	— —	3 —	1 —	2 —	— —	2 —	1 —	2 —	2 3	2 2	1 1	— —	— —	— —	— —	
11	Ac. poliomyel. & polioenceph.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	
12	Ac. infectious encephalitis	M F	2 1	1 —	— —	1 —	— —	— —	2 2	— —	— —	— —	2 2	— —	— —	4 6	— —	— —	— —	3 1	1 5	— —	
13M	Mouth & oesoph:	M	12	—	—	—	—	6	13	—	—	—	—	4	9	22	—	—	—	1	6	—	
13F	Uterus	F	2	—	—	—	—	2	19	—	—	—	1	12	6	45	—	—	—	1	25	—	
14	Stomach and duodenum	M F	23 14	— —	— —	— —	4 3	12 7	40 35	— —	— —	— —	— 2	23 8	17 25	104 73	— —	— —	— —	4 5	53 23	— —	
15	Breast	M F	— 11	— —	— —	— —	— 1	— 8	1 23	— —	— —	— —	— 4	1 10	1 9	— 92	— —	— —	— —	— 16	1 48	— —	
16	All other sites	M F	51 28	— —	— —	1 —	7 4	19 12	24 12	104 78	— —	— —	10 6	40 32	54 40	342 198	— 2	— 2	— 19	175 78	155 —	— —	
17	Diabetes	M F	2 10	— —	— —	— —	— 5	1 5	6 26	— —	— —	— —	1 4	4 17	1 20	7 155	— —	— —	— —	— 1	1 12	— —	
18	Intra-cranial vasc. lesions	M F	29 55	— —	— —	— —	1 1	9 18	69 103	1 —	— —	— —	2 3	19 31	47 69	285 361	1 —	— —	— —	4 12	85 98	— —	
19	Heart disease	M F	116 97	— —	— —	— —	13 4	39 29	226 246	— —	— —	1 2	11 15	86 56	128 173	801 706	— —	— —	3 3	33 41	217 142	— —	
20	Other circulatory diseases	M F	13 10	— —	— —	— —	1 2	5 8	64 42	— —	— —	— —	2 1	5 11	26 34	278 316	1 —	— —	— —	1 3	34 17	— —	
21	Bronchitis	M F	76 41	2 1	— —	— —	7 2	40 30	27 30	259 157	3 8	2 1	1 —	18 8	104 117	131 136	265 166	6 —	1 —	14 10	109 49	— —	
22	Pneumonia	M F	35 34	15 9	3 5	2 1	1 1	8 9	10 58	19 19	4 1	1 —	3 4	19 16	22 18	166 92	39 30	10 5	1 2	10 13	49 18	— —	
23	Other respiratory diseases	M F	7 2	— —	— —	— —	— 2	6 —	21 13	— —	— —	— —	— 1	18 5	3 6	34 23	— 1	— —	— —	4 7	14 5	— —	
24	Ulcer of stomach or duodenum	M F	8 1	— —	— —	— —	— 8	— 1	20 3	— —	— —	— —	— 2	1 14	5 4	6 48	23 —	1 —	1 —	7 7	26 3	— —	
25	Diarrhoea under 2 years	M F	12 5	— 5	— —	— —	— —	— —	15 13	— —	— —	— —	— —	— —	— —	23 21	21 21	2 —	— —	— —	— —	— —	
26	Appendicitis	M F	6 1	— —	1 —	2 —	1 —	2 1	2 —	— —	— —	— —	— —	1 1	1 —	8 8	— —	— —	2 —	3 3	1 3	— —	
27	Other digestive diseases	M F	12 13	1 —	— —	2 —	1 —	5 3	3 10	26 30	1 —	1 —	— —	5 1	9 11	10 65	45 —	3 —	— —	8 10	16 20	— —	
28	Nephritis	M F	9 —	— —	— —	— —	1 —	4 2	4 6	23 43	— —	— —	4 2	9 10	10 22	55 56	— —	— —	1 1	12 12	22 18	— —	
29	Maternal sepsis	M F	1 —	— —	— —	— —	1 —	— —	3 —	— —	— —	— —	3 9	— —	— —	8 —	— —	— —	— —	8 —	— —	— —	
30	Other maternal	M F	6 —	— —	— —	— —	6 —	— —	1 —	— —	— —	— —	1 —	— —	— —	10 —	— —	— —	— —	8 —	— —	— —	
31	Premature birth	M F	17 12	— —	— —	— —	— —	— —	22 18	— —	— —	— —	— —	— —	— —	54 51	54 51	— —	— —	— —	— —	— —	
32	Cong. mal.; birth inj.; infant: dis:	M F	20 14	19 13	1 —	— —	— —	— 1	33 24	29 22	2 1	— —	2 —	1 —	— —	79 53	73 45	2 3	1 —	3 —	1 —	— —	
33	Suicide	M F	1 2	— —	— —	— —	1 1	— —	9 4	— —	— —	— —	2 1	5 3	2 —	25 15	— —	— —	— —	4 6	11 5	— —	
34	Road traffic accidents	M F	6 5	— —	— —	1 —	2 2	— 1	3 2	11 2	— —	1 —	5 2	— —	— —	35 12	— —	3 3	6 2	8 1	6 1	— —	
35	Other violent causes†	M F	13 11	1 2	1 —	1 —	1 2	3 5	25 17	1 4	1 —	5 —	4 —	6 2	8 9	73 68	5 2	6 —	15 6	20 11	— —	— —	
36	All other causes	M F	83 94	2 4	— 3	3 1	6 9	6 5	66 72	138 113	8 2	— 1	5 1	13 12	29 15	83 82	195 178	6 13	6 1	10 5	17 34	53 64	— —
†	Including deaths due to war operations	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	2 —	— —	1 —	— —	

TABLE 24—contd. County Boroughs.

Causes of Death See first page of Table.		SMETHWICK.							SOUTHAMPTON.							SOUTHEND-ON-SEA.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	485 432	41 26	4 2	8 5	48 48	137 107	247 244	1051 878	117 73	15 19	16 14	92 85	291 179	520 508	802 753	53 34	4 7	3 1	56 58	213 134	473 519
Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	2 2	2 —	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —
Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Whooping cough	M F	1 —	1 —	— —	— —	— —	— —	— —	2 1	1 —	1 —	— —	— —	— —	— —	— 1	1 —	— —	— —	— —	— —	— —
Diphtheria	M F	2 —	— —	— —	2 1	— 1	— —	— —	— 3	— —	— 1	2 —	— —	— —	— —	— 1	— 1	— —	— —	1 —	— —	— —
Tuberculosis:—																						
Respiratory system	M F	36 21	1 —	1 —	— —	18 15	13 5	3 1	59 41	— —	1 —	1 —	24 30	29 9	4 1	33 24	— —	— —	— —	18 19	12 4	3 1
Other forms	M F	3 3	— 1	— —	2 1	— —	1 —	— 1	11 9	1 —	1 —	2 3	5 4	2 1	— —	4 3	— —	1 —	— —	2 2	— —	— —
Syphilitic disease	M F	4 4	— —	— —	— —	— —	3 3	1 1	9 6	1 —	— —	— —	2 1	4 3	2 2	2 5	— 1	— —	— —	2 1	— —	— —
Influenza	M F	1 2	— —	— —	— —	— —	1 2	— —	7 5	3 —	— —	1 —	— —	— 2	3 2	3 2	— —	— —	— —	1 —	— —	2 2
Measles	M F	— —	1 —	— —	— —	— —	— —	— —	4 5	2 1	2 3	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Ac. poliomyel. & polioenceph.	M F	— —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	— —	— —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —
Ac. infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
Cancer of																						
Mouth & œsoph.	M	8	—	—	—	—	2	6	20	—	—	—	—	5	14	8	—	—	—	2	—	6
Uterus	F	6	—	—	—	1	2	3	11	—	—	—	2	7	2	15	—	—	—	7	—	8
Stomach and duodenum	M F	9 12	— —	— —	— —	1 2	3 4	5 6	25 16	— —	— —	— —	— 1	— 2	10 13	15 22	— —	— —	— —	1 4	8 12	17 —
Breast	M F	— 13	— —	— —	— —	— 4	— 6	— 3	— 32	— —	— —	— —	— 3	— 14	— 15	— 30	— —	— —	— —	1 3	— 10	2 57
All other sites	M F	53 42	— —	— —	— —	3 8	16 12	34 22	100 79	— —	— —	1 2	5 7	42 28	52 42	113 81	1 —	1 —	— —	5 24	— 52	— —
Diabetes	M F	2 3	— —	— —	— —	— —	— 1	2 2	— 3	— —	— —	— —	— 1	— 2	4 3	— 9	— —	— —	— —	— 2	2 7	— —
Intra-cranial vasc. lesions	M F	47 53	— —	— —	— —	1 12	10 41	36 97	66 97	— —	— —	— —	2 1	19 16	45 80	70 98	— —	— —	— —	— 15	22 83	48 —
Heart disease	M F	118 117	— —	— —	— 1	5 4	26 19	87 93	259 241	— —	— 1	1 —	8 9	68 51	182 179	199 184	— —	— —	— —	7 5	51 16	141 163
Other circulatory diseases	M F	16 18	— —	— —	— —	1 —	3 3	12 15	— 19	— —	— —	— —	— 1	— 5	13 14	36 27	— —	— —	— —	— 2	4 7	32 18
Bronchitis	M F	39 28	1 —	— —	— —	3 —	18 11	17 16	91 48	3 3	— —	— —	— —	1 —	33 40	54 31	41 30	— 5	1 —	— —	12 1	28 24
Pneumonia	M F	21 14	6 2	— 1	— —	2 5	10 4	3 34	60 14	22 5	— —	— —	— —	5 3	14 12	19 38	43 5	5 —	— —	— —	9 4	29 29
Other respiratory diseases	M F	4 4	— —	— —	— —	1 —	— 2	— 2	9 15	— —	— —	— —	— 2	5 4	2 9	21 14	1 1	1 —	— —	3 2	9 2	7 —
Ulcer of stomach or duodenum	M F	15 1	— —	— —	— —	— —	10 —	5 1	23 3	— —	— —	— —	— —	3 10	10 1	17 2	— 6	— —	— —	— 1	— 1	8 4
Diarrhoea under 2 years	M F	6 3	6 3	— —	— —	— —	— —	— —	15 13	13 13	2 —	— —	— —	— —	— —	— 5	1 4	1 —	— —	— —	— —	— —
Appendicitis	M F	2 4	— —	— —	— 1	— —	— 2	1 1	— 5	— 2	— —	— 2	— 1	— 2	— 2	— 2	— —	— —	— —	— 1	— 1	— 1
Other digestive diseases	M F	11 14	— 1	1 —	— —	1 2	4 7	5 7	28 19	1 1	1 —	1 —	4 2	7 3	14 12	16 23	— —	— 1	— —	1 3	5 6	10 13
Nephritis	M F	5 13	1 —	— —	— —	— —	2 7	2 5	40 25	— —	— —	— —	— —	2 3	11 4	23 18	22 21	— —	— 1	— —	2 3	15 —
Maternal sepsis	F	2	—	—	—	1	—	—	1	—	—	—	1	—	—	2	—	—	—	2	—	—
Other maternal	F	1	—	—	—	1	—	—	6	—	—	—	6	—	—	2	—	—	—	2	—	—
Premature birth	M F	10 10	10 10	— —	— —	— —	— —	— —	31 24	31 24	— —	— —	— —	— —	— —	13 4	13 4	— —	— —	— —	— —	— —
Cong. mal.; birth inj.; infant: dis.	M F	11 8	11 8	— —	— —	— —	— —	— —	29 17	25 16	1 —	1 —	— —	1 —	— —	28 8	27 7	— —	— —	1 —	— —	— —
Suicide	M F	5 2	— —	— —	— —	1 —	2 2	2 —	8 7	— —	— —	— —	— —	2 4	3 3	3 6	7 —	— —	— —	2 2	1 3	4 1
Road traffic accidents	M F	6 2	— —	1 —	2 —	— —	— 2	— —	16 8	— —	— 1	3 2	5 2	5 1	3 2	5 2	— —	— —	— —	— —	— —	— —
Other violent causes†	M F	6 3	— —	— —	1 —	2 —	3 —	— 3	31 15	7 1	4 —	1 —	7 —	4 3	8 9	16 16	2 3	— 1	— —	— —	5 1	7 11
All other causes	M F	43 24	3 —	1 —	1 —	9 3	7 3	22 17	82 67	5 —	2 —	2 —	7 4	14 11	52 50	73 74	3 3	2 —	1 —	2 5	9 21	56 —

TABLE 24—*contd.* County Boroughs.

Causes of Death <i>See first page of Table.</i>		SOUTHPORT.							SOUTH SHIELDS.							STOCKPORT.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	561 739	18 11	3 3	8 4	33 45	159 111	340 565	728 622	76 55	15 10	8 6	77 78	212 135	340 338	896 845	83 64	13 9	13 3	76 71	275 217	4
1 Typhoid and para-typhoid fevers	M F	1 —	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M F	1 1	—	—	1	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
3 Scarlet fever	M F	— —	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M F	1 1	1	—	—	—	—	—	3	2	1	—	—	—	—	1	—	1	—	—	—	—
5 Diphtheria	M F	— —	—	—	—	—	—	—	3	2	1	—	—	—	—	2	—	—	1	1	—	—
Tuberculosis :—									4	—	1	1	2	—	—	1	—	1	—	—	—	—
6 Respiratory system	M F	19 17	—	—	—	7	10	2	51	—	—	1	27	23	—	43	1	—	—	19	20	—
7 Other forms	M F	3 2	—	1	1	1	—	—	10	—	5	—	3	2	—	2	—	2	—	12	8	—
8 Syphilitic disease	M F	5 3	—	—	—	—	4	1	11	—	—	—	—	6	5	3	—	—	—	—	3	—
9 Influenza	M F	1 4	—	—	—	—	1	—	8	—	1	—	1	1	5	—	—	—	—	—	—	—
10 Measles	M F	— 1	—	1	—	—	—	—	2	—	2	—	—	—	3	4	2	3	1	1	—	—
11 Ac. poliomyel. & polioenceph.	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac. infectious encephalitis	M F	1 1	—	—	—	—	1	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—
Cancer of																1	—	—	—	1	—	—
13M Mouth & œsoph.	M	5	—	—	—	—	1	4	9	—	—	—	—	3	6	17	—	—	—	1	6	—
13F Uterus	F	9	—	—	—	—	2	7	12	—	—	—	—	9	3	14	—	—	—	2	10	—
14 Stomach and duodenum	M F	17 11	—	—	—	—	9	8	23	—	—	—	2	10	11	27	—	—	—	1	12	—
15 Breast	M F	— 15	—	—	—	4	4	7	16	—	—	—	4	5	7	30	—	—	—	3	15	—
16 All other sites	M F	62 64	—	—	1	2	24	35	63	—	—	—	5	18	40	104	—	—	—	6	46	—
17 Diabetes	M F	4 9	—	—	—	—	1	2	5	—	—	—	1	2	2	7	—	—	—	—	—	—
18 Intra-cranial vasc. lesions	M F	49 124	—	—	—	1	7	41	67	—	—	—	1	19	47	85	—	—	—	2	20	—
19 Heart disease	M F	180 235	—	—	—	4	42	134	157	—	—	—	4	51	102	230	—	—	2	9	57	—
20 Other circulatory diseases	M F	23 17	—	—	—	—	28	203	145	—	—	—	10	33	102	233	—	—	—	8	50	—
21 Bronchitis	M F	32 35	1	—	1	2	11	17	60	8	—	—	2	21	29	67	1	—	—	1	35	—
22 Pneumonia	M F	14 17	—	—	—	1	8	5	21	6	1	—	2	7	5	42	16	2	—	3	8	—
23 Other respiratory diseases	M F	9 4	—	—	—	3	3	3	12	—	—	—	1	5	6	15	—	—	—	4	9	—
24 Ulcer of stomach or duodenum	M F	8 2	—	—	—	1	4	3	13	—	—	—	3	7	3	16	—	—	—	2	10	—
25 Diarrhoea under 2 years	M F	1 2	1	—	—	—	—	—	8	8	—	—	—	—	—	24	24	—	—	—	—	—
26 Appendicitis	M F	6 4	—	—	2	1	3	—	5	5	—	1	1	2	—	21	20	1	—	—	—	—
27 Other digestive diseases	M F	11 16	—	—	—	1	6	4	15	6	—	—	2	5	2	21	1	1	—	2	8	—
28 Nephritis	M F	16 26	—	—	—	1	4	11	7	1	—	1	2	2	3	17	—	—	—	4	5	—
29 Maternal sepsis	M F	1 3	—	—	—	1	—	—	13	—	—	—	1	—	7	21	—	—	—	5	9	—
30 Other maternal	M F	— —	—	—	—	3	—	—	1	—	—	—	3	—	—	4	—	—	—	4	—	—
31 Premature birth	M F	7 2	7	—	—	—	—	—	25	25	—	—	—	—	—	17	17	—	—	—	—	—
32 Cong. mal.; birth inj.; infant; dis.	M F	5 3	4	1	—	—	—	—	15	14	—	—	1	—	—	20	18	—	1	1	—	—
33 Suicide	M F	3 3	—	—	—	1	—	2	8	—	—	—	3	3	2	6	—	—	—	2	2	—
34 Road traffic accidents	M F	6 4	—	—	—	2	3	1	3	—	2	—	—	—	1	10	—	2	3	3	2	—
35 Other violent causes†	M F	8 15	1	—	—	1	1	5	26	1	1	5	8	10	1	16	3	—	1	4	6	—
36 All other causes	M F	64 87	3	1	2	4	11	43	81	7	—	1	7	10	56	74	1	2	4	8	15	—
† Including deaths due to war operations	M F	— —	—	—	—	—	—	—	2	—	—	—	1	1	—	1	—	—	—	—	1	—

TABLE 24—*contd.* County Boroughs.

Causes of Death <i>See first page of Table.</i>		STOKE-ON-TRENT.							SUNDERLAND.							TYNEMOUTH.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	1556	144	29	30	148	488	717	1095	112	17	22	138	287	519	447	46	11	5	59	126	200
	F	1459	109	29	11	167	342	801	1031	71	21	10	142	235	552	350	32	4	8	48	71	187
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
2 Cerebro-spinal fever	M	—	1	—	1	—	1	—	3	2	—	1	—	—	—	2	2	—	—	—	—	—
	F	—	2	—	2	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	6	4	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	1	—	1	—	—	—	—	3	1	2	—	—	—	—	2	2	—	—	—	—	—
	F	1	—	—	—	1	—	—	2	1	1	—	—	—	—	1	1	—	—	—	—	—
6 Tuberculosis:—	M	84	—	3	2	33	37	9	61	—	—	—	41	15	5	29	—	2	—	14	12	1
Respiratory system	F	63	1	2	1	43	14	2	58	—	—	2	46	9	1	17	—	—	—	14	2	—
7 Other forms	M	12	—	3	4	3	1	1	14	1	2	6	4	1	—	—	—	2	2	3	1	—
	F	10	—	2	1	5	1	1	12	—	3	2	6	1	—	6	—	1	2	3	—	—
8 Syphilitic disease	M	13	—	—	—	10	3	3	9	1	—	—	2	3	3	7	1	—	—	1	5	—
	F	8	1	—	—	2	4	1	5	—	—	—	1	3	1	1	—	—	—	—	—	—
9 Influenza	M	15	3	—	—	6	3	5	5	—	1	—	1	3	—	—	—	1	—	—	—	—
	F	11	—	—	—	1	3	7	3	—	1	—	—	—	2	—	—	—	—	—	—	—
10 Measles	M	7	2	4	1	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	4	—	4	—	—	—	—	2	2	—	—	—	—	—
11 Ac: poliomyel: & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	6	—	—	—	1	2	2	—	—	—	—	—	—	—
13 Cancer of Mouth & oesoph:	M	27	—	—	—	1	8	18	14	—	—	—	—	4	10	9	—	—	—	2	7	—
14 Uterus	F	20	—	—	—	3	12	5	9	—	—	—	2	6	1	9	—	—	—	1	5	3
15 Stomach and duodenum	M	58	—	—	—	6	30	22	39	—	—	—	3	14	22	13	—	—	—	3	7	3
	F	49	—	—	—	4	17	28	45	—	—	—	5	14	26	9	—	—	—	5	4	—
16 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	53	—	—	—	11	26	16	11	—	—	—	3	6	2	3	—	—	—	2	1	—
17 All other sites	M	147	1	—	—	7	60	79	79	—	—	—	8	33	38	28	—	—	—	2	12	14
	F	105	—	—	—	8	41	56	83	—	—	—	13	33	37	24	—	—	—	3	8	13
18 Diabetes	M	4	—	—	—	2	1	1	7	—	—	—	1	3	3	4	—	—	—	—	—	4
	F	20	—	—	—	1	3	16	6	—	—	—	3	2	1	4	—	—	—	1	—	3
19 Intra-cranial vasc: lesions	M	97	—	—	—	2	33	62	107	1	—	—	3	32	71	46	—	—	—	2	10	34
	F	159	—	—	—	3	40	116	122	—	—	—	3	24	95	49	—	—	—	1	11	37
20 Heart disease	M	341	2	—	3	22	98	216	237	—	—	—	15	52	170	120	—	—	—	4	35	81
	F	312	—	—	2	19	62	229	283	—	—	1	17	56	209	91	—	—	—	3	16	72
21 Other circulatory diseases	M	33	—	—	—	9	24	33	—	—	—	—	1	4	28	18	—	—	—	2	4	12
	F	45	—	—	—	5	6	34	38	—	—	—	—	4	34	11	—	—	—	2	9	—
22 Bronchitis	M	148	10	1	—	10	52	75	116	3	2	—	7	38	66	11	—	—	—	1	4	6
	F	100	3	1	1	2	18	75	69	5	—	—	1	13	50	16	—	—	—	1	3	11
23 Pneumonia	M	59	18	1	—	1	24	15	65	22	1	2	6	17	17	19	7	—	—	2	7	3
	F	50	13	7	1	8	10	11	37	11	3	—	—	8	15	14	6	1	—	1	2	4
24 Other respiratory diseases	M	38	1	—	1	6	21	9	14	—	—	—	6	7	1	9	—	—	—	1	5	3
	F	18	—	—	—	1	4	4	14	—	—	—	4	4	6	5	—	—	—	2	2	1
25 Ulcer of stomach or duodenum	M	21	—	—	—	2	13	6	20	—	—	—	3	14	3	6	—	—	—	2	3	1
	F	11	—	—	—	1	5	5	3	—	—	—	1	1	1	3	—	—	—	1	1	1
26 Diarrhoea under 2 years	M	11	10	1	—	—	—	—	28	26	2	—	—	—	—	6	6	—	—	—	—	—
	F	12	12	—	—	—	—	—	12	11	1	—	—	—	—	2	2	—	—	—	—	—
27 Appendicitis	M	9	—	2	1	3	1	2	3	—	—	—	1	2	—	1	—	—	—	—	1	—
	F	4	—	—	—	—	1	3	1	—	—	—	1	—	—	—	—	—	—	—	—	—
28 Other digestive diseases	M	39	1	1	2	5	17	13	17	3	1	—	2	4	7	6	—	—	—	2	2	2
	F	34	—	1	1	4	15	13	21	2	1	—	1	8	9	6	—	—	—	3	3	—
29 Nephritis	M	27	—	—	—	2	8	17	23	—	—	—	4	8	11	19	—	—	—	2	6	11
	F	45	—	—	—	11	17	17	26	—	—	—	3	12	11	9	—	—	—	3	1	5
30 Maternal sepsis	M	6	—	—	—	6	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	3	1	—	4	—	—	—	—	—	—	2	—	—	—	2	—	—
31 Premature birth	M	33	33	—	—	—	—	—	25	25	—	—	—	—	—	9	9	—	—	—	—	—
	F	27	27	—	—	—	—	—	18	18	—	—	—	—	—	7	7	—	—	—	—	—
32 Cong: mal: birth inj: infant: dis:	M	50	44	4	2	—	—	—	21	18	1	1	1	—	—	14	14	—	—	—	—	—
	F	39	36	1	1	1	—	—	22	16	1	2	3	—	—	13	12	—	—	1	—	—
33 Suicide	M	10	—	—	—	3	4	3	8	—	—	—	2	3	3	2	—	—	—	2	—	—
	F	4	—	—	—	1	2	1	6	—	—	—	3	1	2	3	—	—	—	1	1	1
34 Road traffic accidents	M	18	—	1	3	4	6	4	8	—	1	4	1	—	2	3	—	—	1	1	—	—
	F	11	—	3	1	4	2	1	6	—	2	—	1	—	3	—	—	—	—	—	—	—
35 Other violent causes†	M	67	5	3	6	17	22	14	50	3	3	4	19	12	9	18	3	—	2	9	2	2
	F	42	3	4	1	4	3	27	16	4	3	—	1	2	6	8	1	1	2	1	1	2
36 All other causes	M	177	9	2	4	14	27	121	79	4	2	2	6	17	48	36	3	3	—	6	8	16
	F	184	7	3	—	12	34	128	85	3	1	1	15	26	39	34	2	—	3	5	5	19
Including deaths due to war operations	M	4	—	—	—	—	3	1	5	—	—	—	—	—	—	2	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—*contd.* County Boroughs.

Causes of Death <i>See first page of Table.</i>		WAKEFIELD.							WALLASEY.							WALSALL.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	378	42	6	3	36	106	185	562	50	10	5	43	160	294	663	75	16	8	72	179	3
	F	311	17	6	2	26	72	188	592	47	9	3	50	146	337	567	41	15	7	63	116	3
1 Typhoid and para-	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
typhoid fevers	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal	M	2	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
fever	F	1	—	—	—	1	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
5 Diphtheria	M	1	—	1	—	—	—	—	1	1	—	—	—	—	—	2	—	1	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—
Tuberculosis:—	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Respiratory	F	14	—	—	—	8	5	1	23	—	—	—	12	10	1	55	—	—	—	28	23	—
system	M	8	—	—	—	4	3	1	24	—	—	—	20	9	1	19	—	—	—	15	3	—
	F	1	—	—	—	—	—	—	5	—	—	—	1	—	—	2	—	—	—	—	—	—
7 Other forms	M	3	1	1	1	—	—	—	6	1	2	1	2	—	—	4	—	2	2	1	—	—
	F	3	—	—	—	—	—	—	6	—	—	—	—	—	—	4	—	—	—	—	—	—
8 Syphilitic disease	M	2	—	—	—	—	2	—	1	—	—	—	—	1	—	4	—	—	—	1	1	—
	F	1	—	—	—	—	—	1	2	—	—	—	—	—	2	3	—	—	—	2	1	—
9 Influenza	M	—	—	—	—	—	—	—	6	2	—	—	—	1	3	7	—	—	—	—	4	—
	F	3	—	—	—	—	—	—	6	—	—	—	—	—	3	7	—	—	—	—	—	—
10 Measles	M	1	—	1	—	—	—	3	6	—	—	—	1	3	2	5	1	4	—	—	—	2
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	3	5	2	—	—	—	—	—
11 Ac: poliomyel:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
& polioenceph:	F	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
encephalitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer of	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13M Mouth & œsoph:	M	4	—	—	—	—	2	2	8	—	—	—	—	3	5	7	—	—	—	—	1	—
13F Uterus	F	8	—	—	—	1	4	3	9	—	—	—	—	6	3	8	—	—	—	2	4	—
14 Stomach and	M	6	—	—	—	—	3	3	18	—	—	—	1	8	9	15	—	—	—	1	10	—
duodenum	F	8	—	—	—	—	1	7	14	—	—	—	—	4	10	12	—	—	—	3	6	—
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	11	—	—	—	—	7	4	16	—	—	—	2	5	—
16 All other	M	37	—	—	—	5	15	17	68	—	—	—	1	34	33	75	—	—	1	6	28	—
sites	F	17	—	—	—	4	8	5	40	—	—	—	3	19	18	51	—	—	—	1	20	—
17 Diabetes	M	1	—	—	—	—	—	1	3	—	1	—	1	—	1	6	—	—	—	—	1	—
	F	2	—	—	—	—	1	1	6	—	—	—	—	4	2	9	—	—	—	—	2	—
18 Intra-cranial	M	34	1	—	—	2	7	24	40	—	—	—	1	6	33	40	—	—	—	—	14	—
vasc: lesions	F	42	—	—	—	1	14	27	78	—	—	—	—	23	55	60	—	—	—	1	13	—
19 Heart disease	M	84	—	—	—	3	24	57	176	—	—	—	6	49	121	99	—	—	—	6	25	—
	F	101	—	—	—	3	18	80	181	—	—	—	12	30	139	115	—	—	—	8	22	—
20 Other circulatory	M	6	—	—	—	—	—	6	10	—	—	—	—	2	5	8	—	—	—	—	6	—
diseases	F	6	—	—	—	—	—	6	14	—	—	—	1	2	8	26	—	—	—	—	2	—
21 Bronchitis	M	40	4	—	1	3	12	20	42	1	—	—	2	11	28	47	1	—	—	2	21	—
	F	22	2	1	—	1	1	17	20	—	—	—	—	2	18	31	2	—	—	—	6	—
22 Pneumonia	M	24	6	—	—	2	7	9	32	10	1	—	3	6	12	38	11	5	2	1	6	—
	F	14	3	2	—	1	2	6	29	11	—	—	1	4	13	32	8	4	—	3	6	—
23 Other respiratory	M	7	—	1	—	1	4	1	9	—	—	—	—	2	7	14	—	1	—	—	6	—
diseases	F	2	—	—	—	1	1	1	10	—	—	—	—	4	6	6	—	—	—	—	—	—
24 Ulcer of stomach	M	3	—	—	—	—	1	2	4	—	—	—	—	2	2	18	—	—	—	4	7	—
or duodenum	F	—	—	—	—	—	—	—	3	—	—	—	—	1	2	1	—	—	—	—	1	—
25 Diarrhœa	M	4	4	—	—	—	—	—	10	10	—	—	—	—	—	17	—	—	—	—	—	—
under 2 years	F	2	2	—	—	—	—	—	8	7	1	—	—	—	—	4	3	1	—	—	—	—
26 Appendicitis	M	3	—	1	—	1	—	1	2	—	—	1	1	—	—	3	—	—	—	1	1	—
	F	2	—	—	—	—	1	1	3	—	—	—	2	1	—	—	—	—	—	—	—	—
27 Other digestive	M	9	—	—	—	1	4	4	6	1	—	—	—	1	4	13	—	1	1	1	5	—
diseases	F	6	—	—	—	1	1	4	12	1	1	—	1	1	8	15	—	—	—	1	6	—
28 Nephritis	M	11	—	—	—	6	5	9	9	—	—	—	1	4	16	1	—	—	—	3	6	—
	F	10	—	—	—	3	4	3	17	—	1	—	—	6	10	16	—	1	—	6	4	—
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	3	—	—	—	3	—	—
30 Other maternal	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	2	—	—	—	2	—	—
31 Premature birth	M	11	11	—	—	—	—	—	10	10	—	—	—	—	—	22	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	10	10	—	—	—	—	—	15	—	—	—	—	—	—
32 Cong: mal:, birth	M	15	14	1	—	—	—	—	13	10	1	1	1	—	—	18	—	—	—	2	—	—
inj:, infant: dis:	F	6	6	—	—	—	—	—	11	11	—	—	—	—	—	9	—	—	—	1	—	—
33 Suicide	M	3	—	—	—	—	2	1	10	—	—	—	3	5	2	6	—	—	—	2	2	—
	F	1	—	—	—	—	1	—	7	—	—	—	—	7	—	4	—	—	—	1	3	—
34 Road traffic	M	4	—	—	—	2	—	2	7	1	2	1	2	1	—	4	—	1	1	1	—	—
accidents	F	1	—	1	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—
35 Other violent	M	14	—	1	1	4	4	4	14	3	1	1	3	4	2	21	4	—	1	6	5	—
causes†	F	3	1	—	—	1	—	1	9	2	2	—	—	5	5	17	2	2	—	2	2	—
36 All other causes	M	37	1	1	—	3	7	25	32	1	—	—	4	9	18	83	3	1	1	6	7	—
	F	35	1	1	—	3	9	21	54	3	1	—	4	16	30	74	1	—	2	6	8	—
† Including deaths due to war operations	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—*contd.* County Boroughs.[illegible]

TABLE 24—*contd.* County Boroughs.

Causes of Death <i>See first page of Table.</i>		WEST HARTLEPOOL.							WIGAN.							WOLVERHAMPTON.					
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-
All Causes	M F	460 406	47 48	9 12	7 3	52 57	137 70	208 216	447 456	45 37	7 8	9 10	36 61	121 117	229 223	892 823	74 67	16 13	9 15	71 91	273 172
1 Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —
2 Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
3 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4 Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 5	1 2	2 3	— —	— —	— —
5 Diphtheria	M F	2 1	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
6 Tuberculosis :— Respiratory system	M F	32 26	— —	— —	— —	18 22	14 4	— —	17 20	— —	— —	1 1	11 15	5 3	1 —	52 28	— —	— —	— —	21 23	28 3
7 Other forms	M F	3 12	— —	6 —	1 —	5 —	— —	— —	5 4	2 1	1 —	— —	2 2	— —	— —	8 3	3 —	2 —	2 —	— —	— —
8 Syphilitic disease	M F	6 2	1 —	— —	— —	— —	2 1	3 —	— —	— —	— —	— —	— —	— —	— —	4 3	— —	— —	— —	1 —	3 2
9 Influenza	M F	— —	— —	— —	— —	— —	— —	— —	16 7	— —	— —	— —	2 —	10 4	4 3	— —	— —	— —	— —	— —	— —
10 Measles	M F	— —	— —	— —	— —	— —	— —	— —	2 —	2 —	— —	— —	— —	— —	— —	2 2	2 —	— —	— —	— —	— —
11 Ac. poliomyel. & poliocenceph.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
12 Ac. infectious encephalitis	M F	1 —	— —	— —	— —	1 —	— —	— —	3 1	— —	— —	— —	1 —	— —	2 —	2 —	— —	— —	— —	1 —	1 —
Cancer of																					
13M Mouth & œsoph.	M	8	—	—	—	—	—	8	5	—	—	—	—	2	3	16	—	—	—	—	5
13F Uterus	F	9	—	—	—	1	4	6	—	—	—	—	—	4	2	11	—	—	—	1	6
14 Stomach and duodenum	M F	17 13	— —	— —	— —	— —	9 2	7 10	9 15	— —	— —	— —	— —	6 5	3 6	20 26	— —	— —	— —	1 —	8
15 Breast	M F	— —	— —	— —	— —	5 —	2 —	5 —	16 —	— —	— —	— —	1 —	10 —	5 —	26 —	— —	— —	— —	3 —	15
16 All other sites	M F	31 24	— —	— —	1 —	5 —	18 12	8 10	41 25	— —	— —	— —	3 —	24 12	16 10	93 58	1 —	— —	— —	6 —	21
17 Diabetes	M F	— —	— —	— —	— —	— —	— —	— —	1 6	— —	— —	— —	— —	— —	— —	6 6	— —	— —	— —	1 —	2
18 Intra-cranial vasc. lesions	M F	37 32	— —	— —	— —	— —	12 7	25 25	49 56	— —	— —	— —	— —	10 13	39 43	92 113	— —	— —	— —	3 —	20
19 Heart disease	M F	117 107	— —	1 —	— —	4 —	38 10	74 93	84 105	— —	— —	3 3	3 9	28 28	50 65	208 225	— —	— —	— —	1 14	40
20 Other circulatory diseases	M F	7 10	— —	— —	— —	— —	3 4	7 —	8 7	— —	— —	— —	— —	1 —	1 5	8 15	— —	— —	— —	— —	4
21 Bronchitis	M F	33 12	2 3	— —	— —	1 —	15 3	15 6	49 30	— —	— —	— —	3 1	14 2	32 19	86 57	3 5	3 1	— —	2 3	27
22 Pneumonia	M F	21 15	7 7	2 1	— —	2 —	6 4	4 2	28 16	15 5	2 1	— —	1 1	2 3	8 4	57 41	13 20	1 4	3 —	3 —	15
23 Other respiratory diseases	M F	8 5	— —	— —	— —	— —	4 1	2 3	5 3	— —	— —	— —	— —	1 —	3 2	14 16	— —	— —	— —	— —	7
24 Ulcer of stomach or duodenum	M F	9 —	— —	— —	— —	4 —	2 —	3 —	2 4	— —	— —	— —	— —	2 1	— —	16 3	— —	— —	— —	2 —	9
25 Diarrhoea under 2 years	M F	8 9	7 9	1 —	— —	— —	— —	— —	3 3	3 2	— —	— —	— —	— —	— —	14 10	14 10	— —	— —	— —	—
26 Appendicitis	M F	1 —	— —	— —	— —	1 —	— —	— —	2 —	— —	— —	— —	— —	— —	2 —	5 —	1 —	— —	2 —	2 —	—
27 Other digestive diseases	M F	11 7	1 —	2 —	— —	1 —	4 2	3 —	11 17	1 —	— —	— —	— —	4 3	5 8	23 17	1 —	— —	— —	2 7	1
28 Nephritis	M F	10 13	— —	— —	— —	— —	3 2	5 8	9 9	— —	— —	— —	— —	3 5	2 1	7 22	— —	— —	— —	4 —	15
29 Maternal sepsis	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	—
30 Other maternal	M F	5 —	— —	— —	— —	5 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	7 —	— —	— —	— —	— —	—
31 Premature birth	M F	12 12	12 —	— —	— —	— —	— —	— —	11 12	11 —	— —	— —	— —	— —	— —	14 10	10 10	— —	— —	— —	—
32 Cong. mal., birth inj., infant: dis.	M F	11 12	11 10	— —	— —	— —	— —	— —	15 14	13 12	— —	1 —	— —	1 —	— —	24 17	22 15	— —	1 —	— —	—
33 Suicide	M F	6 2	— —	— —	— —	1 —	3 —	2 —	3 —	— —	— —	— —	— —	— —	— —	8 3	— —	— —	— —	1 —	—
34 Road traffic accidents	M F	5 1	— —	1 —	3 —	— —	— —	— —	3 1	— —	2 —	1 —	— —	— —	— —	8 6	— —	1 —	2 —	1 —	—
35 Other violent causes†	M F	15 9	— —	2 —	1 —	5 —	2 —	6 5	11 5	1 —	— —	— —	2 —	4 1	4 1	12 8	2 1	1 —	1 —	3 —	—
36 All other causes	M F	50 53	6 3	2 1	1 —	2 —	3 5	36 11	57 33	1 —	1 —	2 —	7 3	3 8	43 10	59 81	4 3	— —	— —	— —	7 13
† Including deaths due to war operations	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	—

TABLE 24—*contd.* County Boroughs.

Causes of Death <i>See first page of Table.</i>		WORCESTER.							YORK.							CARDIFF.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	347 359	21 10	4 5	2 6	34 41	108 67	178 230	621 555	41 35	12 5	5 3	44 41	174 111	345 360	1526 1303	126 97	22 18	17 30	129 151	462 308	770 699
Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	M F	3 —	— —	2 —	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —	1 —	— —	2 —	1 —	1 —	1 —	— —	— —	— —
Scarlet fever	M F	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Whooping cough	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Tuberculosis :—																						
Respiratory system	M F	20 17	— —	— —	— —	12 13	7 4	1 —	20 7	— —	— —	— —	6 5	12 1	2 1	97 81	1 —	1 —	— —	42 58	42 14	11 4
Other forms	M F	1 4	— —	1 —	— —	3 —	— —	— —	6 7	2 —	— —	1 —	1 —	2 —	2 —	12 8	1 —	— —	4 —	2 —	1 —	— —
Syphilitic disease	M F	1 1	— —	— —	— —	— —	1 —	— —	4 1	— —	— —	— —	— —	2 —	2 —	10 3	— —	— —	— —	8 2	2 —	— —
Influenza	M F	— 1	— —	— —	— —	— —	— —	— —	3 2	1 —	— —	— —	1 —	1 —	1 —	9 6	1 —	1 —	1 —	5 3	1 —	— —
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 1	1 —	1 —	— —	— —	— —	— —
Ac: poliomyel. & polioenceph.	M F	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
Ac: infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	1 —	— —	— —	2 —	— —	— —	— —	1 —	— —	— —
Cancer of																						
Mouth & œsoph:	M F	6 8	— —	— —	— —	— —	1 3	5 5	10 9	— —	— —	— —	— —	2 1	8 4	18 29	— —	— —	— —	2 4	5 15	11 10
Uterus	M F	9 8	— —	— —	— —	— —	6 3	3 9	19 19	— —	— —	— —	— —	7 4	12 50	50 33	— —	— —	— —	20 12	30 20	— —
Stomach and duodenum	M F	— 8	— —	— —	— —	— —	1 —	7 —	19 —	— —	— —	— —	2 —	5 —	12 —	33 —	— —	— —	1 —	12 —	20 —	— —
Breast	M F	— 16	— —	— —	— —	— —	3 5	8 —	15 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 21	— 14	— —
All other sites	M F	48 30	— —	— —	— —	3 1	19 13	26 16	68 42	— —	— —	— —	3 7	25 11	40 24	119 102	1 —	1 —	1 —	5 7	57 46	57 46
Diabetes	M F	2 2	— —	— —	— —	— —	— —	2 —	4 —	— —	— —	— —	— —	— —	4 —	7 —	— —	1 —	1 —	1 —	4 —	— —
Intra-cranial vasc: lesions	M F	33 50	— —	— —	— —	8 —	25 7	63 42	63 69	— —	— —	— —	2 —	16 9	45 58	117 133	— —	— —	— —	1 3	32 40	84 90
Heart disease	M F	89 108	— —	— —	4 1	29 5	56 13	154 89	154 165	— —	— —	— —	5 4	41 32	108 129	414 363	— —	— —	2 1	16 15	99 72	297 275
Other circulatory diseases	M F	6 8	— —	— —	— —	1 —	2 6	23 6	23 24	— —	— —	— —	— —	4 6	19 44	81 44	— —	— —	— —	4 2	17 34	60 34
Bronchitis	M F	25 12	1 —	— —	— —	1 —	13 2	10 10	47 26	2 —	— —	— —	— —	19 4	26 19	130 61	5 4	2 1	— —	1 5	55 23	67 13
Pneumonia	M F	12 10	4 —	— —	— —	4 —	4 3	27 4	27 13	7 6	1 —	— —	4 —	8 3	4 3	62 42	16 13	1 3	1 —	5 8	18 21	41 17
Other respiratory diseases	M F	3 3	— —	— —	— —	— —	— —	3 —	6 5	— —	— —	— —	1 —	2 —	3 —	23 8	2 —	— —	— —	12 —	9 —	— —
Ulcer of stomach or duodenum	M F	— 3	— —	— —	— —	— —	2 —	1 —	6 2	— —	— —	— —	3 —	2 —	1 —	19 5	— —	— —	— —	2 2	14 3	3 —
Diarrhoea under 2 years	M F	2 —	2 —	— —	— —	— —	— —	— —	6 3	6 —	— —	— —	— —	— —	— —	17 11	17 —	— —	— —	— —	— —	— —
Appendicitis	M F	— 1	— —	— —	— —	— —	— —	— —	1 3	— —	— —	— —	— —	1 —	— —	6 5	— —	— —	— —	3 —	— —	2 —
Other digestive diseases	M F	5 9	— —	1 —	— —	1 —	2 3	1 4	17 11	1 —	— —	— —	1 —	6 2	9 5	24 22	3 —	1 —	— —	3 5	11 12	6 19
Nephritis	M F	8 6	— —	— —	— —	2 —	3 —	3 4	16 21	— —	— —	— —	— —	1 2	5 10	34 49	— —	— —	— —	7 5	7 11	19 31
Maternal sepsis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	— —	3 —	— —	— —
Other maternal	M F	2 —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	10 —	— —	— —	— —	10 —	— —	— —
Premature birth	M F	4 4	4 —	— —	— —	— —	— —	— —	8 4	8 —	— —	— —	— —	— —	— —	25 30	25 —	— —	— —	— —	— —	— —
Cong: mal., birth inj., infant: dis:	M F	9 2	9 2	— —	— —	— —	— —	— —	19 14	13 14	— —	3 —	2 —	1 —	— —	51 25	48 —	1 —	— —	— —	— —	— —
Suicide	M F	3 4	— —	— —	— —	1 —	2 —	— —	12 3	— —	— —	— —	1 —	7 —	4 —	17 2	— —	— —	— —	4 —	11 —	2 —
Road traffic accidents	M F	5 1	— —	2 —	— —	2 —	1 —	— —	11 3	— —	— —	1 —	2 —	3 —	5 —	15 10	— —	3 —	1 —	2 —	4 —	5 —
Other violent causes†	M F	7 5	1 —	— —	2 —	1 —	3 —	— —	8 11	4 —	— —	— —	3 —	— —	1 —	38 37	2 —	3 —	2 —	12 9	13 6	15 19
All other causes	M F	48 42	— —	— —	— —	6 4	6 7	36 28	57 70	1 3	2 —	— —	5 3	8 12	41 50	124 120	3 6	3 —	3 —	13 19	26 20	73 71
Including deaths due to war operations	M F	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	1 —	— —

† Including deaths due to war operations

TABLE 24—*contd.*

Administrative County of Berks.

Administrative Court

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.							
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	
All Causes		M	568	34	9	5	45	124	351	956	54	11	17	56	225	593	955	57	19	15	79	260	5
		F	589	29	7	4	36	94	419	949	36	7	8	60	185	653	910	40	13	12	77	189	5
1	Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—
3	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Diphtheria	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—
		F	1	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—
Tuberculosis :—																							
6	Respiratory system	M	27	1	—	—	16	6	4	28	1	—	—	10	12	5	49	—	—	—	22	21	—
		F	14	—	—	—	8	2	4	31	—	—	—	25	5	1	30	—	—	—	18	8	—
7	Other forms	M	8	1	3	1	—	—	—	8	1	1	3	1	2	—	10	—	1	3	2	2	—
		F	5	—	2	—	2	—	1	6	—	2	1	3	—	—	10	1	3	2	3	—	—
8	Syphilitic disease	M	3	—	—	—	1	2	—	6	—	—	—	1	2	3	7	—	—	—	—	3	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	4	—	—	—	2	—	
9	Influenza	M	3	—	—	—	—	—	3	3	—	—	—	1	1	1	3	—	1	—	—	1	—
		F	4	—	—	—	—	1	3	3	1	—	—	—	—	2	6	—	—	—	—	—	—
10	Measles	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—
11	Ac. poliomyel. & polioenceph.	M	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Ac. infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
		F	1	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—
13M	Mouth & oesoph.	M	8	—	—	—	2	6	17	—	—	—	—	6	11	7	—	—	—	—	—	1	—
13F	Uterus	F	6	—	—	—	1	1	4	15	—	—	—	1	9	5	19	—	—	—	2	10	—
14	Stomach and duodenum	M	18	—	—	—	2	4	12	25	—	—	—	9	16	25	—	—	—	—	2	11	—
		F	15	—	—	—	—	3	12	24	—	—	—	3	18	21	—	—	—	—	2	9	—
15	Breast	M	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
		F	22	—	—	—	1	10	11	32	—	—	—	3	18	11	22	—	—	—	3	9	—
16	All other sites	M	60	—	—	—	4	25	31	110	—	1	2	8	40	59	98	—	1	—	4	37	—
		F	42	—	—	—	1	17	24	100	—	—	—	5	35	60	82	—	1	—	5	28	—
17	Diabetes	M	3	—	—	—	—	1	2	5	—	—	—	—	—	5	5	—	—	—	—	—	—
		F	4	—	—	—	—	1	2	14	—	—	1	—	5	8	14	—	—	—	—	7	—
18	Intra-cranial vasc. lesions	M	66	—	—	—	—	12	54	89	—	—	—	—	13	76	80	—	1	—	3	18	—
		F	83	—	—	—	3	12	68	144	—	—	—	—	36	108	122	—	—	—	2	29	—
19	Heart disease	M	140	—	—	1	5	28	106	268	1	—	—	10	50	207	258	—	—	1	8	71	1
		F	149	—	—	—	3	18	128	226	—	—	—	2	20	204	268	—	—	—	9	34	2
20	Other circulatory diseases	M	17	—	—	—	—	3	14	19	—	—	—	—	5	14	31	—	—	—	—	9	—
		F	20	—	—	—	—	1	19	31	—	—	1	—	7	23	35	—	—	—	1	4	—
21	Bronchitis	M	39	—	—	—	1	7	31	56	—	1	—	1	16	38	61	4	—	1	1	11	—
		F	34	—	—	—	1	2	31	31	1	—	—	—	4	26	38	1	—	—	—	5	—
22	Pneumonia	M	19	3	1	—	2	2	11	36	8	—	1	2	13	12	45	10	1	—	7	12	—
		F	18	5	1	—	1	3	8	26	7	—	—	—	3	16	30	7	1	—	2	6	—
23	Other respiratory diseases	M	8	—	—	—	1	6	1	8	—	—	1	1	3	3	19	—	—	—	3	9	—
		F	4	—	—	—	—	1	3	10	—	—	—	—	5	5	15	—	—	—	2	3	—
24	Ulcer of stomach or duodenum	M	9	—	—	—	—	6	3	14	—	—	—	—	7	7	21	—	—	—	3	14	—
		F	3	—	—	—	—	—	3	6	—	—	—	—	2	4	2	—	—	—	—	1	—
25	Diarrhoea under 2 years	M	5	4	1	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—
		F	2	2	—	—	—	—	—	5	5	—	—	—	—	—	1	1	—	—	—	—	—
26	Appendicitis	M	2	—	—	—	—	1	1	6	—	—	—	—	1	5	7	—	1	—	—	2	—
		F	1	—	1	—	—	—	—	2	—	—	—	—	1	1	4	—	—	2	1	—	—
27	Other digestive diseases	M	12	—	—	1	3	5	3	18	2	—	—	3	8	5	17	1	1	2	1	3	—
		F	10	—	—	—	—	4	6	21	1	—	1	2	7	10	27	—	1	—	5	4	—
28	Nephritis	M	13	—	—	—	—	5	8	24	—	—	1	1	7	15	19	—	—	—	2	7	—
		F	9	—	—	1	1	2	5	22	—	—	—	1	9	13	11	—	—	—	—	5	—
29	Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
30	Other maternal	F	5	—	—	—	5	—	—	2	—	—	—	2	—	—	1	—	—	—	1	—	—
31	Premature birth	M	14	14	—	—	—	—	—	15	15	—	—	—	—	—	10	10	—	—	—	—	—
		F	10	10	—	—	—	—	—	7	7	—	—	—	—	—	12	12	—	—	—	—	—
32	Cong. mal.; birth inj.; infant: dis.	M	10	8	—	—	1	—	1	22	18	1	1	—	2	—	24	21	2	—	1	—	—
		F	12	12	—	—	—	—	—	8	7	—	1	—	—	—	15	13	—	1	1	—	—
33	Suicide	M	4	—	—	—	—	3	1	7	—	—	—	4	2	1	10	—	—	—	1	6	—
		F	3	—	—	—	—	1	1	5	—	—	—	2	2	1	8	—	—	—	3	5	—
34	Road traffic accidents	M	4	—	—	1	1	1	1	14	—	—	4	3	3	4	15	—	4	2	2	—	—
		F	5	—	1	1	—	1	1	6	—	1	—	1	2	2	7	—	1	3	2	—	—
35	Other violent causes†	M	11	1	1	1	3	1	4	20	3	2	2	2	5	6	22	—	2	2	6	4	—
		F	9	—	—	—	2	1	6	23	2	2	2	1	1	15	12	1	2	2	3	—	—
36	All other causes	M	65	2	3	—	2	4	54	133	5	3	2	6	18	99	104	5	1	2	9	18	6
		F	96	—	—	1	5	12	78	144	4	1	1	9	11	118	89	3	4	3	9	17	5
† Including deaths due to war operations		M	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

† Including deaths due to war operations

Bucks. Administrative County of Cambridge.

0975

TABLE 24—*contd.*

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.							
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	
All Causes		M	3511	245	38	39	254	1082	1853	991	69	16	12	74	237	583	1197	55	19	13	98	295	7
		F	3610	194	28	24	268	825	2271	909	43	18	11	63	195	579	1324	60	19	7	86	283	8
1	Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Cerebro-spinal fever	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
		F	4	2	1	1	—	—	1	—	—	1	—	—	—	—	2	1	1	—	1	—	
3	Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Whooping cough	M	5	3	2	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	
		F	6	1	5	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	
5	Diphtheria	M	5	—	—	4	—	—	1	—	1	—	—	—	—	—	2	—	1	—	1	—	
		F	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
6	Tuberculosis :— Respiratory system	M	131	—	—	—	53	69	9	32	—	—	11	14	7	61	—	—	—	28	27	—	
		F	76	1	—	3	52	17	3	16	—	1	9	4	2	33	—	—	—	23	9	—	
7	Other forms	M	20	—	7	2	7	4	—	1	—	1	—	—	—	10	1	3	1	4	1	—	
		F	20	3	2	3	7	4	1	6	—	5	—	1	—	14	—	2	1	5	3	—	
8	Syphilitic disease	M	31	4	—	—	2	20	5	3	—	—	2	1	—	6	—	—	—	1	3	—	
		F	11	2	—	—	1	6	2	4	—	—	—	2	1	5	1	—	—	—	3	—	
9	Influenza	M	18	2	2	—	4	6	4	6	—	—	1	4	2	3	—	—	—	1	3	—	
		F	19	1	—	—	—	—	—	8	—	1	—	—	2	9	—	1	—	—	2	—	
10	Measles	M	4	4	—	—	2	6	10	4	2	1	1	—	3	2	—	1	1	—	—	—	
		F	3	1	2	—	—	—	—	2	1	—	1	—	—	1	—	1	—	—	—	—	
11	Ac. poliomyel. & polioenceph.	M	4	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
12	Ac. infectious encephalitis	M	5	—	—	—	1	1	3	1	—	—	—	1	—	—	—	—	1	—	—	—	
		F	7	—	—	—	2	3	2	1	—	—	—	1	—	—	—	—	—	—	—	—	
13M	Mouth & œsoph.	M	46	—	—	—	2	10	34	13	—	—	—	5	8	15	—	—	—	—	—	5	
13F	Uterus	F	57	—	—	—	9	27	21	14	—	—	1	6	7	32	—	—	—	4	14	—	
14	Stomach and duodenum	M	118	—	—	—	3	55	60	35	—	—	1	13	21	35	—	—	—	1	14	—	
		F	86	—	—	—	2	26	58	20	—	—	1	3	16	43	—	—	—	1	16	—	
15	Breast	M	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
		F	129	—	—	—	13	57	59	33	—	—	—	4	14	15	38	—	—	2	14	—	
16	All other sites	M	378	—	1	1	19	165	192	94	—	—	1	8	33	52	104	—	—	—	4	41	
		F	311	—	1	—	27	131	152	77	—	—	—	2	39	36	100	—	1	1	6	33	
17	Diabetes	M	22	—	—	—	4	6	12	10	—	—	—	2	8	13	—	—	—	2	2	—	
		F	51	—	—	—	5	10	36	4	—	—	—	1	3	16	—	1	—	1	6	—	
18	Intra-cranial vañc. lesions	M	320	—	—	—	5	83	232	93	—	—	—	1	23	69	109	—	—	1	3	24	
		F	444	—	—	—	11	93	340	121	—	—	—	2	27	92	179	—	—	2	34	1	
19	Heart disease	M	950	—	—	1	31	259	659	280	—	—	—	7	58	215	340	—	—	1	10	76	
		F	1055	—	—	2	28	199	826	273	—	—	2	9	38	224	395	—	—	4	61	3	
20	Other circulatory diseases	M	86	—	—	—	3	24	59	32	—	—	—	2	5	25	39	—	—	—	8	—	
		F	124	—	—	—	5	19	100	28	—	—	—	2	5	26	43	—	—	—	3	—	
21	Bronchitis	M	248	8	—	1	9	104	126	49	3	—	—	3	13	30	53	5	1	—	7	—	
		F	201	6	1	—	11	32	151	35	1	—	—	—	4	30	38	3	—	—	5	—	
22	Pneumonia	M	155	38	8	2	12	47	48	32	5	3	—	1	7	16	46	11	5	—	6	9	
		F	114	32	4	—	8	18	52	27	6	2	1	4	2	12	28	7	3	1	1	6	
23	Other respiratory diseases	M	48	—	—	1	4	26	16	9	1	—	—	—	6	2	30	—	—	—	1	12	
		F	33	—	1	—	5	11	16	8	—	—	—	1	3	4	9	—	1	—	1	5	
24	Ulcer of stomach or duodenum	M	42	1	—	—	9	18	14	11	—	—	—	—	7	4	18	—	—	6	8	—	
		F	11	—	—	—	1	4	6	5	—	—	—	—	3	2	1	—	—	—	1	—	
25	Diarrhœa under 2 years	M	30	29	1	—	—	—	—	3	3	—	—	—	—	6	5	1	—	—	—	—	
		F	17	17	—	—	—	—	—	3	3	—	—	—	—	5	4	1	—	—	—	—	
26	Appendicitis	M	14	—	1	4	4	4	1	4	—	1	—	2	1	—	7	—	2	—	2	—	
		F	9	—	—	1	3	4	4	4	—	1	—	2	—	4	—	—	—	1	—	—	
27	Other digestive diseases	M	71	6	1	—	8	18	38	22	1	—	1	2	9	9	19	—	1	—	3	4	
		F	76	3	—	1	7	22	43	25	2	1	1	2	6	13	35	—	—	—	4	12	
28	Nephritis	M	111	—	1	1	8	48	53	41	—	1	—	2	9	29	50	—	—	1	1	13	
		F	104	—	—	1	7	26	70	37	—	1	—	4	8	24	59	—	1	—	5	13	
29	Maternal sepsis	M	7	—	—	—	7	—	—	1	—	—	—	1	—	3	—	—	—	3	—	—	
30	Other maternal	F	11	—	—	—	10	1	—	3	—	—	—	3	—	6	—	—	—	6	—	—	
31	Premature birth	M	58	58	—	—	—	—	—	22	22	—	—	—	—	—	11	11	—	—	—	—	
		F	50	50	—	—	—	—	—	10	10	—	—	—	—	—	21	21	—	—	—	—	
32	Cong. mal.; birth inj.; infant: dis:	M	80	77	—	—	3	—	—	29	27	1	—	—	1	—	19	18	—	1	—	—	
		F	76	65	4	1	4	1	1	17	12	2	—	3	—	—	21	19	1	—	1	—	
33	Suicide	M	37	—	—	—	5	18	14	8	—	—	—	5	—	3	11	—	—	—	4	3	
		F	26	—	—	1	4	13	8	3	—	—	—	—	2	1	6	—	—	2	4	—	
34	Road traffic accidents	M	31	—	3	5	6	10	7	18	—	1	4	—	5	3	8	—	1	3	3	1	
		F	14	—	2	6	1	4	1	4	—	—	—	3	—	1	—	—	1	—	—	—	
35	Other violent causes†	M	74	6	4	9	20	19	16	26	1	1	3	12	4	5	32	—	5	2	9	11	
		F	58	7	3	—	6	12	30	16	2	4	1	3	1	5	36	1	4	—	2	8	
36	All other causes	M	365	7	5	7	30	67	249	110	3	5	1	9	18	74	146	4	—	2	8	22	
		F	398	3	1	3	30	79	282	100	5	1	1	7	24	62	137	3	—	—	7	32	
† Including deaths due to war operations		M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Cornwall.

Administrative County of Cumberland.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
029	47	8	13	74	226	661	538	42	10	8	67	138	273	704	44	7	7	66	156	424	M	All Causes
053	25	10	8	78	198	734	533	32	12	9	58	113	309	702	44	9	11	61	135	442	F	
1	—	1	—	—	—	—	1	—	—	—	1	—	—	2	1	—	—	1	—	—	M	Typhoid and para-
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	typhoid fevers
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Whooping cough
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Tuberculosis:—
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Respiratory
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	system
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other forms
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Syphilitic disease
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Influenza
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: poliomyel:
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& polioenceph:
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: infectious
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	encephalitis
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cancer of
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Mouth & oesoph:
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Uterus
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Stomach and
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	duodenum
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Breast
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	sites
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diabetes
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Intra-cranial
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	vasc: lesions
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Heart disease
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other circulatory
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Bronchitis
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Pneumonia
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other respiratory
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ulcer of stomach
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	or duodenum
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diarrhoea
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	under 2 years
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Appendicitis
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other digestive
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Nephritis
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Maternal sepsis
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other maternal
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Premature birth
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cong: mal; birth
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	inj; infant: dis.
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Suicide
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Road traffic
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	accidents
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other violent
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	causes†
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other causes
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	† Including deaths due
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	to war operations

Devon. Administrative County of Dorset.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
																					See first page of Table.	
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-			
111	17	13	110	329	1021	970	74	12	15	77	211	581	604	31	7	4	27	119	416	M	All causes	
65	10	16	104	265	1104	1026	55	7	10	70	177	707	580	21	8	4	34	93	420	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and para-	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	typhoid fevers	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Whooping cough	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Tuberculosis:—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Respiratory	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	system	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other forms	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Syphilitic disease	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Influenza	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: poliomyel:	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& polioenceph:	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: infectious	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	encephalitis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cancer of	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Mouth & œsoph:	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Uterus	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Stomach and	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	duodenum	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Breast	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	sites	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diabetes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Intra-cranial	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	vasc: lesions	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Heart disease	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other circulatory	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Bronchitis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Pneumonia	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other respiratory	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ulcer of stomach	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	or duodenum	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diarrhoea	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	under 2 years	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Appendicitis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other digestive	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Nephritis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Maternal sepsis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other maternal	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Premature birth	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cong: mal:, birth	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	inj:, infant: dis:	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Suicide	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Road traffic	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	accidents	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other violent	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	causes†	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other causes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	† Including deaths due	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	to war operations	

TABLE 24—contd.

Administrative County of Durham.

Administrative County of Durham.

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	3697 3275	319 245	69 61	72 56	392 424	1012 740	1833 1749	1540 1393	153 119	24 27	24 20	160 184	429 336	750 707	290 328	22 15	2 7	4 3	33 20	56 68	17 21
1 Typhoid and para-typhoid fevers	M F	1 2	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M F	8 5	1 1	2 2	1 —	3 2	1	—	3	1 —	1 —	—	1	—	—	1	—	—	—	1	—	—
3 Scarlet fever	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M F	4 1	2 —	2 —	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M F	12 17	—	5 7	7 8	—	—	—	4 1	3 —	1 —	2 1	1	—	—	—	—	—	—	—	—	—
6 Tuberculosis:— Respiratory system	M F	165 146	—	—	—	94 121	63 17	7	65 54	1	—	—	38 47	23 5	3 1	11 3	—	—	—	7 2	3 1	—
7 Other forms	M F	36 48	2 6	8 11	8 —	13 26	4 5	1	14 17	2 —	4 5	3 3	2 5	3 —	3 —	1 3	1	—	—	1 —	—	—
8 Syphilitic disease	M F	17 7	—	—	—	2 4	12 3	3	7	1	—	—	—	4	2	2	—	—	—	1	1	—
9 Influenza	M F	26 23	3 2	—	—	5 4	10 2	8	8	1	—	—	2	3	2	1	—	—	—	—	—	—
10 Measles	M F	7 6	4 2	2 3	1 —	—	—	—	6 5	2 1	1 4	—	—	—	—	1	—	—	—	—	—	—
11 Ac: poliomyel: & polioenceph:	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M F	5 4	—	—	—	4 2	1 2	—	1 2	—	—	—	1 2	—	—	1	—	—	—	—	—	—
13M Cancer of Mouth & oesoph:	M	45	—	—	—	1	8	36	17	—	—	1	6	10	6	—	—	—	—	—	1	—
13F Uterus	F	80	—	—	—	8	47	25	25	—	—	—	3	13	9	—	—	—	—	6	7	—
14 Stomach and duodenum	M F	133 93	—	—	—	5 6	63 34	65 53	64 45	—	—	—	6 1	31 22	27 22	10 8	—	—	—	1	—	—
15 Breast	M F	2 71	—	—	—	7	33	31	35	—	—	—	6	17	12	—	—	—	—	—	—	—
16 All other sites	M F	305 259	—	2	—	14 20	139 95	150 143	136 109	—	1	4	12 6	47 43	76 55	27 26	9	—	1	3	5	7
17 Diabetes	M F	14 55	—	—	1	1	4	8	7	—	—	—	1	4	2	3	—	—	—	—	—	—
18 Intra-cranial vasc: lesions	M F	368 383	2	—	—	6 7	91 90	269 286	155 201	—	1	—	3	25 57	126 140	23 65	5	—	—	1	3	2
19 Heart disease	M F	1005 849	—	—	7	50 53	279 206	669 587	390 366	2	—	19	115 27	254 94	86 80	—	—	—	—	4	13	6
20 Other circulatory diseases	M F	124 85	—	—	—	3 2	22 19	99 66	35 26	—	1	—	2	3	30 19	5 12	—	—	—	2	2	1
21 Bronchitis	M F	214 157	21 15	3 1	1	12 8	80 21	97 111	100 53	14 8	1	—	4	35 10	46 31	16 11	1	—	—	1	3	1
22 Pneumonia	M F	136 82	54 36	8 8	4 2	17 6	29 12	24 18	57 50	27 24	4 5	2 1	6 8	11 6	7 6	13 11	4 2	—	1	1	1	—
23 Other respiratory diseases	M F	51 35	—	4	—	11 12	17 9	19 11	27 13	—	1	1	4	15 3	6 3	3 4	—	—	—	1	2	—
24 Ulcer of stomach or duodenum	M F	40 9	—	—	—	9 3	21 3	10 3	13 2	—	—	—	6	6	1	5	—	—	—	1	2	—
25 Diarrhoea under 2 years	M F	33 24	29 21	4 3	—	—	—	—	17 13	17 12	—	—	—	—	—	3 2	3 1	—	—	—	—	—
26 Appendicitis	M F	8 9	—	—	3	2 6	3	—	5 6	—	—	1	2	3	1	2	—	—	—	1	—	—
27 Other digestive diseases	M F	55 71	8 1	2 4	4	7 14	13 19	21 33	29 29	2	1	1	2	9 8	15 10	6 6	—	—	1	1	1	—
28 Nephritis	M F	82 78	—	1	2	12 16	32 24	35 35	42 33	—	—	1	5 7	16 9	20 16	4 4	—	—	—	—	3	—
29 Maternal sepsis	F	16	—	—	—	6	—	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—
30 Other maternal	F	13	—	—	—	13	—	—	9	—	—	—	9	—	—	1	—	—	—	1	—	—
31 Premature birth	M F	78 65	78 65	—	—	—	—	—	29 24	29 24	—	—	—	—	—	5 4	5 4	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M F	90 84	81 78	1 4	2 1	4 —	1	—	45 36	43 34	2 1	—	—	—	—	11 5	9 5	—	—	2	—	—
33 Suicide	M F	11 —	—	—	—	12 1	13 7	6 3	9 9	—	—	—	1	4 5	4 —	3 3	—	—	—	2	1	—
34 Road traffic accidents	M F	34 20	—	3	10 11	12 2	4 3	5 1	24 6	—	—	7 3	8 2	1	2	—	1	—	—	—	—	—
35 Other violent causes†	M F	137 58	4 6	12 8	8 3	51 40	22 9	63 24	63 24	2 3	3 1	3	22 3	23 1	10 12	8 8	—	—	—	6	1	—
36 All other causes	M F	431 417	30 15	10 7	12 10	42 58	63 67	274 260	170 165	11 6	1 1	4	11 26	36 19	107 112	34 36	—	1	—	1	5	27
† Including deaths due to war operations	M F	6 —	—	—	1	2	3	—	3	—	—	—	1	1	1	—	—	—	—	—	—	—

Ely, Isle of.

Administrative County of Essex.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death		
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.		
202 165	7 15	4 1	3 3	16 17	34 28	138 101	6252 6021	435 319	102 67	108 81	588 665	1784 1261	3235 3628	1322 1239	72 50	15 16	11 8	74 73	254 242	896 850	M F	All causes	
																					M	Typhoid and para-typhoid fevers	1
																					M	Cerebro-spinal fever	2
																					M	Scarlet fever	3
																					M	Whooping cough	4
																					M	Diphtheria	5
																					M	Tuberculosis :—	
																					M	Respiratory system	6
																					M	Other forms	7
																					M	Syphilitic disease	8
																					M	Influenza	9
																					M	Measles	10
																					M	Ac: poliomyel: & polioenceph:	11
																					M	Ac: infectious encephalitis	12
																					M	Cancer of	
																					M	Mouth & œsoph:	M13
																					M	Uterus	F13
																					M	Stomach and duodenum	14
																					M	Breast	15
																					M	All other sites	16
																					M	Diabetes	17
																					M	Intra-cranial vasc: lesions	18
																					M	Heart disease	19
																					M	Other circulatory diseases	20
																					M	Bronchitis	21
																					M	Pneumonia	22
																					M	Other respiratory diseases	23
																					M	Ulcer of stomach or duodenum	24
																					M	Diarrhoea under 2 years	25
																					M	Appendicitis	26
																					M	Other digestive diseases	27
																					M	Nephritis	28
																					M	Maternal sepsis	29
																					M	Other maternal	30
																					M	Premature birth	31
																					M	Cong: mal: birth inj., infant: dis:	32
																					M	Suicide	33
																					M	Road traffic accidents	34
																					M	Other violent causes†	35
																					M	All other causes	36
																					M	† Including deaths due to war operations	

[illegible]

Hereford.

Administrative County of Hertford.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
467	23	8	4	27	98	307	2066	131	20	28	173	581	1133	721	43	22	10	64	153	429	M	All Causes
432	19	3	2	27	90	291	2170	84	21	15	175	425	1450	679	32	4	6	61	136	440	F	
							1				1										M	Typhoid and para-
							1				1										F	typhoid fevers
							2	1					1								F	Cerebro-spinal
																					F	fever
							1														M	Scarlet fever
							2	2			1										M	Whooping cough
							1	1													M	Diphtheria
							1														M	Tuberculosis :-
																					F	Respiratory
																					F	system
																					F	Other forms
																					F	
																					M	Syphilitic disease
																					F	
																					M	Influenza
																					F	
																					M	Measles
																					F	
																					M	Ac: poliomyel:
																					F	& polioenceph:
																					F	Ac: infectious
																					F	encephalitis
																					F	Cancer of
																					M	Mouth & oesoph:
																					F	Uterus
																					F	Stomach and
																					F	duodenum
																					M	Breast
																					F	
																					M	All other
																					F	sites
																					M	Diabetes
																					F	
																					M	Intra-cranial
																					F	vasc: lesions
																					M	Heart disease
																					F	
																					M	Other circulatory
																					F	diseases
																					M	Bronchitis
																					F	
																					M	Pneumonia
																					F	
																					M	Other respiratory
																					F	diseases
																					M	Ulcer of stomach
																					F	or duodenum
																					M	Diarrhoea
																					F	under 2 years
																					M	Appendicitis
																					F	
																					M	Other digestive
																					F	diseases
																					M	Nephritis
																					F	
																					M	Maternal sepsis
																					F	Other maternal
																					M	Premature birth
																					F	
																					M	Cong: mal; birth
																					F	inj; infant: dis:
																					M	Suicide
																					F	
																					M	Road traffic
																					F	accidents
																					M	Other violent
																					F	causes†
																					M	All other causes
																					F	
																					M	† Including deaths due
																					F	to war operations

TABLE 24—*contd.*

Administrative County of Huntingdon.

Administrative County of Huntingdon.

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.							
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	
All Causes		M F	167 167	9 7	3 —	2 3	14 12	40 30	99 115	204 189	12 6	3 —	5 —	9 12	39 38	136 133	5950 5899	394 275	78 54	75 72	463 539	1480 1163	3460 3796
1	Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 4	— 1	— 1	— —	1 —	1 —	— —
2	Cerebro-spinal fever	M F	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 3	1 1	— —	— —	1 2	1 —	— —
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 1	— —	— —	
4	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 10	4 6	1 4	— —	— —	— —	
5	Diphtheria	M F	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	9 8	— —	3 3	5 2	— —	— —	
6	Tuberculosis:— Respiratory system	M F	7 2	— —	— —	— 4	2 1	1 —	5 3	— —	— —	— —	2 3	3 —	— —	293 220	— 1	2 1	3 5	142 152	109 45	37 16	
7	Other forms	M F	2 —	1 —	1 —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	50 47	2 3	14 7	11 18	12 13	10 2	
8	Syphilitic disease	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	45 23	— —	— —	— —	1 1	25 12	
9	Influenza	M F	2 1	— —	— —	— —	1 —	1 —	2 1	— —	— —	— —	1 —	— —	1 —	33 25	— —	1 —	— —	3 2	9 4	20 15	
10	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 6	1 2	4 3	— 1	— —	— —	
11	Ac: poliomyel: & polioenceph:	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	
12	Ac: infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	6 5	— —	1 1	1 1	2 3	1 —	
13M	Mouth & œsoph:	M	2	—	—	—	1	1	5	—	—	—	—	1	4	92	—	—	—	2	29	61	
13F	Uterus	F	4	—	—	1	2	1	4	—	—	—	—	2	2	137	—	—	—	8	70	59	
14	Stomach and duodenum	M F	6 2	— —	— —	— —	3 1	3 1	8 8	— —	— —	— —	— —	3 1	5 7	176 154	— —	— —	— —	7 4	60 48	109 102	
15	Breast	M F	— 10	— —	— —	— —	— 5	— 5	— 6	— —	— —	— —	— —	— 4	— 2	3 205	— —	— —	— —	— 14	— 94	— 97	
16	All other sites	M F	22 14	— —	— —	3 1	7 3	12 9	15 18	— —	— —	— —	— 1	3 7	11 11	710 508	2 1	2 4	— 1	37 38	268 160	401 304	
17	Diabetes	M F	2 3	— —	— —	— —	— 2	— 3	— 1	— —	— —	— —	— —	— —	— —	30 1	— —	— —	1 1	4 3	9 10	16 40	
18	Intra-cranial vasc: lesions	M F	23 26	— —	— —	1 1	3 4	19 21	21 21	— —	— —	— —	— —	7 1	14 16	581 772	— 1	— —	1 1	11 11	116 147	453 613	
19	Heart disease	M F	39 44	— —	— —	1 —	8 4	30 39	55 63	— —	— —	— —	1 1	8 9	46 53	1570 1703	— —	— —	3 49	37 236	347 1418	1183 1418	
20	Other circulatory diseases	M F	7 8	— —	— —	— 1	3 2	4 5	13 10	— —	— —	— —	— 1	12 2	180 7	— 189	— —	— —	— 6	3 29	36 154	141 154	
21	Bronchitis	M F	5 9	— —	— —	— —	1 —	4 9	14 3	— —	— —	— —	— —	5 —	9 3	334 250	8 5	1 2	2 1	9 9	84 26	230 207	
22	Pneumonia	M F	8 2	1 —	1 —	— —	1 —	5 2	9 4	2 —	2 —	— —	— 1	1 1	4 2	261 212	68 38	10 7	2 2	9 16	60 40	112 109	
23	Other respiratory diseases	M F	— 1	— —	— —	— —	— 1	— 1	2 1	— —	— —	— —	1 —	— —	1 —	83 54	— 1	2 1	1 —	6 9	36 37	37 36	
24	Ulcer of stomach or duodenum	M F	— 2	— —	— —	— —	— 1	— 1	3 —	— —	— —	— —	— —	— 2	— —	134 22	— —	— —	21 1	59 10	54 —	— —	
25	Diarrhoea under 2 years	M F	— 1	— 1	— —	— —	— —	— —	2 —	2 —	— —	— —	— —	— —	— —	40 36	39 36	1 —	— —	— —	— —	— —	
26	Appendicitis	M F	2 1	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	23 24	— —	— —	3 7	2 4	10 8	9 —	
27	Other digestive diseases	M F	2 8	— —	— —	— —	— 2	2 6	6 3	— —	— —	— —	— —	1 —	5 3	107 127	5 4	3 —	3 19	12 36	26 65	58 65	
28	Nephritis	M F	4 4	— —	— —	2 1	— 2	2 1	3 3	— —	— —	— —	1 —	— —	— —	156 127	— —	1 —	3 17	38 32	97 83	— —	
29	Maternal sepsis	M F	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	7 —	— —	— —	7 —	— —	— —	— —	
30	Other maternal	M F	1 —	— —	— —	1 —	— —	— —	2 —	— —	— —	— —	2 —	— —	— —	19 —	— —	— —	17 —	1 —	— —	— —	
31	Premature birth	M F	1 4	1 4	— —	— —	— —	— —	1 1	1 —	1 —	— —	— —	— —	— —	111 79	111 79	— —	— —	— —	— —	— —	
32	Cong: mal; birth inj.; infant: dis:	M F	4 1	4 1	— —	— —	— —	— —	5 5	5 5	— —	— —	— —	— —	— —	128 90	110 76	5 4	4 3	5 7	2 —	— 2	
33	Suicide	M F	2 1	— —	— —	— —	— 1	2 —	— —	— —	— —	— —	— —	— —	— —	56 37	— —	— —	— —	11 13	16 15	29 9	
34	Road traffic accidents	M F	4 1	— —	— —	1 1	1 —	1 —	3 —	— —	— —	2 —	1 —	— —	— —	55 28	— —	3 5	10 5	23 6	10 5	9 7	
35	Other violent causes†	M F	6 1	2 —	— —	— —	1 —	3 1	4 6	— —	1 —	1 —	— —	1 1	1 4	197 181	23 10	15 8	14 8	47 41	42 73	56 324	
36	All other causes	M F	14 16	— —	1 —	— 3	4 2	8 11	27 23	2 —	— —	1 —	1 1	3 3	20 19	472 533	18 11	9 10	7 12	41 72	90 90	338 338	
†	Including deaths due to war operations	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	65 85	— 2	8 2	4 6	26 36	20 25	7 14	

Kent.

Administrative County of Lancaster.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death		
All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—	See first page of Table.		
654 572	87 50	24 16	31 12	115 129	347 305	1050 1060	10541 10557	777 562	146 138	138 113	816 931	3055 2490	5609 6323	1454 1492	101 85	15 25	27 15	114 146	372 324	825 897	M F	All Causes	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and para-	
2	1	—	—	—	—	—	16	6	4	—	—	4	2	—	—	—	—	—	—	—	F	typhoid fevers	
1	—	1	1	—	—	—	14	4	4	2	—	3	1	—	—	—	—	—	—	—	M	Cerebro-spinal	
1	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	F	fever	
1	—	—	—	—	—	—	11	7	3	1	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever	
2	—	—	—	—	—	—	15	5	8	2	—	—	—	—	—	—	—	—	—	—	F	Whooping cough	
2	1	1	1	—	—	—	23	1	7	12	3	—	—	—	1	1	—	—	—	—	M	Diphtheria	
73	—	—	—	—	—	—	24	—	7	12	5	—	—	—	4	—	1	1	2	—	F	Tuberculosis :—	
62	—	—	—	—	—	—	397	1	2	4	178	166	46	39	—	—	—	1	14	19	5	M	Respiratory
12	2	2	3	2	2	1	240	2	6	182	35	15	33	33	—	—	—	25	4	5	4	F	system
11	—	4	3	2	1	1	71	7	21	18	14	7	4	4	—	1	1	1	1	1	1	M	Other forms
9	—	—	—	—	—	—	71	3	20	16	19	9	4	15	—	4	1	7	2	1	F		
3	—	—	—	—	—	—	56	4	—	—	5	34	13	5	—	—	—	—	—	2	3	M	Syphilitic disease
7	—	—	—	—	—	—	17	3	—	—	3	10	1	3	—	—	—	1	2	3	M	Influenza	
6	—	—	—	—	—	—	69	4	2	2	12	23	26	10	2	1	—	2	2	3	M	Measles	
1	1	—	—	—	—	—	53	1	2	1	5	10	34	14	—	—	—	2	5	7	F		
29	—	—	—	—	—	—	12	3	9	—	—	—	—	1	—	1	—	—	—	—	M	Ac: poliomyel:	
51	—	—	—	—	—	—	9	4	5	—	—	—	—	1	—	—	—	—	—	—	F	& polioenceph:	
37	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	M	Ac: infectious	
44	—	—	—	—	—	—	23	1	—	—	7	12	3	2	—	—	—	1	1	—	F	encephalitis	
170	—	—	—	—	—	—	20	—	—	—	8	8	4	1	—	—	—	—	—	1	F	Cancer of	
135	—	—	—	—	—	—	3	—	—	—	—	2	—	1	—	—	—	—	—	—	M	Mouth & œsoph:	
8	—	—	—	—	—	—	317	1	—	—	39	122	155	50	—	—	—	3	26	21	F	Uterus	
157	—	—	—	—	—	—	939	3	2	67	369	498	134	134	—	—	—	7	51	76	M	Stomach and	
209	—	—	—	—	—	—	829	1	3	69	308	448	118	118	—	—	—	13	47	58	F	duodenum	
184	—	—	—	—	—	—	64	—	—	—	6	22	35	7	—	—	—	1	1	5	M	Breast	
168	—	—	—	—	—	—	11	125	—	—	12	38	75	21	—	—	—	1	10	10	F	All other	
41	—	—	—	—	—	—	31	126	1078	—	12	260	806	166	—	—	—	2	4	120	M	sites	
50	—	—	—	—	—	—	27	178	1413	1	22	340	1049	176	—	—	—	5	40	131	F	Diabetes	
04	—	—	—	—	—	—	77	398	2756	—	2	105	804	1835	—	—	—	1	15	103	M	Intra-cranial	
71	—	—	—	—	—	—	56	399	2991	—	2	135	620	2222	—	—	—	2	16	71	F	vasc: lesions	
59	—	—	—	—	—	—	7	32	336	1	7	69	259	42	—	—	—	—	10	32	M	Heart disease	
53	—	—	—	—	—	—	10	39	291	—	—	5	44	242	31	—	—	1	6	24	M	Other circulatory	
19	—	—	—	—	—	—	151	2	1	—	22	79	47	21	—	—	—	3	7	8	F	diseases	
27	—	—	—	—	—	—	13	—	—	—	27	74	42	17	—	—	—	2	7	8	M	Ulcer of stomach	
12	—	—	—	—	—	—	5	6	—	—	9	19	15	6	—	—	—	2	4	4	F	or duodenum	
10	7	3	—	—	—	—	101	98	3	—	—	—	—	7	7	—	—	—	—	—	M	Diarrhoea	
8	7	1	—	—	—	—	53	51	2	—	—	—	—	12	11	1	—	—	—	—	F	under 2 years	
9	—	—	—	—	—	—	35	—	2	7	10	12	4	11	—	—	—	1	2	2	F	Appendicitis	
3	—	—	—	—	—	—	32	—	2	2	8	8	12	5	—	—	—	1	1	2	M		
24	1	2	—	—	—	—	207	13	7	6	18	72	91	25	1	1	2	3	7	11	M	Other digestive	
46	—	—	—	—	—	—	244	7	3	4	38	74	118	30	1	1	—	4	11	13	F	diseases	
36	—	—	—	—	—	—	281	1	2	3	28	98	149	37	—	—	—	2	3	11	M	Nephritis	
38	—	—	—	—	—	—	316	—	—	—	2	117	155	50	—	—	—	7	14	28	F		
8	—	—	—	—	—	—	11	—	—	—	—	—	—	3	—	—	—	3	—	—	F	Maternal sepsis	
22	—	—	—	—	—	—	51	—	—	—	50	1	—	8	—	—	—	8	—	—	F	Other maternal	
11	—	—	—	—	—	—	187	187	—	—	—	—	—	27	27	—	—	—	—	—	M	Premature birth	
35	—	—	—	—	—	—	143	143	—	—	—	—	—	20	20	—	—	—	—	—	F		
19	—	—	—	—	—	—	253	234	4	4	9	2	—	40	36	1	—	1	1	1	M	Cong: mal; birth	
15	—	—	—	—	—	—	198	174	9	3	10	2	—	33	28	1	1	2	1	—	F	inj.; infant: dis:	
4	—	—	—	—	—	—	100	—	—	—	20	48	32	16	—	—	—	8	3	5	M	Suicide	
25	—	—	—	—	—	—	80	—	—	—	22	44	14	6	—	—	—	3	2	1	F		
9	—	—	—	—	—	—	87	—	—	—	7	21	19	15	—	—	—	3	7	5	M	Road traffic	
44	—	—	—	—	—	—	38	—	—	—	3	7	5	12	—	—	—	6	2	1	F	accidents	
32	2	2	6	11	7	16	299	23	22	24	58	89	83	47	4	5	7	14	10	7	M	Other violent	
44	1	1	—	—	—	—	184	20	15	6	23	25	95	24	2	2	4	3	4	9	F	causes†	
46	4	4	7	9	26	134	1022	40	17	16	92	165	692	154	5	1	6	16	30	96	M	All other causes	
8	—	—	—	—	—	—	1168	28	17	29	125	204	765	176	8	5	2	20	30	111	F		
7	—	—	—	—	—	—	20	—	—	—	1	—	—	2	—	—	—	2	—	—	M	† Including deaths due	
7	—	—	—	—	—	—	1	—	—	—	6	13	—	—	—	—	—	—	—	—	F	to war operations	

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
301	17	7	5	33	63	176	258	19	5	5	18	64	147	416	26	7	5	23	90	265	M	All causes
267	16	2	4	34	53	158	260	21	7	2	14	54	162	386	23	5	3	21	65	269	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and para-
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	typhoid fevers
—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	1	—	1	—	—	—	—	2	—	—	1	—	1	—	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	M	Whooping cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	1	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
9	—	—	—	7	2	—	5	—	—	—	2	3	—	8	—	—	—	4	4	—	M	Tuberculosis :-
14	—	—	—	8	—	1	7	—	—	—	3	3	1	2	—	—	—	2	—	—	F	Respiratory
7	—	1	2	2	2	—	2	—	1	1	—	—	—	3	—	—	1	1	—	—	M	system
3	—	—	1	1	1	—	—	—	—	—	—	—	—	4	—	2	—	—	2	—	F	Other forms
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	1	—	—	—	—	—	1	3	—	—	—	—	2	1	M	Syphilitic disease
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	F	
—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	M	Influenza
2	—	2	—	—	—	—	2	—	—	—	—	1	—	9	—	—	—	1	2	6	F	
1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	M	Measles
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	M	Ac: poliomyel.
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& poliomyel.
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: infectious
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	encephalitis
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cancer of
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Mouth & œsoph.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Uterus
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Stomach and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	duodenum
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Breast
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	sites
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diabetes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Intra-cranial
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	vasc: lesions
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Heart disease
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other circulatory
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Bronchitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Pneumonia
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other respiratory
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ulcer of stomach
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	or duodenum
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diarrhoea
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	under 2 years
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Appendicitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other digestive
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Nephritis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Maternal sepsis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other maternal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Premature birth
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cong: mal., birth
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	inj., infant: dis:
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Swind
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Road traffic
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	accidents
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other violent
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	causes†
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	† Including deaths due
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	to war operations

TABLE 24—*contd.*Administrative County of Lincoln.
(Parts of Lindsey)Administrative County of
Middlesex.

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.							
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	
All Causes		M	806	67	15	7	64	228	425	863	53	16	8	71	170	545	10372	763	108	137	941	3102	5321
		F	745	36	7	4	71	169	458	777	37	12	4	60	134	530	10151	533	97	99	980	2205	6237
1	Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
2	Cerebro-spinal fever	M	—	—	—	—	—	—	—	4	2	—	1	—	—	—	13	3	4	—	3	2	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	4	2	—	4	3	
3	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	
4	Whooping cough	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	8	7	1	—	—	—	
		F	1	—	1	—	—	—	—	5	2	3	—	—	—	—	6	5	1	—	—	—	
5	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	—	5	6	—	—	
		F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	8	—	2	4	2	—	
Tuberculosis:—																							
6	Respiratory system	M	33	—	1	—	15	17	—	16	2	—	—	8	4	2	550	—	2	8	247	231	
		F	16	—	—	—	16	—	—	11	—	—	—	11	—	—	350	1	7	3	246	65	
7	Other forms	M	6	—	4	1	—	1	—	12	—	5	—	4	2	1	69	2	13	10	28	11	
		F	5	—	2	1	2	—	—	3	—	—	—	3	—	—	66	—	11	3	38	6	
8	Syphilitic disease	M	5	1	—	—	—	4	—	4	1	—	—	—	1	2	115	3	—	—	5	61	
		F	6	—	—	—	1	5	—	2	—	—	—	1	1	4	4	2	1	—	2	17	
9	Influenza	M	3	—	—	—	1	1	1	10	—	1	—	1	3	5	44	4	6	—	1	12	
		F	5	—	—	—	—	1	—	11	—	—	—	1	1	8	54	6	3	1	6	15	
10	Measles	M	3	1	2	—	—	—	2	2	—	2	—	—	—	—	11	4	6	1	—	—	
		F	3	1	1	1	—	—	1	—	—	—	—	1	—	—	17	5	10	2	—	—	
11	Ac: poliomyel. & polioenceph.	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	3	—	—	1	1	—	
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	1	—	—	—	
12	Ac: infectious encephalitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	8	—	—	3	4	1	
		F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	7	—	—	3	2	2	
Cancer of																							
13M	Mouth & oesoph:	M	4	—	—	—	—	3	1	6	—	—	—	—	2	4	142	—	—	—	8	49	
13F	Uterus	F	17	—	—	—	4	6	7	15	—	—	—	1	8	6	179	—	—	—	16	95	
14	Stomach and duodenum	M	19	—	—	—	1	7	11	28	—	—	—	4	7	17	314	—	—	—	21	143	
		F	20	—	—	—	2	5	13	18	—	—	—	—	6	12	237	—	—	—	9	72	
15	Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	2	5	
		F	20	—	—	—	1	15	4	24	—	—	—	4	9	11	406	—	—	—	54	200	
16	All other sites	M	92	—	—	—	11	34	47	81	—	1	1	6	20	53	1288	—	2	3	97	569	
		F	76	—	—	—	3	30	43	70	—	—	—	3	24	43	1017	—	1	4	83	365	
17	Diabetes	M	6	—	—	—	2	3	1	6	—	—	—	—	3	3	51	—	—	—	5	13	
		F	16	—	—	—	1	4	11	9	—	—	—	1	3	5	101	—	2	1	6	21	
18	Intra-cranial vasc: lesions	M	84	—	—	—	—	18	66	96	—	—	—	—	14	82	787	1	—	—	11	195	
		F	101	—	—	—	2	17	82	113	—	—	—	2	16	95	1219	—	—	1	14	275	
19	Heart disease	M	211	—	—	1	2	52	156	246	—	—	—	4	54	188	2431	—	—	4	103	678	
		F	185	—	—	—	6	37	142	229	—	—	—	4	28	197	2606	—	1	—	1	85	
20	Other circulatory diseases	M	17	—	—	—	6	11	38	—	—	—	—	2	2	34	427	—	1	—	21	93	
		F	10	—	—	—	2	8	27	—	—	—	—	—	5	22	426	—	—	—	14	79	
21	Bronchitis	M	54	3	—	—	1	20	30	39	2	—	—	2	11	24	723	17	—	—	23	226	
		F	43	2	—	—	2	7	32	38	2	1	—	1	6	28	469	7	2	2	12	65	
22	Pneumonia	M	32	11	2	—	1	10	8	24	5	1	—	3	5	10	561	117	12	2	26	140	
		F	13	4	—	—	3	2	4	14	8	—	—	2	—	4	531	97	12	7	23	77	
23	Other respiratory diseases	M	8	—	—	—	1	5	2	7	—	—	—	3	1	3	164	5	2	2	24	64	
		F	10	—	—	—	3	1	6	5	—	—	—	—	5	115	3	1	2	12	24		
24	Ulcer of stomach or duodenum	M	15	—	—	—	4	9	2	9	—	—	—	2	5	2	218	—	—	—	35	106	
		F	—	—	—	—	—	—	—	2	—	—	—	—	2	—	62	—	—	—	8	18	
25	Diarrhoea under 2 years	M	3	3	—	—	—	—	—	5	5	—	—	—	—	—	88	85	3	—	—	—	
		F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	46	45	1	—	—	—	
26	Appendicitis	M	4	—	—	—	2	1	1	3	—	—	—	—	1	2	34	—	3	9	4	10	
		F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	48	1	1	6	15	15	
27	Other digestive diseases	M	15	2	—	—	—	4	9	21	1	—	1	4	4	11	190	8	3	2	32	54	
		F	23	—	—	—	2	6	15	27	2	—	—	7	5	13	235	5	7	1	32	58	
28	Nephritis	M	12	—	—	—	2	4	6	25	—	—	—	1	4	20	237	1	—	5	30	78	
		F	28	1	—	—	1	11	15	25	—	—	1	3	7	14	216	—	1	1	27	65	
29	Maternal sepsis	F	2	—	—	—	2	—	—	1	—	—	—	1	—	—	9	—	—	—	9	—	
30	Other maternal	F	2	—	—	—	2	—	—	4	—	—	—	4	—	—	24	—	—	—	24	—	
31	Premature birth	M	21	21	—	—	—	—	—	16	16	—	—	—	—	—	210	210	—	—	—	—	
		F	9	9	—	—	—	—	—	11	11	—	—	—	—	—	138	138	—	—	—	—	
32	Cong: mal.; birth inj.; infant: dis:	M	22	19	—	1	2	—	—	15	15	—	—	—	—	—	258	234	6	4	7	5	
		F	15	13	—	1	—	1	—	10	8	—	2	—	—	—	196	167	3	6	11	6	
33	Suicide	M	7	—	—	—	3	3	1	5	—	—	—	1	3	1	98	—	—	—	24	51	
		F	5	—	—	—	2	2	1	3	—	—	—	2	1	—	75	—	—	—	29	27	
34	Road traffic accidents	M	8	—	—	2	2	2	2	13	—	—	2	4	4	3	127	—	5	23	24	41	
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	57	1	1	8	13	9	
35	Other violent causes†	M	24	—	3	2	9	7	3	28	2	3	2	11	3	7	328	16	14	34	69	95	
		F	17	3	2	—	1	3	8	22	3	2	1	2	2	12	347	13	13	21	70	53	
36	All other causes	M	95	4	3	—	5	16	67	103	2	3	1	9	17	71	856	46	19	23	89	168	
		F	93	1	1	1	14	13	63	73	1	3	—	8	7	54	823	32	13	24	112	175	
† Including deaths due to war operations		M	4	—	—	—	1	3	—	3	—	—	—	1	2	—	105	2	4	9	26	46	
		F	—	—	—	—	—	—	—	2	—	—	—	1	—	—	109	1	2	13	41	30	

TABLE 24—contd.

Administrative County of Northampton.

Administrative County of Northampton.

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	787 695	57 41	9 10	15 6	58 53	200 142	448 443	674 666	50 22	7 7	6 6	43 61	135 127	433 443	1874 1795	160 130	32 28	35 30	163 176	496 398	98 103
1 Typhoid and para- typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
2 Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	3 1	2 1	— —	1 —	— —	— —	— —
3 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4 Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	1 5	— 1	1 3	1 1	— —	— —	— —
5 Diphtheria	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12 6	— —	6 5	5 4	1 —	— —	— —
Tuberculosis:— Respiratory system	M F	39 21	— 1	— —	— —	13 17	22 2	4 1	23 28	— —	— 1	— —	8 24	10 2	5 1	86 62	— 1	— 4	2 2	52 51	27 5	— —
7 Other forms	M F	8 6	2 —	1 2	— 1	3 1	2 1	— 1	3 5	— —	— 1	1 —	1 3	— —	— 1	20 15	1 1	2 2	3 3	10 6	1 3	— —
8 Syphilitic disease	M F	5 1	— —	— —	— —	1 —	2 1	2 —	— 1	— —	— —	— —	— —	— 1	— —	9 5	2 —	— —	— —	1 6	6 3	— —
9 Influenza	M F	2 4	— —	— —	— —	1 —	1 —	— —	5 5	— —	— —	— —	2 —	1 —	2 4	5 5	— 2	1 —	— —	1 1	1 —	— —
10 Measles	M F	— 2	— —	2 —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	2 1	1 —	1 —	— —	— —	— —	— —
11 Ac: poliomyel: & polioenceph:	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	1 —	— —	— —	— —
12 Ac: infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 2	— —	— 1	— —	1 1	— —	— —
Cancer of																						
13M Mouth & oesoph:	M	15	—	—	—	1	3	11	12	—	—	—	—	2	10	21	—	—	—	—	9	1
13F Uterus	F	11	—	—	—	1	4	6	13	—	—	—	2	7	4	41	—	—	—	4	28	—
14 Stomach and duodenum	M F	29 17	— —	— —	— —	3 —	11 5	15 12	25 16	— —	— —	— —	1 2	11 12	13 12	67 39	— —	— —	— —	1 15	26 4	4 2
15 Breast	M F	— 20	— —	— —	— —	— —	— —	— —	1 31	— —	— —	— —	— —	— —	1 13	2 43	— —	— —	— —	— 7	— 21	— 1
16 All other sites	M F	84 49	— —	— 1	— —	8 2	27 20	49 26	78 42	— —	— —	2 —	3 3	17 20	13 19	204 138	— —	2 —	1 1	19 12	70 50	11 7
17 Diabetes	M F	6 10	— —	— —	— —	— —	2 6	4 4	4 6	— —	— —	— —	— 1	1 1	2 4	13 30	— —	— —	— —	4 3	5 2	— —
18 Intra-cranial vasc: lesions	M F	95 108	— —	— —	— —	1 4	18 21	76 83	53 89	— —	— —	— —	— 1	8 20	45 68	220 263	— —	1 —	— —	— 7	50 65	17 19
19 Heart disease	M F	208 218	— —	— —	— —	6 11	51 29	151 178	191 214	— —	— —	— —	1 5	27 24	163 185	476 506	— —	— 2	1 20	13 20	128 92	33 39
20 Other circulatory diseases	M F	20 18	— —	— —	— —	1 3	16 3	23 15	23 15	— —	— —	— —	1 2	3 13	19 63	81 63	— —	— 2	— 9	21 5	58 5	— —
21 Bronchitis	M F	32 15	— 1	— —	1 —	1 2	10 12	20 30	36 30	2 —	— —	— —	1 3	10 26	23 78	95 78	8 9	1 2	1 5	30 4	54 4	— —
22 Pneumonia	M F	41 23	20 4	1 2	— 2	4 1	12 3	24 11	24 22	6 4	1 —	— —	2 2	5 1	10 14	67 43	30 19	6 5	1 3	14 4	13 12	— —
23 Other respiratory diseases	M F	5 9	— —	— —	— —	— 4	2 3	3 2	9 5	1 —	— —	— 1	1 1	2 5	25 19	25 19	3 3	1 —	— —	2 1	13 7	10 —
24 Ulcer of stomach or duodenum	M F	13 —	— —	— —	— —	— 1	7 —	5 —	10 3	— —	— —	— —	1 —	6 1	3 2	25 7	— —	— —	— —	4 3	12 9	— —
25 Diarrhoea under 2 years	M F	2 3	2 3	— —	— —	— —	— —	— —	4 1	4 1	— —	— —	— —	— —	— —	16 16	16 15	— 1	— —	— —	— —	— —
26 Appendicitis	M F	4 2	— —	— —	— —	— —	1 1	3 —	2 —	— 2	— —	— —	— —	— —	— —	7 4	— —	— 3	— —	— 1	— —	— —
27 Other digestive diseases	M F	13 19	— 1	— 1	— —	1 1	3 10	8 6	7 17	1 —	— —	— —	— 1	— 4	6 12	37 42	1 1	1 2	3 5	2 7	11 9	19 24
28 Nephritis	M F	19 17	— —	— —	— —	1 2	7 4	11 10	19 19	— —	— —	— —	4 1	4 4	11 14	40 52	— 1	— —	— 1	5 2	7 22	— 26
29 Maternal sepsis	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 —	— —	— —	— —	— —	— —	— —
30 Other maternal	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	7 —	— —	— —	— —	— —	— —	— —
31 Premature birth	M F	6 7	6 7	— —	— —	— —	— —	— —	8 5	8 5	— —	— —	— —	— —	— —	48 36	48 36	— —	— —	— —	— —	— —
32 Cong: mal:, birth inj., infant: dis:	M F	22 22	19 18	3 —	— 1	— 2	— 1	— —	22 9	20 9	— —	— —	1 —	1 —	— —	50 37	45 33	— —	1 2	3 2	1 2	— —
33 Suicide	M F	5 3	— —	— —	— —	— —	2 1	3 —	8 3	— —	— —	— —	3 2	3 1	2 9	9 —	— —	— —	— —	1 4	5 3	3 —
34 Road traffic accidents	M F	18 1	— —	2 —	5 —	3 —	4 —	4 1	8 5	— —	1 —	— —	2 1	2 —	3 2	21 5	— —	4 1	5 2	4 1	3 —	5 —
35 Other violent causes†	M F	16 14	2 3	— 1	4 —	— 1	4 9	5 —	23 17	1 1	2 2	3 —	6 1	5 11	60 30	60 30	3 2	2 2	6 3	18 4	22 25	9 16
36 All other causes	M F	79 72	6 3	2 1	3 —	8 2	14 10	46 56	73 64	4 2	1 2	— 1	4 8	13 16	51 35	149 179	4 5	5 4	2 7	11 21	25 26	102 116
† Including deaths due to war operations	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	4 —	— —	— 2	— 1	— —	— —	— —

Northumberland.

Administrative County of Nottingham.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.			
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-				
549 588	31 21	9 7	6 6	36 41	118 132	349 381	1919 1685	200 117	38 24	34 24	186 204	484 339	977 977	741 683	53 32	13 7	17 8	63 68	180 121	415 447	M F	All causes		
1 1	— 1	1 —	— —	— —	— —	— —	3 —	— —	1 —	— —	1 —	1 —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	M F M F	Typhoid and para- typhoid fevers Cerebro-spinal fever	1 2
— —	— —	— —	— —	— —	— —	— —	3 —	— —	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	M F M F	Scarlet fever	3
— —	— —	— —	— —	— —	— —	— —	3 —	1 —	2 —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	M F M F	Whooping cough	—
3 —	— —	1 —	2 —	— —	1 —	— —	5 —	— —	2 —	3 —	— —	— —	— —	3 —	— —	— —	3 —	— —	2 —	— —	— —	M F M F	Diphtheria	5
21 17 9 3	— 1 — —	— — 2 1	— — 1 —	11 10 2 1	7 4 2 —	3 2 — —	80 76 14 11	— 2 2 2	1 2 1 2	2 1 4 3	43 61 7 4	32 9 — —	2 3 — —	18 19 5 6	— — 1 —	— — 2 —	— — 1 —	8 15 2 2	10 4 — —	— — — —	M F M F	Tuberculosis :— Respiratory system Other forms	6 7	
— —	— —	— —	— —	— —	— —	— —	10 6	— —	— —	— —	3 2	7 3	— —	5 3	— —	— —	— —	1 —	2 —	2 —	2 —	M F M F	Syphilitic disease	8
2 6	1 1	— —	— —	— —	1 —	— —	11 12	1 —	1 —	— —	1 —	1 —	8 9	5 4	1 —	— —	— —	— —	1 —	1 —	3 —	M F M F	Influenza	9
— —	— —	— —	— —	— —	— —	— —	7 4	3 —	6 —	1 —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	M F	Measles	10
2 1 2	— 1 —	— — —	1 — —	1 — —	— — —	— — —	3 3	— —	— —	1 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	M F M F	Ac: poliomyel: & polioenceph: Ac: infectious encephalitis	11 12
10 6 17 16	— — — —	— — — —	— — — —	— — — —	5 5 12 7	5 4 9 —	21 41 50 49	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	5 18 24 15	— — — —	— — — —	— — — —	— — — —	4 1 14 5	1 7 8 10	1 10 8 10	M F M F	Cancer of Mouth & œsoph: Uterus Stomach and duodenum	M13 F13 14
17 54 50	— — —	— — —	— — —	— — —	8 19 18	9 33 30	45 166 150	— 1 1	— — 2	— — —	10 14 18	18 62 56	17 89 72	24 77 59	— — —	— — —	— — —	— — —	1 3 2	13 24 14	10 47 43	M F M F	Breast	15
4 8 52 97	— — — —	— — — —	— — — —	— — — —	2 4 5 16	2 4 78 —	1 19 78 209	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	All other sites	16
188 183 18 18	— — — —	— — — —	— — — —	— — — —	2 3 4 14	39 38 14 15	147 424 49 41	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	200 187 18 20	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Diabetes	17
19 22 13 14	1 3 5	— 1 —	— — —	— — —	1 4 1 1	3 17 9 7	146 88 9 54	7 3 26 15	— — 8 5	1 2 2 —	6 2 5 6	41 13 25 8	91 70 26 20	46 32 24 22	2 3 6 6	— — 3 4	— — — —	— — — —	— — — —	8 1 3 4	36 28 7 6	M F M F	Intra-cranial vase: lesions	18
188 183 18 18	— — — —	— — — —	— — — —	— — — —	2 3 4 14	39 38 14 15	147 424 49 41	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	200 187 18 20	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Heart disease	19
19 22 13 14	1 3 5	— 1 —	— — —	— — —	1 4 1 1	3 17 9 7	146 88 9 54	7 3 26 15	— — 8 5	1 2 2 —	6 2 5 6	41 13 25 8	91 70 26 20	46 32 24 22	2 3 6 6	— — 3 4	— — — —	— — — —	— — — —	8 1 3 4	36 28 7 6	M F M F	Other circulatory diseases	20
7 6 5	— — —	— — —	— — —	— — —	6 3 1	1 3 1	31 27 37	— — —	— — —	— — —	— — —	— — —	— — —	10 7 11	— — —	1 — —	— — —	— — —	— — —	— — —	— — —	M F M F	Bronchitis	21
2 1 13 9	2 — — —	— — — —	— — — —	— — — —	— — — —	— — — —	19 10 5 36	18 8 — —	1 2 — —	— — — —	— — — —	— — — —	— — — —	5 2 4 1	5 2 — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Pneumonia	22
7 6 5	— — —	— — —	— — —	— — —	6 3 1	1 3 1	31 27 37	— — —	— — —	— — —	— — —	— — —	— — —	10 7 11	— — —	1 — —	— — —	— — —	— — —	— — —	— — —	M F M F	Other respiratory diseases	23
2 1 13 9	2 — — —	— — — —	— — — —	— — — —	— — — —	— — — —	19 10 5 36	18 8 — —	1 2 — —	— — — —	— — — —	— — — —	— — — —	5 2 4 1	5 2 — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Ulcer of stomach or duodenum	24
2 1 13 9	2 — — —	— — — —	— — — —	— — — —	— — — —	— — — —	19 10 5 36	18 8 — —	1 2 — —	— — — —	— — — —	— — — —	— — — —	5 2 4 1	5 2 — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Diarrhoea under 2 years	25
1 13 9	— — —	— — —	— — —	— — —	— — —	— — —	5 4 — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Appendicitis	26
13 9 23 1	2 — — —	— — — —	— — — —	— — — —	— — — —	— — — —	10 36 41 23	5 2 — —	— — — —	— — — —	— — — —	— — — —	— — — —	20 15 — —	1 — — —	1 — — —	2 — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Other digestive diseases	27
13 9 23 1	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	5 4 — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	20 15 — —	1 — — —	1 — — —	2 — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Nephritis	28
1 5	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	M F	Maternal sepsis	29
4 2 15 12	4 15 11	— — 1	— — —	— — —	— — —	— — —	56 29 68 39	56 29 64 33	— — 1 —	— — 2 —	— — 1 —	— — 2 —	— — 1 —	15 8 21 12	15 18 9 —	— — 1 —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Other maternal	30
4 3 9	— — —	— — —	— — —	— — —	— — —	— — —	56 29 68 39	56 29 64 33	— — 1 —	— — 2 —	— — 1 —	— — 2 —	— — 1 —	15 8 21 12	15 18 9 —	— — 1 —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Premature birth	31
20 10 48 48	— 1 1 —	— 1 2 3	— — — —	— — — —	— — — —	— — — —	67 22 221 201	8 3 11 10	4 2 5 2	4 2 9 8	21 2 23 24	13 2 36 22	17 13 137 135	26 13 86 78	1 2 4 1	1 — 1 —	2 — — —	11 6 7 11	7 5 18 7	4 5 55 57	4 5 55 57	M F M F	Cong: malt; birth inj.; infant: dis:	32
4 3 9	— — —	— — —	— — —	— — —	— — —	— — —	22 12 24 13	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	11 4 15 3	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Suicide	33
20 10 48 48	— 1 1 —	— 1 2 3	— — — —	— — — —	— — — —	— — — —	67 22 221 201	8 3 11 10																

TABLE 24—*contd.*

Administrative County of Oxford.

Administrative County of Oxford.

Causes of Death <i>See first page of Table.</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	285	18	5	2	14	72	174	614	43	11	2	30	120	408	290	24	1	2	14	79	1
	F	242	13	4	3	24	45	153	543	30	7	3	37	85	381	264	16	1	3	27	59	1
1 Typhoid and para-	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
typhoid fevers	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal	M	—	—	—	—	—	—	—	3	—	2	—	—	—	1	—	—	—	—	—	—	—
fever	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory	M	14	—	—	—	7	7	—	13	—	—	—	6	7	—	7	—	—	—	2	4	—
system	F	6	—	—	—	4	2	—	12	—	1	1	8	1	1	9	—	—	—	6	3	—
7 Other forms	M	1	—	—	—	1	—	—	4	—	—	—	2	—	1	1	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	4	—	1	—	1	2	—	2	—	—	1	—	—	—
8 Syphilitic disease	M	1	—	—	—	—	1	—	4	—	—	—	—	2	2	2	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Influenza	M	—	—	—	—	—	—	—	3	—	—	—	—	1	2	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	2	—	—	—	—	—	2	1	—	—	—	—	—	—
10 Measles	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	2	—	—	—	—	1	—
	F	1	—	1	—	—	—	—	1	1	—	—	—	—	—	2	1	—	1	—	—	—
11 Ac: poliomyel:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
& polioenceph:	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
encephalitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & oesoph:	M	4	—	—	—	—	1	3	7	—	—	—	—	2	5	4	—	—	—	—	1	—
13F Uterus	F	3	—	—	—	—	3	—	7	—	—	—	—	3	4	3	—	—	—	—	2	—
14 Stomach and	M	8	—	—	—	—	5	3	16	—	—	—	—	5	11	8	—	—	—	—	3	—
duodenum	F	9	—	—	—	—	5	3	7	—	—	—	—	1	6	7	—	—	—	—	2	—
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	1	3	7	14	—	—	—	2	6	6	5	—	—	—	—	2	—
16 All other	M	24	—	—	—	—	7	17	67	—	—	—	4	23	40	31	—	—	—	1	18	—
sites	F	17	—	—	—	1	5	11	50	—	—	—	3	16	31	23	—	—	1	1	11	—
17 Diabetes	M	1	—	—	—	—	—	1	6	—	—	—	—	1	5	3	—	—	—	—	—	—
	F	3	—	—	—	—	—	2	6	—	—	—	—	4	2	1	—	—	—	—	1	—
18 Intra-cranial	M	32	—	—	—	1	6	26	76	—	—	—	—	12	64	28	—	—	—	1	4	—
vasc: lesions	F	32	—	—	—	—	3	29	100	—	—	—	2	16	82	44	—	—	—	3	11	—
19 Heart disease	M	87	—	—	—	1	22	64	176	—	—	—	6	24	146	68	—	—	—	4	16	—
	F	59	—	—	—	1	8	50	147	—	—	—	2	17	128	61	—	—	—	1	12	—
20 Other circulatory	M	15	—	—	—	—	4	11	20	—	—	—	—	1	19	5	—	—	—	—	1	—
diseases	F	9	—	—	—	—	3	6	16	—	—	—	—	1	15	6	—	—	—	—	1	—
21 Bronchitis	M	18	—	1	—	1	3	13	24	—	—	—	—	8	16	23	—	—	—	—	3	—
	F	9	—	—	—	—	1	8	17	—	—	—	—	3	14	22	—	—	—	1	—	—
22 Pneumonia	M	10	2	—	1	1	5	36	37	4	1	—	3	6	22	8	2	—	—	1	3	—
	F	10	1	1	—	1	7	26	26	5	1	1	2	4	13	5	2	1	—	2	—	—
23 Other respiratory	M	2	—	—	—	—	1	1	8	—	—	—	1	3	4	5	—	—	—	1	—	—
diseases	F	2	—	—	—	—	2	1	10	—	—	—	1	2	7	4	—	—	—	1	—	—
24 Ulcer of stomach	M	4	—	—	—	—	3	1	8	—	—	—	—	3	5	8	—	—	—	2	5	—
or duodenum	F	—	—	—	—	—	—	—	2	—	—	—	—	—	2	1	—	—	—	1	—	—
25 Diarrhoea	M	1	1	—	—	—	—	—	3	3	—	—	—	—	—	6	6	—	—	—	—	—
under 2 years	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	1	—
	F	1	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
27 Other digestive	M	9	—	—	—	—	3	6	9	—	1	—	—	2	5	9	—	—	—	—	5	—
diseases	F	6	—	—	—	3	1	2	9	—	—	—	2	—	7	6	—	—	—	1	—	—
28 Nephritis	M	8	—	—	—	—	3	5	12	—	—	—	—	1	10	6	—	—	—	1	2	—
	F	9	—	—	—	1	4	4	12	—	—	—	1	1	10	15	—	—	1	—	3	—
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
30 Other maternal	F	1	—	—	—	1	—	—	2	—	—	—	2	—	—	1	—	—	—	1	—	—
31 Premature birth	M	2	2	—	—	—	—	—	14	14	—	—	—	—	—	6	6	—	—	—	—	—
	F	3	3	—	—	—	—	—	11	11	—	—	—	—	—	8	8	—	—	—	—	—
32 Cong: mal:, birth	M	10	9	1	—	—	—	—	15	15	—	—	—	—	—	5	5	—	—	—	—	—
inj:, infant: dis:	F	6	6	—	—	—	—	—	8	8	—	—	—	—	—	5	5	—	—	—	—	—
33 Suicide	M	—	—	—	—	—	—	—	5	—	—	—	—	4	1	4	—	—	—	—	2	—
	F	1	—	—	—	—	—	1	1	—	—	—	—	1	—	2	—	—	—	—	2	—
34 Road traffic	M	2	—	—	—	2	—	—	10	—	1	—	—	3	4	2	4	—	—	—	2	—
accidents	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	2	—	—	—	1	—	—
35 Other violent	M	8	2	3	1	—	—	2	14	4	3	—	1	3	3	7	2	—	1	—	—	2
causes†	F	9	2	1	2	—	—	2	12	3	1	—	2	1	5	3	1	—	—	2	—	—
36 All other causes	M	24	2	—	—	1	5	16	59	3	1	1	2	8	44	37	1	—	—	—	5	—
	F	32	1	1	1	7	3	19	63	1	2	1	8	6	45	27	—	—	—	—	7	—
† Including deaths due	M	—	—	—	—	—	—	—	5	1	1	—	—	2	—	—	—	—	—	—	—	—
to war operations	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-		
60 42	1 2	— 3	1 1	7 4	14 6	37 26	27 18	3 —	1 —	— 1	— 1	9 6	14 10	95 101	7 6	1 1	1 —	2 5	25 18	59 71	M F	All Causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Typhoid and para- typhoid fevers
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Cerebro-spinal fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Whooping cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Diphtheria
3	—	—	—	2	1	—	1	—	—	—	—	1	—	1	—	—	1	—	—	—	M F	Tuberculosis :— Respiratory system
—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Other forms
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	M F	Syphilitic disease
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	M F	Influenza
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	M F	Measles
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Ac. poliomyel. & polioenceph.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Ac. infectious encephalitis
3	—	—	—	2	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	M F	Cancer of Mouth & oesoph.
2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	M F	Uterus
1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	M F	Stomach and duodenum
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Breast
7	—	—	—	2	—	5	2	—	—	—	—	—	1	5	—	—	—	—	2	3	M F	All other sites
2	—	—	—	—	—	2	1	—	—	—	—	—	1	12	—	—	1	—	4	2	M F	Diabetes
1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	M F	Intra-cranial vasc. lesions
9	—	—	—	2	3	—	2	—	—	—	—	—	2	13	—	—	—	—	3	10	M F	Heart disease
13	—	—	—	1	4	8	4	—	—	—	—	—	1	17	—	—	—	—	1	16	M F	Other circulatory diseases
5	—	—	—	—	—	5	2	—	—	—	—	—	—	4	—	—	—	—	3	21	M F	Bronchitis
2	—	—	—	—	—	2	1	—	—	—	—	—	—	3	—	—	—	—	3	31	M F	Pneumonia
5	—	—	—	—	—	5	2	—	—	—	—	—	—	6	—	—	—	—	1	5	M F	Other respiratory diseases
3	—	1	1	1	—	1	3	—	—	—	—	—	—	8	—	—	—	—	2	8	M F	Ulcer of stomach or duodenum
—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	2	2	M F	Diarrhoea under 2 years
—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1	1	—	—	1	2	M F	Appendicitis
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Other digestive diseases
3	—	—	—	1	1	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	M F	Nephritis
3	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	3	1	M F	Maternal sepsis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	M F	Other maternal
1	1	—	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—	M F	Premature birth
3	2	1	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	M F	Cong. mal.; birth inj.; infant: dis.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	M F	Suicide
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Road traffic accidents
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Other violent causes†
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	All other causes
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	† Including deaths due to war operations
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	

TABLE 24—*contd.*

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	799 845	64 44	21 10	12 6	64 47	192 159	446 579	721 691	41 31	7 16	10 3	60 44	165 110	438 487	1308 1501	67 53	7 18	17 8	93 83	326 278	710 1000
1 Typhoid and para-typhoid fevers	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Cerebro-spinal fever	M F	1 1	1 —	— —	— —	1 —	— —	— —	2 —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4 Whooping cough	M F	1 2	1 2	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	3 6	2 2	1 4	— —	— —	— —	
5 Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	1 —	— —	— —	
6 Tuberculosis :— Respiratory system	M F	37 17	— —	— —	1 —	21 12	12 5	3 —	17 17	— —	— —	— —	6 8	8 7	3 1	51 32	— —	— —	— —	24 17	20 13	
7 Other forms	M F	8 6	1 —	3 2	— 1	2 1	— 1	1 1	— 9	— —	2 1	1 —	3 3	1 4	1 1	8 7	1 1	— —	3 3	4 1	2 —	
8 Syphilitic disease	M F	3 1	— 1	— —	— —	— —	3 —	— —	4 —	— —	— —	— —	— —	4 —	— —	3 2	— —	— —	— —	1 —	— —	
9 Influenza	M F	11 4	— 4	2 —	1 —	1 —	2 5	— 4	— 8	— —	1 —	— —	— 1	2 1	— 6	— 10	— —	— —	— —	— —	1 3	
10 Measles	M F	— 2	— 2	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— 1	— —	— —	1 1	— —	1 —	— —	— —	— —	
11 Ac: poliomyel: & polioenceph:	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
12 Ac: infectious encephalitis	M F	1 1	— —	— —	— —	— —	1 —	— 1	— 1	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	1 —	— —	
Cancer of																						
13M Mouth & œsoph:	M	8	—	—	—	—	2	6	17	—	—	—	—	5	12	12	—	—	—	—	3	
13F Uterus	F	11	—	—	—	1	4	6	10	—	—	—	5	1	4	21	—	—	—	1	9	
14 Stomach and duodenum	M F	19 19	— —	— —	— —	1 1	5 4	13 14	26 12	— —	— —	— —	— 1	10 3	14 8	54 45	— —	— —	— —	1 —	23 6	
15 Breast	M F	1 22	— —	— —	— —	— 1	— 13	1 8	— 18	— —	— —	— —	2 5	5 11	— 49	— —	— —	— —	— —	4 11	14 33	
16 All other sites	M F	67 90	— —	1 1	1 4	8 33	22 52	35 54	65 5	— —	— —	— —	5 19	16 34	44 123	123 —	— —	— —	— —	11 10	33 42	
17 Diabetes	M F	5 10	— —	— —	— —	— 1	— 1	4 8	— 8	— —	— —	— —	1 —	1 8	3 13	11 —	— —	— —	— —	— —	4 4	
18 Intra-cranial vasc: lesions	M F	78 112	1 —	— —	— —	1 23	53 20	8 90	82 —	— —	— —	— —	1 1	17 14	64 67	142 204	— —	1 —	— —	2 —	28 40	
19 Heart disease	M F	224 246	— —	— —	1 2	5 30	44 214	174 203	200 203	— —	— —	— —	5 6	36 23	158 175	364 404	— —	— —	1 1	18 13	87 44	
20 Other circulatory diseases	M F	27 28	— —	— —	— 2	3 3	24 23	29 32	— —	— —	— —	— —	1 1	3 2	25 29	41 50	— —	— —	— —	1 1	9 6	
21 Bronchitis	M F	45 44	— 1	— —	— —	1 6	8 37	36 38	44 34	— —	— —	— —	— —	15 3	29 35	74 84	6 3	1 2	— —	— 2	15 7	
22 Pneumonia	M F	22 16	4 8	4 1	— —	2 1	7 2	5 4	23 23	5 4	— 6	— —	3 1	4 3	12 9	35 53	6 4	2 3	— —	1 3	12	
23 Other respiratory diseases	M F	9 10	— 2	1 —	— —	3 2	2 6	3 3	10 13	— —	— —	— —	1 —	5 2	4 16	30 1	1 —	— —	— —	2 2	15 2	
24 Ulcer of stomach or duodenum	M F	15 5	— —	— —	— —	1 10	4 2	11 3	3 —	— —	— —	— —	2 —	6 1	3 2	20 7	— —	— —	— —	1 1	14 4	
25 Diarrhoea under 2 years	M F	13 1	12 1	1 —	— —	— —	— —	— —	5 2	5 2	— —	— —	— —	— —	— —	5 4	4 3	1 1	— —	— —	— —	
26 Appendicitis	M F	4 2	— —	— —	1 —	1 1	1 1	1 1	2 3	— —	— 1	2 —	1 2	— —	1 5	3 —	— —	— —	1 1	1 3	— —	
27 Other digestive diseases	M F	11 21	1 —	— —	— —	— 3	— 4	7 13	12 19	1 1	— —	— —	1 —	1 6	9 10	23 39	1 —	— —	— —	1 5	9 11	
28 Nephritis	M F	31 20	1 —	— —	— —	2 2	14 7	14 11	19 13	— —	— —	1 —	4 —	5 1	9 12	59 —	— —	— —	2 —	3 —	16 7	
29 Maternal sepsis	M F	2 —	— —	— —	— —	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 2	— —	— —	— —	— —	— —	
30 Other maternal	M F	2 —	— —	— —	— —	2 —	— —	— —	3 —	— —	— —	— —	3 —	— —	— —	2 —	— —	— —	— —	— —	— —	
31 Premature birth	M F	23 12	23 12	— —	— —	— —	— —	— —	7 13	7 13	— —	— —	— —	— —	— —	13 22	13 22	— —	— —	— —	— —	
32 Cong: mal, birth inj, infant: dis:	M F	12 11	9 9	— 1	— —	— —	1 —	— —	19 12	18 8	— 1	— —	1 —	1 1	1 1	30 18	28 12	1 1	3 3	2 —	1 —	
33 Suicide	M F	9 10	— —	— —	— —	— 3	5 3	4 4	13 —	— —	— —	— —	5 3	4 3	4 —	6 7	— —	— —	— —	1 1	3 3	
34 Road traffic accidents	M F	4 1	— —	— —	1 —	2 —	1 —	— —	14 4	— —	1 —	1 —	8 —	3 —	1 —	15 6	— —	1 —	— —	5 1	3 3	
35 Other violent causes†	M F	29 9	5 2	3 1	3 —	4 1	7 9	7 5	21 —	1 1	1 —	2 —	4 —	6 1	8 10	30 22	3 2	— —	4 1	7 1	8 —	
36 All other causes	M F	81 107	2 5	6 4	2 —	9 6	16 16	46 74	55 —	4 —	1 —	2 —	3 —	13 10	32 60	146 194	2 2	1 4	4 —	6 10	24 37	
† Including deaths due to war operations	M F	2 —	— —	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	

Administrative County of Southampton.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.																																																																																																																																								
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-																																																																																																																																									
1507 1493	66 65	22 10	15 16	89 90	361 295	954 1017	1764 1738	140 96	20 33	25 22	123 139	446 320	1010 1128	1373 1276	97 76	18 13	14 10	95 97	281 218	868 862	M F	All Causes																																																																																																																																							
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	M F	Typhoid and para- typhoid fevers																																																																																																																																						
1	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	M F	Cerebro-spinal fever																																																																																																																																						
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Scarlet fever																																																																																																																																						
3 5	2 3	1 1	—	—	—	—	2 7 1 2	2 3	—	1 4	—	—	—	2 3	1 2	1 —	—	—	—	—	—	M F F F	Whooping cough																																																																																																																																						
—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	M F	Diphtheria																																																																																																																																						
41 34 7 7	— — 1 1	— — 2 —	— 3 — 2	17 22 3 2	19 6 1 —	5 3 — 2	82 53 13 8	1 1 1 1	1 1 2 4	— 1 6 1	39 31 2 2	29 10 2 —	12 9 — 1	39 26 16 5	— 1 — 1	— 2 — —	— 2 3 1	— 3 — 1	24 19 16 1	12 5 1 1	3 1 2 1	M F F F	Tuberculosis :— Respiratory system Other forms																																																																																																																																						
11 4 7 8 1 2	2 — — — — —	— — 1 — — —	— — — — — —	— — — — — —	3 3 2 1 — —	6 4 7 — 1 —	11 3 6 11 2 3	— — 1 — 1 —	— — — 1 — —	— — — — — —	1 — — 2 — —	4 1 — 2 — —	6 2 — 6 — —	3 1 — 9 2 4	— — — — — —	— 1 — — — —	— — — — — —	— — — — — —	— — — — — —	1 — 2 2 — —	2 1 1 5 — —	M F F F F	Syphilitic disease Influenza Measles																																																																																																																																						
1 1 3 2	— — — —	— — — —	— — — —	— — — —	— 1 — —	1 — 2 1	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	3 — 1 —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F F F	Ac: poliomyel: & polioenceph: Ac: infectious encephalitis																																																																																																																																					
20 24 47 33	— — — —	— — — —	— — — —	— — — —	7 11 18 2	13 10 29 4	25 35 47 41	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	15 9 29 29	M F F F	Mouth & oesoph: Uterus Stomach and duodenum																																																																																																																																			
52 146 118	— — —	— — —	— — —	— — —	1 16 5	25 51 35	26 79 78	48 201 176	— — —	— 2 3	— 1 9	6 70 12	21 9 50	52 137 109	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	23 42 39	25 89 72	M F F	Breast All other sites																																																																																																																																	
14 15 156	— — —	— — —	— — —	— — —	2 5 1	5 7 130	6 12 169	— — —	— — —	— — —	— 1 2	— 1 32	— 3 134	8 13 134	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	2 11 111	6 F F	Diabetes Intra-cranial vasc: lesions																																																																																																																																		
211 423 415 45 48	— — — — —	— — — — —	— — — — —	— — — — —	5 6 5 1 —	47 51 68 4 7	139 355 342 40 47	235 461 467 36 47	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	127 65 43 6 35	17 319 316 17 35	M F F F F	Heart disease Other circulatory diseases																																																																																																																																		
83 42 39 28 16 33 10	2 3 3 5 — — —	1 — 4 3 —	— — 1 1 —	— — — — —	1 5 10 2 —	25 54 71 22 6	90 40 76 68 9	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	53 46 25 7 25	M F F F F	Bronchitis Pneumonia																																																																																																																																		
39 16 33 10	1 — — —	— — — —	— — — —	— — — —	1 2 5 —	12 2 15 6	30 9 53 13	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	7 8 10 2	10 3 10 —	M F F F	Other respiratory diseases Ulcer of stomach or duodenum																																																																																																																																
7 3 4 4	6 3 — —	1 — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	10 10 — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —

TABLE 24—*contd.*

Administrative County of Stafford.

Administrative County of Stafford.

Causes of Death <i>See first page of Table.</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	3262 3085	312 234	73 52	60 46	341 384	934 688	1542 1681	1094 1048	73 68	25 21	17 25	101 91	263 212	615 631	505 499	22 26	8 6	5 3	26 36	108 92	33 33
1 Typhoid and para-typhoid fevers	M F	— 1	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
2 Cerebro-spinal fever	M F	7 6	3 1	2 2	— —	1 2	1 1	— —	— 2	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
3 Scarlet fever	M F	— 2	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4 Whooping cough	M F	9 4	7 1	2 3	— —	— —	— —	— —	1 5	1 1	— 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5 Diphtheria	M F	8 6	1 —	7 —	— —	— —	— —	— —	— 2	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
6 Tuberculosis:— Respiratory system	M F	180 145	2 —	1 —	4 —	104 114	61 24	8 5	24 18	— —	— —	— 1	9 13	14 4	1 —	18 12	— —	— —	1 —	8 8	7 2	— —
7 Other forms	M F	32 29	3 7	12 4	4 14	9 3	24 1	— —	9 8	6 1	— 3	— —	2 1	4 —	3 —	2 3	1 —	— —	— —	— —	— —	— —
8 Syphilitic disease	M F	19 2	1 —	— —	— —	3 —	11 —	4 —	4 2	— —	— —	— —	2 —	3 —	— —	3 —	— —	1 —	— —	— —	1 —	— —
9 Influenza	M F	40 20	2 1	— —	— —	10 3	15 5	13 10	10 2	1 —	1 —	— —	1 —	3 —	4 —	5 2	— —	— —	— —	— —	— —	— —
10 Measles	M F	13 10	3 3	9 4	1 3	— —	— —	— —	3 5	— —	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
11 Ac. poliomyel. & polioenceph.	M F	2 2	— —	— —	2 1	— —	— —	— —	1 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
12 Ac. infectious encephalitis	M F	4 1	— —	1 —	— —	2 —	— —	1 —	1 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13M Cancer of Mouth & oesoph.	M	50	—	—	—	2	14	34	13	—	—	—	4	9	5	—	—	—	—	—	—	—
13F Uterus	F	49	—	—	—	8	27	14	14	—	—	—	4	3	11	—	—	—	—	—	—	—
14 Stomach and duodenum	M F	106 82	— —	— —	— —	8 5	52 41	46 36	31 33	— —	— —	— —	2 12	10 21	19 8	10 —	— —	— —	— —	— —	— —	— —
15 Breast	M F	— 92	— —	— —	— —	11 46	46 35	35 —	34 —	— —	— —	— —	5 17	12 12	22 —	— —	— —	— —	— —	— —	— —	— —
16 All other sites	M F	293 237	1 1	1 1	22 24	128 90	141 121	101 75	101 75	— —	1 —	— —	6 9	37 24	58 41	46 39	— —	— —	1 4	1 —	13 27	31 27
17 Diabetes	M F	18 46	— —	1 1	1 3	7 12	9 30	8 18	— —	— —	— —	— —	1 2	6 13	2 6	— —	— —	— —	— —	— —	— —	— —
18 Intra-cranial vasc. lesions	M F	279 337	— —	— —	6 2	73 79	200 256	95 131	— —	— —	— —	— —	1 3	21 32	73 96	62 78	— —	— —	— —	1 12	12 64	— —
19 Heart disease	M F	720 715	— —	2 4	33 46	195 157	490 508	284 284	— —	2 —	10 1	59 10	213 51	153 222	153 130	— —	— —	— —	— —	1 2	31 14	121 114
20 Other circulatory diseases	M F	79 85	— —	— —	5 1	21 13	53 70	41 31	— —	— —	— —	— —	2 2	6 3	17 23	— —	— —	— —	— —	2 2	3 14	21 14
21 Bronchitis	M F	305 194	14 10	3 2	1 —	13 5	122 42	152 135	60 43	5 1	— 1	— —	3 2	14 10	38 28	29 15	1 2	1 —	— —	8 1	— —	— —
22 Pneumonia	M F	183 109	64 49	13 8	2 2	16 10	48 15	200 25	44 38	9 12	5 5	3 2	2 2	10 15	20 17	15 3	3 —	— —	— —	2 3	1 6	12 5
23 Other respiratory diseases	M F	40 30	— 2	1 —	— —	7 5	20 8	13 12	14 14	— —	— —	— —	1 3	8 5	5 2	6 —	— —	1 —	— —	1 2	2 1	— —
24 Ulcer of stomach or duodenum	M F	39 16	— —	— —	— —	10 4	17 8	12 —	16 3	— —	— —	— —	3 —	7 2	6 1	6 3	— —	— —	— —	1 —	3 2	2 —
25 Diarrhoea under 2 years	M F	31 23	31 21	— 2	— —	— —	— —	— —	3 4	2 4	1 —	— —	— —	— —	— —	1 1	1 —	— —	— —	— —	— —	— —
26 Appendicitis	M F	12 13	— —	2 4	5 5	1 —	— —	— —	4 5	— —	— —	— —	1 —	— —	3 2	3 —	— —	— —	— —	2 —	— —	— —
27 Other digestive diseases	M F	57 82	4 1	2 1	— 2	9 14	21 27	20 37	27 22	2 1	1 —	3 —	7 5	13 13	10 10	— —	— —	— —	— —	— —	— —	— —
28 Nephritis	M F	61 78	— 1	3 —	— —	12 15	24 22	22 40	18 35	— —	— —	— —	2 4	12 18	19 15	— —	— —	— —	— —	— —	— —	— —
29 Maternal sepsis	M F	6 26	— —	— —	— —	5 25	1 —	— —	1 7	— —	— —	— —	1 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
30 Other maternal	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
31 Premature birth	M F	66 56	— —	— —	— —	— —	— —	— —	20 18	— —	— —	— —	— —	— —	— —	6 6	6 —	— —	— —	— —	— —	— —
32 Cong. mal.; birth inj.; infant: dis.	M F	89 74	83 68	2 —	3 1	— 2	1 —	— —	24 31	23 27	— —	— —	1 —	— —	— —	11 10	6 10	— —	— —	— —	— —	— —
33 Suicide	M F	29 16	— —	— —	— —	6 8	11 5	12 3	5 3	— —	— —	— —	2 3	— —	3 —	4 5	— —	— —	— —	— —	— —	— —
34 Road traffic accidents	M F	33 21	— 3	4 5	14 5	3 6	10 2	17 2	17 9	4 —	5 —	6 2	2 3	2 —	2 —	2 4	— —	— —	— —	— —	— —	— —
35 Other violent causes†	M F	95 46	13 9	6 6	12 3	17 26	21 25	91 19	3 2	4 —	— —	35 6	35 14	14 7	12 10	1 1	2 3	3 1	— —	— —	— —	— —
36 All other causes	M F	363 424	16 10	10 7	11 10	26 42	58 47	242 308	125 129	7 3	2 2	4 4	6 5	16 16	90 99	53 57	— 2	— 2	— —	— —	— —	— —
† Including deaths due to war operations	M F	4 —	— —	— —	— —	1 3	— —	— —	49 3	— —	— —	— —	22 2	24 1	3 —	1 —	— —	— —	— —	— —	— —	— —

Suffolk East.

Administrative County of Suffolk West.

Aggregate of Rural Districts.						Aggregate of Urban Districts.						Aggregate of Rural Districts.						Causes of Death See first page of Table.			
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-		
40	4	8	38	115	449	259	17	1	3	15	69	154	442	18	3	8	20	85	308	M	All causes
29	7	4	47	115	420	257	11	1	3	12	47	183	438	22	4	4	36	70	302	F	
						1														M	Typhoid and para-
																				F	typhoid fevers
																				M	Cerebro-spinal
																				F	fever
																				M	Scarlet fever
																				F	
						2	1	1												M	Whooping cough
																				F	
																				M	Diphtheria
																				F	
																				M	Tuberculosis:--
																				F	Respiratory
																				M	system
																				F	Other forms
																				M	
																				F	
																				M	Syphilitic disease
																				F	
																				M	Influenza
																				F	
																				M	Measles
																				F	
																				M	Ac: poliomyel:
																				F	& polioenceph:
																				M	Ac: infectious
																				F	encephalitis
																				M	Cancer of
																				F	Mouth & oesoph:
																				M	Uterus
																				F	Stomach and
																				M	duodenum
																				F	
																				M	Breast
																				F	
																				M	All other
																				F	sites
																				M	Diabetes
																				F	
																				M	Intra-cranial
																				F	vasc: lesions
																				M	
																				F	
																				M	Heart disease
																				F	
																				M	Other circulatory
																				F	diseases
																				M	
																				F	
																				M	Bronchitis
																				F	
																				M	Pneumonia
																				F	
																				M	Other respiratory
																				F	diseases
																				M	Ulcer of stomach
																				F	or duodenum
																				M	Diarrhoea
																				F	under 2 years
																				M	Appendicitis
																				F	
																				M	Other digestive
																				F	diseases
																				M	Nephritis
																				F	
																				M	Maternal sepsis
																				F	Other maternal
																				M	Premature birth
																				F	
																				M	Cong: mal; birth
																				F	inj; infant: dis:
																				M	Suicide
																				F	
																				M	Road traffic
																				F	accidents
																				M	Other violent
																				F	causes†
																				M	All other causes
																				F	
																				M	† Including deaths due
																				F	to war operations

I

TABLE 24—*contd.*

Administrative County of Warwick.

Administrative Co

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.					
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-
All Causes	M	1496	132	28	25	144	396	771	823	78	17	13	70	189	456	187	11	1	3	13	61
	F	1479	87	16	14	124	310	928	775	55	10	7	76	170	457	216	2	3	1	21	32
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	3	1	1	—	1	—	—	3	1	2	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	3	2	—	1	—	—	—	3	2	1	—	—	—	—	—	—	—	—	—	—
	F	5	4	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	3	1	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Tuberculosis:—																					
6 Respiratory system	M	71	—	2	1	37	25	6	33	—	—	—	17	13	3	3	—	—	—	1	1
	F	47	—	—	—	38	8	1	24	1	2	—	16	4	1	5	—	—	—	3	—
7 Other forms	M	11	1	1	—	5	3	1	9	—	2	1	1	3	2	3	—	1	1	—	—
	F	13	2	2	1	5	3	—	7	3	1	—	1	1	1	1	—	—	—	1	—
8 Syphilitic disease	M	9	—	—	—	1	5	3	4	—	—	—	1	2	1	1	—	—	—	—	1
	F	3	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Influenza	M	3	—	—	—	—	1	2	3	—	—	—	—	1	2	1	—	—	—	—	—
	F	4	—	—	—	1	—	3	7	—	1	—	1	—	5	—	—	—	—	—	—
10 Measles	M	4	2	2	—	—	—	—	4	2	2	—	—	—	—	—	—	—	—	—	—
	F	1	1	1	—	—	—	—	3	1	1	1	—	—	—	—	1	—	1	—	—
11 Ac. poliomyel. & polioenceph.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac. infectious encephalitis	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																					
13M Mouth & oesoph:	M	10	—	—	—	—	4	6	13	—	—	—	—	2	11	1	—	—	—	—	—
13F Uterus	F	24	—	—	—	3	11	10	11	—	—	—	1	6	4	5	—	—	—	—	2
14 Stomach and duodenum	M	51	—	—	—	4	16	31	23	—	—	—	1	7	15	2	—	—	—	—	—
	F	21	—	—	—	1	3	17	14	—	—	—	—	1	13	4	—	—	—	—	—
15 Breast	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	55	—	—	—	4	31	20	29	—	—	—	2	14	13	2	—	—	—	—	—
16 All other sites	M	159	—	3	—	9	65	82	79	—	1	—	6	24	48	20	—	—	—	1	13
	F	125	—	—	—	9	47	69	73	—	—	—	2	34	37	17	—	—	—	—	6
17 Diabetes	M	18	—	1	—	3	3	11	3	—	—	—	—	1	2	1	—	—	—	—	1
	F	17	—	—	—	—	5	12	11	—	—	—	1	4	6	1	—	—	—	—	—
18 Intra-cranial vasc. lesions	M	116	—	—	—	3	36	77	66	1	—	—	1	11	53	27	—	—	—	1	3
	F	209	—	—	1	5	40	163	91	—	—	—	3	21	67	43	—	—	—	1	4
19 Heart disease	M	389	—	—	1	18	83	287	221	—	—	—	9	56	156	41	—	—	—	—	12
	F	402	—	—	—	10	58	334	202	—	—	—	11	36	155	64	—	—	—	3	10
20 Other circulatory diseases	M	41	—	—	2	—	10	29	25	—	—	—	—	5	19	5	—	—	—	—	2
	F	45	—	—	—	7	38	21	—	—	—	—	7	14	6	—	—	—	—	—	—
21 Bronchitis	M	77	1	1	—	3	26	46	47	3	—	1	—	14	29	13	—	—	—	—	5
	F	67	2	2	—	1	11	51	37	2	—	—	2	2	31	11	—	—	—	—	—
22 Pneumonia	M	79	21	1	1	3	21	32	28	6	1	1	2	5	13	4	1	—	—	—	—
	F	67	13	3	—	4	11	36	30	7	1	—	2	4	16	2	—	—	—	—	—
23 Other respiratory diseases	M	24	—	—	—	—	9	15	11	—	—	—	—	2	9	3	—	—	—	—	—
	F	23	1	—	—	1	7	14	17	3	1	—	4	5	3	5	—	—	—	—	—
24 Ulcer of stomach or duodenum	M	26	—	1	—	6	14	5	11	—	—	—	3	5	3	5	—	—	—	2	3
	F	10	—	—	—	5	5	5	6	—	—	—	—	2	4	1	—	—	—	—	—
25 Diarrhoea under 2 years	M	11	10	1	—	—	—	—	6	6	—	—	—	—	—	1	1	—	—	—	—
	F	6	6	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	8	—	—	3	—	3	2	4	—	—	—	—	2	2	2	—	—	—	1	—
	F	6	—	1	1	1	1	2	2	—	—	—	1	1	—	1	—	—	—	—	—
27 Other digestive diseases	M	36	2	—	2	2	15	14	10	1	—	—	1	4	4	4	—	—	—	—	2
	F	39	1	1	3	1	8	25	16	2	—	—	—	4	10	7	—	—	—	2	—
28 Nephritis	M	43	1	—	1	7	11	23	19	1	—	—	3	6	9	2	—	—	—	—	1
	F	37	—	1	—	7	14	15	16	—	—	—	1	4	11	9	—	—	—	—	—
29 Maternal sepsis	M	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
30 Other maternal	F	5	—	—	—	5	—	—	5	—	—	—	5	—	—	2	—	—	—	2	—
31 Premature birth	M	25	25	—	—	—	—	—	19	19	—	—	—	—	—	2	2	—	—	—	—
	F	20	20	—	—	—	—	—	9	9	—	—	—	—	—	2	2	—	—	—	—
32 Cong. mal.; birth inj.; infant: dis:	M	60	50	3	1	4	1	1	31	28	2	—	1	—	—	7	6	—	—	—	—
	F	31	28	2	—	—	1	—	20	18	—	—	1	1	—	—	—	—	—	—	—
33 Suicide	M	22	—	—	—	8	9	5	7	—	—	—	1	5	1	3	—	—	—	1	2
	F	16	—	—	—	5	8	3	5	—	—	—	1	4	—	1	—	—	—	—	—
34 Road traffic accidents	M	26	—	1	3	15	5	2	15	5	—	—	7	6	2	3	—	—	2	—	—
	F	11	—	2	3	2	4	—	5	—	—	1	4	—	—	1	—	—	—	—	—
35 Other violent causes†	M	35	3	4	6	8	4	10	27	—	3	4	9	5	6	9	—	—	—	1	7
	F	36	3	1	1	5	5	21	23	—	1	5	6	1	10	3	—	—	—	—	—
36 All other causes	M	130	12	4	3	6	26	79	97	7	3	5	6	10	66	21	1	—	—	1	5
	F	127	5	3	3	11	21	84	83	4	2	—	9	15	53	28	—	—	—	4	6

† Including deaths due to war operations

Westmorland.

Administrative County of Wight, Isle of.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death		
																					See first page of Table.		
	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-			
34	14	4	2	19	33	162	461	27	4	5	31	98	296	127	6	2	2	7	23	87	M	All Causes	
37	9	4	2	5	34	133	503	16	3	5	25	96	358	132	2	1		13	22	94	F		
																					M	Typhoid and para-	
							1						1								F	typhoid fevers	
							1					1									M	Cerebro-spinal	
																					F	fever	
																					M	Scarlet fever	
																					F		
1		1					1	1													M	Whooping cough	
																					M		
																					M	Diphtheria	
																					F		
							14				8	4	2	3				3			M	Tuberculosis:—	
2		1		1			6				4	1	1	1					1		M	Respiratory	
3		1		1		1	2		1			1									F	system	
																					F	Other forms	
1							5				1	3	1	1							1	M	Syphilitic disease
1				1			4					1	3	1							1	F	
1					1		1							1							1	M	Influenza
																					1	F	
															1	1					1	M	Measles
																					F		
1						1																M	Ac: poliomyel.
1				1			2			1		1										F	& polioenceph:
							1					1										F	Ac: infectious
3						3	5						5	3				1	1		1	M	Cancer of
7					3	4	6				1	3	2	3					1	2	1	F	Mouth & œsoph:
3						3	16				1	5	10	8					4	4	4	M	Uterus
1						1	7					2	5	2						2	2	F	Stomach and
																							duodenum
2						1	16					6	10	1							1	M	Breast
0				3		5	12				1	23	24	14				1	3	3	2	F	
7						5	42				3	17	22	8				2	1	11	5	F	All other
																							sites
4					3	1	6					1	5	1							1	M	Diabetes
4					2	2	3						2									F	
7					2	24	43				3	3	37	14				1	1	12	M	Intra-cranial	
					8	29	63				2	15	46	16							16	F	vase: lesions
7				3	13	71	159				2	19	138	44						7	37	M	Heart disease
3					4	49	186				2	23	161	52						5	47	F	
5						5	10					3	7	2							2	M	Other circulatory
3						3	13				1	2	10	2							2	F	diseases
		1		1		2	7	1			1	6	13								M	Bronchitis	
9					2	7	21				1	4	18	4						2	2	F	
4	1			1		1	10	5	1			1	3	4	1					1	2	M	Pneumonia
2	1					1	8	1			2	2	3	3	1			1	1		1	F	
1							5					3	2	2						1	1	M	Other respiratory
3						3	10				1	2	6	2				1	1			F	diseases
							8				3	4	1									F	Ulcer of stomach
							2						2									F	or duodenum
							1	1						1		1					M	Diarrhoea	
							1	1													F	under 2 years	
							2			1											M	Appendicitis	
																					F		
4					1	3	6				2	4		3					2	1	1	M	Other digestive
7					2	3	20				1	4	15	11				1	3	7	2	F	diseases
8					1	7	11				1	3	7	3								M	Nephritis
6					2	4	6				1		2	4								F	
							1															F	Maternal sepsis
																						F	Other maternal
6	6						6	6														M	Premature birth
5	3						3	3														F	
4	3	1					13	12			1			3	3							M	Cong: mal., birth
3	3						8	7			1											F	inj., infant: dis:
							7				2	4	1	2				1	1		M	Suicide	
							3				1	2		1						1	F		
			1			1	3		1	1				2			1	1				M	Road traffic
																						F	accidents
3			1	2			9	1	2	1	1	3	1	2	1				1			M	Other violent
4		2	1			1	4						4	3								F	causes†
5	4	1		2	3	24	46	1	1	4	5	35	13	1	1	1		2		10	M	All other causes	
						3	11	2	1	3	4	8	46	16				5	4		7	F	
																						M	† Including deaths due
																						F	to war operations

Worcester.

Administrative County of Yorks (E.R.).

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.			
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-				
617 581	48 30	11 5	7 3	46 46	134 97	371 400	635 620	40 22	5 4	3 4	61 38	150 128	376 424	608 533	41 32	9 7	7 7	51 53	108 107	392 327	M F	All Causes		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Typhoid and para- typhoid fevers	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Cerebro-spinal fever	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Scarlet fever	3	
2	1	1	—	—	—	—	1 2	2	1	—	—	—	—	1 4	1 3	1	—	—	—	—	M F	Whooping cough	4	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Diphtheria	5	
16 12 7 5	— — — —	— — 3 —	1 — — —	11 11 3 5	2 1 — —	2 — — —	24 14 6 3	— — 1 2	— — — —	— — 1 —	16 11 4 1	5 3 — —	3 — — —	16 13 6 8	— — — —	— — 3 2	— — 1 2	9 9 1 3	3 4 1 1	4 — — —	M F M F	Tuberculosis :— Respiratory system Other forms	6 7	
2	1	—	—	—	—	1	5 2	—	—	—	—	3 1	2 1	3 1	—	—	—	1	—	—	2 6	M F	Syphilitic disease	8
2 5	— —	— —	— —	— —	1 2	1 3	1 5	—	—	—	—	—	4	—	—	—	—	—	—	—	6 5	M F	Influenza	9
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Measles	10	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Ac: poliomyel: & polioenceph:	11	
9 9 14 13	— — — —	— — — —	— — — —	— 1 — —	2 3 10 2	7 4 11 —	9 17 20 20	— — — —	— — — —	— — — —	1 3 2 7	4 7 10 7	4 7 8 13	11 11 17 12	— — — —	— — — —	— — — —	1 1 — —	3 3 5 3	7 7 12 9	M F M F	Ac: infectious encephalitis Cancer of Mouth & œsoph: Uterus Stomach and duodenum	M13 F13	11 12 14
16 76 58	— — —	— — —	— — —	2 5 4	5 22 17	9 51 37	20 85 61	— — 2	— — —	— — —	— — —	2 8 5	10 33 20	22 61 57	— — —	— — —	— — —	3 4 15	9 21 38	10 36 38	M F M F	Breast All other sites	15 16	
6 7 83 95	— — — —	— — — —	— — — —	1 3 18 14	3 4 42 81	2 5 59 90	2 5 5 19	— — — —	— — — —	— — — —	— — — —	— — — —	2 59 71	5 59 65	— — —	— — —	— — —	1 2 10 10	1 3 49 54	3 3 M F	Diabetes Intra-cranial vasc: lesions	17 18		
49 56 19 24	— — — —	— — — —	— — — —	4 3 1 2	31 21 16 21	114 131 25 27	179 165 25 27	— — — —	— — — —	— — — —	2 2 — —	40 137 143 23	137 125 38 23	156 125 38 32	— — — —	— — — —	2 6 — —	1 6 — —	22 24 38 30	131 95 M F	Heart disease Other circulatory diseases	19 20		
40 23 18 17	1 2 3 2	— — — —	— — — —	1 5 4 2	32 19 5 11	26 24 22 22	26 19 5 4	1 1 5 4	— — — —	— — — —	— — — —	8 6 6 3	17 17 5 11	25 22 17 3	— — — —	— — — —	— — — —	1 2 5 2	5 18 2 8	19 18 7 8	M F M F	Bronchitis Pneumonia	21 22	
13 6 7 2	1 — — —	— — — —	— — — —	2 1 — —	4 4 4 2	6 4 3 1	7 2 4 1	— — — —	— — — —	— — — —	1 — — —	3 1 2 1	3 1 2 —	11 3 11 5	— — — —	— — — —	— — — —	— — — —	5 1 4 3	6 1 3 1	M F M F	Other respiratory diseases Ulcer of stomach or duodenum	23 24	
5 2 4	4 2 —	1 — —	— — —	— — —	— — —	— — —	9 1 4	9 1 1	— — —	— — —	— — —	— — —	— — —	4 1 3	4 1 —	— — —	— — —	— — —	— — —	— — —	M F M F	Diarrhoea under 2 years Appendicitis	25 26	
13 9 18 15	1 — — —	1 — — —	— — — —	— — — —	5 1 9 6	6 7 19 7	17 16 19 17	— — — —	— — — —	— — — —	2 1 3 2	4 7 6 2	11 6 11 13	18 13 11 14	— — — —	— — — —	— — — —	2 2 3 1	6 2 6 7	10 9 M F	Other digestive diseases Nephritis	27 28		
—	—	—	—	3	—	—	2	—	—	—	2	—	—	6	—	—	—	6	—	—	— F	Maternal sepsis Other maternal	29 30	
19 8 18 11	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	7 5 11 7	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	12 4 19 12	12 4 16 12	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Premature birth Cong. mal.; birth inj.; infant: dis:	31 32	
6 3 12 4	— — — —	— — — —	— — — —	2 3 2 1	3 2 4 1	1 3 3 1	8 3 5 1	— — — —	— — — —	— — — —	8 3 1 —	— — — —	— — — —	6 3 9 1	— — — —	— — — —	— — — —	— — — —	6 2 2 1	— — 3 F	Suicide Road traffic accidents	33 34		
18 9 35 51	2 2 2 1	1 3 3 1	1 1 5 7	— — — —	5 1 2 8	7 5 52 44	17 14 62 75	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	22 14 60 49	3 2 2 1	1 1 1 1	— — — —	— — — —	7 3 8 5	8 6 7 14	M F M F	Other violent causes† All other causes	35 36	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2 F	† Including deaths due to war operations.		

Administrative Cou

† Including deaths due to war operations

Yorks (W.R.).

Administrative County of Anglesey.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts							Causes of Death						
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.						
091 875	205 146	53 47	35 24	184 185	493 409	1121 1064	150 140	14 5	3 2	5 1	17 13	35 27	76 92	229 214	23 18	7 4	6 1	20 8	43 41	130 142	M F	All causes					
1 3 4	— 2 1	— — —	— — 2	— — 1	— — —	— — 1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	M F M F	Typhoid and para- typhoid fevers Cerebro-spinal fever					
— 2 8 5 3	— — 4 — —	— 2 — 1 —	— — — 4 1	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	M F M F M F	Scarlet fever Whooping cough Diphtheria					
62 54 18 19	— — 1 2	— — 6 6	— — 2 3	— — 7 4	25 11 2 2	5 2 — 2	9 3 3 —	— — — 1	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Tuberculosis :— Respiratory system Other forms				
13 8 11 22 11 6	1 — 2 — 6 2	— — — 2 5 3	— — — — — 1	— — — — — —	9 3 2 6 — —	3 2 5 12 — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	M F M F M F	Syphilitic disease Influenza Measles				
— 2 2	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	M F M F	Ac: poliomyel: & polioenceph: Ac: infectious encephalitis				
24 35 50 52	— — — —	— — — —	— — — —	— — — —	3 21 24 10	21 10 25 41	5 7 7 2	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Cancer of Mouth & œsoph: Uterus Stomach and duodenum			
1 47 103 60	— — — —	— — — —	— — — —	— — — —	5 21 7 84	21 21 111 85	4 9 11 —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Breast All other sites		
17 22 84 07	— — — —	— — — —	— — — —	— — — —	4 5 16 37	8 16 142 154	— 2 7 16	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Diabetes Intra-cranial vasc: lesions		
42 09 65 58	— — — —	— — — —	— — — —	— — — —	18 25 1 5	119 85 397 52	401 397 54 1	37 46 3 1	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Heart disease Other circulatory diseases		
52 84 95 80	8 5 43 31	1 3 9 2	— — 2 2	— — 8 12	36 22 10 19	99 62 23 19	10 9 4 2	1 — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Bronchitis Pneumonia		
20 21 28 8	— 1 — —	— 1 — —	— — — —	— — — —	2 10 14 3	8 8 9 3	4 2 3 1	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Other respiratory diseases Ulcer of stomach or duodenum		
16 12 4 4	15 12 — —	1 — — —	— — — —	— — — —	— — — —	— — — —	2 — — —	2 — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Diarrhoea under 2 years Appendicitis	
60 46 43 52 3 9	4 2 — — — —	5 2 1 — — —	— — — — — —	10 5 17 18	16 21 5 28	25 21 3 105	2 1 5 3 — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	M F M F M F	Other digestive diseases Nephritis Maternal sepsis Other maternal		
51 28 59 50	51 28 52 47	— — 2 —	— — — —	— — — —	— — 2 1	— — 1 —	2 1 3 4	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Premature birth Cong: mal: birth inj: infant: dis:	
12 13 32 11	— — 5 1	— — 9 2	— — 7 4	— — 3 2	— — 6 4	— — 5 2	— — 4 2	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Suicide Road traffic accidents	
79 42 27 85	9 4 11 6	2 6 12 6	5 3 6 3	27 21 28 33	15 9 17 32	9 3 13 105	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Other violent causes† All other causes
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	† Including deaths due to war operations				

Caernarvon.

Administrative County of Cardigan.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
388	22	3	7	31	87	238	123	2	—	2	10	40	69	252	6	2	2	21	43	178	M	All causes
405	27	6	3	33	84	252	148	3	—	—	11	32	102	319	7	1	1	13	69	228	F	
1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	M	Typhoid and para-
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	typhoid fevers
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Whooping-cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
25	—	—	—	9	14	2	7	—	—	—	3	4	—	8	—	—	—	3	5	—	M	Tuberculosis
10	—	—	—	9	—	—	3	—	—	—	3	—	—	6	—	—	—	1	4	—	F	Respiratory
1	—	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—	—	—	—	—	M	system
5	—	—	—	1	1	2	3	—	—	—	3	—	—	1	—	—	—	1	—	—	F	Other forms
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Syphilitic disease
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Influenza
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: poliomyel.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& polioenceph.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: infectious
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	encephalitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cancer of
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Mouth & oesoph.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Uterus
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Stomach and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	duodenum
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Breast
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	sites
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diabetes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Intra-cranial
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	vasc: lesions
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Heart disease
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other circulatory
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Bronchitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Pneumonia
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other respiratory
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ulcer of stomach
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	or duodenum
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diarrhoea
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	under 2 years
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Appendicitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other digestive
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Nephritis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Maternal sepsis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other maternal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Premature birth
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cong: mal, birth
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	inj, infant: dis:
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Suicide
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Road traffic
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	accidents
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other violent
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	causes†
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	† Including deaths due
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	to war operations

TABLE 24—*contd.*

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	468	21	5	7	49	150	236	620	51	12	15	77	162	303	497	45	7	6	34	125	28
	F	437	23	5	5	41	116	247	557	27	11	6	55	141	317	540	18	6	4	40	126	34
1 Typhoid and para-typhoid fevers	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Cerebro-spinal fever	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
4 Whooping cough	M	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Diphtheria	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
Tuberculosis :—																						
6 Respiratory system	M	23	—	—	—	14	3	6	33	—	—	—	19	12	2	19	—	—	—	8	7	
	F	14	—	—	1	11	2	—	19	—	—	—	12	7	—	18	—	2	—	10	4	
7 Other forms	M	2	—	—	—	1	1	—	7	—	3	—	2	1	—	5	1	1	—	3	—	
	F	3	—	1	—	1	1	—	12	2	2	4	4	—	—	—	—	—	—	—	—	
8 Syphilitic disease	M	4	—	—	—	1	2	1	2	—	—	—	—	2	—	1	—	—	—	—	—	
	F	4	1	—	—	—	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
9 Influenza	M	7	1	—	—	2	2	2	3	—	—	—	—	2	—	2	—	—	—	—	—	
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	4	—	—	—	2	—	
10 Measles	M	1	—	1	—	—	—	—	1	1	—	—	—	—	—	2	1	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11 Ac: poliomyel: & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 Ac: infectious encephalitis	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	
Cancer of																						
13M Mouth & oesoph:	M	5	—	—	—	—	1	4	1	—	—	—	—	1	—	5	—	—	—	—	2	
13F Uterus	F	9	—	—	—	—	5	4	11	—	—	—	—	6	5	18	—	—	—	4	10	
14 Stomach and duodenum	M	17	—	—	—	1	9	7	24	—	—	—	2	11	11	17	—	—	2	6	—	
	F	11	—	—	—	—	4	7	23	—	—	—	1	7	15	14	—	—	—	3	—	
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	11	—	—	—	—	8	3	8	—	—	—	—	4	4	22	—	—	—	1	10	
16 All other sites	M	45	—	—	—	3	20	3	48	—	1	2	3	19	23	36	—	—	—	1	14	
	F	42	—	—	—	1	14	27	50	—	1	—	3	20	26	63	—	1	—	2	21	
17 Diabetes	M	3	—	—	—	1	—	2	2	—	—	—	—	—	2	6	—	—	—	—	3	
	F	7	—	—	—	—	3	4	12	—	—	—	2	5	5	6	—	—	—	—	3	
18 Intra-cranial vasc: lesions	M	57	—	—	1	1	19	36	66	—	—	—	1	14	51	54	—	—	—	1	7	
	F	65	—	—	—	—	18	47	70	—	1	—	—	19	50	90	—	—	—	1	10	
19 Heart disease	M	101	—	—	—	5	35	61	126	—	—	1	8	28	89	137	—	—	—	1	36	
	F	113	—	—	—	6	30	77	146	—	—	—	7	32	107	140	—	—	6	26		
20 Other circulatory diseases	M	16	—	—	—	—	5	11	20	—	—	—	—	1	19	13	—	—	—	—	1	
	F	10	—	—	—	—	—	10	14	—	—	—	—	1	13	15	—	—	—	3	—	
21 Bronchitis	M	33	—	—	—	3	11	19	41	1	3	—	1	15	21	30	3	—	—	—	8	
	F	22	2	—	—	2	5	13	19	—	1	—	2	1	15	21	—	—	—	1	3	
22 Pneumonia	M	15	3	—	—	2	4	6	31	12	1	1	1	6	10	14	4	2	—	—	3	
	F	12	5	—	—	—	2	5	11	1	1	—	1	—	8	18	5	2	—	3	1	
23 Other respiratory diseases	M	15	—	—	—	1	9	5	36	1	1	—	3	21	10	10	—	—	—	1	3	
	F	2	—	—	—	1	—	1	11	—	—	—	3	1	7	5	—	—	—	1	2	
24 Ulcer of stomach or duodenum	M	6	—	—	—	—	6	—	3	—	—	—	1	1	1	8	—	—	—	—	4	
	F	3	—	—	—	—	3	—	3	—	—	—	1	2	—	—	—	—	—	—	—	
25 Diarrhoea under 2 years	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	2	—	—	—	—	—	
	F	1	1	—	—	—	—	—	2	2	—	—	—	—	—	3	3	—	—	—	—	
26 Appendicitis	M	3	—	—	—	—	2	1	6	—	—	2	2	2	—	—	—	—	—	—	—	
	F	1	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
27 Other digestive diseases	M	8	—	—	—	—	3	5	8	2	1	1	2	—	2	15	—	—	2	1	6	
	F	9	1	1	—	1	3	3	18	1	2	—	1	4	10	18	—	—	—	1	8	
28 Nephritis	M	14	—	—	—	1	2	11	20	—	—	—	3	5	12	18	—	—	—	1	7	
	F	15	—	1	—	2	3	9	26	—	—	—	1	11	14	12	—	—	—	1	2	
29 Maternal sepsis	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30 Other maternal	F	4	—	—	—	4	—	—	4	—	—	—	4	—	—	—	—	—	—	—	—	
31 Premature birth	M	5	5	—	—	—	—	—	13	13	—	—	—	—	—	10	10	—	—	—	—	
	F	6	6	—	—	—	—	—	6	6	—	—	—	—	—	4	4	—	—	—	—	
32 Cong: mal; birth inj; infant: dis:	M	7	7	—	—	—	—	—	16	15	—	1	—	—	—	19	16	1	—	—	—	
	F	6	5	—	—	1	—	—	13	13	—	—	—	—	—	6	5	—	—	—	—	
33 Suicide	M	5	—	—	—	3	2	—	13	—	—	—	8	4	1	5	—	—	—	1	2	
	F	1	—	—	—	—	1	—	4	—	—	—	3	1	—	5	—	—	—	2	—	
34 Road traffic accidents	M	5	—	1	2	—	1	1	5	—	—	3	1	1	—	7	—	—	1	2	2	
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
35 Other violent causes†	M	17	—	—	1	4	5	7	24	—	—	3	13	5	3	14	2	1	2	5	2	
	F	9	—	1	1	—	1	6	5	—	2	—	—	1	2	13	1	—	3	1	3	
36 All other causes	M	49	3	1	2	6	8	29	72	4	2	1	7	13	45	44	4	—	4	12	2	
	F	50	1	1	—	8	11	29	63	2	1	1	9	16	34	43	—	1	1	3	13	
† Including deaths due to war operations	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

† Including deaths due to war operations

Denbigh.

Administrative County of Flint.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
539	55	8	10	41	134	291	384	38	5	7	22	86	226	355	34	2	6	25	100	188	M	All Causes
592	42	6	4	69	116	355	441	18	4	6	56	84	273	357	16	8	3	30	71	229	F	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and para-
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	typhoid fevers
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Whooping cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Tuberculosis:—
18	—	—	1	8	5	4	16	—	—	—	6	9	1	15	—	—	—	7	7	1	M	Respiratory
17	—	—	—	15	1	1	18	—	—	—	13	5	—	12	—	—	—	9	—	1	F	system
3	—	—	—	1	—	—	3	—	—	—	1	—	—	2	—	—	—	1	—	—	M	Other forms
6	—	—	—	3	2	—	4	—	—	—	2	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Syphilitic disease
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Influenza
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: poliomyel:
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& polioenceph:
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: infectious
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	encephalitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cancer of
12	—	—	—	2	10	6	6	—	—	—	—	—	6	5	—	—	—	—	—	—	M	Mouth & oesoph:
9	—	—	—	1	7	1	8	—	—	—	2	4	2	3	—	—	—	—	2	2	F	Uterus
25	—	—	—	1	15	9	14	—	—	—	1	11	3	11	—	—	—	2	3	16	M	F13
15	—	—	—	1	6	8	15	—	—	—	2	4	9	17	—	—	—	—	7	10	F	Stomach and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	duodenum
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Breast
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	sites
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diabetes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Intra-cranial
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	vasc: lesions
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Heart disease
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other circulatory
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Bronchitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Pneumonia
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other respiratory
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ulcer of stomach
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	or duodenum
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diarrhoea
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	under 2 years
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Appendicitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other digestive
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Nephritis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Maternal sepsis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other maternal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Premature birth
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cong: mal:, birth
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	inj., infant: dis:
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Suicide

Merioneth.

Administrative County of Monmouth.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
143	8	1	1	16	27	90	1742	161	32	27	174	473	875	318	19	7	2	28	81	181	M	All Causes
165	12	—	1	11	34	107	1448	120	26	23	180	347	752	229	16	—	4	28	45	136	F	
							1				1										M	Typhoid and para-
							5		2		1	1	1								F	typhoid fevers
																					M	Cerebro-spinal
																					F	fever
							1			1											M	Scarlet fever
							5	3	2					1		1					F	
							6	1	4	1											M	Whooping cough
							2		1	1											F	
2			1	1																	M	Diphtheria
																					F	
9				4	5		68	1			35	25	7	11	1			8	2		M	Tuberculosis
8				5	3		86		1	1	69	14	1	9	1			7	1		F	Respiratory
							9	1	2	1	4		1	5			2	1	1		M	system
							18	2	3	5	7	1	1	1				1	1		F	Other forms
																					M	
							5				2	2	1	2					2		M	Syphilitic disease
							2	1			1			1				1			F	
1						1	13	2	1	1	1	3	5	3							M	Influenza
4						3	14	1			2	4	7	1							F	
							7	3	4												M	Measles
							10	7	3												F	
																					M	Ac: poliomyel:
							4			1											F	Ac: poliomyel:
1						1	1														M	Ac: infectious
																					F	encephalitis
4							19				7	12	6						1	5	M	Cancer of
1							26				19	7	1						1	5	F	Mouth & œsoph:
5							71				37	32	13						4	9	M	Uterus
8							51				13	38							1	2	F	Stomach and
																						duodenum
6							34														M	Breast
9							116				6	15	13	10					5	5	F	
13							100			1	5	45	65	32				3	10	19	M	All other
												40	55	17				3	4	10	F	sites
																					M	Diabetes
							1				1	15		1					1		F	
12							24				6	17		2					2		M	Intra-cranial
20							11	137			3	36	98	36					6	30	M	vasc: lesions
							6	134			1	42	91	22					6	16	F	
37										3	26	111	289	97				1	24	72	M	Heart disease
36							378			1	18	84	275	75				1	8	66	F	
4							31				1	15	25	9					2	7	M	Other circulatory
							24				3	5	16	4					1	3	F	diseases
5							160	9	3		3	54	91	7					2	5	M	Bronchitis
7	2						79	4	1		2	15	57	12					1	10	F	
6	1	1					82	25	4	3	7	18	25	10	2			1	2	5	M	Pneumonia
1							59	27	8	1	7	4	12	11	4			3	1	3	F	
																					M	Other respiratory
2							45	1			6	24	14	3					3		F	diseases
							20			1	5	3	11	1	1				3	1	M	Ulcer of stomach
1							31				11	15	5	4							F	or duodenum
							4				3		1								M	Diarrhoea
2	2						20	19	1					4	3	1					F	under 2 years
1							7	6	1					4	1						M	Appendicitis
							4			1	1	2		3				1	2		F	
6																					M	Other digestive
5							32	4		2	3	9	14	5				1	1	3	F	diseases
8							36	1			7	14	14	5					2	2	M	Nephritis
0							37			1	5	11	20	12					7	5	M	
							36				6	19	11	7	1			1	1	4	F	Maternal sepsis
							9							1							F	Other maternal
2	2						35	35						3	3						M	Premature birth
2	2						24	24						1	1						F	
5	5						56	53	1	1				11	9		1	1			M	Cong: mal; birth
							42	36	1	3	2			6	4			1	1		F	inj; infant: dis:
3							19				7	7	5	5				2	2	1	M	Suicide
2							3				1	2									F	
							20		2	4	7	5	2	3				2	1		M	Road traffic
							10			2	3	3	2								F	accidents
4							65	1	4	2	29	18	11	6				1	3		M	Other violent
2	1						24	3	2	1	3	4	11	5	2						F	causes†
4	1						185	4	4	4	15	25	133	25	1	2		4	5	13	M	All other causes
							176	7	2	6	15	34	112	27	1		4	6	7	9	F	
							2				1	1		2				2			M	† Including deaths due
																					F	to war operations

Administrative County of Radnor.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-		
295	18	5	5	18	72	177	37	4	2	1	1	5	24	96	1	1	2	11	16	65	M	All causes
297	15	2	2	26	60	192	49	2	1	1	4	6	35	75	3	1	—	3	9	59	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and para-
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	typhoid fevers
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	F	Whooping cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	5
9	—	—	—	5	3	1	1	—	—	—	—	1	—	6	—	—	—	3	2	1	M	Tuberculosis :—
6	—	—	—	4	1	1	3	—	—	—	1	1	—	1	—	—	—	1	—	—	F	Respiratory
2	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	M	system
4	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	F	Other forms
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	8
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Syphilitic disease
2	—	—	—	—	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	M	Influenza
2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	9
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	10
2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac : poliomyel :
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& polioenceph :
5	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac : infectious
2	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	F	encephalitis
9	—	—	—	—	2	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cancer of
7	—	—	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Mouth & œsoph:M13
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Uterus
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	F13
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Stomach and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	duodenum
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Breast
23	—	—	—	2	2	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	F	15
22	—	—	—	—	12	11	3	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other
—	—	—	—	2	8	12	2	—	—	—	—	—	—	—	—	—	—	—	—	—	F	sites
4	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diabetes
31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	17
36	—	—	—	—	6	24	2	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Intra-cranial
41	—	—	—	—	1	7	38	16	—	—	—	—	—	—	—	—	—	—	—	—	F	vasc: lesions
69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	18
70	—	—	—	—	2	10	58	8	—	—	—	—	—	—	—	—	—	—	—	—	F	19
7	—	—	—	—	1	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Heart disease
15	—	—	—	—	1	2	12	3	—	—	—	—	—	—	—	—	—	—	—	—	F	20
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other circulatory
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
11	3	—	—	—	4	14	3	—	—	—	—	—	—	—	—	—	—	—	—	—	M	21
6	3	—	—	—	4	10	3	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Bronchitis
—	3	—	—	—	4	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Pneumonia
—	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	F	22
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other respiratory
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ulcer of stomach
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	or duodenum
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diarrhoea
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	under 2 years
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Appendicitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	25
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other digestive
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	27
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Nephritis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	28
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Maternal sepsis
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other maternal
5	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Premature birth
5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	31
5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cong: mal: birth
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	inj: infant: dis:
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Suicide
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	33
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Road traffic
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	accidents
42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other violent
41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	causes†
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	36
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	† Including deaths due to war operations
—	—	—	—	—	—	—	—	—	—	—	—	—	—									

TABLE 24A.—CAUSES OF DEATH,
1945, classified in accordance
with the Supplementary
Abridged List (*see* statement
below).

{ England and Wales, Geographical
Regions. London and Metropolitan
Boroughs, County Boroughs and
Administrative Counties.

(Non-civilian deaths are excluded).

See Explanatory notes on page v.

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE ABRIDGED LIST OF CAUSES OF DEATH (*see* page 173) and its relation to the detailed International List.

No.	Registrar-General's Supplementary Abridged List	Corresponding number in the Detailed International List.
16 (1)	Cancer of respiratory system	47.
16 (2) F	„ „ buccal cavity and œsophagus (females)	45, 46a.
16 (3)	„ „ remaining sites	46c-h, 49, 51-55.
19 (1)	Chronic affections of valves and endocardium	92.
19 (2)	Myocardial degeneration	93c.
19 (3)	Diseases of coronary arteries and angina pectoris	94.
19 (4)	Other diseases of heart... ..	90, 91, 93a, b, d, 95.
27 (1)	Diseases of pharynx and tonsils	115b, c.
27 (2)	Cirrhosis of liver	124.
27 (3)	Other diseases of liver and biliary passages	125-127.
27 (4)	Remaining diseases of digestive system	115a, d, 116, 118, 120, 122, 123, 128, 129.
29 (1)	Septic abortion	140.
29 (2)	Infections of childbirth	147.
30 (1)	Other abortion	141.
30 (2)	Remaining maternal causes	142-146, 148-150.
32 (1)	Injury at birth	160.
32 (2)	Congenital malformations and infantile diseases	157, 158, 161.
36 (1)	Erysipelas	11.
36 (2)	Purulent infection and septicæmia	24.
36 (3)	Hodgkin's disease	44b.
36 (4)	Smallpox	34.
36 (5)	Remaining infective and parasitic diseases	3-5, 7, 12, 23, 25-29, 31- 32, 38-44a, c, d.
36 (6)	Rheumatic fever	58.
36 (7)	Exophthalmic goitre	63b.
36 (8)	Diseases of blood	72-76.
36 (9)	Diseases of ear and mastoid	89.
36 (10)	Pyelitis and disease of bladder	133a, 134, 135.
36 (11)	Diseases of prostate	137.
36 (12)	Old age	162.
36 (13)	Ill-defined diseases	199, 200.
36 (14)	Remaining causes in 36	56, 57, 59, 60, 62, 63a, c-e, 64-71, 77-82, 84- 88, 133b, 136, 138, 139, 151-156.

TABLE 24A—continued. Regions.

Causes of Death (See first page of Table)		England and Wales.															
		South East.	Greater London.	Remainder of South East.			North.	North I.	North II.	North III.	North IV.	Midland.	Midland I.	Midland II.	East.	South West.	Wales.
16 (1) Cancer of resp : system	M	6898	2863	1834	1029	2130	251	179	609	1091	1080	749	331	229	251	345	
16 (2) „ mouth & oes :	F	1758	705	413	292	560	81	46	132	301	266	184	82	66	65	96	
16 (3) „ remainder	M	1305	406	221	185	420	64	54	99	203	201	133	68	61	98	119	
	F	18169	6256	3293	2963	5660	935	589	1574	2562	3248	2113	1135	935	1041	1029	
	F	16875	5965	3104	2861	5127	796	532	1374	2425	2938	1995	943	790	1067	988	
19 (1) Chr : dis : of endocardium	M	6815	2041	985	1056	2407	473	225	636	1073	1117	688	429	331	455	464	
19 (2) Myocardial degeneration	F	8943	2684	1424	1260	3323	574	285	929	1535	1386	872	514	365	600	585	
	M	32809	10171	4964	5207	10903	1582	1155	3055	5111	5849	3778	2071	1641	2169	2076	
	F	40309	13433	6782	6651	13009	1759	1311	3492	6447	6987	4607	2380	1839	2826	2215	
19 (3) Coronary dis : angina pec :	M	16514	5916	3338	2578	5382	954	532	1464	2412	2518	1707	811	692	943	1063	
19 (4) Other heart disease	F	8498	3168	1709	1459	2717	462	303	742	1210	1209	828	381	386	487	531	
	M	6558	1623	765	858	2271	372	223	587	1089	1230	744	486	321	448	665	
	F	7523	1896	859	1037	2659	356	252	607	1444	1454	917	537	376	490	648	
27 (1) Pharynx and tonsils	M	210	76	37	39	61	13	6	15	27	39	28	11	8	13	13	
27 (2) Cirrhosis of liver	F	203	68	33	35	58	9	6	12	31	43	31	12	10	10	14	
	M	497	158	82	76	152	23	22	45	62	104	74	30	20	27	36	
	F	274	90	44	46	75	11	6	32	26	56	40	16	18	22	13	
27 (3) Other liver and biliary dis :	M	600	185	100	85	213	35	28	54	96	99	59	40	22	44	37	
27 (4) Remaining digestive dis :	F	1403	419	240	179	529	80	49	156	244	247	155	92	54	80	74	
	M	3392	1067	538	529	1110	171	125	304	510	612	398	214	184	210	209	
	F	3717	1220	622	598	1210	167	137	320	586	639	430	209	162	242	244	
29 (1) Septic abortion	F	173	48	32	16	66	15	4	20	27	32	24	8	8	5	14	
29 (2) Infns : of childb :	F	167	43	24	19	64	10	9	16	29	31	18	13	6	11	12	
30 (1) Other abortion	F	59	19	10	9	20	8	3	5	4	8	7	1	3	3	6	
30 (2) Remg : maternal	F	858	206	108	98	296	49	37	63	147	165	121	44	42	61	88	
32 (1) Injury at birth	M	1154	323	172	151	381	60	47	109	165	242	170	72	66	57	85	
32 (2) Cong : malf : and infantile	F	668	202	110	92	213	45	24	39	105	152	112	40	31	34	36	
	M	5073	1526	823	703	1673	265	203	429	776	990	673	317	210	294	380	
	F	3853	1172	657	515	1312	242	123	349	598	730	484	246	185	180	274	
36 (1) Erysipelas	M	41	11	6	5	18	3	—	2	13	3	3	—	2	4	3	
36 (2) Purulent infn : septicæmia	F	78	27	10	17	23	5	1	5	12	11	7	4	1	10	6	
	M	152	47	27	20	50	3	4	15	28	29	20	9	10	7	9	
	F	139	47	19	28	54	8	10	10	26	17	12	5	4	8	9	
36 (3) Hodgkin's disease	M	378	130	83	47	116	17	12	31	56	72	42	30	15	20	25	
36 (4) Smallpox	F	249	97	51	46	84	14	6	31	33	31	16	15	9	17	11	
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
36 (5) Remg : infve : and parasitic	M	326	94	50	44	108	11	15	28	54	56	36	20	17	15	36	
36 (6) Rheumatic fever	F	231	90	50	40	63	12	2	19	30	37	22	15	14	17	10	
	M	256	56	29	27	91	18	7	20	46	67	47	20	12	7	23	
	F	284	69	42	27	119	26	9	27	57	49	31	18	8	15	24	
36 (7) Exophthalmic goitre	M	90	25	16	9	35	5	2	5	23	13	7	6	8	2	7	
36 (8) Diseases of blood	F	563	144	60	84	203	40	16	45	102	87	58	29	25	40	64	
	M	1878	558	303	255	648	105	76	157	310	312	194	118	105	122	133	
	F	2602	749	403	346	948	140	78	258	472	429	282	147	104	164	208	
36 (9) Ear and mastoid dis :	M	523	160	110	50	183	17	16	28	122	125	94	31	14	17	24	
36 (10) Pyelitis & dis : of bladder	F	365	103	71	32	134	11	7	28	88	85	63	22	12	10	21	
	M	967	368	202	166	262	39	32	68	123	146	95	51	48	65	78	
	F	827	318	176	142	248	35	30	68	115	133	97	36	26	48	54	
36 (11) Prostatic dis :	M	5384	1814	877	937	1533	236	168	455	674	916	584	332	252	420	449	
36 (12) Old age	F	6635	1574	616	958	2527	430	164	537	1396	1138	739	399	490	434	472	
	M	10347	2669	1047	1622	3672	594	237	799	2042	1895	1202	693	676	763	672	
36 (13) Ill-defined diseases	M	327	35	4	31	143	43	23	12	65	63	20	43	34	13	39	
36 (14) Remaining causes	F	233	41	12	29	93	29	13	6	45	54	20	34	21	10	14	
	M	6136	1775	938	837	2081	375	224	496	986	1107	717	390	322	374	477	
	F	7532	2369	1226	1143	2497	417	246	657	1177	1266	853	413	375	485	540	

TABLE 24A—continued. Metropolitan Boroughs.

Causes of Death (See first page of Table)		Wales I.	Wales II.	Aggregates of areas outside Greater London.			London County.	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
				County Boroughs.	Other Urban Districts.	Rural Districts.															
16 (1) Cancer of	M	255	90	2341	1880	843	887	—	—	30	14	16	44	10	18	11	28	19	53	35	24
16 (2) „ resp. system	F	57	39	527	542	276	169	—	—	8	3	7	7	10	1	1	5	2	8	4	11
16 (3) „ mouth & oes :	F	71	48	372	435	277	110	—	—	1	1	3	6	2	—	2	1	1	2	8	3
16 (3) „ remainder	M	704	325	5485	5853	3538	1427	3	—	44	28	36	76	22	29	21	51	33	77	50	35
	F	644	344	5064	5564	3143	1257	1	—	48	19	24	70	18	21	14	47	16	30	37	45
19 (1) Chr. dis. of	M	337	127	2096	2312	1422	447	—	—	13	9	7	18	11	12	7	12	11	27	18	17
19 (1) „ endocardium	F	424	161	2834	3032	1653	637	2	—	22	13	15	36	8	18	7	16	11	49	20	16
19 (2) Myocardial	M	1472	604	10379	10786	6680	2398	2	—	87	49	55	153	28	74	31	90	67	99	81	58
19 (2) „ degeneration	F	1477	738	12922	13106	7499	3152	1	—	118	59	51	198	50	86	46	109	70	156	81	82
19 (3) Coronary dis :	M	758	305	4937	5348	2891	1346	5	—	36	27	22	64	22	27	16	41	32	93	44	41
19 (3) „ angina pec :	F	335	196	2371	2911	1507	740	1	—	25	8	15	40	13	14	5	33	17	24	24	25
19 (4) Other heart	M	506	159	1953	2426	1414	351	3	—	7	9	13	13	5	14	5	9	8	17	13	8
19 (4) „ disease	F	453	195	2387	2706	1571	373	1	—	12	4	16	18	3	7	8	9	16	14	8	8
27 (1) Pharynx and	M	6	7	64	69	40	16	—	—	2	1	—	—	1	1	—	—	—	—	—	—
27 (1) „ tonsils	F	11	3	55	68	47	13	—	—	1	—	1	1	—	—	—	—	—	—	—	—
27 (2) Cirrhosis of liver	M	27	9	180	146	89	37	—	—	2	—	—	—	1	1	1	—	2	2	1	1
27 (2) „	F	11	2	81	104	45	25	—	—	3	—	—	—	1	—	—	1	2	1	3	3
27 (3) Other liver and	M	25	12	205	181	114	46	—	—	3	1	—	2	1	2	1	2	—	—	1	—
27 (3) „ biliary dis :	F	49	25	460	468	235	96	—	—	4	—	3	9	1	3	1	7	4	6	—	5
27 (4) Remaining	M	135	74	1042	1089	723	248	—	—	18	6	3	22	2	4	1	5	2	11	10	5
27 (4) „ digestive dis :	F	168	76	1124	1244	727	290	—	—	2	4	4	22	3	6	3	10	6	21	10	12
29 (1) Septic abortion	F	13	1	69	55	17	20	—	—	—	1	—	—	1	—	1	—	1	1	—	—
29 (2) Infus. of childb :	F	8	4	50	57	36	12	—	—	—	—	—	2	—	—	1	—	—	—	—	1
30 (1) Other abortion	F	6	—	19	24	6	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 (2) Remg. : maternal	F	67	21	263	279	208	51	—	—	2	2	1	4	3	1	—	3	1	5	1	1
32 (1) Injury at birth	M	58	27	410	365	207	70	—	—	—	2	1	3	1	3	2	4	3	6	2	—
32 (1) „	F	18	18	213	231	114	52	—	—	1	1	—	1	—	1	3	4	—	2	1	2
32 (2) Cong. : malf :	M	282	98	1622	1635	993	357	—	—	14	6	4	19	5	10	1	10	13	14	16	7
32 (2) „ and infantile	F	207	67	1255	1231	710	257	—	—	10	6	5	9	5	7	3	14	9	19	18	3
36 (1) Erysipelas	M	2	1	10	20	5	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—
36 (1) „	F	5	1	18	36	14	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (2) Purulent infn :	M	6	3	50	45	30	11	—	—	—	—	—	—	—	1	—	—	—	—	—	1
36 (2) „ septicæmia	F	7	2	46	52	22	6	—	—	—	—	—	—	—	—	—	1	—	2	—	—
36 (3) Hodgkin's	M	17	8	105	121	69	34	—	—	1	—	—	2	—	—	—	—	2	4	1	1
36 (3) „ disease	F	8	3	75	72	51	20	—	—	—	—	—	1	—	1	—	—	1	2	1	—
36 (4) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (4) „	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg. : infve :	M	25	11	106	88	82	20	—	—	1	—	1	—	—	2	—	—	1	1	2	—
36 (5) „ and parasitic	F	6	4	72	73	36	24	—	—	1	—	1	1	—	—	—	—	—	—	—	—
36 (6) Rheumatic	M	19	4	85	99	43	14	—	—	1	1	1	2	—	1	1	—	2	1	—	1
36 (6) „ fever	F	18	6	94	100	48	14	1	—	—	1	1	2	—	1	—	—	—	—	—	—
36 (7) Exophthalmic	M	6	1	19	35	20	5	—	—	—	—	—	—	—	1	—	1	—	—	1	—
36 (7) „ goitre	F	39	25	153	210	140	20	—	—	—	—	—	—	—	1	1	1	—	—	2	1
36 (8) Diseases of	M	93	40	550	607	418	126	—	—	6	—	11	—	3	3	7	3	6	4	5	—
36 (8) „ blood	F	150	58	800	928	471	163	1	—	5	2	3	11	2	3	—	10	2	4	6	6
36 (9) Ear and	M	22	2	228	129	56	55	—	—	5	—	4	1	3	3	1	4	2	4	—	2
36 (9) „ mastoid dis :	F	17	4	151	95	48	23	1	—	—	2	1	—	1	—	—	—	2	—	—	—
36 (10) Pyelitis & dis :	M	60	18	282	304	179	103	—	—	3	1	—	5	3	5	1	4	6	8	5	3
36 (10) „ of bladder	F	32	22	235	264	152	80	—	—	2	1	3	3	2	—	1	1	2	3	7	4
36 (11) Prostatic dis :	M	297	152	1539	1756	1212	365	—	—	12	8	7	19	4	10	3	7	4	24	14	8
36 (12) Old age	M	345	127	2037	2484	1498	148	—	—	10	4	6	14	—	3	2	5	3	5	6	3
36 (12) „	F	443	229	3206	3882	2212	321	—	—	10	5	6	25	4	3	4	9	7	17	9	10
36 (13) Ill-defined	M	16	23	88	130	105	2	—	—	—	1	—	—	—	—	—	—	1	—	—	—
36 (13) „ diseases	F	5	9	59	105	57	8	—	—	—	1	—	1	—	—	—	—	—	—	—	—
36 (14) Remaining	M	331	146	1903	2045	1250	404	1	—	13	11	8	22	7	13	7	16	13	22	9	13
36 (14) „ causes	F	379	161	2205	2587	1514	504	3	—	14	8	10	19	5	13	7	21	16	33	25	15

TABLE 24A—continued. Metropolitan and County Boroughs.

Causes of Death (See first page of Table)		Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.
16 (1) Cancer of resp. system	M	11	66	37	66	50	25	24	28	51	20	46	31	7	69	28	26	9	13	11	28
16 (2) „ mouth & oes.	F	2	7	13	8	9	3	5	5	10	—	6	7	5	10	5	7	1	2	—	14
16 (3) „ remainder	M	11	106	52	90	96	46	42	29	78	20	44	43	23	130	43	69	28	27	31	48
	F	5	98	64	81	98	51	27	34	63	11	32	38	20	127	28	60	21	17	33	55
19 (1) Chr. dis. of endocardium	M	2	43	12	27	28	16	8	14	19	5	12	12	6	51	11	24	15	26	16	27
19 (2) Myocardial degeneration	F	7	64	19	33	47	24	7	13	32	5	19	17	16	52	17	32	11	19	18	23
	M	20	179	90	228	164	47	28	33	115	32	79	96	22	251	48	92	65	79	83	119
	F	17	234	142	284	202	97	30	69	123	40	86	116	37	389	71	107	78	71	134	135
19 (3) Coronary dis. angina pec.	M	17	95	61	79	72	46	29	31	57	19	29	63	20	125	56	77	20	27	38	62
19 (4) Other heart disease	F	5	50	63	33	32	31	13	19	24	13	13	32	11	84	28	41	7	9	22	30
	M	2	25	12	19	22	6	45	7	16	4	7	8	2	21	12	19	4	21	9	23
	F	3	24	16	20	19	17	40	7	13	4	15	7	4	33	9	22	7	17	8	29
27 (1) Pharynx and tonsils	M	—	1	1	—	1	1	—	1	1	1	—	1	1	2	—	—	2	—	—	2
27 (2) Cirrhosis of liver	F	—	3	—	1	2	—	—	—	—	—	—	—	1	—	1	2	—	1	—	—
	M	1	—	2	2	3	1	—	4	4	1	—	—	—	4	5	—	—	2	2	4
	F	—	2	1	1	—	—	—	2	—	—	1	1	—	2	2	2	—	—	—	—
27 (3) Other liver and biliary dis.	M	1	7	3	—	1	2	2	1	3	—	1	2	—	6	4	—	1	1	—	—
27 (4) Remaining digestive dis.	F	—	8	5	6	6	2	3	4	3	1	2	—	1	7	1	3	1	3	4	7
	M	2	24	14	20	11	10	8	5	11	2	5	16	—	27	7	7	12	1	10	10
	F	2	20	12	22	22	11	10	6	14	7	11	5	2	22	6	15	4	3	9	14
29 (1) Septic abortion	F	—	—	2	1	—	2	1	1	2	—	—	1	—	3	1	1	—	—	1	—
29 (2) Infns. of childb.	F	—	—	1	1	—	2	—	—	1	—	—	1	—	1	—	1	—	—	—	—
30 (1) Other abortion	F	—	—	—	—	2	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
30 (2) Remg. maternal	F	—	1	1	4	4	3	—	1	2	1	—	1	1	3	3	2	1	3	—	6
32 (1) Injury at birth	M	—	5	5	8	2	2	2	2	3	—	1	3	—	2	7	1	4	—	1	4
32 (2) Cong. malf. and infantile	F	—	8	5	3	4	4	1	—	1	1	1	1	—	5	1	1	2	—	1	1
	M	8	32	13	32	22	17	7	4	18	1	8	12	2	32	13	17	9	10	15	24
	F	2	21	8	18	5	10	8	1	9	5	4	16	3	23	4	12	7	10	9	16
36 (1) Erysipelas	M	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (2) Purulent infn. septicæmia	F	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	1	—	—	1	1
	M	—	—	1	—	1	—	—	1	1	—	1	1	—	1	2	—	1	—	—	—
	F	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	3	—
36 (3) Hodgkin's disease	M	—	3	1	1	1	3	3	—	2	—	2	1	—	3	2	1	1	1	1	3
36 (4) Smallpox	F	—	3	—	—	4	1	—	—	1	—	1	—	—	3	—	1	2	—	1	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg. infve. and parasitic	M	—	—	1	4	1	—	1	—	2	1	—	1	—	—	—	1	3	—	—	—
36 (6) Rheumatic fever	F	1	1	1	—	1	2	1	1	—	—	2	2	—	—	2	1	1	1	—	—
	M	—	1	—	1	1	2	1	—	—	—	2	—	—	1	—	1	1	2	—	—
	F	—	1	1	1	1	2	—	—	—	—	—	1	—	1	—	1	—	—	—	2
36 (7) Exophthalmic goitre	M	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
36 (8) Diseases of blood	F	1	2	1	2	1	1	1	1	1	—	1	1	—	1	—	1	—	—	—	2
	M	—	8	4	10	5	4	2	3	9	—	5	3	3	17	2	3	1	4	4	7
	F	2	6	7	12	13	8	4	5	7	—	5	2	2	23	6	6	10	5	2	9
36 (9) Ear and mastoid dis.	M	1	2	2	3	3	2	3	—	4	—	2	2	—	1	—	1	1	1	—	2
36 (10) Pyelitis & dis. of bladder	F	—	2	1	1	—	3	—	3	2	—	1	1	—	1	—	1	1	2	—	2
	M	—	7	1	6	8	7	1	—	7	1	1	5	1	10	1	3	2	—	1	4
	F	—	2	7	8	4	1	1	1	3	1	2	3	1	7	—	3	—	—	1	4
36 (11) Prostatic dis.	M	—	37	21	23	19	18	8	5	21	1	10	15	6	34	9	18	6	9	6	14
36 (12) Old age	F	1	13	3	5	11	7	1	3	12	—	4	5	1	15	4	2	16	4	9	13
	M	3	31	14	30	12	13	4	5	16	16	5	12	1	36	5	9	17	6	14	28
36 (13) Ill-defined diseases	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	1	—
36 (14) Remaining causes	F	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
	M	2	30	18	28	17	15	7	9	17	10	10	18	3	41	11	13	16	6	4	21
	F	4	38	23	28	27	27	7	6	23	14	16	11	9	49	18	15	5	18	9	22

TABLE 24A—continued. County Boroughs.

Causes of Death (See first page of Table)		Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton-upon-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.
16 (1) Cancer of resp : system	M	224	21	27	22	14	22	59	33	74	10	7	10	6	11	7	31	53	3	23	8
16 (2) „ mouth & ces :	F	41	8	7	4	2	8	12	9	17	2	4	1	1	4	3	10	8	2	6	1
16 (3) „ remainder	M	29	3	3	2	3	5	13	8	12	2	—	3	5	2	6	3	4	2	1	—
	F	423	68	74	82	21	74	121	80	182	39	20	24	13	35	16	85	117	34	57	26
	M	408	51	81	64	18	101	139	87	182	36	23	23	14	35	13	80	109	24	55	23
19 (1) Chr : dis : of endocardium	M	126	15	23	39	12	27	47	19	61	21	7	21	4	14	3	29	34	19	26	20
19 (2) Myocardial degeneration	F	182	33	40	57	16	44	67	25	68	38	7	16	5	20	12	30	46	25	24	14
	M	708	91	153	126	56	152	370	201	367	92	35	46	18	65	46	151	204	30	117	59
	F	946	148	189	146	58	257	382	268	509	108	45	52	25	104	61	151	310	45	142	69
19 (3) Coronary dis : angina pec :	M	381	34	79	88	17	119	133	71	168	26	17	28	8	29	28	83	96	46	50	24
19 (4) Other heart disease	F	154	23	55	36	6	63	74	40	82	19	3	13	7	22	9	25	52	23	31	6
	M	142	14	31	38	7	10	36	13	38	13	21	12	4	4	5	33	18	10	23	8
	F	186	22	49	49	5	26	41	12	49	33	23	23	10	8	12	25	21	13	31	9
27 (1) Pharynx and tonsils	M	7	—	—	—	—	1	1	1	—	—	—	—	—	1	1	1	—	—	1	—
27 (2) Cirrhosis of liver	F	7	1	—	1	—	—	1	1	—	—	—	—	—	1	—	2	—	—	—	—
	M	17	2	3	1	—	1	4	5	7	1	7	2	—	—	—	2	3	1	—	1
	F	7	—	—	—	1	2	1	1	4	1	1	—	—	—	—	2	2	—	1	—
27 (3) Other liver and biliary dis :	M	11	1	4	2	—	3	5	8	4	3	2	—	1	—	1	—	2	1	3	—
27 (4) Remaining digestive dis :	F	33	10	9	6	3	4	20	7	6	5	1	6	1	1	1	3	8	10	5	4
	M	75	16	16	6	1	10	26	21	36	9	8	4	7	6	5	15	17	6	12	4
	F	78	13	18	20	4	17	32	15	45	12	4	9	4	7	3	18	19	10	8	3
29 (1) Septic abortion	F	2	1	1	—	—	—	4	—	3	1	—	—	—	—	1	1	1	1	—	—
29 (2) Infns : of childb :	F	2	2	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—
30 (1) Other abortion	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	3	—	—	—
30 (2) Remg : maternal	F	24	2	4	6	2	7	8	1	5	3	2	3	—	3	2	4	3	2	4	—
32 (1) Injury at birth	M	41	—	7	10	1	5	9	1	8	1	2	—	1	3	—	12	—	—	4	—
32 (2) Cong : malf : and infantile	F	33	1	2	4	—	1	6	2	7	5	1	—	1	1	2	6	4	1	1	1
	M	150	14	15	11	14	14	43	18	43	10	4	6	1	14	59	25	6	13	7	
	F	113	12	8	10	7	19	25	15	31	11	—	9	1	7	5	31	21	5	9	4
36 (1) Erysipelas	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (2) Purulent infn : septicæmia	F	6	—	—	2	1	1	4	1	2	—	—	—	—	—	—	1	—	—	1	—
	M	2	—	—	1	—	1	1	1	—	1	1	1	—	1	—	—	—	—	—	—
36 (3) Hodgkin's disease	M	6	—	3	1	2	2	2	1	2	1	2	—	—	—	—	1	2	—	4	—
36 (4) Smallpox	F	2	1	2	—	—	2	—	—	—	—	—	—	—	—	—	—	2	1	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg : infve : and parasitic	M	3	—	1	1	—	1	3	—	6	2	—	1	—	4	1	2	2	—	1	—
36 (6) Rheumatic fever	F	2	1	2	—	1	2	2	1	1	—	1	—	—	—	—	3	—	—	—	1
	M	9	—	1	—	—	—	1	1	3	—	—	—	1	—	—	1	—	—	—	—
	F	5	—	1	1	—	1	1	2	2	1	—	—	—	3	—	3	—	1	—	—
36 (7) Exophthalmic goitre	M	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
36 (8) Diseases of blood	F	11	3	4	8	—	6	2	1	3	1	—	2	1	—	2	1	4	2	1	3
	M	42	7	13	8	4	6	15	9	15	12	4	6	2	5	4	7	9	3	7	1
	F	56	9	11	11	6	11	23	10	22	13	2	—	—	—	—	10	15	4	9	4
36 (9) Ear and mastoid dis :	M	35	—	—	1	7	1	2	3	4	2	—	1	—	1	1	4	1	2	—	1
36 (10) Pyelitis & dis : of bladder	F	35	—	—	3	—	1	2	1	—	—	1	—	—	—	—	6	—	—	—	—
	M	25	3	4	7	2	4	6	6	9	—	—	1	1	2	2	4	8	2	—	—
	F	16	7	4	1	4	3	6	4	12	2	1	2	1	—	—	4	7	5	1	—
36 (11) Prostatic dis :	M	119	19	30	23	2	27	25	21	72	17	5	7	1	5	10	22	40	11	25	4
36 (12) Old age	F	52	32	24	61	5	11	33	11	15	38	16	20	9	3	17	10	26	15	7	7
	M	113	28	50	94	15	36	78	22	38	47	29	17	21	—	16	32	43	27	14	—
36 (13) Ill-defined diseases	M	—	—	2	1	4	1	5	—	2	—	—	5	—	—	—	1	—	9	—	—
36 (14) Remaining causes	F	2	1	1	1	—	—	3	—	1	—	—	4	—	—	—	—	6	—	—	—
	M	148	21	22	17	15	22	33	26	60	14	6	6	1	6	7	25	26	17	19	11
	F	179	21	31	23	12	28	54	26	71	26	12	8	1	7	5	28	31	18	30	14

TABLE 24A—continued. County Boroughs.

Causes of Death (See first page of Table)		Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.
16 (1) Cancer of resp : system	M	12	12	11	23	3	12	4	3	16	18	10	28	10	56	133	46	10	144	190	24
16 (2) „ mouth & oes :	F	1	2	1	5	—	5	1	3	2	5	1	5	2	11	30	11	—	27	42	3
16 (3) „ remainder	M	35	28	33	48	29	48	23	20	40	45	31	52	58	129	233	112	5	22	20	4
	F	20	18	39	51	38	41	22	18	34	51	53	53	44	110	197	111	26	271	278	52
19 (1) Chr : dis : of endocardium	M	14	13	30	13	11	24	6	17	16	35	14	29	16	30	92	42	13	124	110	22
19 (2) Myocardial degeneration	F	18	16	25	21	14	22	8	8	15	45	27	36	16	53	170	60	16	169	177	28
	M	23	45	51	58	84	67	61	27	52	96	71	114	86	262	489	194	114	688	441	98
	F	41	69	88	82	117	94	87	38	51	150	127	157	123	310	549	230	102	968	563	104
19 (3) Coronary dis : angina pec :	M	28	3	13	50	27	56	17	17	33	36	18	47	41	135	222	94	21	207	218	28
19 (4) Other heart disease	F	19	5	11	32	18	32	11	8	17	25	8	31	25	55	121	45	11	84	84	24
	M	17	10	6	13	6	15	17	10	17	3	6	38	7	18	55	43	15	129	105	35
	F	10	10	7	17	10	15	14	16	18	8	17	39	14	28	65	65	15	153	126	40
27 (1) Pharynx and tonsils	M	1	—	—	—	1	—	2	—	1	—	1	—	—	—	4	1	—	4	2	1
27 (2) Cirrhosis of liver	F	1	1	2	—	—	—	—	—	—	—	—	—	2	2	2	—	—	4	2	2
	M	1	—	—	1	1	—	1	—	4	—	1	4	2	5	3	4	1	6	5	4
	F	1	2	—	—	—	3	—	—	—	3	—	1	1	1	3	3	1	—	5	—
27 (3) Other liver and biliary dis :	M	2	—	—	2	3	2	2	—	5	1	1	3	1	8	11	8	1	9	16	2
27 (4) Remaining digestive dis :	F	3	4	3	2	4	6	3	1	4	6	3	5	1	12	15	8	1	25	32	5
	M	2	1	5	13	4	15	3	1	8	3	7	11	6	24	54	18	7	53	60	5
	F	8	7	2	12	8	11	5	2	4	9	10	16	7	20	51	14	8	54	69	9
29 (1) Septic abortion	F	—	1	—	1	—	—	2	1	—	1	—	1	—	2	2	1	—	2	1	—
29 (2) Infus : of childb :	F	—	—	—	1	—	1	—	1	—	—	—	—	1	1	3	—	1	5	—	1
30 (1) Other abortion	F	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	1	1	—	—
30 (2) Remg : maternal	F	2	—	—	—	4	1	1	2	5	2	1	1	—	6	8	4	—	16	8	5
32 (1) Injury at birth	M	4	2	2	3	1	5	—	—	2	3	3	5	4	11	13	10	4	19	25	7
32 (2) Cong : malf : and infantile	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	14	12	4	12	6	19	5	3	6	9	9	14	14	46	57	27	8	97	99	29
	F	16	9	4	3	9	19	9	4	13	14	2	15	3	30	45	30	8	67	62	12
36 (1) Erysipelas	M	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	3	—	—
36 (2) Purulent infn : septicæmia	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
	M	—	1	—	—	2	—	1	—	—	1	—	—	—	1	—	3	—	6	5	1
	F	—	—	—	—	—	1	1	—	—	1	—	1	—	1	—	—	4	1	1	—
36 (3) Hodgkin's disease	M	—	—	—	2	1	1	3	—	—	1	1	—	—	3	4	3	—	4	5	3
36 (4) Smallpox	F	1	—	2	—	1	3	—	—	—	—	—	1	1	1	4	3	—	4	5	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg : infve : and parasitic	M	—	1	—	1	1	1	—	1	—	—	—	2	1	2	5	4	—	10	8	2
36 (6) Rheumatic fever	F	1	—	—	—	—	1	1	—	—	1	—	—	1	2	2	—	—	1	6	—
	M	1	1	—	—	—	1	1	1	—	—	—	—	1	2	1	3	—	8	4	—
	F	1	1	1	—	—	1	—	—	—	1	—	—	1	1	4	—	1	8	5	1
36 (7) Exophthalmic goitre	M	2	—	—	—	—	1	—	—	—	3	2	—	1	5	5	—	1	5	2	—
36 (8) Diseases of blood	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	3	3	5	2	7	6	3	4	4	8	3	4	1	16	19	12	2	32	35	6
	F	2	2	4	2	5	5	3	3	7	4	4	7	20	30	30	11	2	51	52	7
36 (9) Ear and mastoid dis :	M	—	2	—	2	2	—	—	1	2	—	—	—	—	3	2	6	1	68	7	5
36 (10) Pyelitis & dis : of bladder	F	—	—	—	2	2	—	—	—	—	—	—	1	—	2	5	3	—	43	6	2
	M	1	1	3	4	3	1	1	3	3	4	1	2	3	11	4	9	—	16	19	2
	F	2	—	—	1	—	—	—	—	1	1	—	2	2	1	12	4	1	21	14	1
36 (11) Prostatic dis :	M	11	6	8	14	15	6	5	6	7	14	9	28	12	38	66	35	9	59	59	8
36 (12) Old age	F	20	5	6	36	1	23	11	6	65	6	23	79	2	10	25	4	4	78	303	7
	M	24	4	10	43	11	32	10	12	65	14	49	111	10	20	58	40	16	124	389	18
36 (13) Ill-defined diseases	M	1	—	—	—	3	4	1	—	—	—	—	1	—	—	1	2	—	2	2	1
36 (14) Remaining causes	F	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	14	6	6	10	11	18	6	9	15	13	6	22	19	30	68	28	10	131	133	27
	F	16	11	12	14	21	23	14	13	12	26	13	28	19	34	87	44	14	111	139	20

TABLE 24A—continued. County Boroughs.

Causes of Death (See first page of Table)		Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.
16 (1) Cancer of resp : system	M	45	11	14	55	22	10	17	35	28	16	21	13	17	45	116	18	34	38	15	12
16 (2) „ mouth & œs :	F	22	4	5	8	6	6	6	6	3	7	6	2	5	12	18	2	9	4	11	2
16 (3) „ remainder	M	144	48	62	127	47	47	95	106	51	53	44	38	34	59	226	35	66	75	47	51
	F	96	48	42	104	53	41	96	98	37	47	36	22	21	60	189	34	68	73	48	47
19 (1) Chr : dis : of endocardium	M	58	15	13	32	18	7	36	33	21	16	21	9	15	28	70	6	33	14	14	13
19 (2) Myocardial degeneration	F	73	18	14	55	32	11	34	52	27	21	26	16	9	44	114	15	34	19	32	29
	M	159	152	82	237	131	62	176	156	118	95	111	32	50	88	424	77	128	99	85	77
	F	180	167	106	365	153	87	244	185	157	106	136	24	47	120	397	76	136	125	151	82
19 (3) Coronary dis : angina pec :	M	174	34	47	98	47	47	74	60	54	45	29	30	27	81	199	25	63	74	68	33
19 (4) Other heart disease	F	66	13	28	40	15	29	27	35	37	18	19	14	17	37	86	13	31	23	34	13
	M	33	22	11	38	12	7	34	33	18	12	16	9	24	29	108	10	35	12	13	34
	F	33	20	15	42	35	16	43	25	24	21	14	14	24	45	109	13	40	17	18	21
27 (1) Pharynx and tonsils	M	2	1	1	1	—	1	1	—	—	1	—	1	—	—	1	1	5	—	—	1
27 (2) Cirrhosis of liver	F	—	—	2	1	—	—	3	—	—	1	—	—	—	—	—	2	1	1	1	—
	M	8	1	—	4	2	1	2	2	2	2	2	2	—	—	5	1	4	3	1	2
	F	—	—	3	1	3	1	3	1	—	1	—	1	—	—	4	—	2	1	—	—
27 (3) Other liver and biliary dis :	M	8	1	1	4	—	—	7	2	2	1	3	1	2	4	7	—	1	1	2	—
27 (4) Remaining digestive dis :	F	14	4	4	9	7	3	8	2	8	3	2	5	3	4	21	5	2	2	4	7
	M	16	7	10	32	6	5	19	16	8	8	—	3	10	22	32	9	18	12	8	12
	F	15	1	10	28	18	13	14	8	12	9	8	8	10	26	39	7	14	17	8	8
29 (1) Septic abortion	F	5	—	1	3	4	—	1	1	—	1	—	—	1	2	6	—	—	2	—	1
29 (2) Infns : of childb :	F	2	—	—	—	—	—	2	—	1	—	—	1	—	1	2	—	1	—	1	—
30 (1) Other abortion	F	—	—	—	—	—	—	2	2	—	—	—	1	—	—	—	—	—	1	—	—
30 (2) Remg : maternal	F	5	—	2	4	2	—	12	—	—	3	2	1	6	1	10	1	6	1	3	3
32 (1) Injury at birth	M	7	2	7	13	1	4	6	4	3	3	1	2	4	4	22	3	6	2	2	4
32 (2) Cong : malf : and infantile	F	3	—	2	6	3	—	5	—	2	—	—	2	—	1	9	—	2	—	2	6
	M	27	11	12	29	12	5	22	16	8	20	5	12	16	29	57	8	23	26	3	11
	F	23	10	7	29	8	6	17	27	11	10	3	9	14	23	44	6	15	8	1	12
36 (1) Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
36 (2) Purulent infn : septicæmia	F	—	—	—	2	1	—	—	—	—	1	—	1	—	—	1	—	2	—	—	—
	M	—	—	2	1	1	—	1	—	—	—	—	—	—	1	1	—	—	—	2	—
	F	1	—	—	—	—	2	—	—	—	—	—	1	1	—	3	1	—	1	—	—
36 (3) Hodgkin's disease	M	4	1	1	3	1	1	1	1	1	1	2	—	1	1	5	1	—	1	2	2
36 (4) Smallpox	F	2	1	1	4	—	1	1	1	—	—	—	—	—	1	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg : infve : and parasitic	M	1	—	2	1	—	—	2	—	1	—	—	1	1	2	3	1	—	2	—	1
36 (6) Rheumatic fever	F	2	—	—	3	—	4	3	1	1	1	—	—	—	3	1	—	1	2	1	1
	M	—	—	2	3	—	2	—	—	2	2	2	—	2	4	3	1	1	1	—	2
	F	3	—	1	3	2	—	—	3	—	1	1	2	—	—	3	3	—	2	1	1
36 (7) Exophthalmic goitre	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (8) Diseases of blood	F	2	—	1	1	1	1	1	4	—	2	—	1	1	1	9	—	3	1	1	2
	M	12	5	4	10	5	4	5	8	5	3	4	4	5	8	12	9	3	3	2	4
	F	18	11	9	16	12	3	11	13	6	4	5	3	8	10	25	3	7	3	3	10
36 (9) Ear and mastoid dis :	M	3	1	1	10	1	—	—	1	—	1	—	—	—	3	7	2	—	—	—	1
36 (10) Pyelitis & dis : of bladder	F	—	—	1	2	1	1	—	3	—	—	1	2	—	2	8	—	—	—	—	—
	M	4	1	4	2	3	2	1	5	4	1	1	1	1	9	12	—	6	4	1	3
	F	2	1	3	3	—	2	3	1	4	1	1	—	1	3	15	3	3	5	2	4
36 (11) Prostatic dis :	M	32	11	15	26	17	15	27	27	10	16	8	14	5	17	86	11	25	26	17	11
36 (12) Old age	F	14	23	47	38	30	6	28	76	5	6	8	24	54	58	9	7	17	12	21	38
	M	34	41	58	71	46	24	57	100	16	12	11	41	63	68	25	12	28	23	53	45
36 (13) Ill-defined diseases	M	1	—	—	2	9	—	—	—	—	—	2	—	2	1	2	—	—	2	—	1
36 (14) Remaining causes	F	2	—	—	1	8	—	—	—	—	—	1	1	2	—	—	—	—	1	—	—
	M	53	12	20	45	19	10	34	23	22	14	12	17	11	34	55	20	24	22	19	16
	F	54	28	21	32	28	13	23	38	25	19	16	14	17	25	84	5	26	33	24	19

TABLE 24A—continued. County Boroughs and Administrative Counties.

Causes of Death (See first page of Table)		Stockport.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardif.	Merthyr Tydfil.	Newport (Mon.).	Swansea.	Bedfordshire.
16 (1) Cancer of resp. system	M	30	37	13	7	8	23	22	10	20	30	13	10	19	15	23	37	7	17	33	43
16 (2) „ mouth & es.	F	11	6	6	2	—	5	2	1	7	11	2	3	3	4	4	6	2	4	3	13
16 (3) „ remainder	F	5	6	4	1	3	3	1	2	1	5	1	—	5	3	2	7	4	6	3	6
	M	74	110	66	21	29	45	53	21	51	69	18	31	74	33	45	82	33	31	61	113
	F	56	93	73	21	14	32	48	34	32	55	21	22	50	23	36	89	30	34	57	124
19 (1) Chr. dis. of endocardium	M	34	43	39	14	10	15	13	9	6	22	13	10	19	16	11	34	23	16	24	52
	F	28	42	46	14	17	27	12	16	11	38	12	16	31	16	19	52	17	26	40	48
19 (2) Myocardial degeneration	M	124	150	122	63	47	96	49	41	34	94	60	48	138	32	71	225	49	120	79	186
	F	143	163	164	56	61	110	67	48	46	131	66	65	158	58	105	221	46	117	93	221
19 (3) Coronary dis. angina pec.	M	49	86	47	36	15	44	27	22	21	69	23	16	30	31	58	119	31	46	90	93
	F	27	46	27	13	12	18	14	14	9	20	8	12	15	17	26	61	9	17	38	58
19 (4) Other heart disease	M	23	62	29	7	12	21	10	14	3	37	21	10	21	10	14	36	25	29	27	60
	F	35	61	46	8	11	26	22	23	13	29	21	12	21	17	15	29	19	19	43	55
27 (1) Pharynx and tonsils	M	2	2	—	—	—	2	1	—	—	1	—	—	—	1	—	1	—	—	—	—
	F	1	1	2	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	1
27 (2) Cirrhosis of liver	M	3	4	2	1	2	—	2	—	—	—	—	—	1	3	1	—	8	1	2	2
	F	1	1	1	—	—	—	1	—	1	—	—	2	1	1	1	1	—	1	2	1
27 (3) Other liver and biliary dis.	M	3	6	1	2	1	—	1	—	2	—	1	2	3	—	2	3	—	1	4	5
	F	1	7	3	1	4	4	4	—	2	8	1	3	4	3	2	2	5	1	4	3
27 (4) Remaining digestive dis.	M	13	27	14	3	6	4	9	5	3	13	10	8	17	3	15	12	5	7	15	24
	F	13	25	15	5	2	8	9	7	8	12	6	10	12	5	8	18	10	14	12	25
29 (1) Septic abortion	F	—	4	1	—	—	—	2	—	—	—	—	1	—	—	—	2	—	—	1	2
29 (2) Infms. of childb.	F	2	2	—	—	—	1	1	1	—	1	—	—	1	—	—	1	—	1	—	2
30 (1) Other abortion	F	—	1	1	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	1
30 (2) Remg. maternal	F	4	3	3	2	1	1	1	1	—	5	4	1	7	2	—	10	2	1	—	4
32 (1) Injury at birth	M	4	14	4	3	5	2	4	3	4	6	3	2	6	2	2	10	—	4	4	7
	F	4	1	3	1	1	1	1	—	3	1	1	2	—	—	—	1	3	—	2	5
32 (2) Cong. malf. and infantile	M	16	36	17	11	10	11	14	19	9	10	8	13	18	7	17	41	12	13	11	22
	F	9	38	19	12	5	10	8	12	7	14	11	12	17	2	13	22	6	18	16	22
36 (1) Erysipelas	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	2
36 (2) Purulent infn. septicæmia	M	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	F	1	2	—	—	—	—	—	1	—	—	2	—	—	—	—	2	—	—	1	1
36 (3) Hodgkin's disease	M	3	—	—	1	—	1	—	—	3	1	—	—	—	—	1	1	—	2	3	2
	F	3	2	1	—	3	—	—	—	—	1	—	—	1	—	—	—	1	2	—	1
36 (4) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg. infve. and parasitic	M	1	2	—	—	1	—	—	1	1	1	—	1	—	1	1	6	—	4	1	2
	F	1	1	1	1	—	—	1	—	—	1	—	1	1	—	3	1	1	—	1	2
36 (6) Rheumatic fever	M	1	3	2	—	—	1	1	—	3	2	—	—	—	1	—	2	—	—	2	—
	F	1	2	—	1	2	1	1	1	1	—	—	1	1	—	6	2	—	3	1	—
36 (7) Exophthalmic goitre	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	1
	F	3	4	3	—	1	1	2	—	1	—	1	—	2	—	2	3	1	2	1	5
36 (8) Diseases of blood	M	5	11	9	6	2	2	5	5	1	5	5	5	5	6	2	6	4	7	6	11
	F	10	20	14	6	3	9	6	12	3	4	5	5	6	6	7	18	3	7	14	18
36 (9) Ear and mastoid dis.	M	—	9	4	1	1	2	2	1	1	2	—	—	1	—	—	4	—	—	—	3
	F	—	2	1	—	1	—	1	1	1	2	—	2	4	—	1	3	—	—	—	4
36 (10) Pyelitis & dis. of bladder	M	2	8	4	1	—	1	4	—	1	2	1	1	2	1	—	9	3	4	1	7
	F	2	7	2	—	1	2	—	—	1	1	1	1	3	1	—	5	1	1	1	7
36 (11) Prostatic dis.	M	16	27	15	6	11	11	12	4	11	13	8	3	10	9	13	41	5	19	21	35
36 (12) Old age	M	16	75	20	4	13	3	42	2	27	64	20	30	20	20	25	23	21	9	31	47
	F	40	103	20	12	14	18	45	6	36	67	27	41	37	24	36	48	18	17	34	74
36 (13) Ill-defined diseases	M	—	—	—	—	—	—	—	—	11	—	1	—	—	—	1	—	2	—	1	7
	F	—	2	1	3	—	—	—	—	6	6	1	1	—	—	—	—	—	—	5	—
36 (14) Remaining causes	M	28	40	25	17	9	11	17	6	16	20	15	17	20	14	13	31	7	11	29	50
	F	26	38	42	10	10	23	19	12	9	26	16	16	26	11	21	34	10	13	20	38

TABLE 24A—continued. Administrative Counties.

Causes of Death (See first page of Table)		Lincolnshire : Parts of Kesteven.	Lincolnshire : Parts of Lindsey.	Middlesex.	Norfolk.	Northamptonshire.	Northumberland.	Nottinghamshire.	Oxfordshire.	Peterborough, Soke of	Rutlandshire.	Shropshire.	Somersetshire.	Southampton.	Staffordshire.	Suffolk, East.	Suffolk, West.	Surrey.	Sussex, East.	Sussex, West.	Warwickshire.
16 (1) Cancer of resp : system	M	10	38	460	44	29	60	50	21	9	3	24	56	71	94	21	21	236	60	61	55
16 (2) „ mouth & oes :	F	5	8	127	15	9	20	20	4	2	—	12	17	29	33	8	3	79	24	21	18
16 (3) „ remainder	M	52	135	828	171	133	198	193	70	29	11	108	213	267	300	100	58	564	176	165	183
	F	52	134	837	128	79	153	181	57	22	3	124	209	249	265	88	51	571	207	147	180
19 (1) Chr : dis : of endocardium	M	28	53	244	41	44	80	84	34	20	2	34	99	112	108	40	14	155	51	57	56
19 (2) Myocardial degeneration	F	34	58	336	63	64	111	88	44	13	4	45	114	120	134	49	22	215	83	60	78
	M	84	233	1122	346	208	329	367	144	29	16	230	422	440	568	184	121	792	349	399	334
	F	91	240	1618	386	265	405	374	104	29	15	281	526	483	603	183	142	1112	517	560	376
19 (3) Coronary dis : angina pec :	M	42	105	915	103	89	198	117	65	21	5	105	159	217	193	83	43	603	120	156	174
19 (4) Other heart disease	F	22	55	459	65	51	111	62	36	6	3	51	75	115	102	43	25	295	81	98	84
	M	36	66	150	48	58	57	71	20	11	2	55	107	84	135	23	17	119	51	39	46
	F	25	61	193	67	52	62	87	22	16	9	72	104	115	160	37	21	113	77	46	66
27 (1) Pharynx and tonsils	M	1	1	12	1	5	3	—	—	—	—	—	7	2	4	1	1	8	2	1	1
27 (2) Cirrhosis of liver	F	—	—	12	2	2	2	—	2	—	—	—	2	1	5	2	2	7	4	—	2
	M	1	3	20	1	2	4	3	1	1	—	—	4	2	1	2	2	7	4	—	2
	F	—	3	6	1	—	—	1	2	—	—	—	2	5	9	12	2	12	3	7	5
													1	10	2	6	4	1	9	2	5
27 (3) Other liver and biliary dis :	M	—	2	23	5	—	8	8	5	2	—	2	8	11	10	2	1	20	2	2	2
27 (4) Remaining digestive dis :	F	—	10	64	10	11	14	17	2	1	—	9	12	14	24	5	8	31	14	11	13
	M	11	30	135	36	18	33	42	12	9	3	19	46	44	58	13	19	91	26	22	38
	F	11	37	153	20	23	35	47	9	5	3	26	57	48	69	20	8	105	52	39	38
29 (1) Septic abortion	F	1	2	6	—	1	1	—	—	—	—	1	1	2	2	1	1	2	—	—	2
29 (2) Infns : of childb :	F	1	1	3	—	1	4	—	—	1	—	1	2	2	5	—	2	3	—	1	1
30 (1) Other abortion	F	—	1	2	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—
30 (2) Remg : maternal	F	6	5	22	8	1	11	8	3	1	—	5	11	10	31	5	1	14	3	4	10
32 (1) Injury at birth	M	4	8	41	15	8	12	16	8	1	—	9	6	12	23	7	3	33	9	5	17
32 (2) Cong : malf : and infantile	F	4	3	28	4	7	10	4	3	3	1	5	14	26	3	3	18	4	2	11	
	M	17	29	217	53	36	53	73	17	4	2	22	54	80	90	26	7	133	34	24	74
	F	13	22	168	34	24	39	47	11	5	2	18	40	47	79	26	10	152	23	21	40
36 (1) Erysipelas	M	—	—	3	—	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—
36 (2) Purulent infn : septicaemia	F	—	—	2	—	—	—	—	—	—	—	—	—	2	2	3	—	2	2	1	2
	M	1	2	7	2	2	2	—	2	—	—	—	—	1	2	3	1	6	2	—	4
	F	—	7	2	1	2	—	—	—	—	—	—	—	1	2	2	—	4	1	—	1
36 (3) Hodgkin's disease	M	1	3	21	8	3	3	9	2	—	—	6	2	6	9	2	—	17	3	1	1
36 (4) Smallpox	F	—	1	14	1	4	3	—	2	—	—	—	4	5	1	1	6	2	3	—	3
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg : infve : and parasitic	M	1	2	16	3	3	1	2	1	—	—	—	2	5	11	2	1	11	1	5	3
36 (6) Rheumatic fever	F	1	1	10	2	1	1	5	3	—	—	3	5	4	4	3	2	11	1	—	—
	M	2	3	3	1	1	4	6	1	—	—	3	2	8	3	—	—	4	—	3	2
	F	—	2	20	2	—	8	6	1	—	—	2	1	3	6	—	1	5	2	2	2
36 (7) Exophthalmic goitre	M	—	—	5	2	3	2	1	—	—	—	—	1	2	2	—	—	4	1	1	1
36 (8) Diseases of blood	F	—	1	16	11	7	8	8	2	—	1	7	8	6	10	3	2	9	4	7	—
	M	6	20	83	23	17	14	27	4	2	—	8	30	26	30	11	9	53	20	8	23
	F	5	19	115	20	16	23	21	10	1	—	14	39	22	54	5	6	69	24	23	29
36 (9) Ear and mastoid dis :	M	—	2	41	4	1	1	4	2	—	—	4	4	3	10	1	1	8	1	2	9
36 (10) Pyelitis & dis : of bladder	F	—	25	4	2	—	5	—	—	—	—	5	3	1	6	3	1	4	3	1	4
	M	3	6	45	6	6	12	1	1	2	—	8	18	15	9	6	2	28	8	15	7
	F	1	2	47	7	3	6	7	2	1	—	3	14	13	12	5	—	23	5	11	12
36 (11) Prostatic dis :	M	13	37	235	44	43	60	27	19	5	26	71	91	73	32	17	167	61	62	66	
36 (12) Old age	F	26	69	138	68	21	66	83	21	11	31	95	85	213	42	31	116	39	39	42	
	M	28	75	229	134	54	105	138	43	16	3	90	201	143	329	55	45	236	67	78	91
36 (13) Ill-defined diseases	M	3	1	1	16	10	16	5	1	—	—	1	3	1	2	1	—	—	—	1	1
36 (14) Remaining causes	F	5	1	1	8	9	3	14	3	1	—	3	1	—	2	1	—	—	—	2	1
	M	14	53	258	56	42	47	85	18	7	5	48	80	74	118	31	19	149	44	45	68
	F	28	64	337	61	49	66	75	27	15	7	62	115	114	124	39	29	209	75	67	65

TABLE 24A—continued. Administrative Counties.

Causes of Death (See first page of Table)		Westmorland.	Wight, Isle of	Wiltshire.	Worcestershire.	Yorkshire, East Riding.	Yorkshire, North Riding.	Yorkshire, West Riding.	Anglesey.	Brecknockshire.	Caernarvonshire.	Cardiganshire.	Carmarthenshire.	Denbighshire.	Flintshire.	Glamorganshire.	Merionethshire.	Monmouthshire.	Montgomeryshire.	Pembrokeshire.	Radiocshire.
16 (1) Cancer of resp : system	M	10	11	39	51	30	35	182	6	4	21	7	20	19	12	105	9	32	8	5	3
	F	1	1	10	13	10	10	52	2	2	9	2	8	10	8	25	3	7	3	2	—
16 (2) „ mouth & œs :	F	2	3	12	9	6	20	47	3	—	12	8	9	11	3	32	2	10	2	7	—
16 (3) „ remainder	M	30	51	153	190	116	162	696	21	17	59	31	73	63	56	291	13	116	35	40	7
	F	31	46	149	163	102	145	629	24	21	67	29	75	91	53	238	22	100	20	33	5
19 (1) Chr : dis : of endocardium	M	24	22	75	65	36	64	284	7	5	22	8	35	24	25	137	12	63	15	11	3
	F	13	22	64	73	41	86	402	3	8	25	13	50	43	40	158	8	73	15	12	2
19 (2) Myocardial degeneration	M	64	124	309	248	161	357	1265	64	58	104	53	112	138	82	566	20	263	65	65	13
	F	66	165	366	316	165	395	1479	82	58	124	77	127	151	115	533	38	252	55	80	16
19 (3) Coronary dis : angina pec :	M	23	28	121	133	102	149	652	17	23	63	19	55	63	61	293	18	101	12	41	11
	F	17	19	70	77	50	87	321	12	13	37	29	41	50	30	115	8	41	7	16	7
19 (4) Other heart disease	M	17	29	70	45	36	69	285	13	23	24	12	25	46	26	242	9	99	7	14	8
	F	21	32	69	56	34	79	279	12	17	30	23	41	47	39	198	10	87	4	30	—
27 (1) Pharynx and tonsils	M	—	1	1	1	1	—	4	1	—	1	—	2	5	—	1	—	2	—	—	—
	F	1	2	—	4	1	1	6	—	—	3	—	1	—	—	6	—	3	—	—	—
27 (2) Cirrhosis of liver	M	—	1	3	2	4	3	23	—	3	—	—	—	1	4	1	7	2	3	1	—
	F	1	—	3	3	3	1	17	—	—	—	—	—	1	1	5	—	2	—	1	—
27 (3) Other liver and biliary dis :	M	3	1	5	5	5	4	20	2	—	2	1	4	1	2	7	2	6	1	—	1
	F	4	9	13	16	3	20	70	1	1	6	1	5	9	4	21	1	10	1	2	—
27 (4) Remaining digestive dis :	M	9	4	25	30	26	31	136	9	11	11	5	9	15	12	50	7	26	3	8	4
	F	4	20	29	25	22	36	140	3	7	17	7	21	16	15	60	5	26	3	9	1
29 (1) Septic abortion	F	—	—	—	2	—	1	6	—	1	1	—	2	—	—	4	—	3	—	—	—
29 (2) Infus : of childb :	F	1	1	—	1	—	4	8	1	1	—	—	—	1	—	1	—	4	2	—	—
30 (1) Other abortion	F	2	—	—	1	—	—	3	—	—	—	—	1	—	—	3	—	—	—	—	—
30 (2) Remg : maternal	F	—	—	8	4	8	9	29	—	1	4	3	7	6	2	34	—	12	2	3	1
32 (1) Injury at birth	M	4	2	13	14	5	12	40	3	3	9	2	3	6	4	24	—	10	—	3	—
	F	1	2	6	9	3	10	3	3	2	2	—	4	5	3	4	2	3	1	2	—
32 (2) Cong : malf : and infantile	M	7	14	47	49	25	57	180	8	9	11	1	20	32	19	119	6	57	7	10	4
	F	2	6	23	29	16	34	152	6	7	14	3	15	14	10	78	4	45	5	8	3
36 (1) Erysipelas	M	—	—	2	—	—	—	2	—	—	—	—	—	—	—	2	1	—	—	—	—
	F	—	1	1	—	1	—	2	—	1	—	—	—	1	—	1	—	2	—	—	—
36 (2) Purulent infn : septicæmia	M	—	1	1	1	1	2	6	1	1	—	1	—	1	—	3	—	—	—	1	—
	F	—	1	—	2	4	1	3	—	—	—	—	—	1	1	2	—	3	—	—	—
36 (3) Hodgkin's disease	M	—	2	4	2	3	2	17	1	—	2	—	3	2	—	5	1	3	—	2	—
	F	—	2	3	1	3	1	14	—	—	1	—	—	2	—	4	—	1	—	—	—
36 (4) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg : infve : and parasitic	M	2	1	2	1	1	2	9	1	—	5	—	3	2	—	8	—	3	1	2	—
	F	1	1	4	—	—	1	6	—	1	1	—	—	2	2	2	—	1	—	1	—
36 (6) Rheumatic fever	M	—	—	—	3	—	2	15	—	1	—	—	2	1	2	2	9	3	—	1	—
	F	—	—	3	2	1	2	13	—	—	2	1	1	2	1	3	—	3	—	—	—
36 (7) Exophthalmic goitre	M	—	—	—	2	—	1	3	—	—	2	—	1	—	—	3	—	—	—	1	—
	F	1	4	4	3	1	5	16	2	1	6	—	7	7	6	16	1	9	3	2	—
36 (8) Diseases of blood	M	5	4	18	17	11	16	86	3	7	11	2	5	8	7	43	1	15	2	5	1
	F	3	10	25	21	10	20	140	4	5	6	8	19	19	9	54	—	30	4	7	1
36 (9) Ear and mastoid dis :	M	1	2	3	6	2	2	10	—	3	—	—	—	—	—	10	1	8	—	1	—
	F	—	1	1	3	1	1	7	—	—	1	2	2	—	1	7	1	1	—	—	—
36 (10) Pyelitis & dis : of bladder	M	2	4	8	5	4	9	35	—	5	3	2	3	5	3	22	—	13	4	1	—
	F	3	1	7	8	4	13	25	1	2	6	—	6	4	5	11	2	5	1	2	1
36 (11) Prostatic dis :	M	17	17	55	43	31	50	177	11	9	38	16	32	27	13	128	5	42	10	27	5
36 (12) Old age	M	10	17	61	85	26	41	280	4	8	22	8	31	12	27	153	7	69	25	17	5
	F	16	40	88	108	50	54	367	10	12	44	23	23	29	52	217	14	74	14	33	10
36 (13) Ill-defined diseases	M	1	—	1	2	1	2	1	—	2	3	1	1	10	3	7	2	3	1	3	—
	F	—	—	1	2	2	2	2	—	1	2	—	—	2	2	2	2	1	12	2	—
36 (14) Remaining causes	M	17	11	55	40	42	63	225	12	10	21	9	39	22	23	153	22	51	12	22	3
	F	19	21	78	65	45	64	298	14	9	28	18	55	30	25	166	8	72	16	16	6

TABLE 25.—VIOLENT DEATHS, 1945.—ENGLAND AND WALES.

Note (1). The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open Verdicts" are included with accidental deaths.

(2). The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6.

(a) Civilians only (including "Occupational" deaths)

Inter- national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
163-198	Total M F	12401 8278	555 457	705 457	779 349	510 177	628 199	369 225	835 560	1363 688	1648 819	1867 954	1735 1246	1407 2147
163-164	Suicide M F	2238 1432	—	—	—	6 1	39 14	39 40	160 176	302 265	459 332	546 333	468 206	219 65
163aa	By Corrosive substances ... M F	60 67	—	—	—	—	—	1 2	6 7	11 13	10 11	15 12	10 7	7 4
	Hydrochloric acid ... M F	11 2	—	—	—	—	—	—	—	2 —	3 —	5 —	—	1 —
	Carbolic acid ... M F	4 4	—	—	—	—	—	—	—	—	1 —	1 —	1 —	—
	Lysol ... M F	27 43	—	—	—	—	—	6 8	3 6	5 5	7 12	3 5	3 4	3 4
	Other corrosives ¹ ... M F	18 18	—	—	—	—	—	1 —	6 —	1 4	2 3	6 9	2 2	—
163ab1	„ Analgesic drugs ... M F	23 36	—	—	—	—	—	1 1	3 9	2 9	8 6	4 7	4 3	1 1
	Aspirin ... M F	20 33	—	—	—	—	—	1 1	3 8	2 8	2 6	2 3	—	—
	Others ² ... M F	3 3	—	—	—	—	—	—	—	—	—	2 —	1 —	—
163ab2	„ Narcotic drugs ³ ... M F	6 5	—	—	—	—	—	1 —	1 —	—	2 —	1 —	—	2 —
163ac	„ Soporific drugs ⁴ ... M F	20 41	—	—	—	—	1 1	1 —	3 8	2 11	5 8	7 10	1 3	—
163ad	„ Other solid or liquid poisons M F	61 32	—	—	—	—	2 1	1 4	8 3	11 2	13 11	13 5	11 6	2 —
	Ammonia ... M F	7 15	—	—	—	—	—	—	—	—	1 7	4 2	—	—
	Cyanides ... M F	40 6	—	—	—	—	1 1	6 1	7 —	9 —	8 —	8 —	1 —	1 —
	Others and not stated ⁵ ... M F	14 11	—	—	—	—	1 —	2 3	3 2	3 —	2 —	3 1	1 3	1 —
163ba	„ Coal gas ... M F	732 683	—	—	—	1 —	14 5	11 16	53 95	105 119	158 163	170 152	156 104	64 29
163bb	„ Motor exhaust gases ... M F	5 1	—	—	—	—	—	—	—	2 —	1 —	2 —	—	—
163bc	„ Other poisonous gases ⁶ ... M F	7 1	—	—	—	—	—	—	1 —	—	5 —	—	1 —	—
164a	„ Hanging or strangulation ... M F	483 130	—	—	—	3 —	10 —	10 —	32 13	61 24	95 32	134 34	92 18	46 8
164b	„ Drowning ... M F	295 267	—	—	—	—	—	5 3	10 5	38 22	65 52	71 63	71 66	35 45
164c	„ Firearms and explosives ... M F	184 22	—	—	—	2 —	8 2	6 2	22 3	42 6	32 3	38 4	21 1	13 —
164d	„ Cutting or piercing instruments ... M F	222 41	—	—	—	—	—	—	7 1	15 2	37 12	60 12	69 12	34 2
164e	„ Jumping from high places ... M F	52 61	—	—	—	—	—	2 3	4 5	7 11	6 14	12 14	11 6	10 8
164fa	„ Crushing on railways ... M F	80 32	—	—	—	—	4 —	—	8 4	7 9	21 7	17 4	19 —	4 1
164fb	„ Other crushing ⁷ ... M F	5 2	—	—	—	—	—	1 —	1 —	—	—	2 —	—	1 —
164g	„ Other or unspecified means ⁸ ... M F	3 11	—	—	—	—	—	—	—	—	1 —	—	2 —	—

¹ Sulphuric acid, 2M, 1F.; oxalic acid, 2M, 5F.; mercuric perchloride, 1M.; cresol, 2M., 2F.; Dettol, 1F.; Izal, 4M., 4F.; Jeyes fluid, 2M., 1F.; phenol, 3M., 2F.; corrosive (not stated), 2M., 2F.

² Aconite, 1M.; oil of wintergreen, 2M., 2F.; bella donna, 1F.

³ Heroin, 4F.; laudanum, 1M.; morphia, 3M., 3F.; omnopon, 1M., 1F.; opium, 1M.

⁴ Sedormid, 4F.; barbitone, 2M., 1F.; barbiturate, 3M., 7F.; barbituric acid, 2M., 2F.; luminal, 6M., 6F.; medinal, 4F.; nembutal, 2M.; phenobarbitone, 3M., 4F.; seconal, 2F.; sodium amytal, 2F.; soneryl, 1M., 4F.; sulphonal, 1F.; veronal, 1M.; 3F.; narcotic (not stated) 1F.

⁵ Arsenic, 2M.; nicotine, 1M.; disinfectant (not stated), 1M.; camphor, 1M., 2F.; inculin, 1M.; methylated spirit, 1F.; mortegg, 1M.; phosphorus, 1M., 1F.; phosphorus rat poison, 1F.; rodine, 2M., 2F.; Sempolita vermin killer, 1F.; sodium potassium salt, 1M.; strychnine, 1M., 1F.; surgical spirit, 1F.; Thawpit, 1F.; poison (not stated), 1M.

⁶ Carbon monoxide, 4M.; chloroform, 1M., 1F.; nitrous oxide, 2M.

⁷ Block of granite, 1M.; motor vehicles, 4M., 2F.

⁸ Attempted abortion, 3F.; burns, 1M., 6F.; electrocution, 1M.; suffocation, 1F.; use of instrument, no evidence of pregnancy, 1F.; means unascertainable, 1M.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
165-168	Homicide	M 121 F 131	36 27	9 14	5 7	2 5	4 6	7 9	13 23	9 12	13 14	12 5	10 6	1 3
165	Infanticide ¹	M 36 F 27	36 27	—	—	—	—	—	—	—	—	—	—	—
166	Homicide by firearms	M 15 F 15	—	—	1	—	2	1	4	1	—	—	1	1
167	Cutting or piercing instruments	M 13 F 16	—	3	—	—	—	1	7	—	1	1	2	1
168	Other or unspecified means	M 57 F 73	—	9	4	2	1	3	5	8	11	7	7	2
	Coal gas	M 5 F 12	—	2	1	1	—	—	—	—	1	—	—	—
	Strangulation	M 1 F 23	—	—	1	—	—	—	—	—	—	—	—	—
	Others or not stated ²	M 51 F 38	—	7	2	1	1	3	5	8	10	7	7	2
169-195	Accident*	M 8836 F 5513	503 416	629 400	714 284	418 124	520 106	289 101	555 205	891 223	930 274	1104 456	1138 904	1145 2020
169	Railway accidents	M 438 F 67	—	16 13	30 2	12 2	21 3	11 10	25 7	79 11	112 8	50 7	9 5	—
	Accidents to trains ³	M 30 F 9	—	1	—	—	2	—	2	7	10	7	1	—
	Other accidents to occupants of train	M 37 F 10	—	—	3	1	1	1	2	3	7	10	4	—
	Fall from carriage, engine or truck	M 28 F 9	—	2	1	—	—	—	3	6	5	6	4	1
	Others ⁴	M 9 F 1	—	2	1	—	—	1	1	2	1	2	4	1
	Accidents to persons on line	M 371 F 48	—	15 11	27 1	11 2	18 7	10 2	20 7	59 7	62 4	95 3	45 6	9 4
	Run over	M 255 F 30	—	5 4	7 1	10 —	8 1	11 4	41 5	46 3	73 2	39 5	8 4	—
	Crushed by engine, carriage or truck	M 46 F 3	—	—	—	1	6	—	7	12	7	10	3	—
	Others ⁵	M 70 F 15	—	10 7	20 1	3 —	2 —	2 3	2 1	6 3	9 1	12 1	3 1	1
170	Motor vehicle accidents	M 2529 F 1069	4 3	220 116	348 159	154 56	157 49	101 37	191 72	247 72	256 88	293 136	347 151	211 130
170a	Collision with trains ⁶	M 17 F 1	—	—	—	1	1	—	1	6	5	1	2	—
170b	" " trams	M — F —	—	—	—	—	—	—	—	—	—	—	—	—
170c	Other motor vehicles	M 2512 F 1068	4 3	220 116	348 159	153 56	156 49	101 36	190 72	241 72	251 88	292 136	345 151	211 130
	Occupants of motor car ⁷	M 164 F 80	1 2	1 —	4 3	1 —	6 5	9 2	29 13	30 14	49 17	21 11	9 6	4 5
	Rider of motor cycle	M 294 F 24	—	2	1	2	48	52	77	64	23	18	7	—
	By motor car	M 61 F 6	—	—	—	1	11	12	14	14	4	4	2	—
	" goods transport vehicle	M 92 F 7	—	—	1	1	17	8	23	22	6	11	3	—
	" omnibus	M 21 F 2	—	—	—	1	4	4	5	5	1	—	1	—
	" motor cycle	M 11 F 13	—	—	—	—	1	4	4	2	1	1	1	—
	" other vehicle ⁸	M 1 F 96	—	2	—	—	12	23	28	18	11	2	—	—
	Without intervention of other vehicle	M 8 F 62	—	—	—	1	2	—	1	5	8	11	10	22
	Occupant of omnibus ⁹	M 62 F 62	—	—	—	1	2	—	3	5	6	7	21	16
	" " taxicab ¹⁰	M 4 F 1	—	—	—	—	—	—	—	—	—	—	2	1
	" " motor coach ¹¹	M 1 F 1	—	—	—	—	—	—	—	—	—	—	—	—
	" " goods transport vehicle ¹²	M 146 F 23	—	3 1	13 2	6 1	18 6	11 2	18 4	27 6	20 1	21 1	9	—
	" " other vehicle	M 23 F 7	—	2 —	1 3	1 2	2 —	—	5 1	7 1	2 1	—	—	—
	" " on road ¹³	M 23 F —	—	—	—	—	—	—	—	—	—	—	—	1

¹ Aspirin, 1 M., 1 F.; blow, 3 M., 3 F.; burns, 1 M., 1 F.; coal gas, 2 M.; cutting or piercing instrument, 1 M.; drowning, 6 M., 5 F.; inattention at birth, 7 M., 3 F.; motor vehicle, 1 F.; strangulation, 9 M., 6 F.; suffocation, 5 M., 6 F.; not stated, 1 M., 1 F.

² Aspirin, 1 M.; attempted abortion, 10 F.; blow, 20 M., 10 F.; carbon monoxide, 3 M.; drowning, 1 M., 2 F.; fall (not stated), 2 M.; fire, 2 F.; lack of attention, 1 F.; morphia, 1 F.; motor vehicle, 16 M., 9 F.; phenobarbitone, 1 M.; prussic acid, 1 F.; railway, 2 M.; starvation, 1 F.; struggle, 5 M.; not stated, 1 F.

³ Collision, 14 M.; derailment, 16 M., 9 F.

⁴ Explosion of locomotive engine, 1 M.; fall, 2 M.; striking bridge, etc., 6 M., 1 F.

⁵ Blow, 4 M., 1 F.; collision, pedal cycle with train, 2 M.; crushing, 3 M.; drowning, 2 M.; electrocution, 29 M., 9 F.; fall, 24 M., 4 F.; machinery, 3 M.; not stated, 1 M., 1 F.

⁶ Occupant of train, 1 M.; motor bus, 6 M.; motor coach, 2 M., 1 F.; motor lorry, 7 M.; other persons, 1 M.

⁷ With intervention of other vehicle, 100 M., 47 F.; without —, 64 M., 33 F.

⁸ Ambulance, 3 M.; horse drawn cart, 2 M.; pedal cycle, 4 M.; taxi-cab, 2 M.; tractor, 2 M., 1 F.

⁹ With intervention of other vehicle, 8 M., 3 F.; without —, 54 M., 59 F.

¹⁰ With " " " " " 2 M., 1 F.; " " " " " 2 M.

¹¹ With " " " " " 1 M.; " " " " " 1 F.

¹² With " " " " " 53 M., 6 F.; " " " " " 93 M., 17 F.

¹³ With " " " " " —ambulance, 1 F.; fire engine, 1 M.; invalid carriage, 1 M., 1 F.; perambulator, 3 M.; sledge, 1 M.; motor vehicle, not stated, 3 M.

Without intervention of other vehicle, —ambulance, 1 M., 1 F.; dumper, 2 M.; fire engine, 4 M.; invalid carriage, 1 F.; tractor, 6 M., 2 F.; motor vehicle, not stated, 1 M., 1 F.

* Including "Occupational" deaths, details of which will be found on page 280.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
170c —cond.	Rider of pedal cycle by ... M	442	—	2	32	73	52	16	22	48	46	68	63	20
	motor vehicle ... F	102	—	—	2	17	18	6	13	16	13	13	3	1
	By motor car ... M	129	—	—	6	17	14	6	4	15	18	19	23	7
	... F	25	—	—	—	—	6	—	2	9	3	3	1	1
	„ motor cycle ... M	14	—	—	1	2	—	1	—	2	2	5	1	—
	... F	2	—	—	—	—	1	—	—	—	—	—	—	—
	„ omnibus ... M	66	—	—	4	25	6	2	2	7	5	7	6	2
	... F	17	—	—	2	6	—	—	2	—	2	—	—	—
	„ taxi-cab ... M	5	—	—	—	—	2	—	—	1	—	—	2	—
	... F	1	—	—	—	—	—	—	—	—	1	—	—	—
	„ motor coach ... M	5	—	—	—	—	2	—	2	—	—	—	—	—
	... F	1	—	—	—	—	—	—	—	—	—	1	—	—
	„ goods transport ... M	213	—	2	20	29	25	7	12	22	21	36	28	11
	vehicle ... F	52	—	—	—	11	5	5	9	6	7	7	2	—
	„ other motor ... M	10	—	—	1	—	3	—	2	1	—	1	2	—
	vehicle ¹ ... F	4	—	—	—	—	1	1	—	1	—	1	—	—
	Pedestrian by motor ... M	1353	1	211	293	66	26	13	38	52	94	147	232	180
	vehicle ... F	767	—	114	152	36	17	12	29	26	47	90	125	119
	By motor car ... M	330	1	33	36	9	7	3	7	14	20	42	87	71
	... F	202	—	14	24	7	4	4	7	6	19	34	40	43
	„ motor cycle ... M	45	—	4	4	—	—	—	1	3	5	16	12	—
	... F	38	—	1	4	1	—	—	1	1	6	6	7	11
	„ Omnibus ... M	279	—	52	78	19	4	5	10	7	20	24	36	24
	... F	155	—	19	47	10	6	4	12	5	5	18	17	12
	„ taxi-cab ... M	22	—	—	2	—	1	—	—	2	—	2	10	5
	... F	3	—	—	—	—	—	—	—	—	—	—	2	1
	„ motor coach ... M	18	—	3	2	2	—	—	—	2	—	4	4	1
	... F	4	—	1	1	—	—	—	1	—	—	—	1	—
	„ goods transport ... M	632	—	118	168	35	14	5	18	25	47	65	73	64
	vehicle ... F	350	—	77	74	15	6	4	8	14	16	30	56	50
	„ other motor ... M	27	—	1	3	1	—	—	3	1	4	5	6	3
	vehicle ² ... F	15	—	2	2	3	1	—	—	—	1	2	2	2
	Occupant of horse v. in ... M	6	—	—	—	—	—	—	—	2	2	1	1	—
	collision with motor v. ... M	17	—	—	1	2	3	—	—	2	4	5	—	—
	Other accidents (in ... F	1	—	—	—	—	—	—	—	—	—	—	1	—
	garage, etc.) ³ ... M	1	—	—	—	—	—	—	—	—	—	—	—	—
171a	Tramway accidents on roads ... M	43	—	2	1	—	1	—	3	5	9	7	6	9
	... F	29	—	2	—	—	—	1	6	1	2	3	8	5
	Occupant of tram ... M	9	—	—	—	—	—	1	—	1	2	1	3	2
	... F	7	—	—	—	—	—	1	2	—	—	1	1	—
	Occupant of other vehicle ... M	4	—	—	—	—	—	—	—	2	1	1	—	—
	... F	29	—	2	1	—	1	—	2	2	6	5	3	7
	Pedestrian by tram... M	21	—	2	—	—	—	—	4	1	2	2	7	3
	... F	1	—	—	—	—	1	—	—	—	—	—	—	—
	Pedal cyclist by tram ... M	1	—	—	—	—	—	—	—	—	—	—	—	—
	Other accidents (electrocution) M	1	—	—	—	—	—	—	1	—	—	—	—	—
171b	Other accidents in road ... M	244	—	6	10	15	18	13	11	27	33	47	49	15
	transport ... F	91	—	2	3	5	8	9	7	10	6	7	15	19
	Occupant of horse drawn ... M	27	—	—	3	—	1	—	—	1	4	9	—	—
	vehicle ... F	2	—	1	—	—	—	—	—	—	—	—	—	1
	Occupant of wheel chair ... M	2	—	—	—	—	—	—	—	—	—	—	—	—
	... F	1	—	—	—	—	—	—	—	—	—	—	—	—
	Rider of pedal cycle ⁴ ... M	157	—	1	3	15	15	11	11	24	23	25	25	4
	... F	45	—	—	1	5	6	9	7	9	5	2	—	—
	Pedestrian by pedal cycle ... M	32	—	1	2	—	—	—	—	1	4	5	12	7
	... F	30	—	—	—	—	2	—	—	1	—	4	10	12
	Pedestrian by other vehicle ... M	26	—	4	2	—	2	2	—	1	1	8	3	3
	(not motor) ⁵ ... F	13	—	1	1	—	—	—	—	—	1	1	5	4
172	Water transport accidents ... M	151	—	—	4	4	26	11	27	27	29	19	3	1
	... F	2	—	—	—	—	—	1	—	—	—	—	—	—
	Drowning ... M	67	—	—	4	3	20	10	10	10	4	5	—	1
	... F	1	—	—	—	—	—	1	—	—	—	—	—	—
	Fall into hold ... M	32	—	—	—	—	5	1	8	4	9	5	—	—
	Other falls ⁶ ... M	17	—	—	—	—	—	—	2	3	4	6	2	—
	... F	1	—	—	—	—	—	—	—	—	—	—	1	—
173	Other accidents ⁷ ... M	35	—	—	1	1	—	7	10	12	3	1	—	—
	Air transport accidents ... M	23	—	—	—	—	2	5	10	2	3	—	1	—
	... F	1	—	—	—	—	—	—	1	—	—	—	—	—
	Occupant of 'plane ... M	21	—	—	—	—	2	5	10	2	2	—	—	—
	... F	1	—	—	—	—	—	—	1	—	—	—	—	—
174	Other persons ... M	2	—	—	—	—	—	—	—	—	1	—	1	—
	Accidents in mines and ... M	546	—	3	2	7	35	35	77	131	128	103	25	—
175	quarries ⁸ ... F	2	—	—	—	—	1	—	—	—	—	—	1	—
	Agriculture and forestry ... M	152	—	2	10	7	8	9	18	24	15	18	29	12
	accidents ⁹ ... F	9	—	3	—	—	1	2	1	—	1	1	—	—

¹ Ambulance, 5 M., 1 F.; fire engine, 1 F.; mechanical horse, 1 M.; motor vehicle, not stated, 4 M., 2 F.² Ambulance, 5 M., 3 F.; dumper, 2 M.; dust cart, 1 F.; fire engine, 6 M., 2 F.; steam roller, 1 M.; tractor, 3 M.; motor vehicle, not stated, 10 M., 9 F.³ Burns, 1 M., 1 F.; crushing, 4 M.; electric shock, 1 M.; fall into inspection pit, 4 M.; fumes, 3 M.; tyre burst, 4 M.⁴ With intervention of other vehicle (not motor),—horse drawn vehicle, 1 M.; pedal cycle, 10 M., 8 F. not stated, vehicle, 1 M.

Without intervention of other vehicle,—145 M., 37 F.

⁵ Horse drawn vehicle, 22 M., 9 F.; not stated vehicle, 4 M., 4 F.⁶ From ladder, 5 M., 1 F.; from ship, 4 M.; from staging, 2 M.; not stated, 6 M.⁷ Blow, 9 M.; crushed—between ships, 2 M.; by cargo, 3 M.; by hatch cover, etc., 4 M.; fire, 6 M.; machinery⁸ 4 M.; scalds, 1 M.; shipwreck, 4 M.; not stated, 2 M.⁹ For other details see page 280.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
176	Accidents caused by machinery ¹ ...	M 151 F 10	—	—	—	7	16	7	11	43	34	20	11	2
177	Food poisoning ² ...	M 15 F 11	—	1	1	—	1	—	—	2	3	2	4	1
178	Accidental absorption of poisonous gas ...	M 208 F 204	4	5	4	4	4	5	9	18	27	25	49	54
	Coal gas ...	M 163 F 190	3	5	2	3	3	4	7	15	14	23	45	72
	Carbon monoxide ³ ...	M 33 F 12	—	—	2	—	—	1	—	6	11	6	5	2
	Others ⁴ ...	M 12 F 2	1	—	—	2	—	1	—	1	2	2	1	1
179	Other acute accidental poisoning (not by gas) ⁵ ...	M 75 F 83	1	14	—	—	2	5	4	18	16	3	7	5
180	Conflagration ...	M 48 F 46	4	7	8	1	—	—	3	2	1	9	9	4
181	Accidental burns (conflagration excepted) ...	M 344 F 630	18	105	25	13	9	—	13	16	10	30	42	63
	Burns ...	M 238 F 529	8	31	22	12	7	—	12	12	8	25	40	61
	By clothing ...	M 81 F 316	2	13	14	4	2	—	2	3	2	11	14	14
	From domestic fire ...	M 10 F 61	2	2	3	—	—	6	8	9	17	24	53	94
	„ gas fire, stove, etc. ...	M 2 F 30	—	2	—	—	—	—	—	—	—	—	6	10
	„ candle ...	M 10 F 15	—	—	3	1	—	—	—	1	—	6	2	3
	„ other causes ⁶ ...	M 32 F 69	—	4	1	—	—	—	2	3	2	7	1	7
	Not stated ...	M 27 F 141	—	13	7	1	—	2	1	1	5	5	11	23
	By falling into fire ...	M 35 F 39	1	3	2	—	—	—	2	1	—	6	8	16
	„ other means ⁷ ...	M 60 F 56	2	5	2	—	3	—	9	6	6	8	5	9
	Not stated ...	M 62 F 118	3	10	6	3	2	—	1	3	—	4	14	16
	Scalds ...	M 106 F 101	10	74	3	1	2	—	1	4	2	5	2	2
182	Accidental mechanical suffocation ...	M 349 F 304	21	3	4	5	2	4	6	12	9	6	5	7
	In bed ...	M 123 F 101	14	4	—	—	—	—	1	1	—	—	—	—
	In cot, cradle, etc. ...	M 103 F 59	98	5	—	—	—	—	1	1	—	—	—	—
	By food ...	M 145 F 118	104	8	2	—	2	—	1	2	10	8	6	2
	By other means ⁸ ...	M 50 F 26	24	4	1	4	3	2	3	3	2	1	—	3
183	Accidental drowning ...	M 1030 F 235	4	156	189	103	116	46	49	59	71	96	91	50
	Bathing in the sea ...	M 36 F 11	5	41	25	21	10	7	16	19	24	25	34	8

¹ For other details see page 280.² Bacillus Aertrycke, 3 M., 3 F.; bacillus Gaertner, 2 M., 3 F.; Salmonella, 5 M., 3 F.; shell fish, 1 M.; tinned milk, 1 M.; tinned soup, 1 F.; not stated, 3 M., 1 F.³ Anthracite stove, etc., 10 M., 1 F.; burning celluloid film, 1 M.; coke ovens, etc., 7 M.; gas fire, etc., 3 M., 2 F.; geyser, 5 M., 5 F.; iron and steel works, 1 M.; lamp black works, 1 M.; ordnance factory, 1 F.; pumping station, 1 M.; varnish boiling plant, 1 M.; not stated 3 M., 3 F.⁴ Ammonia gas, 1 M.; carbon dioxide, 1 M.; chloroform, 1 M.; fumes from burning bedding, etc., 4 M., 2 F.; methyl bromide, 2 M.; nitrous oxide, 1 M.; trichlorethylene, 1 M.; not stated, 1 M.⁵ Acetic acid, 1 M., 1 F.; adalin, 1 F.; adrenalin, 1 F.; alcohol, 2 M., 1 F.; alkaloid, not stated, 1 M., 3 F.; alonal, 1 F.; amant phalloides, 1 F.; ammonia, 2 M., 3 F.; aspirin, 8 M., 14 F.; atropine, 1 M.; barbitone, 2 M., 5 F.; barbiturate, 4 M., 1 F.; barbituric acid, 1 F.; benzene, 2 M.; boracic acid crystals, 1 F.; bromide, 1 M.; camphorated oil, 1 M., 3 F.; chloral hydrate, 3 F.; chlorodyne, 1 F.; corrosive, not stated, 1 M.; cresote, 1 M.; cyanide, 1 M.; deadly night shade, 1 F.; digitalis, 1 F.; digitoxin, 1 F.; ephedrine, 1 F.; ethylene dichloride, 1 M.; eucalyptus, 1 M.; ferrosolite, 1 M.; hemlock, 2 M.; hydrochloric acid, 1 M., 2 F.; hydrocyanic acid, 1 F.; ical, 1 M.; lead, 1 F.; lathane oil, 1 F.; luminal, 5 M., 5 F.; lysol, 1 F.; medinal, 1 M., 2 F.; methyl salicylate, 2 M., 1 F.; methylated spirit, 2 F.; morphia, 4 M., 2 F.; nembatal, 1 M.; nitric acid, 1 M.; oil of wintergreen, 5 M., 6 F.; opium, 1 M.; oxalic acid, 1 M.; paraldehyde, 1 M., 3 F.; petrol, 1 M.; phenobarbitone, 4 M., 4 F.; phenol, 1 M.; potassium chlorate, 1 F.; potassium cyanide, 1 M.; potassium permanganate, 1 F.; serdormid, 1 M., 1 F.; sempolia rat poison, 1 M.; Sloan's liniment, 1 M.; sodium amylal, 1 F.; sodium cyanide, 1 M.; strychnine, 1 M.; sulphuric acid, 1 M., 1 F.; trichlorethylene, 1 M.; triline, 1 M.; turpentine, 1 M.; veronal, 1 M., 2 F.; yew leaf, 1 M.⁶ Benzol, 1 M.; boiler fire, 1 M.; bonfire, 2 F.; brazier, 1 M.; cigarette etc., 5 M.; copper, 1 F.; electric fire, etc., 5 M., 4 F.; explosion, 2 M.; furnace, 1 M.; matches, 5 M., 6 F.; oil stove, lamp, etc., 2 M., 6 F.; paint, 2 M.; paper, 1 M., 7 F.; paraffin, 2 F.; petrol, 5 M., 1 F.; primus stove, 1 F.; taper, 1 F.; turpentine, 1 F.; white hot crucible, 1 M.⁷ Bedclothes, etc., 11 M., 10 F.; benzene, 1 M.; bonfire, 2 M., 1 F.; candle, 1 M., 1 F.; chemicals, not stated, 4 M., 3 F.; cigarette, 1 M.; coal fire, 5 M., 5 F.; copper, 1 M., 1 F.; electric fire, 3 F.; ether, 1 M., 1 F.; explosions (coal gas, 1 M., 2 F.; fuse, 1 F.; petrol vapour, 1 M.; in aircraft factory, 1 M.; aluminium powder plant, 1 M.; ordnance factory, 1 M.); firework, 1 M., 2 F.; floor polish, 1 M.; furnace, 1 M.; furnishings, 3 F.; gas fire, ring, etc., 3 F.; hot water bottle, 5 F.; magnesium, 5 M.; matches, 4 F.; molten metal, 4 M.; molybdenum oxide, 4 M.; oil, 1 M.; oil lamp, stove, etc., 3 M., 8 F.; paper, 1 F.; petrol, 9 M., 1 F.; pitch, 2 M.; primus stove, 1 F.; sulphuric acid, 1 M.⁸ Bandage, 1 M.; coal, 3 M.; dentures, 3 M., 1 F.; dog, 1 M.; fall of sand, etc., 4 M., 2 F.; foreign body, 3 M., 3 F.; grain, 6 M.; heavy substance, 2 M., 1 F.; rubber teat, 4 M., 2 F.; severance of air pipe—diver 1 M. ship's boiler in shipyard, 2 M.; not stated, 20 M., 17 F.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages	Under 1 year														75 and upwards
			Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—				
183 Contd.)	Other bathing ...	M	100	—	2	14	32	36	10	2	4	—	—	—	—	—	
	F	10	—	—	—	6	2	—	—	1	—	—	—	—	—	—	
	Fall into dock ...	M	24	1	—	—	—	5	3	2	2	3	4	2	—	—	
	F	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Others ¹ ...	M	447	1	132	142	44	39	12	18	10	11	17	13	8	—	
184	F	87	2	34	23	5	4	3	3	3	1	5	2	1	—	—	
	Not stated ...	M	423	2	22	28	20	21	20	25	41	51	75	76	42	—	
	F	127	3	7	—	4	2	3	11	15	23	20	32	7	—	—	
	Accidental injury by firearms	M	86	—	2	1	10	25	7	8	10	13	4	4	2	—	
	F	16	—	1	1	2	2	3	5	1	—	—	—	1	—	—	
185	" injury by cutting or piercing instruments	M	7	—	—	1	—	1	—	—	—	2	—	—	1	—	
	F	5	1	1	1	—	—	—	1	1	—	—	—	—	—	—	
186	" injury by fall, crushing, etc.	M	1797	10	36	46	36	40	19	55	133	137	246	356	683	—	
	F	2410	5	28	8	9	11	9	18	29	55	163	509	1566	—	—	
	From bed ...	M	18	—	—	—	—	—	—	—	1	—	1	4	11	—	
	F	43	2	—	—	—	—	—	—	—	—	2	3	6	30	—	
	Downstairs ...	M	309	2	7	2	—	1	5	10	30	50	82	120	—	—	
187	F	402	1	4	1	1	2	—	4	9	14	43	105	218	—	—	
	Indoors ...	M	319	2	6	2	1	1	—	3	5	20	61	218	—	—	
	F	943	—	8	2	—	—	1	1	3	15	49	182	682	—	—	
	From ladder ...	M	90	—	1	—	—	2	2	13	15	19	20	16	—	—	
	F	9	—	—	—	—	—	—	1	1	—	3	2	9	—	—	
188	In street ...	M	152	—	6	1	2	—	2	2	8	3	17	43	68	—	
	F	186	—	—	—	1	—	1	—	2	8	18	60	96	—	—	
	From window ...	M	73	—	6	2	—	3	1	4	9	5	8	16	19	—	
	F	46	—	8	1	—	1	2	1	1	2	8	7	15	—	—	
	Others ² ...	M	397	5	6	32	25	23	8	24	53	47	65	44	65	—	
189	F	247	1	5	4	6	6	3	5	5	5	8	36	163	—	—	
	Not stated ...	M	439	1	3	7	8	11	5	18	36	32	66	86	166	—	
	F	534	1	3	—	1	2	2	6	8	9	31	111	360	—	—	
	Cataclysm ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
190	Injury by animals (not in farming, etc.) ³ ...	M	17	1	3	5	1	—	—	—	—	1	2	2	2	—	
	F	7	—	1	2	1	—	—	—	—	—	1	1	1	1	—	
191	Hunger or thirst ...	M	6	1	—	—	—	—	—	—	1	—	1	2	1	—	
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
192	Excessive cold ...	M	12	—	—	—	—	—	—	—	1	—	4	4	3	—	
	F	3	—	—	—	—	—	—	—	—	1	—	—	1	1	—	
193	Excessive heat ...	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	
	F	4	1	—	—	—	—	—	—	—	—	—	—	2	1	—	
194	Lightning ...	M	6	—	—	2	—	—	—	—	4	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
195a	Other acc. due to electric currents (not railways, etc.) ⁴ ...	M	47	1	6	4	8	8	2	6	7	2	3	—	—	—	
	F	20	—	3	2	2	2	1	4	2	3	—	—	1	—	—	
195b	Attack by venomous animals ⁵ ...	M	5	—	1	—	1	—	—	—	1	—	1	1	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
195c	Vaccinia and other sequelæ of vaccn. against smallpox ⁶ ...	M	4	4	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
195d	Other accidents due to medical or surgical intervention ⁷ ...	M	1	—	—	—	—	1	—	3	2	—	—	—	—	—	
	F	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
196	Lack of care of the newborn ⁸ ...	M	88	88	—	—	—	—	—	—	—	—	—	—	—	—	
	F	107	107	—	—	—	—	—	—	—	—	—	—	—	—	—	
197	Other or unspecified accidents included under 195 ...	M	335	14	23	22	29	24	9	30	34	49	50	39	12	—	
	F	137	9	13	6	3	3	7	13	17	16	18	20	12	—	—	
	Blow ...	M	77	4	5	6	6	3	4	14	9	15	5	3	—	—	
	F	28	3	5	1	1	1	1	—	4	3	4	1	4	—	—	
	Explosion ⁹ ...	M	50	—	—	1	5	4	3	7	9	14	5	2	—	—	
198	F	6	—	—	—	—	—	—	—	2	2	—	—	1	—	—	
	Exposure ...	M	21	1	—	—	—	—	—	—	—	3	5	6	6	—	
	F	7	—	—	—	—	—	—	—	—	—	—	1	4	2	—	
	Sport ¹⁰ ...	M	14	—	—	1	5	3	1	2	—	—	2	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
199	Strangulation ...	M	37	5	8	2	9	9	—	1	—	1	—	2	—	—	
	F	13	4	4	1	—	—	—	—	—	—	1	1	2	—	—	
	Swallowing foreign body ...	M	40	4	4	3	—	—	—	3	2	7	8	8	—	—	
	F	23	2	2	2	1	—	—	1	—	—	3	7	5	—	—	
	Others not stated ¹¹ ...	M	96	—	6	9	4	5	2	13	9	15	15	16	2	—	
200	F	59	—	2	2	1	2	5	11	11	8	5	7	5	—	—	
	(see page 281)	M	1202	16	67	60	84	65	34	104	160	246	205	119	42	—	
	Death of civilians due to operations of war ...	F	1202	14	43	58	47	73	75	56	188	199	160	130	59	—	
	Legal executions ...	M	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

¹ Including attempted rescue, 5 M., 1 F.; in bath, 5 M., 4 F.; canal, 94 M., 19 F.; emergency water supply, 34 M., 5 F.; pond, 65 M., 16 F.; reservoir, 20 M.; river, 129 M., 19 F.; sewerage tank, 5 M., 1 F.; stream, etc., 21 M., 5 F.; tub, tank, etc., 26 M., 3 F.; well, 5 M., 2 F.; from raft, 2 M., 1 F.; through ice, 10 M., 2 F.

² Crushed—by falling masonry, 31 M., 8 F.; other heavy substance, 126 M., 8 F.; diving, 8 M.; fall—into area, 3 M., 2 F.; from balcony, 6 M., 6 F.; cliff, 21 M., 9 F.; dock, 5 M.; horse, 7 M., 7 F.; lift shaft, 5 M.; overhead crane, 5 M.; perambulator, 3 M., 1 F.; roof, 39 M., 10 F.; staging in shipyard, etc. 26 M., 1 F.; telegraph pole, 4 M.; trap door, 5 M.; tree, 20 M., 3 F.; wall, 16 M., 3 F.; fracture of leg age 65 and up, 67 M., 191 F.

³ Bull, 1 F.; dog, 1 F.; horse, 16 M., 5 F.; rodent, 1 M.

⁴ Including cable, etc., 18 M., 5 F.; fire, etc., 7 M., 1 F.; iron, 4 F.; lamp, 9 M., 3 F.; power station, 3 M.; pylon, 1 M.; refrigerator, 1 F.; in bath—from fire, 2 F.; iron, 1 F.; lamp, 1 F.

⁵ Bee, 1 M.; insect, not stated, 4 M., 1 F.

⁶ For 195a1, a2, ba and bb, see Table 21.

⁷ Including infants abandoned, 4 M., 3 F.

⁸ Including ammunition, 1 M.; chemicals, 2 M.; coal gas, 1 F.; domestic boiler, 1 M., 1 F.; fireworks, 1 M.

For other details, see page 280.

⁹ Cricket, 6 M., 1 F.; football, 4 M.; golf, 1 M.; gymnastics, 1 M.; tobogganing, 2 M.

¹⁰ Including accidents in fairgrounds, 4 M., 2 F.; attempted abortion, 24 F.; brawl, 7 M.; broken glass, etc., 3 M., 1 F.; fall on sharp object, 10 M., 3 F.; shock due to immersion, 22 M., 8 F.

TABLE 25—continued.

(b) Occupational deaths of Civilians classed to International List Nos. 169-195 and included in Section (a)

Inter- national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
169-195a	Total	M F 1867 32	—	—	—	14	140 4	92 9	224 9	409 4	403 5	415 1	151	19
169a	Railway accidents	M F 257 4	—	—	—	1	15	4	16	47	60	90	24	—
	Staff on trains ¹	M F 40 1	—	—	—	—	1	1	1	2	8	13	13	2
	„ run over on line	M F 155 2	—	—	—	—	6	3	7	31	35	56	17	—
	„ crushed by engine, etc....	M F 34 1	—	—	—	1	6	—	6	4	4	10	3	—
	„ others ²	M F 28 1	—	—	—	—	2	—	1	4	8	11	2	—
170aa	Motor vehicle in collision with train ³	M F 131 4	—	—	—	—	1	16	9	18	34	25	23	5
170ca	Other motor vehicle accidents ⁴ ...	M F 6 4	—	—	—	—	—	—	4	—	—	—	—	—
171aa	Tramway accidents on roads ⁵ ...	M F 22 2	—	—	—	—	1	1	—	2	1	2	1	—
171ba	Other road transport accidents ⁶ ...	M F 116 3	—	—	—	—	1	13	5	23	23	29	19	3
172a	Water transport accidents	M F 33 4	—	—	—	—	—	8	4	6	6	4	5	—
	Drowning	M F 49 3	—	—	—	—	—	5	1	10	7	13	11	2
	Falls ⁷	M F 34 1	—	—	—	—	—	—	7	10	12	3	1	—
	Others ⁸	M F 20 1	—	—	—	—	—	—	5	10	2	—	—	—
173a	Air transport accidents, occupant of plane	M F 504 1	—	—	—	—	—	—	1	—	—	—	—	—
174a	Accidents in coal mine	M F 14 3	—	—	—	—	—	—	—	—	—	—	—	—
	Explosion of gas	M F 18 1	—	—	—	—	—	—	—	—	—	—	—	—
	Fall	M F 292 2	—	—	—	—	—	—	—	—	—	—	—	—
	Fall of coal, etc.	M F 27 3	—	—	—	—	—	—	—	—	—	—	—	—
	Machinery	M F 104 4	—	—	—	—	—	—	—	—	—	—	—	—
	Tubs, etc.	M F 49 6	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M F 6 1	—	—	—	—	—	—	—	—	—	—	—	—
	In other mines ⁹	M F 18 3	—	—	—	—	—	—	—	—	—	—	—	—
	In quarries ¹⁰	M F 125 5	—	—	—	—	—	—	—	—	—	—	—	—
175a	Agriculture and forestry accidents ...	M F 19 1	—	—	—	—	—	—	—	—	—	—	—	—
175aa	Machinery	M F 55 4	—	—	—	—	—	—	—	—	—	—	—	—
	Vehicles	M F 19 1	—	—	—	—	—	—	—	—	—	—	—	—
175bba	Animals (not venomous)	M F 32 1	—	—	—	—	—	—	—	—	—	—	—	—
175ca	Others ¹¹	M F 140 6	—	—	—	—	—	—	—	—	—	—	—	—
176a	Accidents caused by machinery ¹² ...	M F 22 1	—	—	—	—	—	—	—	—	—	—	—	—
178a	Accidental absorption of poisonous gas ¹³ ...	M F 1 —	—	—	—	—	—	—	—	—	—	—	—	—
179a	Other acute accidental poisoning, benzene ...	M F 36 4	—	—	—	—	—	—	—	—	—	—	—	—
180a	Conflagration	M F 12 1	—	—	—	—	—	—	—	—	—	—	—	—
181a	Accidental burns ¹⁴	M F 17 3	—	—	—	—	—	—	—	—	—	—	—	—
182a	Accidental mechanical suffocation	M F 343 1	—	—	—	—	—	—	—	—	—	—	—	—
183a	Accidental drowning ¹⁵	M F 123 2	—	—	—	—	—	—	—	—	—	—	—	—
186a	Accidental injury by fall, crushing, etc.	M F 29 1	—	—	—	—	—	—	—	—	—	—	—	—
	Building operations	M F 191 1	—	—	—	—	—	—	—	—	—	—	—	—
	In works and factories	M F 2 1	—	—	—	—	—	—	—	—	—	—	—	—
	Others and not stated ¹⁶ ...	M F 68 4	—	—	—	—	—	—	—	—	—	—	—	—
188a	Injury by animals	M F 16 2	—	—	—	—	—	—	—	—	—	—	—	—
189a	Electric currents (not lightning) ...	M F 2 1	—	—	—	—	—	—	—	—	—	—	—	—
193a	Other and unspecified accidents ...	M F 40 4	—	—	—	—	—	—	—	—	—	—	—	—
195da	Explosions ¹⁷	M F 4 1	—	—	—	—	—	—	—	—	—	—	—	—
	Others ¹⁸	M F 28 —	—	—	—	—	—	—	—	—	—	—	—	—

¹ Explosion of engine, 1 M.; fall from train, 11 M.; other fall, 2 M.; striking bridge, etc., 4 M.; train accident, 22 M.² Blow, 4 M.; crushing, 4 M.; drowning, 1 M.; electrocution, 1 M., 1 F.; fall, 15 M.; machinery, 3 M.³ Occupant of motor vehicle, 2 M.; occupant of train, 1 M.⁴ Staff of:—goods transport, 69 M., 1 F.; motor bus, 6 M., 3 F.; motor car, 5 M.; motor coach, 1 M.; other motor vehicle, 11 M.; horse drawn vehicle, 4 M.; other persons, 35 M.⁵ Staff of tram, 3 M.; killed by tram, 3 M.⁶ Staff of vehicle, 16 M.; others killed by vehicle, 6 M.⁷ Into hold, 42 M.; others in ship, 13 M.; from ship, 4 M.⁸ Including blow, 8 M.; crushing, 9 M.; fire, 6 M.; machinery, 4 M.; shipwreck, 4 M.⁹ Fall of stone, etc., 4 M.; machinery, 1 M.; tubs, 1 M.¹⁰ Fall, 7 M.; fall of stone, etc., 5 M.; machinery, 2 M.; tubs, 4 M.¹¹ Including fall, 16 M.; falling tree, 7 M.¹² Including circular saw, 5 M.; cranes, etc., 33 M.; hoist, 9 M.; in works and factories—docks, 1 M., 1 F.; metal, 13 M.; textile, 7 M., 1 F.; other, 49 M., 4 F.¹³ Including carbon monoxide, 11 M., 1 F.; coal gas, 3 M.¹⁴ Including chemicals, 4 M., 2 F.; clothing, 10 M.; explosion, 3 M., 1 F.; molten metal, 4 M.; scalds 4 M., 1 F.¹⁵ Including fall into dock, 12 M.¹⁶ Including docks, 6 M.; ladder, 23 M., 1 F.; roof, 12 M.; shipyard, 17 M.; telegraph pole, 3 M.; window cleaning, 19 M.¹⁷ Acetylene cylinder, 2 M.; armament depot, 2 M.; chemicals, 1 M.; compressed air, 3 M.; fuse, 2 M.; ordnance factory, 10 M., 4 F.; oxy-acetylene cutter, 5 M.; oxygen cylinder, 1 M.; salvage operations, 4 M.; not stated, 10 M.¹⁸ Blow, 10 M.; Caisson disease, 1 M.; not stated, 8 M.

TABLE 25—continued.

(c) Violent deaths of Non-civilians (for International List headings see Table 21A)

Inter- national List No.	Cause or Character of 'Violence'	All Ages	Under 1 year	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
163-198	Total M F	4024 60	—	—	—	—	387 3	1693 36	1460 17	420 4	52 —	8 —	3 —	1 —
163-164	Suicide M F	259 4	—	—	—	—	8 —	43 2	119 2	71 —	15 —	2 —	1 —	—
165-168	Homicide M F	159 3	—	—	—	—	1 —	3 1	7 2	3 —	—	1 —	—	—
169-195	Accident M F	913 42	—	—	—	—	104 1	244 25	376 13	161 3	22 —	4 —	1 —	1 —
	Including transport accidents as follows:—													
169	Railway M F	71 5	—	—	—	—	4 —	22 3	29 2	13 —	3 —	—	—	—
	Accidents to trains ... M F	21 1	—	—	—	—	—	4 —	11 1	6 —	—	—	—	—
	Other accidents to passengers ¹ M	13	—	—	—	—	3	5	2	2	1	—	—	—
	Accidents to persons on line ² M F	37 4	—	—	—	—	1 —	13 3	16 5	5 1	2 —	—	—	—
170	Motor vehicle accidents ... M	508	—	—	—	—	54	126	222	93	12	1	—	—
170a	Collision with trains ... M	25	—	—	—	—	1	16	7	1	—	—	—	—
170c	Others M F	503 25	—	—	—	—	54 1	125 16	220 7	91 1	12 —	1 —	—	—
	Occupant of motor car ³ ... M F	53 7	—	—	—	—	7 —	15 4	22 3	7 —	1 —	1 —	—	—
	Rider of motor cycle ... M F	137 1	—	—	—	—	12 —	41 1	66 —	17 —	1 —	—	—	—
	By motor car M	16	—	—	—	—	2	4	9	1	—	—	—	—
	„ goods transport ... M	50	—	—	—	—	4	15	24	7	—	—	—	—
	„ vehicle F	1	—	—	—	—	—	1	—	—	—	—	—	—
	„ omnibus M	13	—	—	—	—	3	1	7	2	—	—	—	—
	„ other motor cycle ... M	2	—	—	—	—	—	1	—	1	—	—	—	—
	„ other vehicle ⁴ ... M	7	—	—	—	—	—	2	4	1	—	—	—	—
	Without other vehicle ... M	49	—	—	—	—	3	18	22	5	1	—	—	—
	Occupant of omnibus ⁵ ... M	2	—	—	—	—	—	—	1	—	—	—	—	—
	„ goods transport ... M	170	—	—	—	—	20	36	70	39	5	—	—	—
	„ vehicle ⁶ F	6	—	—	—	—	—	5	1	—	—	—	—	—
	„ other motor vehicle ⁷ M	6	—	—	—	—	1	3	1	1	—	—	—	—
	Rider of pedal cycle ... M F	33 5	—	—	—	—	2 —	6 —	20 4	4 1	1 —	—	—	—
	By motor car M	14	—	—	—	—	1	4	6	3	—	—	—	—
	„ goods transport ... M	2	—	—	—	—	—	1	—	—	—	—	—	—
	„ vehicle F	15	—	—	—	—	—	2	11	1	1	—	—	—
	„ motor bus F	3	—	—	—	—	—	1	1	1	—	—	—	—
	„ not stated motor vehicle M	3	—	—	—	—	1	—	2	—	—	—	—	—
	Pedestrian by motor vehicle M F	101 6	—	—	—	—	11 —	24 4	40 1	22 —	4 —	—	—	—
	By motor car M	27	—	—	—	—	3	9	9	5	1	—	—	—
	„ goods transport ... M	2	—	—	—	—	—	1	—	—	—	—	—	—
	„ vehicle F	58	—	—	—	—	7	11	25	14	1	—	—	—
	„ omnibus M	2	—	—	—	—	—	1	—	—	—	—	—	—
	„ other motor vehicle ... M	8	—	—	—	—	1	3	3	1	—	—	—	—
	„ not stated motor vehicle F	2	—	—	—	—	—	2	—	—	—	—	—	—
	Motor accident not stated M	3	—	—	—	—	—	1	—	—	1	—	—	—
171	Other road transport ... M	32	—	—	—	—	1	4	13	10	—	—	1	—
171a	Tramway accidents ⁸ ... M	2	—	—	—	—	—	1	1	—	—	—	—	—
171b	Other accidents ⁹ M F	29 2	—	—	—	—	1 —	3 —	13 1	10 —	—	—	1	—
196	Operations of war M F	2824 11	—	—	—	—	274 2	1397 8	953 6	183 5	15 2	1 —	1 —	—
198	Legal executions M	13	—	—	—	—	—	—	—	—	—	—	—	—

¹ Fall from train, 9 M.; striking bridge, etc., 4 M.² Crushed by train, 3 M., 1 F.; electrocution, 4 M.; fall, 4 M.; run over, 26 M., 3 F.³ With intervention of other vehicle, 18 M., 4 F.; without, 35 M., 3 F.⁴ Motor coach, 1 M.; pedal cycle, 4 M.; taxi cab, 2 M.⁵ Without intervention of other vehicle, 2 M.⁶ With intervention of other vehicle, 51 M., 2 F.; without, 119 M., 4 F.⁷ Without intervention of other vehicle, 6 M.⁸ Pedestrian, 3 M.⁹ Pedal cyclist by pedal cycle, 1 M.; pedal cyclist by horse-drawn vehicle, 1 M.; pedal cyclist without other vehicle, 23 M., 2 F.; pedestrian by pedal cycle, 2 M.; pedestrian by horse-drawn vehicle, 1 M.; pedestrian by not stated vehicle, 1 M.

TABLE 26.—NOTIFICATIONS OF CERTAIN INFECTIOUS DISEASES. CASE RATES PER 1,000 POPULATION, } England and Wales and Certain Aggregates
1935-1945 (For the years 1940-1945 THE RATES IN THIS TABLE RELATE TO CIVILIANS ONLY).

See Explanatory notes on page v.

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon-month).	London Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Non-County Boroughs and Urban Districts of		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-month).	England.	Wales (including Mon-month).	England (excluding London).	Wales (including Mon-month).	England.	Wales (including Mon-month).
Enteric fever	1935	0.04	0.04	0.03	0.05	0.05	0.03	0.03	0.02	0.05	0.03	0.05	0.03
	1936	0.06	0.06	0.04	0.06	0.06	0.04	0.04	0.03	0.07	0.05	0.05	0.03
	1937	0.05	0.05	0.04	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03
	1938	0.03	0.03	0.05	0.05	0.03	0.05	0.02	0.06	0.03	0.02	0.03	0.10
	1939	0.04	0.04	0.03	0.03	0.03	0.04	0.04	0.02	0.04	0.04	0.03	0.03
Typhoid fever	1940	0.02	0.02	0.02	0.03	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.02
	1941	0.03	0.03	0.04	0.04	0.02	0.04	0.02	0.02	0.03	0.03	0.03	0.05
	1942	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	1943	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01
	1944†	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01
Paratyphoid fevers.	1945†	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01
	1940	0.05	0.05	0.01	0.02	0.05	0.02	0.05	0.01	0.06	0.02	0.03	0.01
	1941	0.09	0.10	0.04	0.06	0.07	0.04	0.04	0.03	0.07	0.06	0.07	0.02
	1942	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	1943	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01
Cerebro-spinal fever	1944†	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.01	0.01
	1945†	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01
	1935	0.02	0.02	0.01	0.03	0.01	0.01	0.03	0.03	0.02	0.01	0.01	0.00
	1936	0.02	0.02	0.02	0.03	0.02	0.01	0.04	0.03	0.02	0.01	0.01	0.01
	1937	0.03	0.03	0.02	0.05	0.02	0.02	0.04	0.03	0.02	0.02	0.01	0.01
Scarlet fever	1938	0.03	0.03	0.03	0.05	0.02	0.03	0.04	0.04	0.02	0.05	0.02	0.00
	1939	0.04	0.03	0.12	0.03	0.02	0.13	0.04	0.10	0.02	0.19	0.02	0.04
	1940	0.28	0.26	0.63	0.27	0.21	0.59	0.33	0.76	0.22	0.67	0.20	0.35
	1941	0.28	0.24	0.44	0.30	0.19	0.42	0.34	0.54	0.20	0.46	0.16	0.46
	1942	0.13	0.13	0.20	0.15	0.11	0.20	0.18	0.21	0.11	0.20	0.10	0.19
	1943	0.08	0.08	0.09	0.09	0.06	0.09	0.10	0.09	0.07	0.09	0.06	0.03
	1944†	0.05	0.05	0.06	0.06	0.05	0.06	0.06	0.08	0.05	0.07	0.05	0.04
	1945†	0.05	0.05	0.06	0.06	0.04	0.05	0.05	0.08	0.04	0.07	0.04	0.04
	1935	2.96	3.01	2.19	2.64	2.79	2.32	3.50	1.72	2.83	2.70	2.69	1.68
	1936	2.53	2.57	2.39	2.57	2.34	2.97	2.84	1.71	2.42	3.02	2.17	1.85
	1937	2.33	2.33	3.01	2.09	2.06	2.97	2.74	3.13	2.21	3.51	1.72	2.10
	1938	2.41	2.39	3.58	2.05	2.16	3.33	2.72	4.45	2.80	3.98	1.84	2.27
	1939	2.89	1.87	2.19	1.53	1.82	2.08	2.07	2.59	1.84	2.21	1.77	1.87
	1940	1.60	1.58	1.84	0.81	1.58	1.97	1.77	1.33	1.50	2.31	1.74	1.41
	1941	1.50	1.51	1.29	1.03	1.43	1.43	1.68	0.76	1.50	1.65	1.43	1.07
	1942	2.19	2.24	1.54	1.86	2.04	1.60	2.71	1.31	3.23	2.84	1.60	1.22
	1943	3.08	3.24	2.01	3.80	2.97	1.91	3.15	2.40	3.33	2.13	2.17	1.56
	1944†	2.40	2.41	2.28	1.57	2.35	2.22	2.70	2.52	2.43	2.43	2.15	1.88
	1945†	1.89	1.89	1.87	1.57	1.75	1.92	2.23	1.71	1.83	2.16	1.56	1.53
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)

TABLE 26—continued.

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon.-month).	London Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon.-month).	England.	Wales (including Mon.-month).	England (excluding London).	Wales (including Mon.-month).	England.	Wales (including Mon.-month).
Diphtheria	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
	1935	1.60	1.60	1.58	2.25	1.22	1.43	2.01	2.11	1.33	1.86	1.00	1.06
	1936	1.39	1.38	1.54	1.69	1.08	1.49	1.78	1.73	1.18	1.45	1.00	1.06
	1937	1.49	1.49	2.12	1.84	1.10	1.94	1.90	2.78	1.20	2.45	0.88	1.35
	1938	1.58	1.54	2.14	1.90	1.25	2.06	1.92	2.43	1.38	2.02	0.88	1.80
	1939	1.15	1.10	1.92	0.96	0.83	1.39	1.37	1.68	1.02	2.35	0.81	1.42
Whooping cough	1940	1.14	1.03	1.69	0.60	0.83	2.39	1.51	3.77	0.88	2.87	0.72	1.61
	1941	1.28	1.20	2.20	0.95	0.89	2.14	1.86	2.94	0.95	2.59	0.78	1.58
	1942	1.05	1.01	1.52	0.74	0.70	1.41	1.69	1.98	0.75	1.59	0.57	1.12
	1943	0.88	0.86	1.21	0.74	0.60	1.10	1.37	1.65	0.68	1.11	0.45	1.08
	1944†	0.59	0.56	0.90	0.44	0.44	0.86	0.85	1.06	0.50	0.92	0.31	0.77
	1945†	0.46	0.45	0.58	0.31	0.37	0.61	0.64	0.48	0.41	0.67	0.28	0.51
Erysipelas	1940	1.34	1.35	1.23	0.22	1.31	1.25	1.70	1.15	1.35	1.44	1.24	0.95
	1941	4.47	4.58	3.02	4.64	4.64	3.25	4.66	2.10	4.65	3.86	4.54	2.26
	1942	1.73	1.77	1.14	2.72	1.63	1.06	1.84	1.47	1.85	1.13	1.59	0.94
	1943	2.54	2.62	1.37	2.68	2.36	1.31	3.12	1.60	2.43	1.51	2.21	1.01
	1944†	2.49	2.53	1.85	2.90	2.57	1.91	2.87	1.84	2.52	1.85	2.70	1.39
	1945†	1.64	1.69	0.97	1.25	1.67	0.99	1.81	0.91	1.59	1.03	1.87	0.92
Dysentery...	1935	0.42	0.43	0.28	0.45	0.35	0.29	0.54	0.23	0.37	0.32	0.31	0.22
	1936	0.40	0.40	0.29	0.44	0.33	0.27	0.52	0.35	0.35	0.31	0.38	0.21
	1937	0.37	0.38	0.26	0.44	0.31	0.26	0.47	0.28	0.33	0.32	0.35	0.15
	1938	0.40	0.41	0.34	0.46	0.35	0.32	0.50	0.39	0.37	0.38	0.29	0.23
	1939	0.34	0.35	0.27	0.39	0.30	0.26	0.42	0.32	0.31	0.30	0.26	0.20
	1940	0.32	0.33	0.28	0.35	0.29	0.29	0.39	0.25	0.29	0.34	0.28	0.22
Measles	1941	0.31	0.32	0.23	0.51	0.26	0.23	0.38	0.23	0.27	0.27	0.24	0.16
	1942	0.30	0.30	0.23	0.43	0.25	0.22	0.37	0.24	0.26	0.26	0.23	0.16
	1943	0.31	0.31	0.22	0.42	0.28	0.22	0.36	0.24	0.29	0.27	0.24	0.14
	1944†	0.29	0.29	0.22	0.37	0.27	0.21	0.32	0.28	0.28	0.26	0.24	0.13
	1945†	0.25	0.26	0.19	0.31	0.23	0.19	0.29	0.17	0.24	0.25	0.22	0.11
	1937	0.10	0.10	0.05	0.24	0.10	0.02	0.06	0.15	0.11	0.03	0.09	0.07
Dysentery...	1938	0.10	0.10	0.03	0.27	0.09	0.02	0.08	0.08	0.08	0.02	0.11	0.07
	1939	0.05	0.05	0.01	0.07	0.05	0.01	0.05	0.02	0.03	0.01	0.09	0.01
	1940	0.07	0.07	0.08	0.08	0.08	0.08	0.06	0.05	0.06	0.03	0.11	0.17
	1941	0.17	0.17	0.06	0.27	0.19	0.07	0.13	0.04	0.15	0.10	0.27	0.03
	1942	0.18	0.17	0.25	0.31	0.17	0.21	0.15	0.38	0.14	0.15	0.24	0.30
	1943	0.19	0.19	0.09	0.45	0.17	0.08	0.19	0.14	0.15	0.11	0.20	0.03
Dysentery...	1944†	0.30	0.29	0.43	0.59	0.29	0.23	0.23	1.20	0.26	0.26	0.36	0.19
	1945†	0.39	0.39	0.26	0.72	0.36	0.14	0.38	0.73	0.33	0.12	0.42	0.16
	1940	10.19	10.18	10.26	1.77	10.45	10.53	11.83	9.26	10.59	11.63	10.15	8.73
	1941	10.53	10.53	10.54	4.86	12.08	11.46	8.62	6.85	11.01	13.77	14.34	7.73
	1942	7.46	7.75	3.39	8.62	6.55	3.24	9.93	3.99	7.62	9.50	4.23	2.83
	1943	9.88	9.86	10.28	9.17	10.32	10.53	9.11	9.30	9.95	13.13	11.43	6.37
Dysentery...	1944†	4.16	4.29	2.23	2.36	3.91	2.36	5.31	1.76	4.12	2.63	3.43	1.92
	1945†	11.67	11.70	11.23	9.03	12.26	10.43	11.27	14.21	11.91	11.98	13.06	7.92

TABLE 26—continued.

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon-month).	London Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-month).	England.	Wales (including Mon-month).	England (excluding London).	Wales (including Mon-month).	England.	Wales (including Mon-month).
Acute poliomyelitis and encephalitis ...	1935	0.02	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
	1936	0.01	0.01	0.01	0.02	0.02	0.01	0.02	0.01	0.01	0.01	0.03	0.01
	1937	0.02	0.02	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.00
	1938	0.04	0.04	0.06	0.03	0.04	0.05	0.03	0.13	0.04	0.03	0.06	0.07
	1939	0.02	0.02	0.01	0.03	0.02	0.01	0.03	0.01	0.02	0.01	0.03	0.02
	1940	0.03	0.03	0.04	0.01	0.03	0.03	0.03	0.10	0.03	0.03	0.03	0.02
	1941	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.01	0.03	0.02	0.03	0.03
	1942	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.02	0.02	0.02	0.02
	1943	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	1944†	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.00	0.01	0.02	0.02	0.01
*Puerperal fever and puerperal pyrexia ...	1945†	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.01	0.03	0.03
	1935	0.20	0.20	0.20	0.22	0.16	0.16	0.25	0.35	0.17	0.19	0.14	0.11
	1936	0.20	0.20	0.21	0.20	0.16	0.16	0.25	0.36	0.17	0.19	0.14	0.12
	1937	0.22	0.22	0.18	0.26	0.17	0.15	0.29	0.32	0.18	0.16	0.13	0.12
	1938	0.23	0.23	0.20	0.26	0.18	0.16	0.29	0.31	0.20	0.20	0.14	0.11
	1939	0.22	0.23	0.20	0.24	0.19	0.18	0.29	0.28	0.20	0.21	0.15	0.13
	1940	0.19	0.19	0.15	0.20	0.15	0.14	0.27	0.18	0.17	0.17	0.12	0.08
	1941	0.19	0.19	0.16	0.18	0.16	0.14	0.24	0.24	0.19	0.16	0.13	0.09
	1942	0.22	0.23	0.17	0.26	0.18	0.15	0.30	0.26	0.20	0.19	0.14	0.08
	1943	0.22	0.23	0.15	0.25	0.19	0.11	0.30	0.29	0.21	0.19	0.14	0.07
—	1944†	0.21	0.21	0.14	0.22	0.17	0.10	0.30	0.31	0.19	0.12	0.13	0.06
	1945†	0.18	0.19	0.13	0.26	0.14	0.09	0.25	0.23	0.16	0.11	0.11	0.06

* The London figures include the following notification rates for Puerperal fever alone :—1935—0.06, 1936—0.04, 1937—0.06, 1938—0.05, 1939—0.04, 1940—0.05, 1941—0.02, 1942—0.04, 1943—0.05, 1944—0.06, 1945—0.06.

† The rates in these years are based upon notifications finally corrected after amendment of diagnosis.

TABLE 27.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS DISEASES, 1945 (INCLUDING NON-CIVILIANS). } England and Wales.

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week: where the seasonal excess is more than 30 per cent. over the weekly average the proportionate figure is shown in heavy type.

See Explanatory notes on page v.

Week ended	Typhoid fever	Para-typhoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Measles	Acute poliomyelitis & polioccephalitis
Jan. 6	100	20	94	102	129	91	140	29
" 13	63	100	102	93	141	95	129	59
" 20	138	20	148	109	150	107	141	59
" 27	38	60	156	105	136	93	152	41
Feb. 3	50	40	146	98	126	86	188	35
" 10	75	40	181	102	127	83	242	29
" 17	138	20	140	104	128	89	225	6
" 24	75	120	146	108	129	95	273	18
March 3	163	60	148	102	123	98	264	24
" 10	63	100	148	99	126	98	294	41
" 17	75	200	156	113	128	116	297	6
" 24	100	60	169	106	122	104	299	29
" 31	100	80	127	95	94	103	260	35
April 7	63	60	127	94	87	94	265	6
" 14	100	40	135	85	103	91	239	29
" 21	63	60	140	95	102	117	187	53
" 28	38	60	108	100	100	117	188	29
May 5	38	140	96	94	88	105	154	47
" 12	50	60	102	95	67	86	146	41
" 19	25	40	123	94	90	103	166	24
" 26	100	60	96	90	72	82	134	53
June 2	100	160	85	86	82	90	123	18
" 9	75	80	100	98	87	88	99	53
" 16	63	20	90	92	95	91	93	41
" 23	88	80	88	86	94	88	78	41
" 30	63	140	100	88	100	87	70	53
July 7	138	120	98	92	88	95	53	94
" 14	125	180	100	91	92	88	48	76
" 21	113	180	87	88	97	92	41	100
" 28	138	140	81	85	92	77	30	129
Aug. 4	88	60	75	86	90	75	26	141
" 11	75	120	63	65	78	72	20	100
" 18	63	80	75	64	81	73	16	165
" 25	150	340	90	70	97	85	14	200
Sept. 1	113	260	63	71	104	78	10	182
" 8	150	240	48	80	99	88	6	165
" 15	213	300	75	96	97	103	6	194
" 22	138	160	75	95	92	103	5	294
" 29	188	220	33	105	77	101	5	241
Oct. 6	188	220	73	117	76	99	4	171
" 13	125	120	69	129	81	117	5	232
" 20	63	140	75	123	91	125	5	176
" 27	150	100	67	122	86	120	5	188
Nov. 3	113	120	67	127	87	121	6	147
" 10	25	100	71	113	94	119	5	212
" 17	13	20	69	117	101	134	5	206
" 24	88	200	62	133	103	136	5	112
Dec. 1	150	120	87	131	116	140	6	147
" 8	63	—	79	124	103	119	7	194
" 15	75	20	85	122	100	119	7	71
" 22	63	80	83	120	92	118	7	141
" 29	113	100	73	96	61	107	7	153
Average weekly number of cases notified (original notifications)...	8	5	52	1,433	1,193	482	8,519	17

TABLE 28—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, } England and Wales.
1935-1945

See Explanatory notes on page v.

(a) Civilians (excluding cases in Port Health Districts).

Diseases	1935.	1936.	1937.	1938.	1939.	1940.	1941.	1942.	1943.	1944.†	1945.†
Typhoid fever	1714	2443	2107	911	711	855	1034	433	364	259	261
Paratyphoid fevers	—	—	—	383	734	1888	3621	354	313	225	213
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	864	967	1112	1258	1411	11162	9886	5281	2974	2018	1821
Scarlet fever	120295	104698	95551	98778	77568	63778	58051	83830	113917	90581	72174
Whooping cough	?	?	?	?	?	53545	173249	65986	98105	93944	62663
Diphtheria	64976	57729	61289	64937	47061	45445	49439	40042	33277	22085	17580
Erysipelas	16905	16469	15139	16633	14089	12955	12025	11380	11547	10894	9701
Ophthalmia neonatorum	4369	4586	5050	5168	4594	4390	4195	4516	4502	3659	3314
Dysentery	1125	1303	4119	4144	1901	2761	6389	6788	7031	11476	14728
Malaria (contracted in England and Wales)	5	1	—	2	1	2	2	2	4	9	12
Relapsing fever	3	4	8	6	9	7	6	1	1	6	5
Smallpox	1	12	4	16	—	—	—	6	—	15	3
Measles	?	?	?	?	?	407468	407949	285446	373788	157125	445412
Poliomyelitis (acute)	630	528	758	1485	732	938	861	545	398	438	748
Polio-encephalitis (acute)	67	52	95	96	87	128	79	91	46	57	73
Encephalitis lethargica (acute)	328	268	213	192	154	200	176	143	106	73	74
Typhus fever	—	—	1	—	1	—	—	—	—	—	5
Pneumonia (acute primary and acute influenzal)	46796	46062	55757	44966	42033	46907	49399	40926	50683	36795	33349
Puerperal fever and pyrexia	8142	8267	8849	9307	9251	7627	7355	8528	8350	7929	7006
Continued fever	11	8	11	1	3	3	—	4	4	1	1

(b) Civilians in Port Health Districts.

Typhoid fever	24	31	33	22	17	12	1	5	3	8	10
Paratyphoid fevers	—	—	—	3	6	2	6	2	—	—	1
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	1	—	2	—	3	23	7	5	2	1	3
Scarlet fever	22	12	18	37	23	26	21	17	14	35	13
Whooping cough	?	?	?	?	?	40	27	3	1	54	4
Diphtheria	15	20	13	18	15	34	57	72	34	20	15
Erysipelas	10	2	9	13	8	11	8	10	6	5	4
Ophthalmia neonatorum	—	—	—	—	—	—	—	1	—	—	—
Dysentery	20	14	28	17	13	10	6	4	6	7	16
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—
Smallpox	—	—	—	2	1	1	—	—	—	—	—
Measles	?	?	?	?	?	112	42	31	39	73	34
Poliomyelitis (acute)	2	—	3	1	2	—	—	—	—	3	3
Polio-encephalitis (acute)	—	1	—	—	—	—	—	—	—	—	—
Encephalitis lethargica (acute)	1	—	1	—	1	—	—	—	—	—	—
Typhus fever	1	—	—	—	1	—	—	—	—	—	1
Pneumonia (acute primary and acute influenzal)	36	31	41	54	40	49	24	32	16	28	28
Puerperal fever and pyrexia	—	—	1	—	1	—	1	10	2	5	—
Continued fever	—	—	—	—	—	—	—	—	—	—	—

(c) Non-Civilians (including cases in Port Health Districts)

Typhoid fever	12	16	9	1	6	19	23	30	18	17	30
Paratyphoid fevers	—	—	—	2	5	57	80	34	15	33	20
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	18	27	26	30	86	1586	1184	743	327	290	23
Scarlet fever	139	152	166	463	510	1498	1361	1237	2103	2055	1500
Whooping cough	?	?	?	?	?	22	54	27	30	46	24
Diphtheria	93	46	39	53	267	801	1308	1290	1351	1094	1001
Erysipelas	11	16	18	25	44	157	199	208	280	249	148
Dysentery	32	16	20	9	27	89	275	504	868	1542	1534
Malaria (contracted in England and Wales)	—	—	—	—	1	—	—	—	—	—	—
Relapsing fever	—	—	—	—	—	—	—	—	1	—	—
Smallpox	—	—	—	—	—	—	—	1	—	1	1
Measles	?	?	?	?	?	1941	1724	864	2277	1281	1350
Poliomyelitis (acute)	?	1	2	7	3	10	13	15	36	23	33
Polio-encephalitis (acute)	?	?	?	—	1	—	4	2	—	11	1
Encephalitis lethargica (acute)	—	1	3	2	4	11	15	5	3	6	2
Typhus fever	—	—	—	—	—	—	—	1*	—	—	20
Pneumonia (acute primary and acute influenzal)	69	74	98	140	239	919	1519	1740	1708	1808	994
Puerperal fever and pyrexia	—	—	—	—	—	—	—	4	2	10	7
Continued fever	—	—	1	—	—	—	—	—	—	—	—

* Not louse-borne.

† Finally corrected notifications (except in Port Health Districts).

TABLE 28A. CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, CIVILIANS } England and Wales.
AND NON-CIVILIANS, BY SEX AND AGE, 1945.

Final numbers after correction (excluding cases Port Health Districts).

AGE GROUP.	Scarlet fever.		Whooping cough		Diphtheria.		Measles.		Acute poliomyelitis.		Acute policephalitis	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Civilians :												
0— ...	174	178	3312	3337	106	82	9724	9422	17	18	2	—
1— ...	2676	2380	8524	9207	610	476	51243	48191	74	44	3	8
2— ...	5628	5503	8090	8979	1067	934	58317	56437	33	41	4	4
3— ...	15169	17167	8607	9702	2884	3064	88363	86996	86	83	6	8
4— ...	6124	8366	712	847	1581	1886	10367	11081	59	53	9	3
5— ...	1840	3249	93	217	846	1961	2859	4885	63	67	4	4
5 and over	939	2486	109	544	445	1508	1332	3201	51	48	14	3
Unknown ...	130	187	177	206	48	82	1514	1480	6	5	1	—
All ages ...	32680	39494	29624	33039	7587	9993	223719	221693	389	359	43	30
Non-Civilians :												
5— ...	885	139	7	3	419	104	655	203	15	4	1	—
5 and over	385	39	10	4	440	28	379	100	12	—	—	—
All ages ...	1270	178	17	7	859	132	1034	303	27	4	1	—

	Enteric or Typhoid fever.		Para-typhoid fevers.		Cerebro-spinal fever.		Erysipelas.		Dysentery.		Smallpox.		Ac. enceph- alitis lethargica.		Acute. pneumonia	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Civilians :																
0— ...	12	8	15	16	417	286	95	98	2280	1739	—	1	4	5	4593	3734
1— ...	30	19	22	25	256	184	162	141	1632	1466	—	—	10	9	2773	2090
2— ...	42	68	31	52	260	233	940	1889	1433	2739	1	1	8	10	4533	3682
3— ...	20	47	11	28	77	78	1653	2613	737	1134	—	—	6	9	4700	2761
4— ...	5	10	1	8	10	12	815	1156	553	825	—	—	3	9	2160	2102
5 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unknown ...	—	—	1	3	5	11	41	98	81	109	—	—	1	—	116	105
All ages ...	109	152	81	132	1025	804	3706	5995	6716	8012	1	2	32	42	18875	14474
Non-Civilians :																
5— ...	24	1	16	2	214	14	117	19	1126	356	†1	—	2	—	890	51
5 and over	1	—	—	—	3	—	10	1	31	6	—	—	—	—	27	2
All ages ...	25	1	16	2	217	14	127	20	1157	362	†1	—	2	—	917	53

including Non-civilian cases of unknown age.
imported case.

TABLE 29. CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1945.

(England and Wales; Geographical Region
Counties; County Boroughs; Other
Urban Districts; Rural Districts.)

Notified cases among non-civilians are excluded from this table except in the England and Wales totals.

See Explanatory notes on page v.

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)
1	2	3	4	5	6	7	8	9	10	11	12	13	14
(a) NUMBERS ORIGINALLY NOTIFIED													
(including Port Health Districts).													
Total (including non-civilians) ...	392	280	2739	75233	62894	25246	9995	3341	16774	446828	904	93	34412
Civilians (excluding Port Health Dists.) ...	350	260	2488	73696	62867	24077	9845	3341	15277	445471	865	91	33442
Port Health Districts (all cases) ...	14	3	3	65	4	25	5	—	31	47	5	—	52
Non-civilians (excluding Port Health Dists.) ...	28	17	248	1472	23	1144	145	—	1466	1310	34	2	918
REGIONAL SUMMARY:													
South East ...	110	77	632	19745	17503	3772	3016	728	6574	144946	354	28	8817
Greater London ...	54	39	384	11436	9710	2712	1804	497	3790	71051	200	10	5315
Remainder of South East ...	56	38	248	8309	7793	1060	1212	231	2784	73895	154	18	3502
North ...	128	86	839	28860	20605	12716	3494	921	3907	134290	104	29	12850
North I ...	23	18	184	3888	2951	3451	658	130	511	22105	19	3	2315
North II ...	1	4	59	2576	2333	792	300	87	259	15669	13	6	838
North III ...	16	9	203	7479	5880	2756	941	147	906	54628	20	9	4301
North IV ...	88	55	393	14917	9441	5717	1595	557	2231	41888	52	11	5396
Midland ...	65	43	639	15499	14821	4465	1942	1291	2399	93650	210	13	7084
Midland I ...	43	34	417	8235	10744	3369	1282	1093	1789	56431	172	9	4868
Midland II ...	22	9	222	7264	4077	1096	660	198	610	37219	38	4	2216
East ...	11	17	82	2390	3729	549	441	146	1024	18751	39	2	1155
South West ...	16	13	106	2633	3854	690	494	117	717	26753	106	9	1349
Wales ...	20	24	190	4569	2355	1885	458	138	656	27081	52	10	2187
Wales I ...	14	14	158	3654	1638	1415	334	127	511	20474	42	8	1611
Wales II ...	6	10	32	915	717	470	124	11	145	6607	10	2	576
DENSITY SUMMARY OF ALL AREAS OUTSIDE GREATER LONDON:													
County Boroughs ...	118	87	1056	26688	21110	11214	3482	1886	4950	131875	207	33	13489
Other Urban Dists. ...	79	83	700	24129	19111	7609	3061	653	3634	150935	252	30	9580
Rural Districts ...	99	51	348	11463	12936	2542	1498	305	2903	91610	206	18	5058
(b) FINAL NUMBERS AFTER CORRECTION													
ENGLAND AND WALES (excluding Port Health Districts):													
Total (including non-civilians) ...	287	231	2060	73622	62687	18571	9848	3314	16247	446749	853	76	34319
Civilians ...	261	213	1829	72174	62663	17580	9701	3314	14723	445412	821	74	33349
Non-civilians ...	26	18	231	1448	24	991	147	—	1519	1337	32	2	970
REGIONAL SUMMARY:													
South East ...	89	60	543	19282	17427	2673	2958	726	6296	144742	341	22	8763
Greater London ...	33	22	311	11035	9627	1743	1744	498	3545	70945	190	7	5266
Remainder of South East ...	56	38	232	8247	7800	930	1214	228	2751	73797	151	15	3497
North ...	89	77	632	28143	20582	9387	3432	917	3782	134352	89	25	12815
North I ...	19	15	141	3805	2956	2955	655	131	548	22129	16	—	2292
North II ...	—	4	58	2541	2345	667	299	85	259	15718	12	6	837
North III ...	12	9	154	7235	5870	2119	924	145	960	54683	19	8	4307
North IV ...	58	49	279	14562	9411	3646	1554	556	2015	41822	42	11	5379
Midland ...	43	26	361	15247	14688	3152	1928	1278	2277	93613	199	8	7070
Midland I ...	27	19	229	8068	10613	2295	1266	1084	1676	56416	162	5	4855
Midland II ...	16	7	132	7179	4075	857	662	194	601	37197	37	3	2215
East ...	10	13	69	2353	3774	412	437	143	1025	18752	41	3	1158
South West ...	11	13	82	2608	3842	545	493	116	713	26750	102	6	1353
Wales ...	19	24	142	4541	2350	1411	453	134	635	27203	49	10	2190
Wales I ...	12	14	118	3641	1625	981	329	124	487	20547	39	8	1611
Wales II ...	7	10	24	900	725	430	124	10	148	6656	10	2	579
DENSITY SUMMARY OF ALL AREAS OUTSIDE GREATER LONDON:													
County Boroughs ...	76	68	654	25811	20905	7435	3405	1872	4733	131687	181	24	13431
Other Urban Dists. ...	70	78	580	23915	19169	6189	3055	640	3575	151070	248	28	9595
Rural Districts ...	82	45	284	11413	12962	2213	1497	304	2875	91710	202	15	5057

Smallpox cases notified:—Original, 4 civilians (Greater London 3, Midland I 1), 1 non-civilian, imported (Greater London 1), 3 civilians (Greater London 3), 1 non-civilian, imported (Greater London 1).

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND (excluding Monmouth)														
EDFORDSHIRE :														
ADMIN. COUNTY ...	2	1	10	380	209	47	55	9	148	3063	4	1	146	43
URBAN DISTRICTS ...	—	1	9	268	173	43	39	4	92	2127	4	1	102	43
Amphill ...	—	—	—	3	1	—	—	—	—	12	—	—	—	—
Bedford M.B. ...	—	1	5	94	25	7	19	2	—	838	2	—	39	11
Biggleswade ...	—	—	—	1	10	4	1	—	—	22	—	—	—	—
Dunstable M.B. ...	—	—	—	32	15	—	2	—	—	245	1	—	—	—
Kempston ...	—	—	—	1	3	9	—	—	—	75	—	—	1	—
Leighton Buzzard ...	—	—	—	14	—	2	2	—	3	21	—	—	5	—
Luton M.B. ...	—	—	4	123	119	19	15	2	89	914	1	1	57	32
Sandy ...	—	—	—	—	—	2	—	—	—	—	—	—	—	—
RURAL DISTRICTS ...	2	—	1	112	36	4	16	5	56	936	—	—	44	—
Amphill ...	—	—	1	23	8	2	4	—	—	306	—	—	15	—
Bedford ...	—	—	—	37	19	1	3	4	1	410	—	—	13	—
Biggleswade ...	2	—	—	7	1	—	4	—	54	98	—	—	9	—
Luton ...	—	—	—	45	8	1	5	1	1	122	—	—	7	—
ERKSHIRE :	3	2	26	609	334	90	64	11	255	5186	17	4	147	46
COUNTY BOROUGH														
Reading ...	—	2	8	275	64	55	24	3	4	1357	2	—	31	21
ADMIN. COUNTY	3	—	18	334	270	35	40	8	251	3829	15	4	116	25
URBAN DISTRICTS ...	—	—	4	87	39	14	8	5	37	1042	4	—	5	10
Abingdon M.B. ...	—	—	2	10	8	1	4	—	10	179	—	—	2	1
Maidenhead M.B. ...	—	—	1	25	3	3	2	—	18	212	—	—	2	3
Newbury M.B. ...	—	—	—	5	11	1	—	4	1	315	—	—	—	—
New Windsor M.B. ...	—	—	1	20	1	7	2	—	8	118	4	—	1	5
Wallingford M.B. ...	—	—	—	12	1	—	—	—	—	58	—	—	—	—
Wantage ...	—	—	—	12	15	—	—	—	—	152	—	—	—	—
Wokingham M.B. ...	—	—	—	3	—	2	—	1	—	8	—	—	—	—
RURAL DISTRICTS ...	3	—	14	247	231	21	32	3	214	2787	11	4	111	15
Abingdon ...	—	—	3	74	17	4	5	—	53	433	—	—	14	1
Bradfield ...	—	—	1	7	10	—	—	1	3	309	1	—	34	4
Cookham ...	—	—	—	15	20	—	3	—	7	208	—	3	—	—
Easthampstead ...	—	—	1	24	21	3	2	—	29	228	2	—	18	1
Faringdon ...	—	—	1	27	26	1	—	—	—	275	1	—	2	1
Hungerford ...	—	—	4	4	44	3	2	—	—	213	—	1	12	1
Newbury ...	—	—	1	10	17	2	3	—	1	328	1	—	3	—
Wallingford ...	—	—	—	10	14	1	5	1	16	23	—	—	2	—
Wantage ...	—	—	—	24	32	1	—	—	3	286	2	—	1	—
Windsor ...	—	—	1	23	7	—	2	1	99	46	—	—	4	4
Wokingham ...	3	—	2	29	23	6	10	—	3	438	—	—	18	3
UCKINGHAMSHIRE :														
ADMIN. COUNTY ...	1	1	21	545	351	62	64	18	429	4336	12	—	130	78
URBAN DISTRICTS ...	—	—	14	309	189	24	30	11	94	2162	5	—	82	21
Aylesbury M.B. ...	—	—	4	32	17	11	4	2	21	364	—	—	9	6
Beaconsfield ...	—	—	—	26	—	—	2	—	—	67	—	—	—	—
Bletchley ...	—	—	—	27	2	—	—	—	—	154	—	—	8	—
Buckingham M.B. ...	—	—	—	—	—	1	—	—	—	17	—	—	1	—
Chepping Wycombe M.B. ...	—	3	77	9	2	10	6	67	114	3	—	—	5	7
Chesham ...	—	—	1	12	18	—	1	—	3	195	—	—	—	—
Eton ...	—	—	—	3	1	—	—	—	1	39	—	—	—	—
Linslade ...	—	—	—	1	6	—	—	—	—	48	—	—	2	—
Marlow ...	—	—	—	2	13	—	1	—	1	81	—	—	1	—
Newport Pagnell ...	—	—	—	12	1	—	1	1	—	10	1	—	2	2
Slough M.B. ...	—	—	6	106	86	7	9	2	1	842	—	—	25	6
Wolverton ...	—	—	—	11	36	3	2	—	—	231	1	—	29	—
RURAL DISTRICTS ...	1	1	7	236	162	38	34	7	335	2174	7	—	48	57
Amersham ...	—	—	2	72	65	3	3	5	68	489	2	—	11	16
Aylesbury ...	—	1	—	36	8	10	19	—	221	326	—	—	7	—
Buckingham ...	—	—	—	7	1	—	1	—	22	165	—	—	2	2

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BUCKINGHAMSHIRE—contd. R.D.'s.—contd.														
Eton	1	—	1	60	33	4	4	—	20	426	4	—	10	2
Newport Pagnell	—	—	—	15	5	1	2	2	1	139	1	—	5	1
Wing	—	—	—	10	19	—	1	—	—	82	—	—	9	—
Winslow	—	—	—	2	3	—	—	—	—	93	—	—	1	—
Wycombe	—	—	4	34	28	20	4	—	3	454	—	—	3	—
CAMBRIDGESHIRE : ADMIN. COUNTY														
...	2	1	—	123	269	9	26	2	160	1252	7	—	41	2
URBAN DISTRICT Cambridge M.B.														
...	1	1	—	74	71	7	18	—	120	341	7	—	11	1
RURAL DISTRICTS														
...	1	—	—	49	198	2	8	2	40	911	—	—	30	—
Chesterton	1	—	—	25	54	—	2	1	39	245	—	—	11	—
Newmarket	—	—	—	17	82	1	2	1	1	132	—	—	6	—
South Cambridgeshire	—	—	—	7	62	1	4	—	—	534	—	—	13	—
CHESHIRE :														
...	4	4	58	2869	1754	560	237	46	97	8589	12	1	758	9
COUNTY BOROUGH														
...	—	—	22	1154	673	243	91	13	35	2674	2	1	386	3
Birkenhead	—	—	6	416	385	60	37	5	14	328	—	—	265	1
Chester	—	—	7	91	54	29	6	—	1	613	1	—	55	—
Stockport	—	—	7	364	115	90	30	5	16	1247	—	1	45	1
Wallasey	—	—	2	283	119	64	18	3	4	486	1	—	21	—
ADMIN. COUNTY														
...	4	4	36	1715	1081	317	146	33	62	5915	10	—	372	6
URBAN DISTRICTS														
...	3	2	28	1414	725	259	118	31	54	4483	10	—	274	5
Alderley Edge	—	—	1	6	5	—	—	—	—	18	—	—	4	—
Alsager	—	1	1	2	7	—	—	—	—	5	—	—	3	—
Altrincham M.B.	1	—	—	44	76	7	12	1	2	217	—	—	32	—
Bebington M.B.	—	—	4	202	56	19	5	11	1	314	7	—	26	—
Bollington	—	—	—	5	47	—	3	—	—	51	—	—	2	—
Bowdon	—	—	—	1	—	—	2	—	—	33	—	—	—	—
Bredbury and Romiley	—	—	—	105	14	5	3	1	3	150	—	—	3	—
Cheadle and Gatley	—	—	—	54	48	4	5	—	5	275	—	—	15	—
Congleton M.B.	—	—	4	39	50	8	11	1	—	173	—	—	26	—
Crewe M.B.	—	—	6	108	51	40	3	2	—	181	—	—	7	—
Dukinfield M.B.	—	—	—	17	23	19	7	1	—	51	—	—	6	—
Ellesmere Port	—	—	1	257	—	19	6	—	—	277	1	—	2	—
Hale	—	—	—	3	1	2	3	—	—	50	—	—	1	—
Hazel Grove and Bramhall	—	—	2	18	9	5	2	—	1	119	—	—	4	—
Hoole	—	—	1	15	9	2	—	—	—	119	—	—	6	—
Hoylake	1	—	4	75	16	25	3	—	13	197	1	—	8	—
Hyde M.B.	—	—	—	52	3	3	4	3	—	243	1	—	14	—
Knutsford	—	—	—	5	19	10	—	1	—	127	—	—	—	—
Longdendale	—	—	—	7	18	2	1	—	—	63	—	—	11	—
Lymm	—	—	—	10	—	—	2	—	—	2	—	—	—	—
MACCLESFIELD M.B.														
...	1	—	2	108	60	25	—	6	24	656	—	—	26	1
Marple	—	—	—	25	30	23	2	—	—	113	—	—	5	—
Middlewich	—	—	—	9	4	—	4	—	—	96	—	—	1	—
Nantwich	—	—	—	37	10	—	1	—	—	12	—	—	—	—
Neston	—	—	—	13	1	3	1	—	—	15	—	—	2	—
Northwich	—	—	—	20	14	1	4	—	1	101	—	—	6	—
Runcorn	—	—	—	57	10	11	6	—	—	7	—	—	25	—
Sale M.B.	—	—	1	32	44	—	6	3	1	156	—	—	11	—
Sandbach	—	—	—	26	3	2	2	—	—	22	—	—	1	—
Stalybridge M.B.	—	—	1	12	59	4	5	1	—	171	—	—	9	—
Wilmslow	—	—	—	12	27	2	—	1	1	239	—	—	8	—
Winsford	—	—	—	5	5	2	2	—	—	25	—	—	4	—
Wirral	—	—	—	33	6	15	4	—	2	205	—	—	6	—

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—contd.														
RURAL DISTRICTS ...	1	2	8	301	356	58	28	2	8	1432	—	—	98	10
Bucklow ...	—	—	2	9	25	8	1	—	—	89	—	—	3	—
Chester ...	—	—	—	17	15	6	7	—	1	142	—	—	11	—
Congleton ...	—	1	—	34	10	2	2	—	—	14	—	—	7	2
Disley ...	—	—	—	—	14	1	1	—	1	9	—	—	1	—
Macclesfield ...	—	—	2	36	36	13	3	—	4	346	—	—	8	1
Nantwich ...	—	—	—	81	55	1	8	1	—	123	—	—	14	3
Northwich ...	—	—	—	42	35	3	2	1	—	270	—	—	5	1
Runcorn ...	—	—	2	56	72	19	3	—	—	134	—	—	17	2
Tarvin ...	1	—	2	24	89	5	1	—	2	235	—	—	32	1
Tintwistle ...	—	1	—	2	5	—	—	—	—	70	—	—	—	—
CORNWALL :														
ADMIN. COUNTY ...	1	2	12	362	491	177	61	20	68	3865	29	1	227	61
URBAN DISTRICTS ...	1	1	9	207	206	140	39	12	60	2167	16	—	111	50
Bodmin M.B. ...	—	—	1	—	—	5	1	—	58	4	2	—	—	—
Bude—Stratton ...	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Camborne—Redruth	—	—	3	48	31	34	17	5	—	272	6	—	22	36
Falmouth M.B. ...	—	—	1	23	14	4	1	—	—	269	2	—	8	3
Fowey M.B. ...	—	—	—	2	4	1	—	—	—	1	—	—	—	—
Helston M.B. ...	—	—	—	—	2	—	1	—	—	12	—	—	—	—
Launceston M.B. ...	—	1	—	3	—	11	1	—	—	41	—	—	6	—
Liskeard M.B. ...	—	—	—	2	20	—	1	2	—	100	—	—	8	1
Looe ...	—	—	—	2	36	—	2	2	—	104	1	—	11	1
Lostwithiel M.B. ...	—	—	—	3	—	—	—	1	—	93	—	—	5	1
Newquay ...	—	—	—	4	—	—	2	—	—	187	—	—	—	—
Padstow ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Penryn M.B. ...	—	—	1	4	—	2	1	—	—	39	—	—	5	1
Penzance M.B. ...	—	—	—	28	37	45	—	1	1	101	—	—	—	—
St. Austell ...	—	—	—	38	18	—	2	—	—	313	2	—	7	3
St. Ives M.B. ...	—	—	—	19	10	1	—	1	1	12	—	—	—	1
St. Just ...	—	—	—	5	4	10	1	—	—	157	—	—	4	—
Saltash M.B. ...	—	—	—	12	19	—	—	—	—	132	—	—	28	—
Torpoint ...	—	2	—	—	11	1	4	—	—	63	—	—	2	1
Truro M.B. ...	1	—	1	13	—	26	5	—	—	267	1	—	5	2
RURAL DISTRICTS	—	1	3	155	285	37	22	8	8	1698	13	1	116	11
Camelford ...	—	—	—	1	10	—	2	1	1	126	2	—	12	—
Kerrier ...	—	—	1	7	21	2	3	—	—	94	7	—	14	—
Launceston ...	—	—	—	8	—	—	2	—	—	35	—	—	7	—
Liskeard ...	—	—	—	10	103	4	4	4	—	243	—	—	16	3
St. Austell ...	—	—	—	26	8	—	1	1	—	308	—	—	12	1
St. Germans ...	—	—	—	24	32	5	1	—	—	336	—	1	20	—
Scilly, Isles of ...	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Stratton ...	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Truro ...	—	1	1	52	102	15	7	1	6	384	1	—	27	5
Wadebridge ...	—	—	—	16	1	—	—	—	—	84	—	—	7	1
West Penwith ...	—	—	1	11	7	11	2	1	1	87	2	—	1	1
CUMBERLAND :	—	1	15	514	247	108	108	35	67	3320	3	1	179	60
COUNTY BOROUGH	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carlisle ...	—	1	5	164	48	47	24	19	6	424	1	1	35	14
ADMIN. COUNTY ...	—	—	10	350	199	61	84	16	61	2896	2	—	144	46
URBAN DISTRICTS	—	—	2	182	44	21	39	6	27	1105	1	—	23	11
Cockermouth ...	—	—	—	27	—	—	—	—	—	1	—	—	—	—
Keswick ...	—	—	—	13	3	—	1	—	—	51	—	—	—	—
Maryport ...	—	—	—	61	1	11	—	—	—	89	—	—	—	1
Penrith ...	—	—	—	17	8	2	9	3	24	248	—	—	4	3
Whitehaven M.B. ...	—	—	1	4	2	2	10	2	1	394	1	—	10	3
Workington M.B. ...	—	—	1	60	30	6	19	1	2	322	—	—	9	4

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	General exanthema
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CUMBERLAND—contd.														
RURAL DISTRICTS	—	—	8	168	155	40	45	10	34	1791	1	—	121	—
Alston with Garrigill	—	—	—	3	11	—	—	—	1	1	—	—	11	—
Borlase	—	—	1	43	36	14	5	6	5	289	—	—	24	—
Cockermouth	—	—	—	67	20	7	—	—	5	145	—	—	1	—
Ennerdale	—	—	4	18	1	5	19	1	3	478	—	—	44	—
Millom	—	—	—	3	3	2	5	—	—	121	—	—	18	—
Penrith	—	—	—	15	34	—	5	2	3	232	1	—	6	—
Wigton	—	—	3	19	50	12	11	—	18	525	—	—	17	—
DERBYSHIRE :	6	3	45	2331	1482	380	214	33	198	12303	12	1	741	—
COUNTY BOROUGH														
Derby	2	—	13	234	361	71	44	10	9	2708	4	—	117	—
ADMIN. COUNTY	4	3	32	2097	1121	309	170	23	189	9595	8	1	624	—
URBAN DISTRICTS	4	3	19	1198	585	181	95	13	44	5106	1	—	351	—
Alfreton	—	—	—	37	9	6	6	—	—	175	—	—	12	—
Ashbourne	—	—	—	10	22	—	1	—	—	133	—	—	2	—
Bakewell	—	—	1	13	6	—	3	1	1	59	—	—	2	—
Belper	—	—	—	24	26	1	2	1	—	58	—	—	4	—
Bolsover	—	—	—	22	8	1	5	—	—	161	—	—	3	—
Buxton M.B.	—	—	2	34	29	7	2	1	—	282	—	—	15	—
Chesterfield M.B.	—	1	5	248	178	22	23	3	4	1402	—	—	92	—
Clay Cross	—	—	2	19	7	8	1	—	—	140	—	—	1	—
Dronfield	—	—	—	12	5	2	5	—	—	124	—	—	4	—
Glossop M.B.	—	1	—	33	16	15	2	2	7	107	—	—	6	—
Heanor	—	—	—	1	177	52	22	17	25	600	—	—	59	—
Ilkeston M.B.	—	—	3	227	43	50	4	1	1	366	—	—	25	—
Long Eaton	—	1	—	55	38	11	3	—	—	332	1	—	28	—
Matlock	—	—	—	48	33	11	2	2	5	88	—	—	7	—
New Mills	—	—	1	3	7	3	2	1	—	66	—	—	9	—
Ripley	—	—	2	110	16	3	8	—	—	206	—	—	19	—
Staveley	—	—	1	43	44	5	4	—	—	296	—	—	14	—
Swadlincote District	—	3	—	63	18	3	4	1	—	351	—	—	33	—
Whaley Bridge	—	—	1	7	9	—	1	—	—	74	—	—	5	—
Wirksworth	—	—	—	13	19	11	—	—	—	86	—	—	11	—
RURAL DISTRICTS	—	—	13	899	536	128	75	10	145	4489	7	1	273	—
Ashbourne	—	—	—	18	12	—	2	—	—	111	—	—	1	—
Bakewell	—	—	—	29	32	—	11	—	22	175	—	—	21	—
Belper	—	—	—	86	37	10	7	3	2	308	1	—	11	—
Blackwell	—	—	6	160	33	38	10	—	—	870	2	—	21	—
Chapel-en-le-Frith	—	—	—	36	8	4	5	1	—	80	—	—	5	—
Chesterfield	—	—	4	204	153	42	18	1	2	1311	2	1	121	—
Clowne	—	—	1	59	72	—	3	—	—	478	—	—	21	—
Repton	—	—	1	53	36	4	3	3	83	335	—	—	27	—
Shardlow	—	—	1	254	153	30	16	2	36	821	2	—	45	—
DEVONSHIRE :	5	9	19	894	1415	264	169	20	236	9180	25	1	494	—
COUNTY BOROUGH	2	1	5	405	475	209	76	11	79	3143	9	—	282	—
Exeter	—	—	2	84	106	51	14	2	56	496	1	—	34	—
Plymouth	2	—	3	321	369	158	62	9	23	2647	8	—	248	—
ADMIN. COUNTY	3	8	14	489	940	55	93	9	157	6037	16	1	212	—
URBAN DISTRICTS	1	5	10	260	406	26	58	8	58	3389	7	—	97	—
Ashburton	—	—	—	4	6	—	1	—	—	52	—	—	3	—
Axminster	—	—	1	—	—	—	1	1	—	6	—	—	—	—
Barnstaple M.B.	—	—	2	8	92	3	9	—	10	172	—	—	14	—
Bideford M.B.	—	—	—	28	20	1	2	—	3	356	—	—	7	—
Brixham	—	—	—	6	—	—	1	—	—	—	—	—	2	—
Buckfastleigh	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Budleigh Salterton	—	—	1	—	13	—	—	—	—	160	—	—	2	—

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenzal)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE—contd.														
J.D's.— <i>contd.</i>														
Crediton ...	—	—	—	7	—	—	1	1	—	107	1	—	4	—
Dartmouth M.B. ...	—	—	—	14	5	1	1	—	1	33	—	—	6	—
Dawlish ...	—	—	—	10	2	1	—	—	—	8	—	—	—	—
Exmouth ...	—	—	—	6	45	1	6	—	3	233	1	—	5	—
Great Torrington M.B. ...	—	—	—	3	—	—	—	—	—	24	2	—	—	—
Holsworthy ...	—	—	—	—	—	—	—	—	28	11	—	—	1	—
Honiton M.B. ...	—	—	—	—	1	—	2	1	—	8	1	—	9	—
Ilfracombe ...	—	1	—	9	—	2	—	—	—	82	—	—	2	—
Kingsbridge ...	—	—	—	10	4	1	7	—	—	36	—	—	—	—
Lynton ...	—	1	—	—	7	3	3	—	—	105	—	—	3	—
Newton Abbot ...	—	—	—	3	1	—	—	—	—	43	—	—	3	—
Northam ...	—	—	—	4	8	—	—	—	1	63	—	—	—	—
Okehampton M.B. ...	—	—	—	7	9	—	1	—	—	7	—	—	—	—
Ottery St. Mary ...	—	1	—	4	43	2	—	—	—	37	1	—	—	1
Paignton ...	—	—	—	18	18	1	—	—	3	199	—	—	6	2
Salcombe ...	—	—	—	—	14	—	3	—	2	120	—	—	1	1
Seaton ...	—	—	—	—	11	—	1	—	1	88	—	—	4	1
Sidmouth ...	—	—	—	3	28	2	—	1	2	256	—	—	—	1
South Molton M.B. ...	—	—	1	1	—	—	—	—	—	48	—	—	—	—
Tavistock ...	—	—	—	1	—	1	—	—	1	—	1	—	—	—
Teignmouth ...	—	—	1	15	28	—	5	—	1	152	—	—	5	—
Tiverton M.B. ...	—	—	—	—	5	—	—	—	2	303	—	—	—	1
Torquay M.B. ...	1	—	1	88	41	6	12	3	—	617	—	—	19	3
Totnes M.B. ...	—	—	—	11	5	—	—	1	—	63	—	—	—	—
URAL DISTRICTS														
Axminster ...	2	3	4	229	534	29	35	1	99	2648	9	1	115	8
Barnstaple ...	—	—	2	2	10	—	—	—	—	193	—	1	6	—
Bideford ...	—	2	—	25	76	1	—	—	5	308	1	—	9	—
Broadwood Widger ...	—	—	—	1	13	—	2	—	—	45	—	—	—	—
Crediton ...	—	—	—	2	27	2	1	—	—	13	—	—	2	—
Holsworthy ...	—	—	—	6	—	—	—	—	—	206	—	—	1	3
Honiton ...	—	—	—	5	—	1	—	—	—	2	1	—	1	—
Kingsbridge ...	—	—	—	5	—	—	—	—	—	89	—	—	8	—
Newton Abbot ...	1	—	—	18	10	—	2	—	—	177	1	—	4	1
Okehampton ...	—	—	—	18	22	3	5	—	6	256	3	—	11	1
Plymouth St. Mary ...	—	1	—	5	5	1	—	—	12	40	—	—	12	—
St. Thomas ...	—	—	—	69	194	8	13	—	7	468	2	—	27	1
South Molton ...	—	—	1	24	91	2	6	1	56	397	—	—	4	—
Tavistock ...	1	—	—	2	21	1	—	—	—	121	1	—	3	—
Tiverton ...	—	—	—	11	24	3	3	—	1	70	—	—	11	2
Torrington ...	—	—	—	27	27	1	1	—	1	148	—	—	11	—
Totnes ...	—	—	—	4	2	1	1	—	—	16	—	—	3	—
	—	—	—	10	12	5	1	—	11	99	—	—	2	—
DORSETSHIRE :														
ADMIN. COUNTY ...	2	—	16	235	520	10	68	13	133	3038	21	4	209	19
URBAN DISTRICTS														
Blandford Forum M.B. ...	2	—	10	145	276	4	47	6	42	1504	12	2	119	14
Bridport M.B. ...	—	—	—	2	1	—	—	—	—	28	—	—	1	—
Dorchester M.B. ...	—	—	—	3	23	—	3	—	—	185	—	—	—	1
Lyme Regis M.B. ...	—	—	1	11	3	—	3	—	1	99	—	—	—	5
Poole M.B. ...	—	—	—	2	2	—	—	—	—	67	—	—	8	—
Portland ...	—	—	5	46	110	3	26	—	30	292	6	1	60	2
Shaftesbury M.B. ...	1	—	1	8	13	—	5	—	4	29	—	—	1	—
Sherborne ...	—	—	—	1	1	—	1	—	—	87	—	—	—	—
Swanage ...	—	—	—	5	—	1	—	—	—	6	1	—	2	2
Wareham M.B. ...	—	—	—	6	9	—	4	—	—	168	1	—	15	—
Weymouth and Melcombe Regis M.B. ...	1	—	3	—	—	—	1	—	—	93	1	—	11	1
Wimborne Minster ...	—	—	—	60	113	—	3	6	7	445	3	1	21	3
	—	—	—	1	1	—	1	—	—	5	—	—	—	—

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DORSETSHIRE—contd.														
RURAL DISTRICTS	—	—	6	90	244	6	21	7	91	1534	9	2	90	—
Beaminstor	—	—	3	5	9	—	5	1	—	209	—	—	1	—
Blandford	—	—	—	15	38	—	1	—	32	123	—	—	28	—
Bridport	—	—	—	5	24	—	3	1	—	199	—	1	3	—
Dorchester	—	—	—	4	31	—	1	1	42	188	—	1	6	—
Shaftesbury	—	—	—	20	16	1	1	1	—	121	—	—	7	—
Sherborne	—	—	—	4	11	—	—	—	—	17	1	—	1	—
Sturminster	—	—	—	17	24	—	—	—	6	360	—	—	7	—
Wareham and Purbeck	—	—	3	13	23	—	5	1	7	237	7	—	17	—
Wimborne and Cranborne	—	—	—	7	68	5	5	2	4	30	1	—	20	—
DURHAM: ...	10	13	107	2471	1968	1576	431	103	105	15171	11	—	1577	16
COUNTY BOROUGHs	7	1	55	1063	882	609	177	59	39	5860	4	—	811	9
Darlington	1	—	6	191	64	112	16	7	1	1584	—	—	43	—
Gateshead	1	—	5	237	210	227	32	4	30	753	3	—	169	—
South Shields	—	—	2	266	370	54	34	28	3	991	—	—	169	—
Sunderland	1	1	39	234	208	157	77	11	5	2302	—	—	365	—
West Hartlepool	4	—	3	135	30	59	18	9	—	230	1	—	65	—
ADMIN. COUNTY	3	12	52	1408	1086	967	254	44	66	9311	7	—	766	7
URBAN DISTRICTS	1	4	28	1016	704	676	172	28	42	5821	5	—	485	3
Barnard Castle	—	—	—	11	9	—	—	—	—	11	1	—	7	—
Billingham	—	—	—	61	18	29	6	—	6	53	—	—	—	—
Bishop Auckland	—	—	1	53	124	36	10	1	1	614	2	—	13	—
Blaydon	—	—	—	44	38	29	5	1	4	395	—	—	9	—
Boldon	—	—	—	5	11	4	—	—	—	56	—	—	1	—
Brandon and Byshtottles	—	—	—	11	26	9	4	2	—	252	—	—	—	—
Chester-le-Street	—	—	—	20	3	26	—	1	—	110	1	—	16	—
Consett	—	1	—	48	11	13	11	—	—	117	—	—	43	—
Crook and Willington	—	—	4	88	13	23	4	2	—	725	—	—	22	—
Durham M.B.	—	—	1	27	17	15	3	—	—	195	—	—	4	—
Felling	—	—	1	32	5	35	4	—	—	125	—	—	7	—
Hartlepool M.B.	—	—	—	30	—	6	4	—	—	306	—	—	—	—
Hebburn	—	—	7	58	27	9	11	—	9	307	—	—	32	—
Hetton	—	1	3	33	28	33	4	1	—	63	—	—	20	—
Houghton-le-Spring	—	—	1	47	59	18	8	1	—	203	—	—	45	—
Jarrow M.B.	—	—	—	12	91	42	14	—	—	162	—	—	72	—
Ryton	—	—	—	12	2	20	3	2	—	106	—	—	5	—
Seaham	—	—	2	48	13	32	8	5	1	180	1	—	37	—
Shildon	—	1	1	30	31	26	11	—	—	494	—	—	14	—
Spennymoor	—	—	—	43	18	11	1	1	—	178	—	—	21	—
Stanley	—	1	4	78	40	143	20	5	11	243	—	—	45	—
Stockton-on-Tees M.B.	—	—	2	153	64	49	27	5	—	372	—	—	36	—
Tow Law	—	1	—	6	7	2	4	—	—	132	—	—	—	—
Washington	—	—	—	16	26	25	2	—	—	175	—	—	6	—
Whickham	—	—	1	50	23	41	8	1	10	247	—	—	25	—
RURAL DISTRICTS	2	8	24	392	382	291	82	16	24	3490	2	—	281	3
Barnard Castle	—	—	—	20	38	2	4	—	—	346	—	—	10	—
Chester-le-Street	—	—	5	70	95	60	25	2	—	648	—	—	83	—
Darlington	—	—	—	22	3	12	1	—	—	137	—	—	6	—
Durham	—	—	6	60	44	19	7	6	—	246	1	—	37	—
Easington	—	1	9	108	110	88	16	1	2	1316	1	—	57	1
Lanchester	2	—	1	6	14	4	—	1	—	76	—	—	12	—
Sedgefield	—	—	2	30	28	27	10	2	10	179	—	—	16	—
Stockton	—	—	—	14	4	1	—	—	—	56	—	—	5	—
Sunderland	—	—	1	43	30	40	16	2	1	289	—	—	48	—
Weardale	—	7	—	19	16	38	3	—	11	197	—	—	7	—

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenzal)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LY, ISLE OF:														
ADMIN. COUNTY ...	—	3	—	79	106	4	24	5	1	774	1	—	58	9
URBAN DISTRICTS ...	—	2	—	31	55	2	20	3	—	593	—	—	38	8
Chatteris ...	—	—	—	1	2	—	1	—	—	80	—	—	6	—
Ely ...	—	—	—	8	20	—	4	—	—	23	—	—	4	4
March ...	—	—	—	2	2	1	6	3	—	226	—	—	—	—
Whittlesey ...	—	—	—	10	19	1	3	—	—	110	—	—	19	4
Wisbech M.B. ...	—	2	—	10	12	—	6	—	—	154	—	—	9	—
RURAL DISTRICTS ...	—	1	—	48	51	2	4	2	1	181	1	—	20	1
Ely ...	—	—	—	19	36	2	—	1	—	48	—	—	1	1
North Witchford ...	—	—	—	5	2	—	3	—	—	25	1	—	13	—
Thorney ...	—	—	—	—	10	—	—	1	—	16	—	—	—	—
Wisbech ...	—	1	—	24	3	—	1	—	1	92	—	—	6	—
ESSEX:	3	14	71	2838	2439	389	418	58	753	20655	51	2	1620	270
COUNTY BOROUGHs ...	—	3	8	784	370	177	125	19	196	5064	7	1	474	34
East Ham ...	—	—	1	153	67	31	14	2	7	1498	1	—	55	2
Southend-on-Sea ...	—	2	—	250	172	14	79	10	153	1163	5	1	240	3
West Ham ...	—	1	7	381	131	132	32	7	36	2403	1	—	179	29
ADMIN. COUNTY ...	3	11	63	2054	2069	212	293	39	557	15591	44	1	1146	236
URBAN DISTRICTS ...	3	11	56	1895	1812	200	266	38	494	13332	41	1	1043	193
Barking M.B. ...	—	—	3	103	82	16	27	3	4	1102	1	—	80	8
Benfleet ...	—	—	1	39	12	—	6	—	—	372	1	—	14	1
Billerica ...	—	—	3	41	91	5	2	1	15	589	2	—	29	1
Braintree and Bocking ...	—	—	—	5	4	—	1	—	6	309	1	—	—	—
Brentwood ...	—	2	2	25	83	13	2	1	27	427	1	—	14	1
Brightlingsea ...	—	—	1	—	10	—	—	—	—	4	—	—	24	—
Burnham-on-Crouch ...	—	—	—	—	1	—	1	—	—	12	—	—	—	—
Canvey Island ...	—	—	—	5	—	—	2	1	—	125	—	—	8	—
Chelmsford M.B. ...	—	1	1	16	18	—	6	—	1	126	1	—	13	20
Chigwell ...	—	—	—	37	53	1	4	—	10	270	—	—	4	—
Chingford M.B. ...	—	—	2	61	94	4	9	1	37	210	—	—	88	3
Clacton ...	—	—	1	8	—	4	—	—	—	6	1	—	—	—
Colchester M.B. ...	—	3	4	83	49	8	10	3	37	473	1	—	38	13
Dagenham M.B. ...	—	—	7	232	177	19	31	16	28	1330	5	—	110	13
Epping ...	—	1	—	10	3	3	2	—	41	60	—	—	4	5
Frinton and Walton ...	—	—	—	2	—	—	—	—	—	15	—	—	6	—
Halstead ...	—	—	—	2	11	—	5	—	—	67	1	—	—	—
Harwich M.B. ...	—	1	—	14	40	—	2	—	—	266	—	—	7	1
Hornchurch ...	—	—	5	123	38	8	11	2	4	1195	2	—	83	15
Ilford M.B. ...	1	—	—	216	536	45	51	3	62	2150	13	—	233	34
Leyton M.B. ...	—	1	4	310	99	15	14	1	24	797	—	—	44	7
Maldon M.B. ...	—	—	1	15	2	5	9	—	62	308	—	—	11	—
Rayleigh ...	—	—	—	5	3	—	6	—	—	84	—	—	11	1
Romford M.B. ...	1	1	10	95	74	9	21	—	15	876	4	1	44	27
Saffron Walden M.B. ...	—	—	—	14	—	1	—	—	—	29	—	—	—	—
Thurrock ...	1	—	2	89	114	20	6	2	17	570	1	—	83	4
Waltham Holy Cross ...	—	—	—	5	15	—	1	—	5	60	—	—	1	2
Walthamstow M.B. ...	—	1	7	266	131	16	25	2	83	691	1	—	71	32
Wanstead and Woodford ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	—	1	61	47	8	10	2	16	568	4	—	20	3
West Mersea ...	—	—	—	1	1	—	—	—	—	65	—	—	—	—
Witham ...	—	—	—	11	13	—	1	—	2	75	1	—	1	1
Wivenhoe ...	—	—	—	1	11	—	1	—	—	101	—	—	2	1
RURAL DISTRICTS ...	—	—	7	159	257	12	27	1	63	2259	3	—	103	43
Braintree ...	—	—	1	7	6	—	—	1	8	100	—	—	6	2
Chelmsford ...	—	—	2	16	46	2	3	—	7	347	—	—	12	3
Dunmow ...	—	—	3	13	20	1	1	—	12	389	1	—	5	1
Epping ...	—	—	—	23	21	2	—	—	9	283	—	—	9	1
Halstead ...	—	—	—	10	30	—	1	—	—	74	—	—	5	1

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenzal)	Uteral pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ESSEX—contd.														
R.D's.—contd.														
Lexden and Winstree ...	—	—	1	18	45	—	—	—	1	242	—	—	22	—
Maldon ...	—	—	—	15	17	—	6	—	—	180	1	—	6	—
Ongar ...	—	—	—	5	6	4	—	—	—	76	—	—	2	—
Rochford ...	—	—	—	27	24	3	11	—	26	230	—	—	21	—
Saffron Walden ...	—	—	—	16	9	—	2	—	—	193	1	—	4	—
Tendring ...	—	—	—	9	33	—	3	—	—	145	—	—	11	—
GLOUCESTERSHIRE :	9	—	24	1351	1389	385	262	32	513	10855	21	2	860	1
COUNTY BOROUGHs	2	—	13	868	620	204	178	18	392	4362	5	2	534	1
Bristol ...	2	—	13	697	497	79	151	6	386	3722	5	1	462	1
Gloucester ...	—	—	—	171	123	125	27	12	6	640	—	1	72	—
ADMIN. COUNTY ...	7	—	11	483	769	181	84	14	121	6493	16	—	326	—
URBAN DISTRICTS	—	—	2	112	216	48	20	4	15	2110	—	—	70	—
Charlton Kings ...	—	—	—	6	5	—	2	—	—	137	—	—	4	—
Cheltenham M.B.	—	—	1	33	166	18	12	4	10	1227	—	—	41	—
Cirencester ...	—	—	—	7	12	2	—	—	1	319	—	—	4	—
Kingswood ...	—	—	—	31	6	5	1	—	—	75	—	—	3	—
Mangotsfield ...	—	—	1	13	3	6	1	—	1	45	—	—	6	—
Nailsworth ...	—	—	—	—	—	—	—	—	—	91	—	—	2	—
Stroud ...	—	—	—	19	22	15	3	—	3	106	—	—	10	—
Tewkesbury M.B.	—	—	—	3	2	2	1	—	—	110	—	—	—	—
RURAL DISTRICTS	7	—	9	371	553	133	64	10	106	4383	16	—	256	—
Cheltenham ...	—	—	—	22	61	5	7	—	3	287	—	—	13	—
Cirencester ...	—	—	1	7	38	1	—	1	4	206	1	—	9	—
Dursley ...	—	—	1	14	2	2	—	—	—	128	3	—	6	—
East Dean ...	—	—	—	20	38	22	3	—	—	347	—	—	6	—
Gloucester ...	1	—	—	94	82	51	13	3	—	521	1	—	41	—
Lydney ...	—	—	3	19	22	7	1	—	—	198	—	—	2	—
Newent ...	—	—	—	19	8	12	3	—	—	64	—	—	1	—
North Cotswold ...	—	—	—	14	55	—	9	—	—	337	1	—	18	—
Northleach ...	—	—	—	7	16	—	2	—	—	255	—	—	11	—
Sodbury ...	—	—	2	64	83	13	6	1	37	696	2	—	46	—
Stroud ...	6	—	—	41	41	4	3	2	23	334	—	—	11	—
Tetbury ...	—	—	1	4	34	—	—	1	1	79	1	—	7	—
Thornbury ...	—	—	—	15	33	3	4	1	34	358	6	—	50	—
Warmley ...	—	—	—	8	8	10	1	—	4	34	—	—	—	—
West Dean ...	—	—	1	23	32	3	12	1	—	539	1	—	30	—
HEREFORDSHIRE :														
ADMIN. COUNTY ...	1	1	11	125	337	30	24	10	37	2119	3	—	78	4
URBAN DISTRICTS...	—	—	7	35	171	17	13	8	10	866	1	—	20	3
Bromyard ...	—	—	—	3	1	—	4	—	—	86	—	—	4	—
Hereford M.B.	—	—	5	24	154	14	1	6	10	527	—	—	11	2
Kington ...	—	—	—	—	—	1	2	—	—	27	—	—	—	—
Ledbury ...	—	—	—	1	5	—	—	1	—	39	—	—	—	—
Leominster M.B.	—	—	1	1	11	2	4	—	—	15	1	—	2	—
Ross-on-Wye ...	—	—	1	6	—	—	2	1	—	172	—	—	3	—
RURAL DISTRICTS	1	1	4	90	166	13	11	2	27	1253	2	—	58	1
Bromyard ...	—	—	1	12	10	—	2	—	—	187	1	—	17	—
Dore and Bredwardine...	—	1	—	12	7	1	—	—	—	51	—	—	7	—
Hereford ...	1	—	2	17	28	6	2	—	8	199	1	—	6	—
Kington ...	—	—	—	22	1	—	—	1	—	76	—	—	2	—
Ledbury ...	—	—	—	5	15	2	—	—	6	187	—	—	2	—
Leominster and Wigmore	—	—	—	8	36	1	4	1	1	109	—	—	11	—
Ross and Whitechurch ...	—	—	—	24	8	2	3	—	12	367	—	—	5	—
Wooley ...	—	—	1	12	40	—	—	—	—	77	—	—	8	—
HERTFORDSHIRE :														
ADMIN. COUNTY ...	2	3	12	747	591	56	112	16	315	7178	25	—	322	114
URBAN DISTRICTS	2	3	12	566	421	40	94	16	125	5391	16	—	214	98
Baldock ...	—	—	—	2	1	—	1	—	—	186	—	—	2	1

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Opthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenzal)	Puerperal pyrexia
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HERTFORDSHIRE—contd.														
D's.—contd.														
Barnet	—	1	3	33	22	1	8	1	5	415	—	—	28	18
Berkhamsted	—	—	—	16	15	—	4	—	14	341	—	2	—	—
Bishop's Stortford	—	—	—	21	1	1	8	—	53	153	—	—	5	8
Bushey	—	—	1	29	3	—	—	9	2	52	2	—	1	17
Cheshunt	—	—	1	34	28	—	6	—	5	414	1	—	54	2
Chorleywood	—	—	—	2	1	—	—	—	—	75	—	—	—	—
East Barnet	—	1	—	123	59	1	8	—	—	409	—	—	36	1
Harpenden	—	—	—	29	1	1	3	—	18	164	—	—	1	—
Hemel Hempstead M.B.	—	—	—	12	20	2	3	—	4	496	2	—	6	1
Hertford M.B.	—	—	—	8	44	1	2	—	3	205	—	—	6	—
Hitchin	1	—	2	21	8	11	3	3	—	98	—	—	10	5
Hoddesdon	1	—	—	6	17	1	5	—	2	120	—	—	8	1
Letchworth	—	1	—	13	6	1	7	—	—	267	—	—	5	—
Rickmansworth	—	—	—	18	7	1	1	1	4	411	1	—	2	4
Royston	—	—	—	2	—	—	—	—	—	55	—	—	—	—
St. Alban M.B.	—	—	2	36	66	8	14	1	1	254	1	—	13	4
Sawbridgeworth	—	—	—	4	32	—	1	—	1	29	—	—	1	—
Stevenage	—	—	1	3	—	—	—	—	—	23	—	—	1	—
Ting	—	—	—	13	5	—	2	—	—	139	3	—	1	—
Ware	—	—	—	16	4	1	—	—	3	84	—	—	1	2
Watford M.B.	—	—	2	60	40	8	17	1	4	691	4	—	26	31
Welwyn Garden City	—	—	—	65	41	2	1	—	6	310	—	—	5	3
URAL DISTRICTS														
Berkhamsted	—	—	—	181	170	16	18	—	190	1787	9	—	108	16
Braughing	—	—	—	7	13	—	—	—	2	133	—	—	2	5
Elstree	—	—	—	3	8	—	—	—	3	73	—	—	7	2
Hatfield	—	—	—	5	41	1	5	—	3	148	—	—	15	1
Hemel Hempstead	—	—	—	34	14	1	1	—	92	354	—	—	15	—
Hertford	—	—	—	21	7	2	2	—	5	118	—	—	4	—
Hitchin	—	—	—	6	24	—	1	—	1	174	4	—	14	—
St. Albans	—	—	—	15	10	9	3	—	1	197	—	—	12	—
Ware	—	—	—	25	23	1	4	—	64	144	2	—	13	4
Watford	—	—	—	16	6	—	—	—	9	184	—	—	5	3
Welwyn	—	—	—	43	18	2	1	—	10	160	2	—	21	—
Welwyn	—	—	—	6	6	—	1	—	—	102	1	—	—	1
HUNTINGDONSHIRE :														
URBAN DISTRICTS														
Godmanchester M.B.	—	—	1	21	68	21	15	2	1	282	—	—	22	3
Huntingdon M.B.	—	—	—	3	14	—	6	—	—	25	—	—	3	—
Old Fletton	—	—	—	6	19	21	3	—	—	109	—	—	8	2
Ramsey	—	—	—	9	1	—	—	—	—	16	—	—	4	1
St. Ives M.B.	—	—	1	1	7	—	—	—	—	10	—	—	3	—
St. Neots	—	—	—	2	19	—	3	1	1	93	—	—	2	—
URAL DISTRICTS														
Huntingdon	—	—	—	20	68	5	20	1	1	396	—	—	21	20
Norman Cross	—	—	—	5	15	—	8	—	—	155	—	—	5	—
St. Ives	—	—	—	6	24	3	2	—	—	86	—	—	4	—
St. Neots	—	—	—	6	11	—	4	1	—	53	—	—	12	4
St. Neots	—	—	—	3	18	2	6	—	1	117	—	—	—	16
PERCENTAGE	26	5	43	1802	2014	273	310	37	466	13132	23	5	871	210
CANTERBURY BOROUGH														
Canterbury	1	1	1	13	8	5	1	—	8	14	1	—	2	—
PERCENTAGE														
PERCENTAGE	25	4	42	1789	2006	268	309	37	458	13118	22	5	869	210
URBAN DISTRICTS														
Ashford	5	3	32	1431	1552	227	253	31	286	9128	21	4	633	183
Beckenham M.B.	—	—	—	26	7	4	6	1	2	621	—	—	13	—
Bexley M.B.	1	—	—	39	21	5	9	—	13	220	1	1	28	34
Bexley M.B.	—	1	3	150	69	21	31	2	21	451	2	—	32	26

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica *	Acute pneumonia (primary and influenza)
1	2	3	4	5	6	7	8	9	10	11	12	13	14
KENT—contd.													
U.D's.—contd.													
Broadstairs and St. Peters	—	—	—	18	13	1	6	—	4	77	—	—	14
Bromley M.B. ...	—	—	2	53	31	7	11	—	3	283	—	1	32
Chatham M.B. ...	—	1	1	52	111	9	16	1	1	446	3	—	34
Chislehurst and Sidcup...	—	—	3	153	56	12	24	2	22	295	1	—	51
Crayford ...	—	—	1	23	75	—	5	—	—	291	—	—	17
Dartford M.B. ...	2	—	1	66	8	1	5	—	16	224	1	—	30
Deal M.B. ...	1	—	—	11	29	14	1	—	4	270	—	—	—
Dover M.B. ...	—	—	1	20	36	5	11	3	—	107	—	—	27
Erith M.B. ...	—	—	3	29	117	6	11	2	1	232	3	—	22
Faversham M.B. ...	—	—	—	3	42	1	—	—	9	126	—	1	—
Folkestone M.B. ...	—	—	5	66	34	37	12	3	9	347	—	—	43
Gillingham M.B. ...	—	—	—	90	175	2	8	2	16	431	1	—	58
Gravesend M.B. ...	—	—	1	52	9	31	11	3	6	330	—	—	8
Herne Bay ...	—	—	—	8	6	1	—	—	—	69	—	—	10
Hythe M.B. ...	—	—	—	22	11	1	1	—	—	87	—	—	3
Lydd M.B. ...	—	—	—	2	—	—	—	—	—	17	—	—	11
Maidstone M.B. ...	—	—	—	74	92	10	3	2	82	377	—	—	10
Margate M.B. ...	—	—	—	34	15	2	1	—	1	174	—	—	4
New Romney M.B. ...	—	—	—	3	—	2	1	—	—	69	—	—	2
Northfleet ...	—	—	—	6	40	1	2	—	19	141	—	—	5
Orpington ...	—	—	2	64	155	14	16	1	5	497	2	—	56
Penge ...	—	—	—	14	40	24	3	1	—	62	—	—	15
Queenborough M.B. ...	—	—	—	—	2	—	1	—	—	113	—	—	1
Ramsgate M.B. ...	—	—	—	50	33	2	12	2	—	346	—	—	16
Rochester M.B. ...	—	—	1	75	95	5	12	1	20	464	—	—	25
Royal Tunbridge Wells M.B. ...	—	—	2	67	24	—	5	2	5	328	2	—	11
Sandwich M.B. ...	—	—	—	3	36	—	2	—	—	6	—	—	—
Sevenoaks ...	—	—	2	24	13	1	1	—	—	154	1	—	1
Sheerness ...	—	—	—	11	3	—	3	—	1	203	1	—	15
Sittingbourne and Milton	—	—	3	46	53	2	4	2	—	364	—	—	2
Southborough ...	—	—	—	16	19	—	—	—	1	159	—	—	2
Swanscombe ...	—	—	—	6	18	—	2	—	3	50	—	—	2
Tenterden M.B. ...	—	—	—	2	4	—	—	—	4	33	—	—	—
Tonbridge ...	—	—	1	34	25	4	5	—	14	459	3	—	19
Whitstable ...	1	1	—	19	35	2	12	1	4	205	—	—	14
RURAL DISTRICTS ...	20	1	10	358	454	41	56	6	172	3990	1	1	236
Bridge-Blean ...	19	—	—	18	31	1	3	—	59	220	—	—	22
Cranbrook ...	—	—	—	20	7	1	3	—	23	128	—	—	17
Dartford ...	—	1	1	56	31	6	2	—	4	326	—	—	23
Dover ...	—	—	—	1	9	1	2	1	—	46	—	—	2
East Ashford ...	—	—	—	13	—	1	2	—	—	229	—	—	5
Eastry ...	—	—	—	25	57	8	3	—	5	95	—	—	9
Elham ...	—	—	—	13	8	—	4	1	—	284	—	—	5
Hollingbourne ...	—	—	—	10	14	—	—	—	1	231	—	—	4
Maidstone ...	—	—	—	16	45	3	2	—	4	274	—	—	3
Malling ...	—	—	2	42	56	8	6	1	55	616	—	—	22
Romney Marsh ...	—	—	—	4	3	—	1	—	—	35	—	—	2
Sevenoaks ...	1	—	1	35	47	1	11	—	1	318	—	—	53
Sheppey ...	—	—	1	4	4	—	1	—	—	190	—	1	21
Strood ...	—	—	—	23	21	2	5	—	—	118	1	—	2
Swale ...	—	—	3	17	75	6	—	1	5	246	—	—	14
Tenterden ...	—	—	—	1	3	—	3	—	2	42	—	—	—
Tonbridge ...	—	—	1	52	38	1	4	2	9	435	—	—	23
West Ashford ...	—	—	—	6	8	2	4	—	4	157	—	—	9
LANCASHIRE : ...	54	45	221	11693	7657	3086	1317	510	1918	33233	30	10	4621
COUNTY BOROUGHS ...	37	36	147	7240	4777	1948	838	426	1300	19349	16	3	3048
Barrow-in-Furness ...	—	33	4	145	17	7	18	7	7	433	—	—	41
Blackburn ...	—	—	3	392	93	21	17	23	51	305	2	—	76

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenzal)	Fuerepal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—contd.														
B's.—contd.														
Blackpool	14	3	2	215	275	90	43	1	10	715	—	—	23	33
Bolton	1	—	7	308	151	115	43	6	5	1324	—	—	92	4
Bootle	1	—	11	247	53	57	19	5	19	188	—	—	62	2
Burnley	1	—	5	196	123	183	28	7	91	1566	—	2	101	4
Bury	—	—	4	122	86	59	21	10	2	373	—	—	71	3
Liverpool	8	—	46	2473	1093	686	306	222	511	4214	4	—	1013	272
Manchester	9	—	43	1140	1835	302	147	82	413	5596	6	—	857	199
Oldham	—	—	3	309	177	61	25	12	25	455	—	—	80	3
Preston	2	—	1	314	118	44	24	10	22	1057	—	—	83	20
Rochdale	—	—	3	131	73	30	13	4	—	292	—	—	34	4
St. Helens	—	—	1	527	144	21	35	5	35	530	2	—	99	13
Salford	1	—	6	349	196	191	45	26	84	606	1	—	213	25
Southport	—	—	3	93	278	3	25	3	16	545	1	1	71	10
Warrington	—	—	3	111	44	9	9	2	9	187	—	—	68	27
Wigan	—	—	2	168	21	69	20	1	—	963	—	—	64	2
ADMIN. COUNTY	17	9	74	4453	2880	1138	479	84	618	13884	14	7	1573	137
URBAN DISTRICTS	5	8	65	3864	2560	1032	415	75	343	12472	14	7	1345	125
Abram	—	—	—	7	4	—	2	2	1	116	—	—	14	—
Accrington M.B.	—	—	1	68	10	17	3	1	—	13	—	—	3	—
Adlington	—	—	—	5	50	—	1	1	—	76	—	—	11	—
Ashton-in-Makerfield	—	—	—	19	14	9	1	1	—	319	—	—	9	1
Ashton-under-Lyne M.B.	—	—	3	41	34	62	6	1	—	233	—	1	37	7
Aspull	—	—	—	7	1	2	5	—	—	93	—	—	13	—
Atherton	—	—	—	42	3	2	10	4	—	66	1	—	30	4
Audenshaw	—	—	—	13	9	1	2	—	5	122	—	—	6	—
Bacup M.B.	—	—	—	21	10	3	2	—	—	209	1	—	11	—
Barrowford	—	—	—	8	3	—	2	—	—	11	—	—	—	—
Billinge and Winstanley	—	—	—	11	—	—	1	1	—	15	—	—	16	5
Blackrod	—	—	—	6	6	2	1	—	—	48	—	—	5	1
Brierfield	—	—	—	40	34	4	1	—	17	60	—	—	7	—
Carnforth	—	—	—	5	2	1	—	—	—	16	—	—	—	—
Chadderton	—	—	1	118	54	19	8	—	10	177	—	—	12	—
Chorley M.B.	—	3	6	193	70	36	4	—	6	148	—	—	26	4
Church	—	—	—	6	—	1	—	—	—	—	—	—	—	—
Clayton-le-Moors	—	—	1	2	27	—	1	—	4	105	—	—	3	—
Clitheroe M.B.	—	—	1	23	31	—	2	—	8	56	—	—	7	1
Colne M.B.	—	—	—	26	10	11	5	3	2	43	—	—	6	2
Crompton	—	—	—	31	71	5	1	—	—	219	—	—	6	—
Crosby M.B.	—	—	3	137	22	24	17	2	1	145	1	—	26	1
Dalton-in-Furness	—	1	—	1	22	—	—	—	24	97	—	—	4	1
Darwen M.B.	1	—	1	54	18	1	4	2	—	106	—	—	18	—
Denton	—	—	1	64	12	1	15	—	20	405	—	—	—	—
Droylsden	—	—	—	62	64	11	6	—	—	271	—	—	10	2
Eccles M.B.	—	—	1	66	36	56	13	2	3	598	2	—	30	3
Falsworth	—	—	1	32	84	7	4	2	—	62	—	—	20	—
Farnworth M.B.	—	—	2	42	76	2	9	1	1	157	—	—	23	6
Fleetwood M.B.	—	—	1	19	79	84	9	—	—	281	—	—	74	11
Formby	—	—	3	7	21	2	4	—	—	55	—	—	11	—
Fulwood	—	—	—	32	6	3	1	—	2	55	—	—	25	10
Golborne	—	—	—	41	46	19	3	2	1	100	—	—	18	3
Grange	—	—	—	2	4	—	—	—	3	83	—	—	—	—
Great Harwood	—	—	—	18	30	1	1	—	12	83	—	—	5	—
Haslingden M.B.	—	—	—	58	15	19	6	—	1	158	—	—	18	—
Laydock	—	—	—	57	21	5	5	—	8	181	—	—	6	1
Leywood M.B.	—	—	—	34	10	49	2	—	—	48	—	—	7	1
Lindley	—	—	1	32	2	28	4	—	3	50	—	1	17	—
Lorwich	—	—	—	31	3	—	7	—	—	244	—	—	21	1

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenzal)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—contd.														
U.D.'s—contd.														
Huyton with Roby ...	1	—	6	254	55	59	9	1	5	259	—	—	54	—
Ince in Makerfield ...	—	—	—	64	34	31	6	—	—	291	—	—	19	—
Irlam ...	—	—	1	19	3	7	3	—	1	70	—	—	34	—
Kearsley ...	—	—	—	11	26	—	9	—	1	84	—	—	8	—
Kirkham ...	—	—	—	2	—	1	—	—	—	1	—	—	—	—
Lancaster M.B. ...	1	2	2	130	54	44	36	1	27	828	2	—	44	—
Lees ...	—	—	—	14	—	8	1	—	—	13	—	—	5	—
Leigh M.B. ...	—	—	2	54	28	16	19	10	—	125	—	—	63	—
Leyland ...	—	—	—	27	—	5	—	—	—	10	—	—	5	—
Litherland ...	—	—	2	65	36	31	6	—	1	74	—	—	17	—
Littleborough ...	—	—	1	19	5	9	4	—	—	88	—	1	—	—
Little Lever ...	—	—	—	38	27	1	2	—	—	115	—	—	2	—
Longridge ...	—	—	—	10	2	—	—	—	—	117	—	—	3	—
Lytham St. Anne's M.B.	—	—	1	54	23	1	6	—	—	118	—	—	7	—
Middleton M.B. ...	—	—	—	56	124	6	1	3	1	313	1	—	39	—
Milnrow ...	—	—	1	27	1	—	—	1	—	69	—	—	1	—
Morecambe and Heysham M.B. ...	—	—	1	66	27	10	3	—	1	387	—	1	10	—
Mossley M.B. ...	—	—	—	5	11	4	—	3	—	68	—	—	1	—
Nelson M.B. ...	—	—	—	59	40	22	9	3	—	108	—	—	17	—
Newton-le-Willows ...	—	—	1	45	30	5	5	—	28	271	—	—	41	—
Ormskirk ...	—	—	2	34	—	15	4	—	—	289	2	—	32	—
Orrell ...	—	—	—	18	4	2	1	—	—	143	—	—	11	—
Oswaldtwistle ...	—	—	—	32	3	1	—	—	1	7	—	—	5	—
Padiham ...	—	—	—	45	54	10	7	—	1	191	—	—	9	—
Poulton le Fylde ...	—	—	—	10	35	—	—	—	—	89	—	—	1	—
Presall ...	—	—	—	—	4	3	—	—	—	6	—	—	—	—
Prescot ...	—	—	—	31	20	20	4	—	—	40	—	—	1	—
Prestwich M.B. ...	1	—	—	68	22	12	8	—	92	378	—	1	22	—
Radcliffe M.B. ...	—	—	—	73	65	20	11	4	2	374	—	—	49	—
Rainford ...	—	—	—	2	3	—	2	—	—	17	—	—	1	—
Ramsbottom ...	—	—	—	72	66	12	5	—	3	104	—	—	22	—
Rawtenstall M.B. ...	—	—	2	42	15	26	8	1	—	147	—	1	41	—
Rishton ...	—	—	—	5	12	—	—	—	—	41	—	—	5	—
Royton ...	—	—	1	53	49	2	2	—	—	117	—	—	6	—
Skelmersdale ...	—	—	—	8	1	1	—	—	—	65	—	—	1	—
Standish with Langtree	—	—	—	16	18	3	—	—	—	133	—	—	3	—
Stretford M.B. ...	—	—	1	90	137	12	7	12	3	285	—	—	25	—
Swinton and Pendlebury M.B. ...	—	1	9	83	44	85	20	1	15	258	3	—	36	—
Thornton Cleveleys ...	—	—	—	22	39	3	5	—	—	70	—	—	6	—
Tottington ...	—	1	—	30	37	3	4	—	3	38	—	—	23	—
Trawden ...	—	—	—	2	1	—	—	—	—	—	—	—	1	—
Turton ...	—	—	—	9	22	6	2	—	—	85	1	—	3	—
Tyldesley ...	—	—	1	56	28	8	7	—	—	126	—	1	11	—
Ulverston ...	1	—	—	6	14	1	1	—	6	20	—	—	3	—
Upholland ...	—	—	—	8	8	2	2	—	—	46	—	—	3	—
Urmston ...	—	—	2	63	129	1	2	—	14	190	—	—	20	—
Walton le Dale ...	—	—	1	45	29	1	4	—	—	24	—	—	12	—
Wardle ...	—	—	—	1	6	2	2	—	—	33	—	—	—	—
Westhoughton ...	—	—	—	29	5	—	2	—	—	79	—	—	—	—
Whitefield ...	—	—	—	36	10	5	3	—	—	75	—	—	10	—
Whitworth ...	—	—	—	5	24	5	2	—	—	75	—	—	—	—
Widnes M.B. ...	—	—	1	289	93	14	10	5	7	21	—	—	53	—
Withnell ...	—	—	—	12	3	2	1	—	—	3	—	—	5	—
Worsley ...	—	—	—	69	20	8	2	3	—	170	—	—	—	—
RURAL DISTRICTS—	12	1	9	589	320	106	64	9	275	1412	—	—	228	—
Blackburn ...	—	—	—	24	6	3	8	1	151	27	—	—	89	—
Burnley ...	—	—	—	40	16	15	3	1	5	75	—	—	9	—
Chorley ...	—	—	—	54	56	20	6	1	—	275	—	—	14	—
Clitheroe ...	—	—	—	12	6	—	—	1	16	33	—	—	8	—
Fylde ...	—	—	—	9	5	4	2	—	—	16	—	—	1	—

† See note at and of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenzal)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—contd.														
L.D.s.—contd.														
Garstang ...	—	—	—	12	18	3	—	—	—	29	—	—	19	—
Lancaster ...	1	—	2	12	10	5	—	—	—	25	—	—	—	—
Linehurst ...	—	—	—	7	15	10	3	1	1	33	—	—	2	—
Lunesdale ...	—	—	—	2	25	4	1	—	—	56	—	—	—	—
Preston ...	—	—	—	73	38	9	4	1	48	215	—	—	12	—
Ulverston ...	—	—	—	13	17	1	—	—	2	176	—	—	13	1
Warrington ...	10	1	2	52	14	2	11	—	11	117	—	—	18	—
West Lancashire ...	—	—	1	121	36	7	9	1	3	138	—	—	21	2
Whiston ...	1	—	3	140	57	23	16	2	38	134	—	—	20	5
Wigan ...	—	—	1	18	1	—	1	—	—	63	—	—	2	—
LEICESTERSHIRE :														
COUNTY BOROUGH	6	—	37	1376	1105	161	190	29	210	10223	5	—	605	189
Leicester ...	—	—	22	718	458	98	100	25	29	5493	1	—	283	156
LEICESTER, COUNTY :														
LEICESTER, COUNTY	6	—	15	658	647	63	90	4	181	4730	4	—	322	33
LEICESTER, DISTRICTS :														
LEICESTER, DISTRICTS	4	—	8	304	254	37	41	1	135	1992	2	—	139	10
Ashby de la Zouch ...	—	—	—	2	—	—	—	—	—	40	—	—	—	1
Ashby Wolds ...	—	—	—	3	1	—	—	—	—	12	—	—	3	—
Coalville ...	4	—	4	57	80	2	10	—	13	745	—	—	35	2
Hinckley ...	—	—	1	53	90	22	6	—	1	507	2	—	34	1
Loughborough M.B.	—	—	2	75	32	—	4	—	—	254	—	—	17	3
Market Harborough ...	—	—	—	2	—	—	—	1	—	31	—	—	5	1
Melton Mowbray ...	—	—	—	37	30	3	3	—	118	253	—	—	19	—
Oadby ...	—	—	—	8	6	—	—	—	—	75	—	—	7	—
Shepshed ...	—	—	—	35	7	—	13	—	—	17	—	—	17	—
Wigston ...	—	—	1	32	8	10	5	—	3	58	—	—	2	2
LEICESTER, DISTRICTS :														
LEICESTER, DISTRICTS	2	—	7	354	393	26	49	3	46	2738	2	—	183	23
Ashby de la Zouch ...	1	—	—	17	20	1	5	—	1	119	—	—	28	1
Barrow upon Soar ...	—	—	1	75	198	6	9	1	3	702	—	—	64	10
Billesdon ...	—	—	1	13	14	—	1	—	—	138	—	—	1	—
Blaby ...	—	—	2	95	32	16	16	1	3	682	—	—	17	3
Castle Donington ...	—	—	—	32	10	—	3	—	4	258	—	—	24	2
Lutterworth ...	—	—	1	9	16	—	1	—	—	56	—	—	7	2
Market Bosworth ...	1	—	2	60	32	3	5	1	5	455	—	—	21	5
Market Harborough ...	—	—	—	28	5	—	6	—	—	29	—	—	5	—
Melton and Belvoir ...	—	—	—	25	66	—	3	—	30	299	2	—	16	—
LEICESTER, DISTRICTS :														
LEICESTER, DISTRICTS	—	—	—	96	186	9	9	15	2	928	—	—	39	4
Boston M.B. ...	—	—	—	83	123	8	4	14	2	620	—	—	19	1
Spalding ...	—	—	—	13	63	1	5	1	—	308	—	—	20	3
LEICESTER, DISTRICTS :														
LEICESTER, DISTRICTS	—	—	—	160	201	3	5	8	—	1128	1	—	31	10
Boston ...	—	—	—	56	127	—	4	4	—	593	—	—	10	3
East Elloe ...	—	—	—	48	36	3	1	—	—	331	—	—	11	7
Spalding ...	—	—	—	56	38	—	—	4	—	204	1	—	10	—
LEICESTER, DISTRICTS :														
LEICESTER, DISTRICTS	—	—	4	91	278	11	21	6	71	1079	3	—	65	22
Boston M.B. ...	—	—	2	30	124	6	13	3	10	565	—	—	45	16
Bourne ...	—	—	—	11	95	2	4	1	10	81	—	—	5	1
Grantham M.B. ...	—	—	1	6	14	3	4	2	—	339	—	—	22	4
Sleaford ...	—	—	1	8	1	—	5	—	—	36	—	—	5	1
Stamford M.B. ...	—	—	—	5	14	1	—	—	—	109	—	—	13	10
LEICESTER, DISTRICTS :														
LEICESTER, DISTRICTS	—	—	2	61	154	5	8	3	61	514	3	—	20	6
East KeSTEVEN ...	—	—	—	14	10	3	1	—	—	63	—	—	4	1
North KeSTEVEN ...	—	—	1	26	84	2	3	2	9	205	3	—	3	1
South KeSTEVEN ...	—	—	1	8	28	—	4	1	52	140	—	—	9	4
West KeSTEVEN ...	—	—	—	13	32	—	—	—	—	106	—	—	4	—

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)
1	2	3	4	5	6	7	8	9	10	11	12	13	14
LINCOLNSHIRE : ...	4	—	22	705	820	133	89	35	293	6054	16	1	280
PARTS OF LINDSEY	—	—	—	—	—	—	—	—	—	—	—	—	—
COUNTY BOROUGHs	1	—	7	233	243	56	21	16	29	1955	6	—	91
Grimsby ...	—	—	4	76	199	53	17	11	4	1488	2	—	41
Lincoln ...	1	—	3	157	44	3	4	5	25	467	4	—	50
ADMIN. COUNTY	3	—	15	472	577	77	68	19	264	4099	10	1	189
URBAN DISTRICTS	1	—	10	236	289	48	33	12	256	1903	3	—	115
Alford ...	—	—	—	3	—	—	—	2	1	20	—	—	—
Barton-upon-Humber	—	—	1	3	7	1	—	—	—	65	—	—	—
Brigg ...	—	—	—	11	14	3	5	—	2	47	—	—	7
Cleethorpes M.B.	—	—	2	33	63	3	12	—	4	473	2	—	38
Gainsborough ...	—	—	—	19	121	—	3	2	2	488	—	—	17
Horncastle ...	—	—	1	—	8	—	—	1	1	108	—	—	5
Louth M.B.	1	—	—	4	—	—	1	—	—	99	—	—	7
Mablethorpe and Sutton	—	—	1	11	2	—	—	—	3	103	—	—	4
Market Rasen ...	—	—	—	1	34	—	1	—	—	35	—	—	—
Scunthorpe M.B.	—	—	2	108	34	41	11	4	243	411	1	—	28
Skegness ...	—	—	3	41	—	—	—	3	—	17	—	—	1
Woodhall Spa ...	—	—	—	2	2	—	—	—	—	37	—	—	8
RURAL DISTRICTS	2	—	5	236	288	29	35	7	8	2196	7	1	74
Caistor ...	—	—	1	34	56	4	6	2	—	273	—	—	7
Gainsborough ...	—	—	—	12	19	—	1	1	—	180	1	—	3
Glanford Brigg	1	—	—	46	76	15	8	—	8	480	1	—	29
Grimsby ...	—	—	1	6	8	2	2	—	8	153	—	1	5
Horncastle ...	—	—	1	13	47	3	8	1	—	127	—	—	8
Isle of Axholme	—	—	—	73	16	2	1	1	—	383	—	—	9
Louth ...	—	—	—	11	11	1	2	—	—	202	—	—	5
Spilsby ...	1	—	2	25	31	1	7	2	—	389	4	—	5
Welton ...	—	—	—	16	24	1	—	—	—	49	1	—	3
*LONDON	20	8	145	4079	3264	800	817	224	1865	23486	63	3	2030
City of London...	—	—	1	2	—	1	2	—	5	21	—	—	—
Inner and Middle Temples	—	—	—	—	—	—	—	—	—	—	—	—	—
METROPOLITAN BOROUGHs :	—	—	—	—	—	—	—	—	—	—	—	—	—
Battersea ...	—	3	5	197	210	33	42	19	19	1565	2	—	108
Bermondsey ...	—	—	—	92	42	19	13	4	31	537	1	—	66
Bethnal Green ...	—	—	1	84	69	16	15	3	82	556	—	—	17
*Camberwell ...	2	—	6	142	135	38	24	10	26	1118	1	—	79
Chelsea ...	1	—	2	48	38	8	9	3	53	342	1	—	12
Deptford ...	—	—	1	87	43	22	12	4	26	241	—	—	71
Finsbury ...	—	—	5	40	43	13	7	3	17	349	—	—	28
Fulham ...	—	—	8	238	160	51	31	14	75	1131	2	—	70
Greenwich ...	—	—	4	72	131	35	24	2	26	336	—	—	64
Hackney ...	—	1	3	257	233	44	46	20	64	1090	2	—	56
Hammersmith ...	—	—	8	174	75	26	20	15	127	1046	4	—	48
Hampstead ...	—	—	3	57	45	4	22	2	29	485	3	—	99
Holborn ...	—	—	1	13	11	10	3	1	9	104	1	—	6
Islington ...	—	—	8	343	212	46	65	24	73	1798	8	1	74
Kensington ...	1	1	3	133	62	18	33	8	147	864	3	1	82
Lambeth ...	2	—	10	258	254	53	28	13	32	1806	4	—	76
Lewisham ...	—	—	3	197	238	24	50	1	31	459	5	—	70
Paddington ...	1	1	7	119	47	33	30	11	66	1039	1	—	99
Poplar ...	3	—	5	152	58	11	23	4	78	640	3	—	90
St. Marylebone ...	—	—	6	77	21	13	29	3	71	441	1	—	52
St. Pancras ...	5	—	6	232	174	69	57	10	130	1018	5	—	135
Shoreditch ...	—	—	5	96	67	24	16	5	75	441	2	—	28
Southwark ...	—	—	139	57	38	33	12	29	965	—	—	—	59
Stepney ...	1	—	5	143	91	13	32	6	65	718	1	—	55
Stoke Newington	—	—	4	52	54	3	12	4	56	426	—	—	15

* 3 cases of smallpox notified. † See note at end of table.

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Peral pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORFOLK—contd.														
R.D.'s.—contd.														
Loddon ...	—	—	—	1	3	2	—	2	—	21	—	—	13	—
Marshland ...	—	—	2	44	10	—	4	1	—	360	—	—	11	—
Mittford and Launditch...	—	1	—	9	98	1	—	—	—	314	—	—	9	—
St. Faiths and Aylsham	—	—	—	20	26	3	10	1	—	225	—	—	12	1
Smallburgh ...	—	—	1	20	115	11	4	2	2	112	—	—	7	—
Swaffham ...	—	—	1	9	39	3	2	2	—	81	1	—	5	—
Walsingham ...	—	—	—	15	4	—	5	2	1	106	—	—	11	—
Wayland ...	—	—	2	13	62	5	7	3	4	77	—	—	12	—
NORTHAMPTONSHIRE :	1	2	7	795	424	48	75	5	86	5205	4	—	268	10
COUNTY BOROUGH														
Northampton ...	1	1	1	143	64	20	20	—	7	1391	—	—	105	7
ADMIN. COUNTY ...	—	1	6	652	360	28	55	5	79	3814	4	—	163	2
URBAN DISTRICTS														
Brackley M.B. ...	—	—	4	485	178	16	41	—	24	2468	1	—	88	1
Burton Latimer ...	—	—	—	—	—	2	2	—	—	31	—	—	6	—
Corby ...	—	—	—	7	1	2	2	—	—	183	—	—	2	—
Daventry M.B. ...	—	—	—	51	—	2	1	—	—	1	—	—	2	—
Desborough ...	—	—	1	3	—	—	—	—	—	2	—	—	—	—
	—	—	5	2	—	—	—	—	1	46	—	—	—	—
Higham Ferrers M.B. ...	—	—	—	4	1	—	—	—	—	68	—	—	10	—
Irthlingborough ...	—	—	—	6	7	—	—	—	—	148	—	—	4	—
Kettering M.B. ...	—	—	3	220	92	5	15	—	10	908	1	—	11	—
Oundle ...	—	—	—	1	—	1	—	—	—	14	—	—	3	—
Raunds ...	—	—	—	4	—	—	3	—	—	91	—	—	6	—
Rothwell ...	—	—	—	50	17	—	3	—	—	120	—	—	—	—
Rushden ...	—	—	—	36	11	1	10	—	4	249	—	—	30	—
Wellingborough ...	—	—	—	98	47	5	5	—	9	657	—	—	14	—
RURAL DISTRICTS ...	—	1	2	167	182	12	14	5	55	1346	3	—	75	1
Brackley ...	—	—	—	9	12	1	1	—	2	115	—	—	—	—
Brixworth ...	—	—	—	39	15	1	2	—	12	302	1	—	3	—
Daventry ...	—	—	—	25	11	—	1	—	—	132	—	—	5	—
Kettering ...	—	2	44	4	1	2	—	—	—	75	—	—	3	—
Northampton ...	—	—	19	14	1	—	1	—	20	207	—	—	17	—
Oundle and Thrapston	—	1	—	9	29	—	3	3	6	241	—	—	21	—
Towcester ...	—	—	—	5	69	1	3	—	12	88	1	—	12	—
Wellingborough ...	—	—	—	17	28	7	2	—	3	186	1	—	14	—
NORTHUMBERLAND :	9	2	34	1334	988	1379	224	28	443	6958	5	—	715	20
COUNTY BOROUGHs	4	—	17	670	515	503	119	16	356	2821	1	—	392	16
Newcastle-upon-Tyne ...	1	—	17	541	411	388	104	14	355	2584	1	—	354	16
Tynemouth ...	3	—	—	129	104	115	15	2	1	237	—	—	38	—
ADMIN. COUNTY ...	5	2	17	664	473	876	105	12	87	4137	4	—	323	40
URBAN DISTRICTS ...	1	2	14	545	395	728	78	9	64	3387	1	—	274	12
Alnwick ...	—	—	—	2	—	5	—	—	—	—	—	—	—	—
Amble ...	—	—	—	1	—	68	—	—	—	45	—	—	—	—
Ashington ...	1	1	2	23	10	197	1	1	2	550	—	—	9	—
Bedlingtonshire ...	—	—	—	16	30	64	5	1	—	293	—	—	21	—
Berwick-upon-Tweed M.B.	—	—	1	3	7	—	1	—	1	3	—	—	1	—
Blyth M.B. ...	—	1	2	65	79	97	6	3	10	87	—	—	35	3
Gosforth ...	—	—	1	33	40	13	13	—	10	178	—	—	37	1
Hexham ...	—	—	—	33	—	1	1	—	2	8	—	—	7	—
Longbenton ...	—	—	2	62	39	16	3	1	7	295	—	—	6	2
Morpeth M.B. ...	—	—	—	3	1	87	1	—	17	33	—	—	4	1
Newbiggin by the Sea ...	—	—	2	19	22	26	7	—	2	278	—	—	33	—
Newburn ...	—	—	1	31	8	21	7	—	—	261	—	—	25	—
Prudhoe ...	—	—	1	21	15	3	3	—	1	94	—	—	4	—
Seaton Valley ...	—	—	—	50	11	24	4	2	2	197	—	—	5	1
Wallsend M.B. ...	—	—	1	87	37	78	15	—	10	887	—	—	56	—
Whitley Bay ...	—	—	1	96	96	28	11	1	—	178	—	—	29	—

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenzal)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NOTTINGHAMSHIRE—contd.														
URAL DISTRICTS	4	—	3	119	78	148	27	3	23	750	3	—	49	28
Alnwick	—	—	1	13	11	53	—	1	—	14	1	—	—	—
Belford	—	—	—	—	3	2	—	—	—	27	—	—	3	—
Bellingham	—	—	—	4	—	4	—	—	—	36	—	—	6	—
Castle Ward	4	—	—	33	3	8	4	—	9	225	—	—	10	17
Glendale	—	—	—	5	16	1	1	1	—	126	1	—	7	1
Haltwhistle	—	—	—	6	7	2	3	1	—	66	—	—	4	1
Hexham	—	—	—	36	18	8	5	—	5	23	—	—	8	8
Morpeth	—	—	—	9	7	70	1	—	1	158	—	—	2	1
Newcastle-upon-Tyne (Moot Hall and precincts)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Islandshires	—	—	2	2	11	—	—	—	—	5	—	—	1	—
Rothbury	—	—	—	11	2	—	13	—	8	70	1	—	8	—
NOTTINGHAMSHIRE : COUNTY BOROUGH														
Nottingham	—	2	17	965	278	110	71	102	77	1802	5	—	253	35
ADMIN. COUNTY														
Nottingham	3	—	25	1676	604	121	98	24	28	6654	9	2	321	32
URBAN DISTRICTS														
Arnold	1	—	22	1,217	316	84	73	23	8	4,742	5	2	206	24
Beeston & Stapleford	—	—	1	44	43	5	7	—	—	263	—	—	2	—
Carlton	—	—	1	99	62	37	7	7	2	671	1	—	12	2
East Retford M.B.	—	—	2	75	20	18	5	5	2	542	1	1	11	4
Eastwood	—	—	—	84	8	1	10	—	1	137	—	—	23	—
Hucknall	—	—	—	26	22	7	1	1	1	192	—	—	5	1
Kirkby-in-Ashfield	—	—	5	42	14	—	21	—	—	66	—	—	31	—
Mansfield M.B.	—	—	3	41	24	1	1	—	—	309	—	—	24	—
Mansfield Woodhouse	—	—	1	259	12	9	5	1	—	159	—	—	27	3
Newark M.B.	—	—	2	103	12	—	6	2	—	260	—	—	16	1
Sutton-in-Ashfield	—	—	3	32	15	—	1	2	—	119	—	1	—	1
Warsop	—	—	2	157	15	1	4	3	1	697	3	—	19	1
West Bridgford	—	—	1	64	8	—	2	—	—	213	—	—	3	1
Worksop M.B.	1	—	2	43	13	1	2	1	1	211	—	—	7	1
Worksop	—	—	2	148	48	4	1	1	—	903	—	—	26	9
NOTTINGHAMSHIRE : COUNTY BOROUGH														
Basford	2	—	3	459	288	37	25	1	20	1,912	4	—	115	8
Bingham	—	—	—	160	107	13	15	—	3	667	—	—	18	—
East Retford	1	—	1	37	29	5	3	1	2	224	2	—	12	1
Newark	1	—	—	94	38	3	2	—	15	252	—	—	35	—
Nottingham (Shire Hall)	—	—	—	13	3	7	2	—	—	31	1	—	—	—
Southwell	—	—	2	112	110	3	2	—	—	405	1	—	34	5
Worksop	—	—	—	43	1	6	1	—	—	333	—	—	16	2
NOTTINGHAMSHIRE : ADMIN. COUNTY														
Nottingham	3	—	7	522	385	10	53	15	252	4,830	6	—	145	82
Oxford	1	—	—	304	244	1	32	7	171	2,199	3	—	97	75
NOTTINGHAMSHIRE : ADMIN. COUNTY														
Nottingham	2	—	7	218	141	9	21	8	81	2,631	3	—	48	7
NOTTINGHAMSHIRE : ADMIN. COUNTY														
Nottingham	2	—	1	59	11	3	8	—	6	669	—	—	5	2
Barbury M.B.	2	—	—	43	10	1	4	—	—	353	—	—	—	2
Bicester	—	—	—	—	—	1	—	—	—	99	—	—	—	—
Chipping Norton M.B.	—	—	—	2	1	—	1	—	4	47	—	—	—	—
Henley-on-Thames M.B.	—	—	1	9	—	1	—	—	—	37	—	—	2	—
Thame	—	—	—	—	—	—	3	—	1	51	—	—	2	—
Witney	—	—	—	4	—	—	—	—	—	79	—	—	1	—
Woodstock M.B.	—	—	1	1	—	—	—	—	—	3	—	—	—	—
NOTTINGHAMSHIRE : ADMIN. COUNTY														
Nottingham	—	—	6	159	130	6	13	8	75	1,962	3	—	43	5
Barbury	—	—	—	11	9	1	1	—	6	243	2	—	4	—
Bullington	—	—	2	75	47	4	7	—	31	587	—	—	10	3
Chipping Norton	—	—	—	5	41	—	—	1	15	262	—	—	9	—
Henley	—	—	2	28	14	—	—	2	23	165	—	—	11	1
Ploughley	—	—	1	8	11	1	2	1	—	418	—	—	2	1
Witney	—	—	1	32	8	—	2	3	—	287	1	—	7	—

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
PETERBOROUGH, SOKE OF : ADMIN. COUNTY	—	—	1	36	182	37	14	1	2	1,010	2	—	27	
URBAN DISTRICT Peterborough M.B. ...	—	—	—	30	173	30	12	—	2	919	2	—	25	
RURAL DISTRICTS ...	—	—	1	6	9	7	2	1	—	91	—	—	2	
Barnack ...	—	—	1	3	1	—	—	—	—	36	—	—	—	
Peterborough ...	—	—	—	3	8	7	2	1	—	55	—	—	2	
RUTLANDSHIRE : ADMIN. COUNTY	—	—	1	48	25	1	6	—	26	223	—	—	23	
URBAN DISTRICT Oakham ...	—	—	1	10	—	—	1	—	13	16	—	—	4	
RURAL DISTRICTS ...	—	—	—	38	25	1	5	—	13	207	—	—	19	
Ketton ...	—	—	—	3	11	—	2	—	—	45	—	—	4	
Oakham ...	—	—	—	15	14	1	3	—	13	66	—	—	8	
Uppingham ...	—	—	—	20	—	—	—	—	—	96	—	—	7	
SHROPSHIRE : ADMIN. COUNTY	—	1	13	345	484	7	45	55	89	2,084	13	—	159	
URBAN DISTRICTS... Bishops Castle M.B.	—	1	10	191	194	5	27	24	73	840	7	—	83	
Bridgnorth M.B. ...	—	—	—	2	9	—	1	1	—	3	—	—	—	
Church Stretton ...	—	—	—	1	4	—	—	—	—	10	1	—	2	
Dawley ...	—	—	1	17	11	—	1	3	—	5	—	—	—	
Ellesmere ...	—	—	—	4	—	—	—	—	—	50	—	—	7	
Ludlow M.B. ...	—	—	—	—	2	—	7	—	—	3	—	—	—	
Market Drayton ...	—	—	—	13	—	1	—	—	—	181	1	—	4	
Newport ...	—	—	—	5	64	—	—	—	—	67	—	—	2	
Oakengates ...	—	—	—	4	5	—	—	2	—	26	—	—	5	
Oswestry M.B. ...	—	—	1	55	—	—	—	2	3	34	—	—	—	
Shrewsbury M.B. ...	—	1	5	65	11	3	11	9	12	32	—	—	6	
Wellington ...	—	—	—	13	45	—	4	4	57	301	3	—	34	
Wem ...	—	—	1	1	9	—	—	2	—	48	2	—	16	
Wenlock M.B. ...	—	—	1	7	23	—	—	—	—	53	—	—	5	
Whitchurch ...	—	—	—	2	11	1	1	—	—	15	—	—	1	
RURAL DISTRICTS ...	—	—	3	154	290	2	18	31	16	12	6	—	76	
Atcham ...	—	—	—	20	60	1	1	12	2	269	1	—	12	
Bridgnorth ...	—	—	1	14	32	—	1	1	—	153	4	—	5	
Clun ...	—	—	1	1	16	—	2	—	1	157	—	—	4	
Drayton ...	—	—	—	7	3	1	—	1	1	75	—	—	4	
Ellesmere ...	—	—	—	6	21	—	—	1	1	65	—	—	6	
Ludlow ...	—	—	—	3	3	—	1	1	—	129	—	—	5	
Oswestry... ..	—	—	—	62	13	—	3	5	3	89	—	—	13	
Shifnal ...	—	—	—	6	6	—	1	—	—	68	—	—	4	
Wellington ...	—	—	—	29	109	—	8	9	7	172	1	—	16	
Wem ...	—	—	1	6	27	—	1	1	1	67	—	—	7	
SOMERSETSHIRE : ...	1	2	20	580	892	76	112	39	181	6841	18	—	225	
COUNTY BOROUGH Bath ...	—	—	2	65	41	16	9	8	25	568	1	—	9	
ADMIN. COUNTY	1	2	18	515	851	60	103	31	156	6273	17	—	216	
URBAN DISTRICTS ...	—	—	7	233	384	19	56	26	77	3226	8	—	118	
Bridgwater M.B. ...	—	—	—	35	52	7	5	9	2	83	2	—	7	
Burnham-on-Sea ...	—	—	2	17	11	—	3	—	1	59	—	—	5	
Chard M.B. ...	—	—	—	1	—	—	1	7	—	15	—	—	5	
Clevedon ...	—	—	2	1	50	—	—	—	—	219	1	—	13	
Crewkerne ...	—	—	—	1	—	—	—	—	—	30	—	—	1	
Frome ...	—	—	—	21	3	—	5	—	1	411	1	—	2	
Glastonbury M.B. ...	—	—	—	6	2	—	2	—	—	80	—	—	—	
Ilminster... ..	—	—	—	11	1	—	1	—	—	10	1	—	3	
Keynsham ...	—	—	—	11	10	—	3	—	—	105	—	—	10	
Minehead ...	—	—	1	3	5	1	2	—	15	79	1	—	3	

† See note at end of table.

see note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)
1	2	3	4	5	6	7	8	9	10	11	12	13	14
SOUTHAMPTON—contd.													
R. D's.—contd.													
Ringwood and Fording- bridge	—	—	1	80	19	1	1	1	8	168	6	—	22
Romsey and Stockbridge	—	—	—	16	35	—	1	1	—	254	2	—	8
Winchester	—	—	1	49	115	2	8	1	1	675	2	—	23
STAFFORDSHIRE: ...	5	5	51	2856	3288	848	354	175	337	17748	64	2	1411
COUNTY BOROUGHS	2	1	22	1326	1714	296	158	126	119	9105	27	1	758
Burton-upon-Trent	—	—	—	53	53	9	3	3	3	708	1	—	30
Smethwick	—	—	5	100	230	43	23	8	61	806	4	—	51
Stoke-on-Trent	2	1	9	671	669	78	48	28	26	3144	—	—	351
Walsall ...	—	—	4	160	310	34	45	4	1	1718	5	—	151
West Bromwich...	—	—	—	142	106	87	10	3	2	554	1	1	50
Wolverhampton	—	—	4	200	346	45	29	80	26	2175	16	—	125
ADMIN. COUNTY	3	4	29	1530	1574	552	196	49	218	8643	37	1	653
URBAN DISTRICTS	1	—	25	1239	1191	470	152	41	93	6795	33	1	548
Aldridge ...	—	—	1	58	99	5	15	9	1	483	6	—	40
Ambecote	—	—	—	7	2	1	—	—	—	42	—	—	2
Biddulph	—	—	1	69	23	3	7	1	8	70	—	—	25
Bilston M.B.	—	—	2	48	98	41	9	—	1	165	—	—	71
Brierley Hill	1	—	—	67	99	86	22	2	4	901	3	1	32
Brownhills	—	—	1	18	68	11	7	3	18	653	1	—	42
Cannock	—	—	1	49	28	19	14	2	7	753	4	—	11
Coseley	—	—	—	38	196	26	18	3	1	429	1	—	57
Darlaston	—	—	—	34	52	21	1	2	—	127	2	—	18
Kidsgrove	—	—	1	28	14	1	6	1	—	40	—	—	10
Leek	—	—	2	16	36	3	—	2	2	60	—	—	5
Lichfield M.B.	—	—	1	10	39	1	—	—	—	149	—	—	1
Newcastle-under-Lyne M.B.	—	—	4	171	24	13	4	6	10	210	1	—	27
Rowley Regis M.B.	—	—	—	72	62	63	3	2	—	344	5	—	9
Rugeley	—	—	2	123	9	9	1	—	—	314	—	—	3
Sedgley	—	—	1	29	11	18	7	1	—	242	2	—	10
Stafford M.B.	—	—	6	74	80	5	11	1	35	488	1	—	8
Stone	—	—	—	4	16	—	—	—	1	8	—	—	4
Tanworth M.B.	—	—	—	30	12	—	2	2	—	75	—	—	11
Tettenhall	—	—	—	5	11	—	1	1	—	88	2	—	11
Tipton M.B.	—	—	1	131	61	54	9	—	4	481	2	—	42
Uttoxeter	—	—	—	12	5	3	2	1	—	63	—	—	—
Wednesbury M.B.	—	—	—	49	75	38	3	1	1	243	1	—	64
Wednesfield	—	—	—	16	31	22	1	—	—	106	2	—	5
Willenhall	—	—	1	85	52	11	8	1	—	261	—	—	40
RURAL DISTRICTS	2	4	4	291	383	82	44	8	125	1848	4	—	105
Cannock	—	—	2	28	37	28	10	—	6	469	1	—	14
Cheadle	—	—	4	78	51	19	13	2	83	144	1	—	27
Leek	—	—	—	19	17	—	—	1	—	25	—	—	13
Lichfield	1	—	—	45	39	9	1	1	7	390	1	—	19
Newcastle-under-Lyne	—	—	—	10	73	—	10	1	—	125	—	—	9
Seisdon	1	—	—	20	52	12	—	—	8	227	—	—	10
Stafford	—	—	1	28	35	2	4	—	1	164	—	—	2
Stone	—	—	—	25	39	10	2	—	20	125	—	—	8
Tutbury	—	—	—	18	29	2	1	2	—	126	—	—	2
Uttoxeter	—	—	—	20	11	—	3	1	—	53	1	—	1
SUFFOLK EAST: ...	2	2	12	290	434	120	60	17	344	1544	3	—	239
COUNTY BOROUGH	—	—	3	116	91	89	18	1	210	406	1	—	46
Ipswich	—	—	—	—	—	—	—	—	—	—	—	—	—
ADMIN. COUNTY	2	2	9	174	343	31	42	16	134	1138	2	—	193
URBAN DISTRICTS	1	1	—	50	137	13	12	7	98	476	—	—	66
Aldeburgh	—	—	—	3	1	—	—	—	—	26	—	—	6
Beccles M.B.	—	1	—	—	—	—	—	—	—	5	—	—	1

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
FOLK EAST—contd.														
D's.—contd.														
Ungay ...	—	—	—	—	2	2	2	1	—	8	—	—	6	—
Uye M.B. ...	—	—	—	1	1	—	—	—	—	62	—	—	1	—
Ulixstowe ...	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Ulesworth ...	—	—	—	1	1	—	—	—	—	—	—	—	2	2
Uiston cum Sizewell ...	—	—	—	2	40	—	4	—	3	16	—	—	3	—
Uwestoft M.B. ...	—	1	—	28	19	10	3	4	94	162	—	—	23	12
Uxnumdham ...	—	—	—	—	22	—	—	—	—	5	—	—	—	—
Uthwold M.B. ...	—	—	—	1	5	—	—	1	—	6	—	—	5	—
Uowmarket ...	—	—	—	13	27	—	1	1	1	166	—	—	5	—
Uoodbridge ...	—	—	—	—	19	—	2	—	—	20	—	—	14	—
RURAL DISTRICTS	1	1	9	124	206	18	30	9	36	662	2	—	127	14
Uyth ...	—	—	3	16	27	—	9	4	2	104	—	—	40	1
Ueben ...	—	—	3	25	77	1	8	3	7	54	—	—	14	3
Upping ...	—	—	1	22	10	11	8	—	2	65	—	—	22	4
Uartismere ...	—	—	1	20	46	1	3	—	—	159	2	—	21	1
Uothingland ...	—	—	1	18	22	2	1	1	10	52	—	—	11	—
Uumford ...	1	—	—	23	20	3	—	—	15	219	—	—	6	—
Uainford ...	—	1	—	—	4	—	1	—	—	9	—	—	—	—
FOLK WEST:														
MIN. COUNTY	1	1	2	138	266	8	16	7	23	919	3	—	44	17
AN DISTRICTS	1	—	2	46	65	3	—	2	13	258	2	—	9	12
Uury St. Edmunds M.B. ...	1	—	2	32	26	1	—	2	13	199	—	—	5	10
Uadleigh ...	—	—	—	—	34	—	—	—	—	16	1	—	—	—
Uaverhill ...	—	—	—	10	—	—	—	—	—	2	—	—	—	—
Uewmarket ...	—	—	—	2	5	—	—	—	—	39	—	—	2	2
Udbury M.B. ...	—	—	—	2	—	2	—	—	—	2	1	—	2	—
AL DISTRICTS	—	1	—	92	201	5	16	5	10	661	1	—	35	5
Uare ...	—	1	—	20	16	2	1	1	—	103	1	—	5	—
Uesford ...	—	—	—	5	51	—	8	2	—	57	—	—	4	3
Uelford ...	—	—	—	9	10	2	3	—	—	144	—	—	13	—
Uldenhall ...	—	—	—	8	8	1	1	—	—	43	—	—	1	—
Uedwastre ...	—	—	—	28	40	—	1	—	—	78	—	—	2	1
Uingoe ...	—	—	—	22	76	—	2	2	10	236	—	—	10	1
REY: ...	16	4	48	1969	2125	299	230	51	827	17964	34	3	609	282
NTY BOROUGH	—	—	8	397	368	29	34	11	50	2232	6	—	48	57
oydon ...	—	—	8	397	368	29	34	11	50	2232	6	—	48	57
OMIN. COUNTY	16	4	40	1572	1757	270	196	40	777	15732	28	3	561	225
AN DISTRICTS	14	4	37	1391	1631	253	176	39	747	13695	28	2	540	220
Uinstead ...	3	—	—	45	65	10	5	—	28	272	—	—	12	—
Uynes M.B. ...	—	—	—	36	71	12	3	1	9	358	—	—	20	2
Ueddington and	—	—	—	29	12	4	8	—	—	256	5	—	13	1
Uallington M.B.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uershalton ...	—	—	1	108	106	24	13	2	15	686	2	—	40	32
Uerham and Warling-	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uham ...	2	—	1	52	27	9	5	—	9	329	—	—	19	—
Uertsey ...	—	—	3	55	75	6	4	—	89	814	—	—	20	—
Uulsdon and Purley ...	2	2	1	67	100	16	3	1	172	705	1	—	17	2
Uorking ...	—	—	—	12	7	1	5	2	—	136	—	1	9	4
Uham ...	—	1	3	9	31	2	5	—	7	180	1	—	9	—
Uoson & Ewell M.B. ...	4	—	4	70	152	10	24	2	139	657	—	—	78	25
Uher ...	—	—	3	60	48	3	5	—	32	754	—	—	7	2
Urnham ...	—	—	1	23	120	1	4	1	5	471	—	—	7	9
Uimley and Camberley	—	—	—	21	34	1	1	1	—	303	1	—	2	—
Uadlming M.B. ...	—	—	—	14	12	1	—	—	—	153	—	—	1	2
Uildford M.B. ...	—	—	3	45	29	5	6	3	8	542	2	—	18	8
Ulesmere ...	—	—	1	8	20	3	—	—	—	148	—	—	1	1
Ungston-on-Thames M.B.	—	—	1	28	84	16	5	2	37	407	1	—	19	23
Uatherhead ...	—	—	—	14	74	2	6	—	35	415	4	—	9	—
Ulden and Coombe M.B.	—	—	2	24	43	9	4	—	53	589	—	—	14	4

note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	General parotitis
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SURREY—contd.														
U.D's.—contd.														
Merton and Morden ...	—	—	1	115	77	11	15	12	8	762	2	—	71	
Mitcham M.B. ...	1	—	3	146	96	63	16	—	13	739	—	—	33	
Reigate M.B. ...	—	—	—	74	23	4	4	3	12	603	—	1	21	
Richmond M.B. ...	—	—	—	16	75	1	2	—	10	350	—	—	13	
Surbiton M.B. ...	1	—	1	44	90	6	1	—	4	776	1	—	23	
Sutton and Cheam M.B.	—	1	1	127	42	17	11	—	13	530	1	—	25	
Walton and Weybridge	—	—	—	61	25	4	5	1	—	406	—	—	9	
Wimbledon M.B. ...	—	—	3	43	53	8	11	7	20	584	4	—	27	
Woking ...	1	—	3	45	40	4	5	1	29	770	1	—	11	
RURAL DISTRICTS ...	2	—	3	181	126	17	20	1	30	2037	—	1	21	
Bagshot ...	—	—	—	7	1	4	1	1	—	233	—	—	1	
Dorking and Horley	—	—	—	19	25	1	5	—	—	513	—	—	5	
Godstone ...	1	—	—	47	12	5	3	—	16	351	—	1	2	
Guildford ...	1	—	1	44	25	6	3	—	2	501	—	—	2	
Hambleton ...	—	—	2	64	63	1	8	—	12	439	—	—	11	
SUSSEX EAST: ...	5	1	22	817	602	166	125	23	81	6431	8	—	536	
COUNTY BOROUGHS ...	1	1	11	417	161	151	62	16	4	2610	5	—	320	
Brighton ...	1	1	9	319	77	144	38	12	1	1526	3	—	252	
Eastbourne ...	—	—	—	58	30	1	5	3	3	651	2	—	34	
Hastings ...	—	—	2	40	54	6	19	1	—	433	—	—	34	
ADMIN. COUNTY ...	4	—	11	400	441	15	63	7	77	3821	3	—	216	
URBAN DISTRICTS ...	4	—	8	196	189	11	45	4	66	1983	—	—	140	
Bexhill M.B. ...	—	—	—	21	120	2	4	—	—	417	—	—	15	
Burgess Hill ...	—	—	—	6	1	—	3	—	—	68	—	—	5	
Cuckfield... ..	4	—	1	22	3	—	—	1	30	61	—	—	1	
East Grinstead ...	—	—	3	25	33	2	6	—	34	196	—	—	13	
Hove M.B. ...	—	—	2	79	7	4	14	2	1	574	—	—	47	
Lewes M.B. ...	—	—	1	14	11	—	5	1	—	188	—	—	5	
Newhaven ...	—	—	—	7	1	1	2	—	1	41	—	—	3	
Portslade-by-Sea ...	—	—	—	7	5	1	6	—	—	182	—	—	20	
Rye M.B. ...	—	—	—	4	4	—	—	—	—	110	—	—	—	
Seaford ...	—	—	1	11	4	1	5	—	—	146	—	—	31	
RURAL DISTRICTS ...	—	—	3	204	252	4	18	3	11	1838	3	—	76	
Battle ...	—	—	2	19	55	1	4	—	1	648	1	—	15	
Chailey ...	—	—	—	22	20	1	1	—	—	197	—	—	1	
Cuckfield... ..	—	—	—	46	24	1	6	—	1	231	—	—	11	
Hailsham ...	—	—	—	60	42	—	—	2	5	286	—	—	23	
Uckfield ...	—	—	1	57	111	1	7	1	4	476	2	—	26	
SUSSEX WEST:														
ADMIN. COUNTY ...	1	—	8	495	416	24	50	9	45	2570	5	1	258	
URBAN DISTRICTS ...	1	—	6	291	224	15	30	6	31	1380	3	1	201	
Arundel M.B. ...	1	—	—	2	15	1	1	—	—	21	—	—	1	
Bognor Regis ...	—	—	1	33	31	2	8	1	2	240	—	—	16	
Chichester M.B. ...	—	—	2	9	11	2	1	1	27	309	2	—	94	
Horsham... ..	—	—	—	17	11	—	5	—	—	130	—	—	4	
Littlehampton ...	—	—	1	73	10	10	4	—	—	145	—	—	9	
Shoreham-by-Sea ...	—	—	—	32	20	—	1	3	—	41	—	—	45	
Southwick ...	—	—	—	21	10	—	4	1	—	112	—	—	9	
Worthing M.B. ...	—	—	2	104	116	—	6	—	2	382	1	1	23	
RURAL DISTRICTS ...	—	—	2	204	192	9	20	3	14	1190	2	—	57	
Chancetonbury ...	—	—	—	31	50	—	5	—	—	114	—	—	10	
Chichester ...	—	—	—	49	72	6	4	2	—	303	—	—	16	
Horsham... ..	—	—	—	49	17	2	5	—	—	237	—	—	12	
Midhurst ...	—	—	1	9	9	—	4	1	—	171	2	—	3	
Petworth... ..	—	—	—	7	6	—	1	—	14	121	—	—	6	
Worthing ...	—	—	1	59	38	1	1	—	—	244	—	—	6	

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica	Acute pneumonia (primary and influenzal)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ARWICKSHIRE : ...	8	5	114	2820	4485	682	431	762	531	17435	40	1	2090	435
UNTY BOROUGHs ...	6	3	91	2178	3708	591	382	737	390	13250	30	1	1669	382
Birmingham ...	3	3	77	1695	3340	445	329	717	321	12080	24	1	1551	340
Coventry... ..	3	—	14	483	366	146	53	20	69	1170	6	—	118	42
ADMIN. COUNTY ...	2	2	23	642	779	91	99	25	141	4185	10	—	421	53
URBAN DISTRICTS ...	2	2	16	457	528	50	67	17	78	2855	6	—	224	35
Bedworth ...	—	—	2	39	36	5	5	1	9	158	3	—	15	3
Kenilworth ...	1	—	—	30	6	—	—	—	—	36	—	—	—	—
Nuneaton M.B. ...	—	—	3	69	27	16	11	3	25	354	—	—	34	6
Royal Leamington	—	—	1	55	23	11	9	1	3	159	—	—	27	2
Spa M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rugby M.B. ...	—	2	4	91	52	2	12	1	23	494	—	—	51	10
Soldham ...	—	—	2	90	168	8	11	6	2	1001	1	—	34	11
Stratford-on-Avon	—	—	—	25	83	—	7	—	1	80	2	—	27	3
M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sutton Coldfield M.B. ...	1	—	2	37	107	8	10	5	10	359	—	—	25	—
Warwick M.B. ...	—	—	2	21	26	—	2	—	5	214	—	—	10	—
URAL DISTRICTS ...	—	—	—	7	185	251	41	32	8	63	1330	4	197	18
Alcester ...	—	—	2	18	85	10	3	1	—	377	—	2	35	2
Atherstone ...	—	—	1	18	—	9	7	—	—	—	—	—	54	1
Meriden ...	—	—	3	34	48	14	6	—	—	295	—	—	48	13
Rugby ...	—	—	—	19	33	1	4	5	—	102	—	—	6	—
Shipston-on-Stour	—	—	—	5	—	—	—	—	—	13	—	—	1	—
Southam ...	—	—	—	2	9	1	1	1	3	151	—	—	5	—
Stratford-on-Avon	—	—	—	17	22	—	4	—	1	94	2	—	19	1
Tamworth ...	—	—	1	30	38	—	3	1	—	181	—	—	17	—
Warwick ...	—	—	—	42	16	6	4	—	59	117	—	—	12	1
WESTMORLAND :	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ADMIN. COUNTY ...	—	—	2	103	114	14	13	2	9	564	1	1	21	8
URBAN DISTRICTS ...	—	—	—	73	14	9	3	—	1	218	1	1	8	4
Appleby M.B. ...	—	—	—	5	—	1	—	—	—	21	—	—	2	—
Kendal M.B. ...	—	—	—	36	—	2	3	—	1	—	1	—	1	4
The Lakes ...	—	—	—	29	12	5	—	—	—	163	—	1	4	—
Windermere ...	—	—	—	3	2	1	—	—	—	34	—	—	1	—
URAL DISTRICTS ...	—	—	2	30	100	5	10	2	8	346	—	—	13	4
North Westmorland	—	—	—	10	100	—	4	1	8	269	—	—	12	3
South Westmorland	—	—	2	20	—	5	6	1	—	77	—	—	1	—
WIGHT, ISLE OF :	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ADMIN. COUNTY ...	—	—	3	109	22	6	12	2	1	231	—	1	7	13
URBAN DISTRICTS ...	—	—	3	90	20	6	10	2	1	186	—	1	3	8
Cowes ...	—	—	1	39	3	1	1	—	1	80	—	1	—	2
Newport M.B. ...	—	—	1	17	2	4	3	—	—	24	—	—	—	2
Ryde M.B. ...	—	—	1	15	14	1	3	2	—	56	—	—	1	2
Sandown, Shanklin	—	—	—	17	1	1	1	—	—	13	—	—	2	—
Ventnor ...	—	—	—	2	—	1	2	—	—	13	—	—	—	2
URAL DISTRICT :	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Isle of Wight ...	—	—	—	19	2	—	2	—	—	45	—	—	4	5
WILTSHIRE :	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ADMIN. COUNTY ...	2	—	15	537	524	18	83	24	95	3826	9	—	198	41
URBAN DISTRICTS ...	2	—	4	295	191	10	47	13	50	1781	4	—	98	38
Bradford-on-Avon	—	—	—	20	10	—	2	2	—	87	—	—	4	—
Calne M.B. ...	—	—	—	14	12	—	—	—	—	90	—	—	—	—
Chippenham M.B. ...	—	—	1	22	25	—	6	1	1	362	—	—	2	1
Devizes M.B. ...	—	—	—	31	6	—	1	—	10	254	—	—	3	—
Malmesbury M.B. ...	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Marlborough M.B. ...	—	—	—	10	1	—	9	—	2	24	—	—	4	—
Melksham ...	—	—	—	6	6	—	2	—	1	107	1	—	1	3
Salisbury M.B. ...	2	—	3	124	28	7	8	8	1	213	1	—	—	6
Swindon M.B. ...	—	—	—	43	89	3	17	2	35	436	2	—	79	28
Trowbridge ...	—	—	—	10	1	—	—	—	—	42	—	—	3	—

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WILTSHIRE—contd.														
U.D's.—contd.														
Warminster	—	—	—	7	11	—	1	—	—	107	—	—	—	—
Westbury	—	—	—	4	1	—	—	—	—	75	—	—	1	—
Wilton M.B.	—	—	—	4	1	—	1	—	—	3	—	—	—	—
RURAL DISTRICTS	—	—	11	242	333	8	36	11	45	2045	5	—	100	—
Amesbury	—	—	3	31	11	—	3	1	—	94	—	—	6	—
Bradford and Melksham	—	—	—	30	14	1	2	—	—	169	2	—	4	—
Calne and Chippenham	—	—	2	35	49	—	5	7	5	618	2	—	5	—
Cricklade and Wootton Bassett	—	—	—	17	11	2	9	—	1	167	—	—	20	—
Devizes	—	—	2	19	19	—	3	—	26	267	1	—	5	—
Highworth	—	—	2	11	10	4	3	—	6	65	—	—	7	—
Malmesbury	—	—	—	8	—	—	1	—	—	16	—	—	6	—
Marlborough and Ramsbury	—	—	—	6	76	—	1	—	—	24	—	—	16	—
Mere and Tisbury	—	—	—	26	60	—	5	—	—	107	—	—	10	—
Pewsey	—	—	—	13	56	1	4	1	3	232	—	—	5	—
Salisbury and Wilton	—	—	—	37	19	—	—	1	—	72	—	—	10	—
Warminster and Westbury	—	—	2	9	8	—	—	1	4	214	—	—	6	—
WORCESTERSHIRE :	4	7	16	571	630	343	100	50	169	6175	21	—	257	74
COUNTY BOROUGHS	1	7	156	57	101	20	13	3	3	884	7	—	51	8
Dudley	—	—	59	22	53	7	1	1	1	706	5	—	31	4
Worcester	—	—	7	97	35	48	13	12	2	178	2	—	20	4
ADMIN. COUNTY	4	6	9	415	573	242	80	37	166	5291	14	—	206	66
URBAN DISTRICTS	2	5	9	308	431	204	64	36	156	3623	11	—	164	61
Bewdley M.B.	—	—	—	5	13	—	5	—	—	39	—	—	5	3
Bromsgrove	—	1	—	26	39	7	5	19	3	466	1	—	7	14
Droitwich M.B.	—	—	—	5	1	1	1	—	—	42	—	—	—	—
Evesham M.B.	—	—	—	6	32	2	6	—	—	319	—	—	9	2
Halesowen M.B.	—	1	1	31	48	30	10	2	17	565	3	—	31	3
Kidderminster M.B.	1	2	—	46	4	12	3	1	—	414	3	—	15	8
Malvern	1	—	3	32	18	22	15	2	123	299	1	—	32	1
Oldbury M.B.	—	—	2	70	174	75	12	7	1	596	1	—	39	7
Redditch	—	—	3	33	26	5	—	—	1	376	—	—	3	3
Stourbridge M.B.	—	1	—	37	69	47	5	5	11	336	—	—	16	9
Stourport-on-Severn	—	—	—	17	7	3	2	—	—	171	2	—	7	11
RURAL DISTRICTS	2	1	—	107	142	38	16	1	10	1668	3	—	42	5
Bromsgrove	—	—	—	23	15	5	1	—	4	308	1	—	12	—
Droitwich	—	—	—	29	33	2	2	—	—	124	2	—	3	—
Evesham	2	—	—	17	44	1	1	—	1	196	—	—	6	1
Kidderminster	—	—	—	7	3	—	3	—	1	66	—	—	1	—
Martley	—	—	—	11	12	24	3	—	—	221	—	—	9	—
Pershore	—	1	—	4	21	4	4	1	4	598	—	—	2	2
Tenbury	—	—	—	2	2	2	—	—	—	101	—	—	1	1
Upton-on-Severn	—	—	—	14	12	—	2	—	—	54	—	—	9	1
YORKSHIRE, EAST RIDING :	—	—	14	643	1062	171	84	35	13	6047	3	4	313	72
COUNTY BOROUGH	—	—	12	393	600	132	48	29	6	3936	3	2	168	64
Kingston-upon-Hull	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ADMIN. COUNTY	—	—	2	250	462	39	36	6	7	2111	—	2	145	8
URBAN DISTRICTS	—	—	1	111	186	28	20	4	3	1137	—	1	65	6
Beverley M.B.	—	—	—	12	26	3	5	4	—	352	—	—	12	—
Bridlington M.B.	—	—	1	40	10	4	4	—	2	145	—	—	15	—
Driffield	—	—	—	17	9	7	2	—	—	155	—	1	5	—
Filey	—	—	—	1	30	—	2	—	—	115	—	—	22	—
Haltwhistle	—	—	—	25	37	13	4	—	1	177	—	—	6	6
Hedon M.B.	—	—	—	—	5	—	3	—	—	47	—	—	2	—
Hornsea	—	—	—	6	42	1	—	—	—	107	—	—	1	—
Norton	—	—	—	3	22	—	—	—	—	24	—	—	—	—
Withernsea	—	—	—	7	5	—	—	—	—	15	—	—	2	—

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, EAST RIDING														
—contd.														
URAL DISTRICTS	—	—	1	139	276	11	16	2	4	974	—	1	80	2
Beverley	—	—	—	10	24	2	1	—	—	150	—	—	17	1
Bridlington	—	—	—	3	—	—	—	—	4	30	—	—	7	—
Derwent	—	—	—	19	9	1	3	1	—	65	—	—	9	—
Driffield	—	—	—	11	40	1	12	—	—	151	—	—	8	—
Holderness	—	—	—	18	82	3	—	1	—	179	—	—	23	1
Howden	—	—	1	24	73	—	12	—	—	207	—	1	9	—
Norton	—	—	—	7	46	—	—	—	—	175	—	—	—	—
Pocklington	—	—	—	47	2	4	6	—	—	17	—	—	7	—
YORKSHIRE, NORTH RIDING														
COUNTY BOROUGH	—	3	27	1281	922	374	94	13	170	5787	5	—	324	55
Middlesbrough	—	—	14	571	227	214	30	10	163	1171	—	—	150	28
ADMIN. COUNTY	—	3	13	710	695	160	64	3	7	4616	5	—	174	27
URBAN DISTRICTS														
Easton	—	1	5	468	296	111	32	2	—	2161	1	—	91	21
Guiseborough	—	—	3	123	40	24	5	—	—	160	—	—	11	8
Loftus	—	—	—	24	17	15	5	—	—	130	—	—	12	1
Malton	—	—	—	23	12	20	1	1	—	85	—	—	8	1
Northallerton	—	—	—	3	13	1	—	1	—	46	—	—	—	—
	—	—	—	7	—	—	1	—	—	35	—	—	—	—
Pickering	—	—	—	6	3	—	—	—	—	60	—	—	—	—
Redcar M.B.	—	—	—	39	38	16	4	—	—	558	—	—	11	1
Richmond M.B.	—	—	2	12	4	—	4	—	—	150	—	—	3	—
Saltburn and Marske by the sea	—	—	—	8	20	5	3	—	—	98	—	—	2	2
Scarby	—	—	—	8	9	—	—	—	—	10	—	—	—	—
Scarborough M.B.	—	1	—	57	31	—	1	—	—	272	1	—	4	8
Skelton and Brotton	—	—	—	42	3	6	—	—	—	73	—	—	2	—
Thornaby-on-Tees M.B.	—	—	—	107	9	24	7	—	—	229	—	—	33	—
Whitby	—	—	—	9	97	—	1	—	—	255	—	—	5	—
URAL DISTRICTS														
Aysgarth	—	2	8	242	399	49	32	1	7	2455	4	—	83	6
Bedale	—	—	—	3	62	1	—	—	1	148	—	—	3	—
Croft	—	—	—	10	20	1	—	1	—	69	—	—	—	—
Easingwold	—	—	1	5	—	—	—	—	—	29	—	—	1	—
Flaxton	—	—	1	21	11	5	9	—	2	277	—	—	8	1
	—	—	—	28	47	6	7	—	—	126	—	—	5	3
Helsley	—	—	—	11	31	3	4	—	2	447	1	—	14	—
Kirkby Moorside	—	—	—	4	11	3	2	—	—	101	3	—	2	2
Leyburn	—	—	2	25	3	1	—	—	—	299	—	—	6	—
Malton	—	1	—	1	16	—	1	—	—	170	—	—	—	—
Masham	—	—	—	5	3	2	1	—	—	58	—	—	6	—
Northallerton	—	—	—	8	—	4	—	—	—	29	—	—	—	—
Pickering	—	—	—	6	2	—	2	—	—	29	—	—	1	—
Reeth	—	—	—	2	80	1	3	—	1	14	—	—	8	—
Richmond	—	—	1	17	12	7	—	—	—	154	—	—	2	—
Scarborough	—	—	3	11	17	—	1	—	—	38	—	—	1	—
Startforth	—	—	—	19	20	1	—	—	—	57	—	—	1	—
Stokesley	—	—	—	33	5	8	—	—	1	117	—	—	13	—
Thirsk	—	—	—	13	—	5	—	—	—	28	—	—	1	—
Wath	—	—	—	2	—	1	1	—	—	28	—	—	4	—
Whitby	—	1	—	18	59	—	1	—	—	237	—	—	7	—
YORKSHIRE, WEST RIDING														
COUNTY BOROUGH	12	9	154	7235	5870	2119	924	145	960	54683	19	8	4307	474
Barnsley	—	5	2	91	4161	3005	1290	542	604	29747	11	5	2964	393
Bradford	—	1	3	150	98	46	21	2	21	1780	—	—	161	11
Dewsbury	—	—	21	695	682	432	89	15	62	4440	2	2	251	22
Doncaster	—	—	4	94	107	53	5	3	22	660	1	—	14	1
Halifax	—	1	—	172	48	28	10	23	—	887	1	—	32	19
	—	—	—	156	134	67	26	2	—	806	—	—	103	11

See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, WEST RIDING —contd.—														
C.B.'s.— <i>conid.</i>														
Huddersfield	—	—	8	141	255	83	32	4	55	672	3	—	90	17
Leeds	2	—	11	1175	590	143	149	21	34	9473	—	—	431	69
Rotherham	1	—	7	264	303	25	20	5	10	1466	—	—	95	17
Sheffield	2	—	26	1005	360	258	154	14	221	7270	3	—	1680	181
Wakefield	—	—	4	61	148	36	16	5	177	968	—	—	63	14
York	—	—	7	248	280	119	20	—	2	1325	1	1	44	31
ADMIN. COUNTY	7	7	63	3074	2865	829	382	51	356	24936	8	3	1343	81
URBAN DISTRICTS	3	4	46	2298	2174	623	315	38	333	19019	3	3	1108	56
Adwick-le-Street	—	—	—	50	9	12	10	2	—	326	—	—	37	4
Aireborough	—	—	1	67	39	9	11	—	69	381	—	—	11	1
Baildon	—	—	—	10	7	4	—	—	—	76	—	—	—	1
Barnoldswick	—	—	—	38	54	1	4	—	4	149	—	—	5	1
Batley M.B.	—	—	—	34	59	11	6	—	—	247	—	—	18	—
Bentley with Arksey	—	—	—	25	4	4	1	3	—	445	—	—	20	—
Bingley	—	—	1	11	47	34	7	—	3	434	—	—	43	1
Brighouse M.B.	—	—	1	44	19	7	4	—	13	335	—	—	8	1
Castleford	1	—	3	82	147	33	17	3	11	985	—	—	37	9
Cole Valley	—	—	—	38	66	8	9	1	1	295	—	—	19	—
Conisbrough	—	—	5	65	5	26	3	—	—	453	—	—	2	2
Cudworth	—	—	—	15	2	6	3	—	—	121	—	—	13	1
Darfield	—	—	—	15	1	3	2	—	—	145	—	—	3	—
Darton	—	—	2	32	14	5	1	—	3	213	—	—	2	2
Dearne	—	—	1	36	6	13	5	1	—	53	—	—	31	—
Denby Dale	—	—	—	16	27	—	—	—	—	235	—	—	18	—
Denholme	—	—	—	6	—	1	2	1	—	17	—	—	9	—
Dodworth	—	—	—	3	40	—	—	1	—	105	—	—	1	—
Earby	—	—	—	7	5	—	—	—	—	45	—	—	7	—
Elland	—	—	—	8	35	8	3	3	—	292	1	—	14	2
Featherstone	—	—	—	18	26	36	3	—	7	430	—	—	29	1
Garforth	—	—	—	32	18	—	1	—	—	100	—	—	—	—
Goole M.B.	—	—	—	46	1	1	1	1	2	334	—	—	16	—
Harrogate M.B.	—	—	—	166	97	4	12	2	12	148	—	—	21	4
Hebden Royd	—	—	—	10	30	2	1	—	—	24	—	—	4	—
Heckmondwike	—	—	—	11	1	—	—	1	—	128	—	—	3	—
Hemsworth	—	1	—	38	5	17	15	—	1	633	—	—	64	—
Holmfirth	—	—	—	39	68	2	2	—	1	344	—	—	15	1
Horbury	—	1	—	18	1	5	—	—	—	51	—	—	1	—
Horsforth	—	—	—	20	6	7	—	—	2	198	—	—	16	—
Hoyland Nether	—	—	1	35	110	7	14	—	2	613	—	—	46	—
Ilkley	—	—	1	51	6	7	6	—	—	194	—	—	8	—
Keighley M.B.	—	1	4	56	87	33	4	—	2	910	—	—	14	3
Kirkburton	1	—	—	23	20	6	3	—	—	153	—	—	9	—
Knaresborough	—	—	—	17	54	13	—	—	28	44	—	—	6	—
Knottingley	—	—	—	14	81	2	6	1	—	173	—	—	53	—
Maltby	—	—	—	37	27	21	8	—	—	335	—	—	17	—
Meltham	—	—	—	32	15	3	1	—	—	144	—	—	5	—
Mexborough	—	—	3	34	29	8	1	—	20	211	—	—	36	8
Mirfield	—	—	1	26	6	7	—	1	—	110	—	—	—	—
Morley M.B.	—	—	1	99	72	35	6	2	1	652	—	—	33	—
Normanton	—	—	—	85	78	24	9	4	—	488	—	—	45	—
Ossett M.B.	—	—	1	9	16	12	1	—	—	153	—	1	—	—
Otley	1	—	—	15	4	1	3	—	1	155	—	—	13	—
Penistone	—	—	—	22	28	—	2	—	3	136	—	—	12	—
Pontefract M.B.	—	2	2	41	66	5	16	3	—	567	—	—	20	4
Pudsey M.B.	—	—	1	48	26	25	12	1	—	507	—	—	16	—
Queensbury and Shelf...	—	—	—	26	37	3	2	—	—	117	—	—	9	—
Rawmarsh	—	—	2	31	68	8	11	—	—	567	—	—	11	3
Ripon M.B.	—	—	1	26	—	8	2	—	—	10	—	—	4	—

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, WEST RIDING														
—contd.														
U.D's.—contd.														
Ripponden	—	—	—	12	4	1	1	—	—	110	—	—	1	—
Rothwell	—	—	—	102	67	3	12	2	1	514	—	—	27	—
Royston	—	—	—	11	—	21	—	—	—	16	—	—	—	—
Saddleworth	—	—	—	35	43	3	6	—	—	96	—	—	8	1
Selby	—	—	1	2	5	4	2	—	—	55	—	—	14	—
Shipley	—	—	—	53	69	16	3	2	145	633	—	—	13	2
Silsden	—	—	—	11	6	1	—	—	—	115	—	—	1	—
Skipton	—	—	—	20	7	1	4	—	—	229	—	—	2	—
Sowerby Bridge	—	—	—	25	4	7	5	—	—	174	—	—	4	1
Spenborough	—	—	2	89	15	30	9	—	—	711	1	2	33	—
Stanley	—	—	2	43	11	5	5	1	2	476	—	—	61	—
Stocksbridge	—	—	—	8	12	4	8	—	—	101	—	—	21	—
Swinton	—	—	—	11	39	2	2	—	—	227	—	—	18	—
Tickhill	—	—	—	4	1	6	2	—	—	64	—	—	12	—
Todmorden M.B.	—	—	1	46	98	11	5	—	—	252	—	—	24	1
Wath-upon-Deane	—	—	—	23	3	3	2	1	—	323	—	—	—	—
Wombwell	—	—	—	41	104	13	7	—	—	424	—	—	18	1
Worsborough	—	—	6	35	37	4	12	—	—	518	—	—	27	—
RURAL DISTRICTS														
Bowland	4	3	17	776	691	206	67	13	23	5917	5	—	235	25
Doncaster	—	—	4	150	25	12	10	7	3	6	—	—	4	—
Goole	—	—	—	15	—	—	2	—	—	738	—	—	24	1
Hemsworth	1	—	1	124	30	98	9	1	—	142	—	—	1	—
Hepton	—	—	—	4	20	3	2	—	—	678	—	—	33	2
Kiveton Park	—	—	1	37	24	6	2	1	—	19	—	—	4	—
Nidderdale	1	—	1	19	14	2	—	—	—	571	—	—	39	2
Osgeldcross	—	1	1	7	55	—	2	1	1	138	—	—	2	—
Penistone	—	—	—	4	34	1	—	—	5	164	—	—	10	—
Ripon and Pateley Bdge.	1	—	1	15	6	2	4	—	—	125	—	—	4	1
Rotherham	—	—	5	102	114	25	5	—	6	20	1	—	13	—
Sedburgh	—	—	—	—	1	—	3	—	2	1038	—	—	36	11
Selby	—	—	—	6	7	1	—	—	—	12	—	—	2	—
Settle	—	—	—	31	9	—	—	—	—	27	—	—	2	—
Skipton	—	—	1	44	31	6	4	—	—	183	1	—	6	1
Tadcaster	—	—	1	70	80	7	2	—	2	191	—	—	—	4
Thorne	—	—	—	14	25	2	4	3	—	250	2	—	10	—
Wakefield	—	—	—	64	69	19	10	—	1	403	—	—	7	—
Wetherby	—	2	1	19	70	7	4	—	—	425	—	—	13	—
Wharfedale	—	—	—	4	7	—	2	—	2	226	—	—	6	—
Wortley	1	—	—	47	68	15	1	—	1	70	—	—	4	3
—	—	—	—	—	—	—	—	—	—	491	—	—	15	—
WALES AND MONMOUTH														
ANGLESEY :														
ADMIN. COUNTY	—	—	1	72	137	72	3	—	—	117	1	—	30	—
URBAN DISTRICTS														
Amlwch	—	—	1	32	37	37	3	—	—	52	—	—	10	—
Beaumaris M.B.	—	—	—	9	16	1	1	—	—	—	—	—	9	—
Holyhead	—	—	—	5	3	3	—	—	—	3	—	—	1	—
Llangefni	—	—	—	8	7	15	2	—	—	29	—	—	—	—
Menai Bridge	—	—	1	3	9	18	—	—	—	—	—	—	—	—
—	—	—	—	7	2	—	—	—	—	20	—	—	—	—
RURAL DISTRICTS														
Aethwy	—	—	—	40	100	35	—	—	—	65	1	—	20	—
Twrcelyn	—	—	—	15	28	7	—	—	—	28	—	—	1	—
Valley	—	—	—	11	72	4	—	—	—	19	1	—	15	—
—	—	—	—	14	—	24	—	—	—	18	—	—	4	—
BRECKNOCKSHIRE :														
ADMIN. COUNTY	—	—	7	64	64	32	4	1	5	444	1	—	50	5

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BRECKNOCKSHIRE—contd.														
URBAN DISTRICTS	—	—	4	31	34	8	2	1	1	185	—	—	32	—
Brecknock M.B.	—	—	2	12	3	8	1	1	1	73	—	—	1	—
Brynmawr	—	—	2	16	20	—	—	—	—	104	—	—	29	—
Builth Wells	—	—	—	3	—	—	—	—	—	—	—	—	1	—
Hay	—	—	—	—	11	—	—	—	—	8	—	—	1	—
Llanwrtyd	—	—	—	—	—	—	1	—	—	—	—	—	—	—
RURAL DISTRICTS	—	—	3	33	30	24	2	—	4	259	1	—	18	—
Brecknock:														
Defynnock and	—	—	—	3	4	7	—	—	3	13	—	—	—	—
Llangorse Div.	—	—	—	—	—	—	—	—	—	6	—	—	1	—
Merthyr Cynog Div.	—	—	—	—	—	—	—	—	—	4	—	—	—	—
Builth	—	—	1	4	1	1	—	—	—	57	1	—	15	—
Crickhowell	—	—	1	9	20	—	1	—	—	12	—	—	—	—
Hay	—	—	—	1	2	5	—	—	1	72	—	—	1	—
Vaynor and Penderyn	—	—	—	5	—	8	1	—	—	95	—	—	1	—
Ystradgynlais	—	—	1	11	3	3	—	—	—	—	—	—	1	—
CAERNARVONSHIRE:														
ADMIN. COUNTY	—	2	5	171	70	79	20	—	101	898	—	—	38	—
URBAN DISTRICTS	—	2	4	106	64	56	14	—	65	681	—	—	28	—
Bangor M.B.	—	2	4	40	15	31	5	—	29	37	—	—	6	—
Bethesda	—	—	—	15	11	6	2	—	—	51	—	—	—	—
Bettws y Coed	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caernarvon M.B.	—	—	—	2	—	5	—	—	3	30	—	—	—	—
Conway M.B.	—	—	—	4	5	1	3	—	20	30	—	—	2	—
Cricieth	—	—	—	3	2	—	—	—	—	49	—	—	4	—
Llandudno	—	—	—	31	11	3	4	—	6	175	—	—	10	—
Llanfairfechan	—	—	—	1	—	1	—	—	1	128	—	—	—	—
Pennaemaenawr	—	—	—	2	14	8	—	—	3	62	—	—	4	—
Portmadoc	—	—	—	4	6	—	—	—	—	6	—	—	1	—
Pwllheli M.B.	—	—	—	4	—	1	—	—	1	113	—	—	1	—
RURAL DISTRICTS	—	—	1	65	6	23	6	—	36	217	—	—	10	—
Gwyrfa	—	—	—	22	1	15	1	—	—	6	—	—	2	—
Lley	—	—	1	32	1	5	2	—	5	152	—	—	6	—
Nant Conway	—	—	—	—	4	—	1	—	31	1	—	—	2	—
Ogwen	—	—	—	11	—	3	2	—	—	58	—	—	—	—
CARDIGANSHIRE:														
ADMIN. COUNTY	—	3	2	2	35	9	4	2	—	174	—	—	5	—
URBAN DISTRICTS	—	2	1	—	24	6	2	2	—	80	—	—	1	—
Aberayron	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aberystwyth M.B.	—	2	1	—	21	6	2	2	—	55	—	—	—	—
Cardigan M.B.	—	—	—	2	—	—	—	—	—	2	—	—	—	—
Lampeter M.B.	—	—	—	—	—	—	—	—	—	23	—	—	1	—
New Quay	—	—	—	1	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS	—	1	1	2	11	3	2	—	—	94	—	—	4	—
Aberayron	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Aberystwyth	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South	—	1	—	6	1	2	—	—	—	36	—	—	1	—
Teifside	—	—	2	—	—	—	—	—	—	14	—	—	2	—
Tregaron	—	—	1	3	—	—	—	—	—	—	—	—	—	—
CARMARTHENSHIRE:														
ADMIN. COUNTY	—	—	5	7	335	71	56	29	9	16	1978	2	1	126
URBAN DISTRICTS	—	—	5	4	196	45	35	22	5	7	1251	2	1	90
Ammanford	—	—	—	15	3	1	—	3	—	27	—	—	—	5
Burry Port	—	—	—	10	2	2	—	—	—	258	—	—	—	—
Carmarthen M.B.	—	—	—	16	25	—	2	—	—	135	—	—	—	—
Cwmaman	—	—	1	14	2	1	—	1	5	12	—	—	4	3
Kidwelly M.B.	—	—	1	29	—	—	6	—	—	149	—	—	10	5
Llandilo	—	—	—	10	—	1	—	—	—	—	—	—	1	—
Llandovery M.B.	—	—	—	4	1	—	—	—	—	28	—	—	1	—
Llanelli M.B.	—	5	2	98	12	30	10	3	2	642	1	—	1	—
Newcastle Emlyn	—	—	—	—	—	—	—	—	—	—	—	—	63	4

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenzal)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CARMARTHENSHIRE—contd.														
RURAL DISTRICTS	—	—	3	139	26	21	7	4	9	727	—	—	36	4
Carmarthen	—	—	—	37	8	2	1	3	9	228	—	—	—	—
Llandilo	—	—	2	17	2	3	2	—	—	55	—	—	13	2
Llanelli	—	—	1	81	16	14	4	1	—	397	—	—	18	1
Newcastle Emlyn	—	—	—	4	—	2	—	—	—	47	—	—	5	1
DENBIGHSHIRE :														
ADMIN. COUNTY	1	5	7	266	181	70	41	2	33	2261	1	—	169	15
URBAN DISTRICTS	1	—	6	89	96	24	24	2	24	1008	—	—	91	13
Abergele	1	—	—	17	30	1	15	1	—	245	—	—	7	—
Colwyn Bay M.B.	—	—	1	22	12	3	3	—	14	129	—	—	12	5
Denbigh M.B.	—	—	—	7	1	1	2	—	6	149	—	—	6	—
Llangollen	—	—	—	4	—	—	1	—	—	31	—	—	—	—
Llanrwst	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Ruthin M.B.	—	—	1	1	2	—	—	—	1	57	—	—	6	—
Wrexham M.B.	—	—	4	38	53	17	3	—	1	396	—	—	60	8
RURAL DISTRICTS	—	5	1	177	85	46	17	9	1253	—	1	—	78	2
Aled	—	5	—	4	6	8	5	4	73	—	—	—	2	—
Ceiriog	—	—	—	13	7	1	1	—	27	—	—	—	4	—
Hiraethog	—	—	—	1	—	2	—	—	44	—	—	—	—	1
Ruthin	—	—	—	20	37	1	—	1	159	—	—	—	13	—
Wrexham	—	—	1	139	35	34	11	4	950	—	1	—	59	1
FLINTSHIRE :														
ADMIN. COUNTY	1	1	6	212	162	104	28	2	9	1716	8	1	181	8
URBAN DISTRICTS	—	—	3	90	102	74	16	4	999	—	—	1	104	2
Buckley	—	—	1	6	—	8	3	—	263	—	—	—	14	—
Connah's Quay	—	—	—	7	—	—	—	—	22	—	—	—	10	—
Flint M.B.	—	—	—	7	6	33	3	—	132	—	—	—	37	—
Holywell	—	—	—	8	3	21	1	—	11	—	—	—	20	—
Mold	—	—	—	20	2	—	—	2	69	—	—	—	3	1
Prestatyn	—	—	2	5	37	5	1	—	213	—	—	—	7	—
Rhyl	—	—	—	37	63	7	8	2	289	—	—	1	13	1
RURAL DISTRICTS	1	1	3	122	60	30	12	2	5	717	8	—	77	6
Harwarden	1	—	1	41	12	6	4	—	311	—	—	—	24	1
Holywell	—	—	1	54	7	19	5	2	5	98	—	—	43	3
Overton	—	—	1	3	12	—	—	—	54	—	—	—	—	—
St. Asaph	—	1	—	24	29	5	3	—	254	8	—	—	10	2
GLAMORGANSHIRE :														
COUNTY BOROUGH	4	9	86	2209	865	725	202	96	449	11626	31	2	1033	227
Cardiff	2	1	33	640	368	192	69	46	357	5688	14	1	274	137
Merthyr Tydfil	1	—	11	309	126	63	49	19	304	2627	12	—	154	89
Swansea	1	1	17	178	38	89	3	1	3	1129	—	—	26	4
ADMIN. COUNTY	2	8	53	1569	497	533	133	50	92	5938	17	1	759	90
URBAN DISTRICTS	1	8	44	1193	325	381	116	39	39	4589	9	—	636	80
Aberdare	2	4	69	10	10	11	4	13	117	—	—	—	58	5
Barry M.B.	—	—	1	83	6	35	5	4	177	2	—	—	15	3
Bridgend	—	—	1	25	—	1	2	2	13	4	—	—	1	1
Caerphilly	—	—	2	91	54	21	13	—	883	1	—	—	65	1
Cowbridge M.B.	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Gelligaer	—	—	2	107	45	35	5	4	—	650	—	—	7	4
Glyncorwg	—	—	—	2	—	24	4	—	—	—	—	—	21	—
Llchwyr	—	—	1	34	51	3	8	1	2	279	—	—	5	3
Maesteg	—	—	7	33	11	12	6	1	2	434	—	—	24	1
Mountain Ash	—	1	1	83	25	21	7	—	175	—	—	—	59	15
Neath M.B.	—	—	—	73	7	31	4	—	1	31	—	—	1	3
Ogmore and Garw	1	—	4	72	35	12	11	—	14	216	2	—	72	3
Penarth	—	—	6	11	6	—	—	1	1	106	—	—	120	—
Pontypridd	—	2	3	73	9	26	8	14	3	299	—	—	10	12
Porthcawl	—	—	—	23	13	2	—	—	—	22	—	—	—	1
Port Talbot M.B.	—	1	8	102	5	103	3	—	2	137	—	—	—	3
Rhonda	—	2	4	312	48	43	29	6	2	1050	—	—	178	24

† See note at end of table.

TABLE 29—continued

AREA	Typhoid fever	Paratyphoid fevers	Cerebro-spinal fever	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis and polioencephalitis	Acute encephalitis lethargica	Acute pneumonia (primary and influenza)	Puerperal pyrexia†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLAMORGANSHIRE— <i>conid.</i>														
RURAL DISTRICTS	1	—	9	376	172	152	17	11	53	1349	8	1	123	8
Cardiff ...	—	—	—	76	9	10	3	2	40	312	2	—	8	8
Cowbridge ...	1	—	1	12	11	6	—	1	9	23	—	—	2	2
Gower ...	—	—	—	9	31	1	1	—	3	10	—	—	1	—
Llantrisant and Llantwitfardre ...	—	—	1	42	10	9	—	5	1	299	2	—	26	—
Neath ...	—	—	—	109	24	59	7	2	—	304	—	—	54	—
Penybont ...	—	—	1	59	2	17	3	—	—	29	3	—	9	—
Pontardawe ...	—	—	6	69	85	50	3	1	—	372	1	—	23	—
MERIONETHSHIRE :														
ADMIN. COUNTY ...	—	—	—	32	43	73	5	—	—	281	—	—	21	—
URBAN DISTRICTS...	—	—	—	16	4	44	1	—	—	48	—	—	3	—
Bala ...	—	—	—	2	—	—	—	—	—	5	—	—	—	—
Barmouth ...	—	—	—	—	—	26	—	—	—	17	—	—	—	—
Dolgellay ...	—	—	—	—	—	1	—	—	—	22	—	—	—	—
Ffestiniog ...	—	—	—	11	4	1	1	—	—	4	—	—	2	—
Towyn ...	—	—	—	3	—	16	—	—	—	—	—	—	1	—
RURAL DISTRICTS	—	—	—	16	39	29	4	—	—	233	—	—	18	—
Deudraeth ...	—	—	—	7	19	1	2	—	—	26	—	—	3	—
Dolgellay ...	—	—	—	—	19	20	1	—	—	95	—	—	8	—
Edeirnion ...	—	—	—	2	—	—	1	—	—	86	—	—	7	—
Penlllyn ...	—	—	—	6	1	—	—	—	—	26	—	—	—	—
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire) ...	—	—	—	1	—	8	—	—	—	—	—	—	—	—
MONMOUTHSHIRE : ...	8	—	18	1033	625	168	94	18	17	6499	5	5	402	4
COUNTY BOROUGH														
Newport ...	1	—	6	233	97	55	17	4	16	1578	1	4	85	—
ADMIN. COUNTY ...	7	—	12	800	528	113	77	14	1	4921	4	1	317	3
URBAN DISTRICTS	7	—	11	720	478	106	77	12	1	4617	4	1	312	2
Abercarn ...	—	—	—	19	1	11	1	—	—	226	—	—	15	—
Abergavenny M.B.	—	—	—	25	10	5	1	—	—	7	—	—	—	—
Aberfillery ...	—	—	1	176	10	5	4	1	—	110	—	—	—	—
Bedwas and Machen ...	—	—	—	8	—	—	2	—	—	135	—	—	2	—
Bedwelty ...	—	—	1	45	49	9	13	3	—	659	3	—	42	—
Blaenavon ...	—	—	—	23	1	1	4	—	—	142	—	—	1	—
Caerleon ...	—	—	—	4	—	—	—	—	—	21	—	—	—	—
Chepstow ...	—	—	—	20	10	4	—	1	—	92	—	—	—	—
Cwmbran ...	—	—	—	19	74	—	—	1	—	332	—	—	33	—
Ebbw Vale ...	1	—	1	157	125	33	20	5	1	696	—	—	62	—
Monmouth M.B.	—	—	—	2	2	1	—	—	—	9	—	—	—	—
Mynyddislwyn ...	—	—	1	9	9	1	—	1	—	110	1	—	2	—
Nantyglo and Blaina ...	1	—	—	55	7	—	1	—	—	290	—	—	9	—
Pontypool ...	—	—	4	60	32	5	2	—	—	606	—	1	13	—
Rhymney ...	—	—	1	20	6	23	1	—	—	108	—	—	—	—
Risca ...	—	—	—	19	37	5	9	—	—	355	—	—	90	—
Tredegear ...	5	—	1	59	75	3	19	—	—	692	—	—	43	—
Usk ...	—	—	1	—	30	—	—	—	—	27	—	—	—	—
RURAL DISTRICTS	—	—	1	80	50	7	—	2	—	304	—	—	5	15
Abergavenny ...	—	—	—	8	11	1	—	1	—	56	—	—	—	—
Chepstow ...	—	—	—	23	10	4	—	—	—	71	—	—	1	—
Magor and St. Mellons ...	—	—	1	37	1	1	—	—	—	94	—	—	3	—
Monmouth ...	—	—	—	7	10	1	—	—	—	9	—	—	—	—
Pontypool ...	—	—	—	5	18	—	—	1	—	74	—	—	1	13
MONTGOMERYSHIRE :														
ADMIN. COUNTY ...	2	—	3	27	80	8	14	2	—	359	—	—	62	1
URBAN DISTRICTS	—	—	—	10	11	4	8	2	—	130	—	—	24	1
Llanfyllin M.B.	—	—	—	1	2	—	1	—	—	4	—	—	2	—
Llanidloes M.B.	—	—	—	—	—	—	—	1	—	50	—	—	1	—
Machynlleth ...	—	—	—	2	—	—	—	—	—	—	—	—	3	—

† See note at end of table.

TABLE 30.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES DURING THE YEAR 1945.

District.	Air Temperature.			Rainfall.		Sun- shine.	Average Values, 1881-1915.			
	Highest.	Lowest.	Difference from Average Daily Mean.	Percentage of Average.	Number of Days Difference from Average.	Percentage of Average.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
	Year 1945.						Years 1881-1915.			
	°F.	°F.	°F.	%		%	°F.	m.m.		hr.
England N.E. ...	87	2	+2.0	94	-13	105	47.3	645	188	3.93
England E. ...	90	9	+1.8	91	-27	89	48.4	610	181	4.32
Midland Counties	88	3	+1.9	97	-15	96	47.9	686	181	3.82
England S.E. ...	90	5	+1.6	83	-25	97	49.5	709	175	4.49
England N.W.*	82	4	+1.7	89	-19	101	48.2	901	201	3.89
England S.W.*...	84	2	+1.3	97	-8	90	49.5	1001	199	4.28
Mean ...	—	—	+1.7	92	-18	96	48.5	759	187	4.12

* The district known as England N.W. includes the Northern half of Wales, while England S.W. includes the Southern half.

TABLE 31.—QUARTERLY METEOROLOGICAL ELEMENTS. GREENWICH, 1945.

1st Quarter : Jan., 2nd " Apr., 3rd " July, 4th " Oct., 5th " Nov., 6th " Dec.	Temperature of				Vapour Pressure in Millibars.		Mass of Vapour in a Cubic Metre of Air.		Degree of Humidity		Mean Air Pressure at Station Level* in Millibars.		Mass of a Cubic Metre of Air		Rain.		Readings of Thermometer on Grass.															
	Air.		Evaporation.		Dew Point.		Air Daily Range.		Mean.		Difference from Average		Mean.		Difference from Average		Mean.		Amount in Millimeters.		Difference from Average		At or below 30° F.		Between 30° and 40° F.		Above 40° F.		Lowest Reading at Night.		Highest Reading at Night.	
	Mean of Maximum and Minimum.		Difference from Average of 130 years.		Difference from Average of 60 years.		Mean of "Wet Bulb" Readings at 9h. and 21h.		Difference from Average of 60 years.		Mean.		Difference from Average of 60 years.		Mean.		Difference from Average of 60 years.		Mean.		Difference from Average of 60 years.		At or below 30° F.		Between 30° and 40° F.		Above 40° F.		Lowest Reading at Night.		Highest Reading at Night.	
	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	
1945.	51.9	+ 3.2	+ 2.5	48.3	+ 1.8	44.9	+ 1.4	14.8	- 1.0	10.8	+ 1.0	8.2	+ 0.4	81	- 1	1011.5	+ 2.6	1236	- 5	494	- 136	102	106	157	14	60	°F.	°F.	°F.	°F.		
Year ...	42.1	+ 3.2	+ 2.3	39.5	+ 1.7	36.5	+ 1.3	12.5	+ 0.7	7.6	+ 0.6	5.9	+ 0.4	84	0	1015.1	+ 6.3	1266	+ 2	114	- 11	50	26	14	14	51	°F.	°F.	°F.	°F.		
1st Quarter	56.4	+ 4.0	+ 3.5	51.6	+ 2.5	47.0	+ 1.8	18.9	- 1.0	11.3	+ 0.9	8.6	+ 0.8	72	- 5	1010.3	+ 1.1	1222	- 10	115	- 28	19	30	42	19	57	°F.	°F.	°F.	°F.		
2nd "	62.2	+ 2.4	+ 1.8	57.4	+ 0.9	54.2	+ 1.2	16.2	- 3.5	14.5	+ 0.9	10.9	+ 0.4	78	+ 1	1010.5	+ 0.9	1210	- 4	143	- 39	1	15	76	29	60	°F.	°F.	°F.	°F.		
3rd "	47.2	+ 3.5	+ 2.8	44.8	+ 2.2	43.0	+ 2.4	11.5	- 0.2	9.7	+ 1.0	7.5	+ 0.4	88	- 1	1010.1	+ 2.0	1247	- 6	122	- 58	32	35	25	14	51	°F.	°F.	°F.	°F.		
4th "																																

* Height of barometer cistern above mean sea level = 152 feet (average correction to sea level + 5.6 mb.).
 In this table + and - respectively signify that the numbers in the preceding column are above or below the average to the amount of the quantities to which the signs are affixed.
 Pressure is expressed in millibars (1,000 mb. = 29.531 mercury inches).
 Density is expressed in grams per cubic metre (2.294 grams per cubic metre = 1 grain per cubic foot).

TABLE 32—METEOROLOGICAL

Year	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910)	Fall of Rain in Inches and in Millimetres.	Departure from Average of 50 Years (1861-1910)	Mean Degree of Humidity of the Air (Saturation = 100).	Departure from Average of 50 Years (1861-1910)	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910)	
	Miles	Miles.	in. mm.	mm.	%	%	°F.	°F.	
1896 ...	1932	- 19	22.4	569	- 41	79	- 2	50.2	+ 0.7
1897 ...	2033	+ 82	22.1	562	- 48	79	- 2	50.3	+ 0.8
1898 ...	1956	+ 5	18.9	479	-131	78	- 3	51.3	+ 1.8
1899 ...	1911	- 40	22.3	567	- 43	77	- 4	50.6	+ 1.1
1900 ...	2050	+ 99	22.3	567	- 43	79	- 2	50.4	+ 0.9
1901 ...	1970	+ 19	20.3	515	- 95	78	- 3	49.2	- 0.3
1902 ...	1933	- 18	19.3	491	-119	80	- 1	49.2	- 0.3
1903 ...	2226	+275	35.5	903	+293	80	- 1	50.1	+ 0.6
1904 ...	1913	- 38	20.7	525	- 85	82	+ 1	49.8	+ 0.3
1905 ...	2063	+112	23.0	585	- 25	81	0	49.9	+ 0.4
1906 ...	2093	+142	24.7	628	+ 18	79	- 2	50.7	+ 1.2
1907 ...	1977	+ 26	22.3	565	- 45	81	0	49.7	+ 0.2
1908 ...	1932	- 19	23.8	604	- 6	83	+ 2	50.1	+ 0.6
1909 ...	2041	+ 90	25.7	653	+ 43	83	+ 2	48.9	- 0.6
1910 ...	2155	+204	28.1	713	+103	84	+ 3	50.2	+ 0.7
1911 ...	2140	+189	23.7	601	- 9	79	- 2	51.8	+ 2.3
1912 ...	2085	+134	24.9	632	+ 22	83	+ 2	51.0	+ 1.5
1913 ...	2030	+ 79	22.4	570	- 40	83	+ 2	51.3	+ 1.8
1914 ...	2087	+136	23.9	606	- 4	81	0	51.5	+ 2.0
1915 ...	1932	- 19	30.6	776	+166	82	+ 1	49.9	+ 0.4
1916 ...	2040	+ 89	29.8	757	+147	84	+ 3	49.9	+ 0.4
1917 ...	2059	+108	26.0	660	+ 50	82	+ 1	48.9	- 0.6
1918 ...	1993	+ 42	28.4	722	+112	82	+ 1	50.6	+ 1.1
1919 ...	1940	- 11	23.0	586	- 24	81	0	48.8	- 0.7
1920 ...	1918	- 33	21.5	546	- 64	82	+ 1	51.1	+ 1.6
1921 ...	1855	- 96	12.8	318	-292	77	- 4	52.7	+ 3.2
1922 ...	2043	+ 92	23.2	589	- 21	80	- 1	49.4	- 0.1
1923 ...	2055	+104	24.0	610	0	81	0	50.3	+ 0.8
1924 ...	1947	- 4	30.6	779	+169	83	+ 2	50.6	+ 1.1
1925 ...	1957	+ 6	23.4	594	- 16	81	0	50.5	+ 1.0
1926 ...	1948	- 3	28.1	714	+104	82	+ 1	51.1	+ 1.6
1927 ...	†2003	+ 52	29.4	746	+136	83	+ 2	50.2	+ 0.7
1928 ...	2086	+135	25.3	643	+ 33	80	- 1	51.1	+ 1.6
1929 ...	1846	-105	21.7	551	- 59	78	- 3	50.1	+ 0.6
1930 ...	1979	+ 28	27.4	696	+ 86	79	- 2	51.2	+ 1.7
1931 ...	1968	+ 17	24.9	634	+ 24	82	+ 1	49.9	+ 0.4
1932 ...	1970	+ 19	24.7	628	+ 18	82	+ 1	50.7	+ 1.2
1933 ...	1871	- 80	17.0	430	-180	79	- 2	50.5	+ 1.0
1934 ...	1891	- 60	19.5	496	-114	81	0	51.7	+ 2.2
1935 ...	2070	+109	25.6	651	+ 41	79	- 2	51.3	+ 1.8
1936 ...	††1915	- 36	24.6	625	+ 15	83	+ 2	50.5	+ 1.0
1937 ...	1786	-165	28.8	730	+120	83	+ 2	51.1	+ 1.6
1938 ...	2080	+129	19.7	500	-110	78	- 3	51.5	+ 2.0
1939 ...	Not available		30.0	762	+152	81	0	50.6	+ 1.1
1940 ...	Not available		26.6	677	+ 67	79	- 2	49.5	0.0
1941 ...	Not available		25.6	650	+ 40	80	- 1	49.3	- 0.2
1942 ...	Not available		22.9	583	- 27	79	- 2	49.6	+ 0.1
1943 ...	Not available		21.3	542	- 68	76	- 5	51.7	+ 2.2
1944 ...	Not available		21.1	536	- 74	77	- 4	49.9	+ 0.4
1945 ...	Not available		19.5	494	-116	81	0	51.9	+ 2.4
Average 50 years (1861-1910)	1951	—	24.0	610	—	81	—	49.5	—

Corresponding values from the year 1849 are

† Mean of 52 weeks only (50th week—defective record).

†† Mean of 51 weeks only (4th and 5th weeks missing).

ELEMENTS, GREENWICH, 1896-1945.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910)	June.	Departure from Average of 50 Years (1861-1910)	September.	Departure from Average of 50 Years (1861-1910)	December.	Departure from Average of 50 Years (1861-1910)	
°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	
42.2	+2.2	55.6	+2.6	60.4	-0.1	42.4	-1.9	1896
41.1	+1.1	53.1	+0.1	60.9	+0.4	46.0	+1.7	1897
41.5	+1.5	52.4	-0.6	62.7	+2.2	48.5	+4.2	1898
41.8	+1.8	52.8	-0.2	63.0	+2.5	44.7	+0.4	1899
39.2	-0.8	52.8	-0.2	61.8	+1.3	47.6	+3.3	1900
37.8	-2.2	53.4	+0.4	61.7	+1.2	43.9	-0.4	1901
40.5	+0.5	51.0	-2.0	59.6	-0.9	45.2	+0.9	1902
43.9	+3.9	51.2	-1.8	60.0	-0.5	45.2	+0.9	1903
39.5	-0.5	53.8	+0.8	61.5	+1.0	44.3	0.0	1904
41.9	+1.9	53.8	+0.8	61.7	+1.2	42.2	-2.1	1905
41.1	+1.1	52.8	-0.2	63.2	+2.7	45.8	+1.5	1906
40.0	0.0	52.9	-0.1	60.1	-0.4	45.8	+1.5	1907
39.5	-0.5	53.8	+0.8	60.3	-0.2	46.6	+2.3	1908
38.4	-1.6	52.5	-0.5	59.7	-0.8	44.8	+0.5	1909
41.5	+1.5	54.2	+1.2	59.3	-1.2	45.6	+1.3	1910
40.3	+0.3	54.9	+1.9	65.7	+5.2	46.2	+1.9	1911
43.6	+3.6	55.3	+2.3	58.9	-1.6	45.9	+1.6	1912
42.4	+2.4	54.5	+1.5	60.2	-0.3	47.8	+3.5	1913
42.5	+2.5	54.9	+1.9	62.2	+1.7	46.5	+2.2	1914
40.8	+0.8	53.4	+0.4	60.9	+0.4	44.3	0.0	1915
41.5	+1.5	53.0	0.0	60.4	-0.1	44.7	+0.4	1916
36.4	-3.6	54.5	+1.5	61.7	+1.2	43.1	-1.2	1917
42.3	+2.3	53.2	+0.2	60.7	+0.2	46.1	+1.8	1918
38.1	-1.9	54.3	+1.3	60.2	-0.3	42.5	-1.8	1919
44.3	+4.3	55.3	+2.3	59.1	-1.4	45.4	+1.1	1920
44.5	+4.5	54.9	+1.9	64.2	+3.7	47.2	+2.9	1921
41.2	+1.2	54.2	+1.2	58.1	-2.4	44.2	-0.1	1922
44.8	+4.8	51.4	-1.6	61.8	+1.3	43.0	-1.3	1923
39.8	-0.2	54.6	+1.6	60.8	+0.3	47.1	+2.8	1924
42.2	+2.2	55.0	+2.0	60.9	+0.4	44.0	-0.3	1925
43.8	+3.8	53.9	+0.9	63.0	+2.5	43.9	-0.4	1926
42.8	+2.8	53.8	+0.8	60.6	+0.1	43.6	-0.7	1927
43.4	+3.4	53.1	+0.1	62.2	+1.7	45.9	+1.6	1928
37.0	-3.0	53.0	0.0	64.0	+3.5	46.4	+2.1	1929
42.0	+2.0	55.0	+2.0	61.8	+1.3	45.9	+1.6	1930
39.7	-0.3	54.6	+1.6	59.2	-1.3	46.0	+1.7	1931
40.9	+0.9	53.1	+0.1	63.1	+2.6	45.4	+1.1	1932
41.2	+1.2	55.9	+2.9	65.5	+5.0	43.0	-1.3	1933
40.1	+0.1	55.3	+2.3	63.6	+3.1	47.8	+3.5	1934
42.8	+2.8	53.9	+0.9	63.6	+3.1	44.9	+0.6	1935
41.3	+1.3	53.9	+0.9	61.9	+1.4	45.0	+0.7	1936
41.6	+1.6	55.4	+2.4	63.2	+2.7	44.1	-0.2	1937
44.7	+4.7	53.0	0.0	61.6	+0.8	46.6	+2.3	1938
41.9	+1.9	53.6	+0.6	55.7	-4.8	44.4	+0.1	1939
37.3	-2.7	55.7	+2.7	60.3	-0.2	44.6	+0.3	1940
38.3	-1.7	51.3	-1.7	61.9	+1.4	45.8	+1.5	1941
35.7	-4.3	54.6	+1.6	61.8	+1.3	46.3	+2.0	1942
42.8	+2.8	56.6	+3.6	61.9	+1.4	45.1	+0.8	1943
40.7	+0.7	54.4	+1.4	60.9	+0.4	43.6	-0.7	1944
42.1	+2.1	56.4	+3.4	62.2	+1.7	47.2	+2.9	1945
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861-1910)

APPENDIX A. DEATH RATES PER MILLION IN ENGLAND AND WALES BASED UPON THE SEX AND AGE DISTRIBUTION OF THE POPULATION OF GREAT BRITAIN IN THE YEAR OF EXPERIENCE.

(These rates are comparable with rates for Scotland based upon the same population, which will be found in the 91st Report of the Registrar General for Scotland, 1945).

Inter-national List No.	Causes of Death.		1941	1942	1943	1944	1945
	ALL CAUSES	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 15,974 \\ 11,489 \\ 13,455 \end{matrix}$	$\begin{matrix} 14,569 \\ 10,417 \\ 12,228 \end{matrix}$	$\begin{matrix} 15,305 \\ 11,101 \\ 12,921 \end{matrix}$	$\begin{matrix} 15,194 \\ 10,736 \\ 12,657 \end{matrix}$	$\begin{matrix} 14,951 \\ 10,688 \\ 12,525 \end{matrix}$
1 & 2	Typhoid and paratyphoid fever	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 4 \\ 4 \\ 4 \end{matrix}$	$\begin{matrix} 3 \\ 1 \\ 2 \end{matrix}$	$\begin{matrix} 2 \\ 2 \\ 2 \end{matrix}$	$\begin{matrix} 2 \\ 1 \\ 1 \end{matrix}$	$\begin{matrix} 1 \\ 1 \\ 1 \end{matrix}$
6	Cerebro-spinal (meningococcal) meningitis	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 63 \\ 46 \\ 54 \end{matrix}$	$\begin{matrix} 35 \\ 26 \\ 30 \end{matrix}$	$\begin{matrix} 25 \\ 16 \\ 20 \end{matrix}$	$\begin{matrix} 19 \\ 12 \\ 15 \end{matrix}$	$\begin{matrix} 17 \\ 11 \\ 14 \end{matrix}$
13	Tuberculosis of respiratory system	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 816 \\ 427 \\ 600 \end{matrix}$	$\begin{matrix} 756 \\ 374 \\ 540 \end{matrix}$	$\begin{matrix} 819 \\ 360 \\ 555 \end{matrix}$	$\begin{matrix} 780 \\ 338 \\ 522 \end{matrix}$	$\begin{matrix} 755 \\ 339 \\ 513 \end{matrix}$
14-22	Tuberculosis (other forms)	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 146 \\ 116 \\ 129 \end{matrix}$	$\begin{matrix} 136 \\ 102 \\ 116 \end{matrix}$	$\begin{matrix} 128 \\ 100 \\ 111 \end{matrix}$	$\begin{matrix} 121 \\ 92 \\ 104 \end{matrix}$	$\begin{matrix} 117 \\ 89 \\ 100 \end{matrix}$
30	Syphilis	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 126 \\ 42 \\ 80 \end{matrix}$	$\begin{matrix} 121 \\ 39 \\ 75 \end{matrix}$	$\begin{matrix} 114 \\ 41 \\ 73 \end{matrix}$	$\begin{matrix} 104 \\ 38 \\ 67 \end{matrix}$	$\begin{matrix} 98 \\ 33 \\ 62 \end{matrix}$
33	Influenza	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 199 \\ 156 \\ 176 \end{matrix}$	$\begin{matrix} 107 \\ 72 \\ 88 \end{matrix}$	$\begin{matrix} 361 \\ 305 \\ 330 \end{matrix}$	$\begin{matrix} 123 \\ 85 \\ 102 \end{matrix}$	$\begin{matrix} 84 \\ 58 \\ 69 \end{matrix}$
45-55	Cancer (all sites)	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 1,963 \\ 1,613 \\ 1,762 \end{matrix}$	$\begin{matrix} 2,027 \\ 1,700 \\ 1,842 \end{matrix}$	$\begin{matrix} 2,121 \\ 1,703 \\ 1,882 \end{matrix}$	$\begin{matrix} 2,125 \\ 1,699 \\ 1,880 \end{matrix}$	$\begin{matrix} 2,188 \\ 1,712 \\ 1,915 \end{matrix}$
45	Buccal cavity and pharynx	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 136 \\ 24 \\ 72 \end{matrix}$	$\begin{matrix} 136 \\ 23 \\ 72 \end{matrix}$	$\begin{matrix} 134 \\ 25 \\ 72 \end{matrix}$	$\begin{matrix} 132 \\ 25 \\ 71 \end{matrix}$	$\begin{matrix} 123 \\ 24 \\ 66 \end{matrix}$
46	Digestive organs and peritoneum	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 1,143 \\ 774 \\ 936 \end{matrix}$	$\begin{matrix} 1,158 \\ 778 \\ 944 \end{matrix}$	$\begin{matrix} 1,197 \\ 801 \\ 974 \end{matrix}$	$\begin{matrix} 1,209 \\ 802 \\ 978 \end{matrix}$	$\begin{matrix} 1,234 \\ 815 \\ 996 \end{matrix}$
47	Respiratory system	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 296 \\ 65 \\ 168 \end{matrix}$	$\begin{matrix} 326 \\ 71 \\ 184 \end{matrix}$	$\begin{matrix} 363 \\ 73 \\ 201 \end{matrix}$	$\begin{matrix} 384 \\ 76 \\ 212 \end{matrix}$	$\begin{matrix} 407 \\ 81 \\ 225 \end{matrix}$
48	Uterus	F	209	212	212	202	202
49	Other female genital organs	F	105	109	115	119	116
50	Breast	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 4 \\ 318 \\ 179 \end{matrix}$	$\begin{matrix} 4 \\ 332 \\ 188 \end{matrix}$	$\begin{matrix} 5 \\ 340 \\ 194 \end{matrix}$	$\begin{matrix} 4 \\ 339 \\ 193 \end{matrix}$	$\begin{matrix} 4 \\ 335 \\ 191 \end{matrix}$
51	Male genital organs	M	155	169	169	158	166
52	Urinary organs	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 94 \\ 36 \\ 62 \end{matrix}$	$\begin{matrix} 96 \\ 42 \\ 66 \end{matrix}$	$\begin{matrix} 105 \\ 43 \\ 70 \end{matrix}$	$\begin{matrix} 99 \\ 43 \\ 67 \end{matrix}$	$\begin{matrix} 105 \\ 42 \\ 69 \end{matrix}$
53	Skin (scrotum excepted)	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 36 \\ 19 \\ 26 \end{matrix}$	$\begin{matrix} 34 \\ 20 \\ 26 \end{matrix}$	$\begin{matrix} 39 \\ 21 \\ 29 \end{matrix}$	$\begin{matrix} 35 \\ 21 \\ 27 \end{matrix}$	$\begin{matrix} 37 \\ 21 \\ 28 \end{matrix}$
54	Brain and other parts of the nervous system	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 24 \\ 13 \\ 18 \end{matrix}$	$\begin{matrix} 25 \\ 14 \\ 19 \end{matrix}$	$\begin{matrix} 27 \\ 15 \\ 20 \end{matrix}$	$\begin{matrix} 25 \\ 15 \\ 19 \end{matrix}$	$\begin{matrix} 29 \\ 17 \\ 22 \end{matrix}$
55	Other or unspecified organs	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 74 \\ 50 \\ 60 \end{matrix}$	$\begin{matrix} 78 \\ 56 \\ 66 \end{matrix}$	$\begin{matrix} 80 \\ 56 \\ 66 \end{matrix}$	$\begin{matrix} 80 \\ 58 \\ 67 \end{matrix}$	$\begin{matrix} 83 \\ 60 \\ 70 \end{matrix}$

APPENDIX A—*contd.*

Inter-national List No.	Causes of Death.	1941	1942	1943	1944	1945
61	Diabetes { M F P	107 138 124	99 128 115	94 128 113	88 121 106	84 121 105
83	Intra-cranial lesions of vascular origin { M F P	1,266 1,205 1,229	1,280 1,230 1,250	1,291 1,272 1,280	1,358 1,313 1,332	1,380 1,331 1,352
90	Pericarditis... .. { M F P	10 6 8	9 5 7	9 6 7	9 7 8	10 4 7
91	Acute endocarditis { M F P	28 21 24	27 23 25	30 22 25	25 19 22	22 14 17
92	Chronic affections of valves and endocardium { M F P	459 435 445	444 418 429	433 418 424	448 416 429	420 403 410
93	Diseases of myocardium { M F P	2,304 1,863 2,050	2,206 1,774 1,959	2,272 1,889 2,053	2,340 1,898 2,087	2,338 1,977 2,132
94	Diseases of coronary arteries angina pectoris { M F P	685 266 451	728 288 481	816 319 537	916 349 596	993 384 649
95	Other diseases of heart { M F P	140 132 136	126 114 119	118 108 112	113 104 108	107 109 108
107-109	Pneumonia (all forms) { M F P	819 561 679	674 432 540	788 539 651	664 418 527	639 426 520
130-132	Nephritis { M F P	435 313 364	416 293 345	401 292 337	396 287 331	390 278 324

Inter-national List No.	Causes of death	Total under 1 year	Under 30 minutes	30 minutes and under 1 year	Total under 1 day	Days						1 day and under 1 week	Weeks			Months					
						1	2	3	4	5	6		0	1	2	3	4 weeks to 3 months	3-6	6-9	9-12	
	ALL CAUSES ... { M { F	18387 13572	467 407	2988 2282	3455 2689	1100 792	923 608	682 399	384 261	324 251	243 195	3656 2506	7111 5195	1161 923	802 583	662 473	9736 7174	3346 2324	2795 2136	1562 1175	948 763
106	Bronchitis ... { M { F	623 454	—	1	—	—	1	2	1	2	1	7	8	9	25	19	61	208	188	115	51
107-9	Pneumonia (all forms) ... { M { F	3071 2376	—	—	—	5	22	29	19	27	18	120	121	113	126	125	485	163	124	73	44
119	Enteritis and diarrhoea... { M { F	2182 1410	—	—	—	8	15	12	19	13	13	80	84	82	105	383	666	767	946	491	278
157	Congenital malformations ... { M { F	2092 1782	1	—	—	—	—	—	2	10	7	19	14	72	100	113	304	720	669	336	153
158	Congenital debility { M { F	405 244	45 6	205 35	250 56	114 18	114 9	114 20	78 5	72 6	47 4	539 34	789 75	222 15	141 23	95 36	1247 122	483	213	89	58
159	Premature birth ... { M { F	4206 3324	140 120	1730 1318	1870 1438	534 324	366 271	209 152	138 100	111 80	80	1438 1125	3308 2563	352 195	116	116	3971	221	11	2	1
160 (a)	Intra-cranial or spinal haemorrhage due to injury at birth ... { M { F	844 471	40 31	235 149	275 180	129 62	138 63	93 38	42 21	89 26	80 23	451 215	2563 395	321 43	168 13	93 7	3145 458	159	20	—	—
(b)	Other intra-cranial or spinal injuries at birth ... { M { F	50 21	2 1	16 7	18 8	6 2	6 3	5 2	1 1	—	—	18 8	36 16	4 3	4	3	47	1	2	—	—
(c)	Other birth injuries ... { M { F	260 176	40 36	123 85	163 121	38 22	17 13	12 3	3 1	1 4	2	73 45	236 166	13 5	6	1	256	4	—	—	—
161 (a)	Asphyxia, during or after birth, atelectasis ... { M { F	1154 750	73 41	488 357	561 398	176 123	116 70	81 33	36 18	20 23	20	449 277	1010 675	71 39	28 13	22	1131	17	3	1	2
(b)	Intoxication, due to internal toxæmia ... { M { F	166 113	7 4	59 47	66 51	32 15	14 12	12 8	6 5	8 4	4	76 45	142 96	11 6	3	1	157	9	—	—	—
(c1)	Infections of the umbilicus ... { M { F	20 16	—	—	—	—	1	1	1	1	1	4	4	2	3	6	15	4	1	—	—
(c2)	Pemphigus neonatorum ... { M { F	21 18	—	—	—	—	—	—	1	—	—	1	1	6	6	4	17	4	1	—	—
(c3)	Other or unspecified infections included under 161 (c) ... { M { F	35 15	—	—	—	1	2	2	1	—	—	7	3	7	7	5	26	9	1	—	—
(d)	Melæna neonatorum { M { F	163 103	2 1	19 15	21 16	13 19	25 19	34 16	13 8	8 5	11	104 55	125 71	22 17	9	3	159	4	2	—	—
(e1)	Hæmolytic diseases of the newborn ... { M { F	311 185	5 8	22 19	27 27	15 10	45 27	47 25	28 17	20 9	14	169 95	196 122	52 32	26	17	291	18	2	—	—
(e2)	Other diseases included under 161 (e) ... { M { F	37 28	1 2	7 5	8 7	2 —	6 —	3 3	1 1	1 1	1	12 7	20 14	6 7	3	2	31	6	—	1	—
	Other Causes ... { M { F	2747 2086	104 113	34 31	138 144	18 12	41 12	20 9	11 10	11 8	9	110 57	248 201	83 46	71	81	483	640	708	509	407
																49	353	536	426	336	